

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFBRA	Antimony	8.5206E-008	1.0804E-007
RCPTR_37	farmer_adult	TOCDFBRA	Arsenic	1.3845E-007	1.4552E-007
RCPTR_37	farmer_adult	TOCDFBRA	Barium	1.1659E-008	1.3960E-008
RCPTR_37	farmer_adult	TOCDFBRA	Beryllium	4.2722E-008	5.2258E-008
RCPTR_37	farmer_adult	TOCDFBRA	Cadmium	6.7201E-009	1.0224E-008
RCPTR_37	farmer_adult	TOCDFBRA	Chromium	1.2574E-006	1.3045E-006
RCPTR_37	farmer_adult	TOCDFBRA	Chromium, hexavalent	8.1980E-007	8.4017E-007
RCPTR_37	farmer_adult	TOCDFBRA	Lead	4.8498E-007	6.3662E-007
RCPTR_37	farmer_adult	TOCDFBRA	Mercuric chloride	2.3725E-004	2.6355E-004
RCPTR_37	farmer_adult	TOCDFBRA	Methyl mercury	1.3073E-006	1.4446E-006
RCPTR_37	farmer_adult	TOCDFBRA	Nickel	4.5635E-007	5.0596E-007
RCPTR_37	farmer_adult	TOCDFBRA	Selenium	1.5517E-007	1.5628E-007
RCPTR_37	farmer_adult	TOCDFBRA	Silver	5.2927E-008	5.9820E-008
RCPTR_37	farmer_adult	TOCDFBRA	Thallium (I)	1.4191E-006	1.5385E-006
RCPTR_37	farmer_adult	TOCDFBRA	Zinc	2.4545E-007	3.2851E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFDFS	Acenaphthene	6.0385E-011	3.0808E-010
RCPTR_37	farmer_adult	TOCDFDFS	Acetone	7.3947E-016	3.8562E-015
RCPTR_37	farmer_adult	TOCDFDFS	Acetophenone	3.2764E-013	1.7067E-012
RCPTR_37	farmer_adult	TOCDFDFS	Aniline	1.8840E-014	9.7886E-014
RCPTR_37	farmer_adult	TOCDFDFS	Anthracene	1.0668E-009	5.4338E-009
RCPTR_37	farmer_adult	TOCDFDFS	Antimony	7.4890E-007	9.4937E-007
RCPTR_37	farmer_adult	TOCDFDFS	Aroclor 1254	1.4278E-011	2.9374E-011
RCPTR_37	farmer_adult	TOCDFDFS	Arsenic	6.8807E-008	7.2314E-008
RCPTR_37	farmer_adult	TOCDFDFS	Barium	2.0374E-009	2.4391E-009
RCPTR_37	farmer_adult	TOCDFDFS	Benzene	6.1457E-016	3.1888E-015
RCPTR_37	farmer_adult	TOCDFDFS	Benzo(a)anthracene	3.2714E-007	5.8780E-007
RCPTR_37	farmer_adult	TOCDFDFS	Benzo(a)pyrene	3.1200E-006	3.3405E-006
RCPTR_37	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	1.8447E-006	2.4978E-006
RCPTR_37	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	4.9388E-006	5.3323E-006
RCPTR_37	farmer_adult	TOCDFDFS	Benzoic acid	2.4678E-012	1.1110E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFDFS	Benzyl alcohol	4.2646E-013	2.2202E-012
RCPTR_37	farmer_adult	TOCDFDFS	Beryllium	2.0548E-008	2.5129E-008
RCPTR_37	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	4.2623E-013	2.2226E-012
RCPTR_37	farmer_adult	TOCDFDFS	Bromodichloromethane	4.8275E-015	2.5151E-014
RCPTR_37	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.9181E-013	9.9963E-013
RCPTR_37	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	2.4018E-008	1.1937E-007
RCPTR_37	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.7207E-009	2.1472E-009
RCPTR_37	farmer_adult	TOCDFDFS	Cadmium	1.6271E-008	2.4746E-008
RCPTR_37	farmer_adult	TOCDFDFS	Carbon disulfide	3.2067E-016	1.6669E-015
RCPTR_37	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.6040E-015	8.3188E-015
RCPTR_37	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	4.4002E-011	1.8110E-010
RCPTR_37	farmer_adult	TOCDFDFS	Chloroaniline, p-	1.9878E-012	1.0318E-011
RCPTR_37	farmer_adult	TOCDFDFS	Chlorobenzene	9.4135E-015	4.8661E-014
RCPTR_37	farmer_adult	TOCDFDFS	Chloroethane	2.7035E-017	1.3658E-016
RCPTR_37	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.4462E-015	7.5326E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	1.5710E-010	8.0511E-010
RCPTR_37	farmer_adult	TOCDFDFS	Chlorophenol, 2-	5.4994E-012	2.8666E-011
RCPTR_37	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.4258E-010	1.0032E-009
RCPTR_37	farmer_adult	TOCDFDFS	Chromium	3.2489E-007	3.3705E-007
RCPTR_37	farmer_adult	TOCDFDFS	Chromium, hexavalent	2.1192E-007	2.1717E-007
RCPTR_37	farmer_adult	TOCDFDFS	Chrysene	9.6539E-007	1.3064E-006
RCPTR_37	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	7.6588E-009	9.3038E-009
RCPTR_37	farmer_adult	TOCDFDFS	Di-n-octylphthalate	3.9708E+001	3.9708E+001
RCPTR_37	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	6.8483E-005	7.0326E-005
RCPTR_37	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	2.5848E-013	1.2989E-012
RCPTR_37	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	3.0899E-013	1.5729E-012
RCPTR_37	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	2.9650E-013	1.5148E-012
RCPTR_37	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	6.5591E-009	8.7080E-009
RCPTR_37	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	2.1019E-018	1.0916E-017
RCPTR_37	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	5.2780E-016	2.7497E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	6.5554E-016	3.4160E-015
RCPTR_37	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	2.0017E-016	1.0409E-015
RCPTR_37	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	3.2186E-016	1.6732E-015
RCPTR_37	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	3.5247E-011	1.2418E-010
RCPTR_37	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.8149E-015	9.4139E-015
RCPTR_37	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	5.9666E-016	3.1067E-015
RCPTR_37	farmer_adult	TOCDFDFS	Diethyl phthalate	4.8773E-009	5.1590E-009
RCPTR_37	farmer_adult	TOCDFDFS	Dimethyl phthalate	8.5069E-012	4.3047E-011
RCPTR_37	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	3.7789E-012	1.9531E-011
RCPTR_37	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	3.8694E-012	9.2804E-012
RCPTR_37	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	3.5918E-012	1.7865E-011
RCPTR_37	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	2.7439E-012	1.3798E-011
RCPTR_37	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	7.9803E-014	4.1607E-013
RCPTR_37	farmer_adult	TOCDFDFS	Ethylbenzene	5.9195E-015	2.9682E-014
RCPTR_37	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.7236E-010	2.1753E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFDFS	Fluoranthene	1.9599E-008	7.4450E-008
RCPTR_37	farmer_adult	TOCDFDFS	Fluorene	2.4032E-010	1.2083E-009
RCPTR_37	farmer_adult	TOCDFDFS	GB	2.1494E-015	1.1192E-014
RCPTR_37	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	4.8193E-014	5.3787E-014
RCPTR_37	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	2.7495E-014	2.9937E-014
RCPTR_37	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	8.6283E-014	9.5974E-014
RCPTR_37	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	5.3235E-013	5.8313E-013
RCPTR_37	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.5861E-013	2.9164E-013
RCPTR_37	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	2.0687E-013	2.3850E-013
RCPTR_37	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.6450E-013	1.9427E-013
RCPTR_37	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.4746E-013	1.7398E-013
RCPTR_37	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	2.0065E-013	2.3634E-013
RCPTR_37	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.3716E-013	1.6168E-013
RCPTR_37	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	5.2557E-012	2.5260E-011
RCPTR_37	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.0564E-008	5.1584E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	7.0237E-011	3.3156E-010
RCPTR_37	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.0662E-012	1.5630E-011
RCPTR_37	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_37	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	5.2836E-004	5.3180E-004
RCPTR_37	farmer_adult	TOCDFDFS	Isophorone	5.7127E-013	2.9753E-012
RCPTR_37	farmer_adult	TOCDFDFS	Lead	2.5241E-006	3.3126E-006
RCPTR_37	farmer_adult	TOCDFDFS	Mercuric chloride	6.5950E-008	7.3277E-008
RCPTR_37	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	5.5847E-017	2.9111E-016
RCPTR_37	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	9.4590E-018	4.9281E-017
RCPTR_37	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.9629E-015	2.5878E-014
RCPTR_37	farmer_adult	TOCDFDFS	Methyl mercury	3.5711E-010	3.9537E-010
RCPTR_37	farmer_adult	TOCDFDFS	Methylene chloride	1.4355E-016	7.4801E-016
RCPTR_37	farmer_adult	TOCDFDFS	Naphthalene	2.4360E-012	1.2551E-011
RCPTR_37	farmer_adult	TOCDFDFS	Nickel	2.3592E-007	2.6154E-007
RCPTR_37	farmer_adult	TOCDFDFS	Nitroaniline, 2-	9.6546E-012	5.0121E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFDFS	Nitroaniline, 3-	2.2914E-012	1.1933E-011
RCPTR_37	farmer_adult	TOCDFDFS	Nitroaniline, 4-	2.9615E-012	1.5414E-011
RCPTR_37	farmer_adult	TOCDFDFS	Nitrobenzene	9.6357E-013	5.0226E-012
RCPTR_37	farmer_adult	TOCDFDFS	Nitrophenol, 2-	4.3897E-013	2.2865E-012
RCPTR_37	farmer_adult	TOCDFDFS	Nitrophenol, 4-	1.4926E-011	3.2282E-011
RCPTR_37	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	5.4559E-013	2.8320E-012
RCPTR_37	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	5.3731E-013	2.7826E-012
RCPTR_37	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	4.8555E-014	2.4877E-013
RCPTR_37	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.0709E-013	1.2481E-013
RCPTR_37	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	3.6623E-014	4.2577E-014
RCPTR_37	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.4556E-012	1.6342E-012
RCPTR_37	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	1.2029E-013	1.4641E-013
RCPTR_37	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	4.5635E-013	5.5392E-013
RCPTR_37	farmer_adult	TOCDFDFS	Pentachlorobenzene	4.0214E-011	1.8794E-010
RCPTR_37	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.6022E-011	7.3131E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFDFS	Pentachlorophenol	2.2223E-008	3.2915E-008
RCPTR_37	farmer_adult	TOCDFDFS	Phenanthrene	7.5510E-013	3.8310E-012
RCPTR_37	farmer_adult	TOCDFDFS	Phenol	7.6540E-013	3.9772E-012
RCPTR_37	farmer_adult	TOCDFDFS	Pronamide	1.5120E-010	7.5786E-010
RCPTR_37	farmer_adult	TOCDFDFS	Pyrene	3.7737E-008	1.5508E-007
RCPTR_37	farmer_adult	TOCDFDFS	Selenium	7.7113E-008	7.7668E-008
RCPTR_37	farmer_adult	TOCDFDFS	Silver	2.6720E-008	3.0196E-008
RCPTR_37	farmer_adult	TOCDFDFS	Styrene	1.5640E-013	8.1199E-013
RCPTR_37	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	6.7021E-013	8.6636E-013
RCPTR_37	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	2.2206E-013	3.0806E-013
RCPTR_37	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	6.3466E-011	3.0567E-010
RCPTR_37	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	8.4444E-012	1.1296E-011
RCPTR_37	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.9256E-015	1.0003E-014
RCPTR_37	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	7.5722E-010	2.0579E-009
RCPTR_37	farmer_adult	TOCDFDFS	Thallium (I)	6.8265E-007	7.4001E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFDFS	Toluene	2.6160E-015	1.3467E-014
RCPTR_37	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.3518E-012	1.1735E-011
RCPTR_37	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.2430E-015	6.4647E-015
RCPTR_37	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	9.4929E-015	4.9438E-014
RCPTR_37	farmer_adult	TOCDFDFS	Trichloroethylene	1.5471E-015	8.0355E-015
RCPTR_37	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	2.0328E-016	1.0561E-015
RCPTR_37	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	2.8268E-010	1.3409E-009
RCPTR_37	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	6.8178E-011	2.6837E-010
RCPTR_37	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	3.5157E-014	1.8297E-013
RCPTR_37	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	4.1880E-013	2.1256E-012
RCPTR_37	farmer_adult	TOCDFDFS	Vinyl Chloride	5.0149E-019	2.6112E-018
RCPTR_37	farmer_adult	TOCDFDFS	Xylene, m-	2.0847E-014	5.2414E-014
RCPTR_37	farmer_adult	TOCDFDFS	Xylene, o-	1.9811E-014	5.5799E-014
RCPTR_37	farmer_adult	TOCDFDFS	Xylene, p-	2.4015E-014	7.2972E-014
RCPTR_37	farmer_adult	TOCDFDFS	Zinc	1.4256E-007	1.9075E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFLIC	Acenaphthene	3.4244E-011	1.7473E-010
RCPTR_37	farmer_adult	TOCDFLIC	Acetone	8.8482E-016	4.6141E-015
RCPTR_37	farmer_adult	TOCDFLIC	Acetophenone	3.1856E-013	1.6594E-012
RCPTR_37	farmer_adult	TOCDFLIC	Aniline	1.0685E-014	5.5517E-014
RCPTR_37	farmer_adult	TOCDFLIC	Anthracene	6.0494E-010	3.0817E-009
RCPTR_37	farmer_adult	TOCDFLIC	Antimony	1.2725E-008	1.6140E-008
RCPTR_37	farmer_adult	TOCDFLIC	Arsenic	3.9958E-008	4.2000E-008
RCPTR_37	farmer_adult	TOCDFLIC	Barium	1.3452E-009	1.6111E-009
RCPTR_37	farmer_adult	TOCDFLIC	Benzene	8.1584E-015	4.2332E-014
RCPTR_37	farmer_adult	TOCDFLIC	Benzo(a)anthracene	1.8454E-007	3.3223E-007
RCPTR_37	farmer_adult	TOCDFLIC	Benzo(a)pyrene	1.7532E-006	1.8764E-006
RCPTR_37	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.0411E-006	1.4109E-006
RCPTR_37	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	2.7768E-006	2.9947E-006
RCPTR_37	farmer_adult	TOCDFLIC	Benzoic acid	1.5011E-012	6.7594E-012
RCPTR_37	farmer_adult	TOCDFLIC	Benzyl alcohol	2.4187E-013	1.2592E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFLIC	Beryllium	7.3868E-009	9.0379E-009
RCPTR_37	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	2.4174E-013	1.2606E-012
RCPTR_37	farmer_adult	TOCDFLIC	Bromodichloromethane	2.1636E-015	1.1272E-014
RCPTR_37	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	7.4503E-014	3.8828E-013
RCPTR_37	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.3622E-008	6.7702E-008
RCPTR_37	farmer_adult	TOCDFLIC	Butylbenzylphthalate	9.6148E-010	1.2033E-009
RCPTR_37	farmer_adult	TOCDFLIC	Cadmium	4.3264E-009	6.5856E-009
RCPTR_37	farmer_adult	TOCDFLIC	Carbon disulfide	4.9347E-016	2.5652E-015
RCPTR_37	farmer_adult	TOCDFLIC	Carbon tetrachloride	7.8061E-016	4.0486E-015
RCPTR_37	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.4950E-011	1.0271E-010
RCPTR_37	farmer_adult	TOCDFLIC	Chloroaniline, p-	1.1274E-012	5.8522E-012
RCPTR_37	farmer_adult	TOCDFLIC	Chlorobenzene	4.5812E-015	2.3682E-014
RCPTR_37	farmer_adult	TOCDFLIC	Chloroethane	1.3157E-017	6.6471E-017
RCPTR_37	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	6.8856E-016	3.5864E-015
RCPTR_37	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	8.9098E-011	4.5662E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFLIC	Chlorophenol, 2-	3.1190E-012	1.6258E-011
RCPTR_37	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.3741E-010	5.6879E-010
RCPTR_37	farmer_adult	TOCDFLIC	Chromium	3.8794E-007	4.0248E-007
RCPTR_37	farmer_adult	TOCDFLIC	Chromium, hexavalent	2.5278E-007	2.5908E-007
RCPTR_37	farmer_adult	TOCDFLIC	Chrysene	5.4506E-007	7.3801E-007
RCPTR_37	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	4.3318E-009	5.2648E-009
RCPTR_37	farmer_adult	TOCDFLIC	Di-n-octylphthalate	2.2500E+001	2.2500E+001
RCPTR_37	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	3.8422E-005	3.9399E-005
RCPTR_37	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	1.4658E-013	7.3666E-013
RCPTR_37	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.7524E-013	8.9209E-013
RCPTR_37	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.6815E-013	8.5910E-013
RCPTR_37	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	1.9115E-009	2.5416E-009
RCPTR_37	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	1.0229E-018	5.3124E-018
RCPTR_37	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.5687E-016	1.3382E-015
RCPTR_37	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	3.1904E-016	1.6625E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	9.7419E-017	5.0658E-016
RCPTR_37	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.5664E-016	8.1433E-016
RCPTR_37	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	1.9983E-011	7.0424E-011
RCPTR_37	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	8.8324E-016	4.5815E-015
RCPTR_37	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	2.9038E-016	1.5120E-015
RCPTR_37	farmer_adult	TOCDFLIC	Diethyl phthalate	2.7635E-009	2.9233E-009
RCPTR_37	farmer_adult	TOCDFLIC	Dimethyl phthalate	8.7025E-012	4.4047E-011
RCPTR_37	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	2.1432E-012	1.1077E-011
RCPTR_37	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	2.2181E-012	5.3236E-012
RCPTR_37	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	2.0357E-012	1.0131E-011
RCPTR_37	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	1.5558E-012	7.8254E-012
RCPTR_37	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	4.5262E-014	2.3598E-013
RCPTR_37	farmer_adult	TOCDFLIC	Ethylbenzene	3.8406E-015	1.9260E-014
RCPTR_37	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	3.0422E-009	3.8522E-009
RCPTR_37	farmer_adult	TOCDFLIC	Fluoranthene	1.1098E-008	4.2205E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFLIC	Fluorene	1.3628E-010	6.8529E-010
RCPTR_37	farmer_adult	TOCDFLIC	GB	7.5886E-016	3.9513E-015
RCPTR_37	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.9251E-014	3.2587E-014
RCPTR_37	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	3.8440E-014	4.1781E-014
RCPTR_37	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	8.5111E-014	9.4497E-014
RCPTR_37	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	4.1237E-013	4.5103E-013
RCPTR_37	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.1145E-013	2.3807E-013
RCPTR_37	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.6655E-013	1.9177E-013
RCPTR_37	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.0801E-013	1.2751E-013
RCPTR_37	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.0659E-013	1.2572E-013
RCPTR_37	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.2523E-013	1.4744E-013
RCPTR_37	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	9.0741E-014	1.0693E-013
RCPTR_37	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.9786E-012	1.4324E-011
RCPTR_37	farmer_adult	TOCDFLIC	Hexachlorobenzene	5.9893E-009	2.9254E-008
RCPTR_37	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	8.0396E-012	3.7982E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.7390E-012	8.8648E-012
RCPTR_37	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_37	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	2.9850E-004	3.0032E-004
RCPTR_37	farmer_adult	TOCDFLIC	Isophorone	3.2401E-013	1.6875E-012
RCPTR_37	farmer_adult	TOCDFLIC	Lead	8.9310E-007	1.1727E-006
RCPTR_37	farmer_adult	TOCDFLIC	Mercuric chloride	5.4650E-006	6.0736E-006
RCPTR_37	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	1.7685E-017	9.2185E-017
RCPTR_37	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.4492E-018	7.5502E-018
RCPTR_37	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	5.2631E-015	2.7444E-014
RCPTR_37	farmer_adult	TOCDFLIC	Methyl mercury	2.9153E-008	3.2330E-008
RCPTR_37	farmer_adult	TOCDFLIC	Methylene chloride	1.1202E-016	5.8369E-016
RCPTR_37	farmer_adult	TOCDFLIC	Naphthalene	1.3815E-012	7.1185E-012
RCPTR_37	farmer_adult	TOCDFLIC	Nickel	1.2668E-007	1.4047E-007
RCPTR_37	farmer_adult	TOCDFLIC	Nitroaniline, 2-	5.5409E-012	2.8766E-011
RCPTR_37	farmer_adult	TOCDFLIC	Nitroaniline, 3-	1.3151E-012	6.8487E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.6996E-012	8.8467E-012
RCPTR_37	farmer_adult	TOCDFLIC	Nitrobenzene	5.4650E-013	2.8486E-012
RCPTR_37	farmer_adult	TOCDFLIC	Nitrophenol, 2-	2.4897E-013	1.2968E-012
RCPTR_37	farmer_adult	TOCDFLIC	Nitrophenol, 4-	8.5603E-012	1.8521E-011
RCPTR_37	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	3.0943E-013	1.6062E-012
RCPTR_37	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	3.0474E-013	1.5782E-012
RCPTR_37	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	2.7503E-014	1.4106E-013
RCPTR_37	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	8.8270E-014	1.0277E-013
RCPTR_37	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	2.8906E-014	3.3576E-014
RCPTR_37	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	9.2049E-013	1.0327E-012
RCPTR_37	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.4136E-013	2.9386E-013
RCPTR_37	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	5.0674E-013	6.1527E-013
RCPTR_37	farmer_adult	TOCDFLIC	Pentachlorobenzene	2.2719E-011	1.0650E-010
RCPTR_37	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	9.1542E-012	4.1931E-011
RCPTR_37	farmer_adult	TOCDFLIC	Pentachlorophenol	1.2744E-008	1.8880E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFLIC	Phenanthrene	4.2821E-013	2.1728E-012
RCPTR_37	farmer_adult	TOCDFLIC	Phenol	4.3411E-013	2.2557E-012
RCPTR_37	farmer_adult	TOCDFLIC	Pronamide	4.2874E-011	2.1491E-010
RCPTR_37	farmer_adult	TOCDFLIC	Pyrene	2.1392E-008	8.7939E-008
RCPTR_37	farmer_adult	TOCDFLIC	Selenium	2.7503E-008	2.7701E-008
RCPTR_37	farmer_adult	TOCDFLIC	Silver	9.3174E-009	1.0533E-008
RCPTR_37	farmer_adult	TOCDFLIC	Styrene	1.5829E-013	8.2182E-013
RCPTR_37	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	3.1710E-013	4.1023E-013
RCPTR_37	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	4.3960E-013	6.1048E-013
RCPTR_37	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	3.5988E-011	1.7336E-010
RCPTR_37	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	4.1061E-012	5.4940E-012
RCPTR_37	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	9.3712E-016	4.8681E-015
RCPTR_37	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	4.3430E-010	1.1808E-009
RCPTR_37	farmer_adult	TOCDFLIC	Thallium (I)	2.4530E-007	2.6597E-007
RCPTR_37	farmer_adult	TOCDFLIC	Toluene	7.3217E-015	3.7695E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.3336E-012	6.6556E-012
RCPTR_37	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	6.0493E-016	3.1462E-015
RCPTR_37	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	4.6200E-015	2.4060E-014
RCPTR_37	farmer_adult	TOCDFLIC	Trichloroethylene	7.5292E-016	3.9107E-015
RCPTR_37	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	9.8929E-017	5.1398E-016
RCPTR_37	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.6031E-010	7.6050E-010
RCPTR_37	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	3.8656E-011	1.5220E-010
RCPTR_37	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	1.7110E-014	8.9045E-014
RCPTR_37	farmer_adult	TOCDFLIC	Vinyl Chloride	2.6297E-019	1.3693E-018
RCPTR_37	farmer_adult	TOCDFLIC	Xylene, m-	1.7464E-014	4.4856E-014
RCPTR_37	farmer_adult	TOCDFLIC	Xylene, o-	1.0600E-014	3.0468E-014
RCPTR_37	farmer_adult	TOCDFLIC	Xylene, p-	2.0257E-014	6.2738E-014
RCPTR_37	farmer_adult	TOCDFLIC	Zinc	3.5549E-008	4.7597E-008
RCPTR_37	farmer_adult	TOCDFMPF	Acenaphthene	1.4661E-010	7.4806E-010
RCPTR_37	farmer_adult	TOCDFMPF	Acetone	4.4528E-016	2.3220E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFMPF	Acetophenone	7.5771E-013	3.9469E-012
RCPTR_37	farmer_adult	TOCDFMPF	Aniline	4.5748E-014	2.3769E-013
RCPTR_37	farmer_adult	TOCDFMPF	Anthracene	2.5899E-009	1.3194E-008
RCPTR_37	farmer_adult	TOCDFMPF	Antimony	3.8178E-009	4.8432E-009
RCPTR_37	farmer_adult	TOCDFMPF	Arsenic	9.4520E-009	9.9355E-009
RCPTR_37	farmer_adult	TOCDFMPF	Barium	1.2711E-009	1.5226E-009
RCPTR_37	farmer_adult	TOCDFMPF	Benzene	3.9853E-016	2.0679E-015
RCPTR_37	farmer_adult	TOCDFMPF	Benzo(a)anthracene	7.8996E-007	1.4223E-006
RCPTR_37	farmer_adult	TOCDFMPF	Benzo(a)pyrene	7.5060E-006	8.0344E-006
RCPTR_37	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	4.4559E-006	6.0395E-006
RCPTR_37	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	1.1888E-005	1.2823E-005
RCPTR_37	farmer_adult	TOCDFMPF	Benzoic acid	5.9904E-012	2.6977E-011
RCPTR_37	farmer_adult	TOCDFMPF	Benzyl alcohol	1.0355E-012	5.3911E-012
RCPTR_37	farmer_adult	TOCDFMPF	Beryllium	2.1269E-009	2.6025E-009
RCPTR_37	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.0350E-012	5.3971E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFMPF	Bromodichloromethane	3.5378E-015	1.8432E-014
RCPTR_37	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.3345E-013	6.9549E-013
RCPTR_37	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	5.8320E-008	2.8986E-007
RCPTR_37	farmer_adult	TOCDFMPF	Butylbenzylphthalate	4.1186E-009	5.1540E-009
RCPTR_37	farmer_adult	TOCDFMPF	Cadmium	1.9081E-009	2.9052E-009
RCPTR_37	farmer_adult	TOCDFMPF	Carbon disulfide	6.9582E-016	3.6170E-015
RCPTR_37	farmer_adult	TOCDFMPF	Carbon tetrachloride	1.1036E-015	5.7235E-015
RCPTR_37	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.0680E-010	4.3971E-010
RCPTR_37	farmer_adult	TOCDFMPF	Chloroaniline, p-	4.8268E-012	2.5056E-011
RCPTR_37	farmer_adult	TOCDFMPF	Chlorobenzene	6.4764E-015	3.3480E-014
RCPTR_37	farmer_adult	TOCDFMPF	Chloroethane	1.8599E-017	9.3970E-017
RCPTR_37	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	9.3637E-016	4.8771E-015
RCPTR_37	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	3.8146E-010	1.9550E-009
RCPTR_37	farmer_adult	TOCDFMPF	Chlorophenol, 2-	1.3354E-011	6.9609E-011
RCPTR_37	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	5.8823E-010	2.4351E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFMPF	Chromium	7.5673E-008	7.8513E-008
RCPTR_37	farmer_adult	TOCDFMPF	Chromium, hexavalent	4.9296E-008	5.0524E-008
RCPTR_37	farmer_adult	TOCDFMPF	Chrysene	2.3328E-006	3.1591E-006
RCPTR_37	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.8536E-008	2.2531E-008
RCPTR_37	farmer_adult	TOCDFMPF	Di-n-octylphthalate	9.6260E+001	9.6260E+001
RCPTR_37	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.6449E-004	1.6870E-004
RCPTR_37	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	6.2756E-013	3.1539E-012
RCPTR_37	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	7.5024E-013	3.8194E-012
RCPTR_37	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	7.1992E-013	3.6781E-012
RCPTR_37	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.0704E-008	1.4234E-008
RCPTR_37	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	1.4461E-018	7.5103E-018
RCPTR_37	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	3.6314E-016	1.8919E-015
RCPTR_37	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	4.5103E-016	2.3503E-015
RCPTR_37	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	1.3772E-016	7.1616E-016
RCPTR_37	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.2145E-016	1.1512E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	8.5529E-011	3.0149E-010
RCPTR_37	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.2486E-015	6.4769E-015
RCPTR_37	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	4.1051E-016	2.1375E-015
RCPTR_37	farmer_adult	TOCDFMPF	Diethyl phthalate	1.1823E-008	1.2507E-008
RCPTR_37	farmer_adult	TOCDFMPF	Dimethyl phthalate	3.1771E-012	1.6081E-011
RCPTR_37	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	9.1760E-012	4.7427E-011
RCPTR_37	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	9.4750E-012	2.2747E-011
RCPTR_37	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	8.7157E-012	4.3375E-011
RCPTR_37	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	6.6609E-012	3.3504E-011
RCPTR_37	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	1.9378E-013	1.0103E-012
RCPTR_37	farmer_adult	TOCDFMPF	Ethylbenzene	4.0720E-015	2.0421E-014
RCPTR_37	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	3.3834E-009	4.2838E-009
RCPTR_37	farmer_adult	TOCDFMPF	Fluoranthene	4.7509E-008	1.8069E-007
RCPTR_37	farmer_adult	TOCDFMPF	Fluorene	5.8343E-010	2.9340E-009
RCPTR_37	farmer_adult	TOCDFMPF	GB	1.0841E-015	5.6449E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	6.1945E-014	6.9029E-014
RCPTR_37	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	2.5921E-012	2.8181E-012
RCPTR_37	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	3.9702E-013	4.4092E-013
RCPTR_37	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	9.4665E-013	1.0356E-012
RCPTR_37	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	4.6217E-013	5.2049E-013
RCPTR_37	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	3.9751E-013	4.5783E-013
RCPTR_37	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.6305E-011	1.9254E-011
RCPTR_37	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	4.0073E-012	4.7271E-012
RCPTR_37	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	7.0610E-013	8.3151E-013
RCPTR_37	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	5.0084E-013	5.9028E-013
RCPTR_37	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.2752E-011	6.1327E-011
RCPTR_37	farmer_adult	TOCDFMPF	Hexachlorobenzene	2.5642E-008	1.2525E-007
RCPTR_37	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	3.4420E-011	1.6261E-010
RCPTR_37	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	7.4451E-012	3.7953E-011
RCPTR_37	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.2773E-003	1.2852E-003
RCPTR_37	farmer_adult	TOCDFMPF	Isophorone	1.3872E-012	7.2247E-012
RCPTR_37	farmer_adult	TOCDFMPF	Lead	7.0996E-010	9.3233E-010
RCPTR_37	farmer_adult	TOCDFMPF	Mercuric chloride	6.2146E-008	6.9065E-008
RCPTR_37	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	2.1303E-017	1.1105E-016
RCPTR_37	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	7.6236E-019	3.9719E-018
RCPTR_37	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	4.9882E-015	2.6011E-014
RCPTR_37	farmer_adult	TOCDFMPF	Methyl mercury	3.3182E-010	3.6794E-010
RCPTR_37	farmer_adult	TOCDFMPF	Methylene chloride	1.2478E-016	6.5021E-016
RCPTR_37	farmer_adult	TOCDFMPF	Naphthalene	5.9148E-012	3.0477E-011
RCPTR_37	farmer_adult	TOCDFMPF	Nickel	1.0014E-007	1.1105E-007
RCPTR_37	farmer_adult	TOCDFMPF	Nitroaniline, 2-	2.3680E-011	1.2294E-010
RCPTR_37	farmer_adult	TOCDFMPF	Nitroaniline, 3-	5.6203E-012	2.9269E-011
RCPTR_37	farmer_adult	TOCDFMPF	Nitroaniline, 4-	7.2635E-012	3.7807E-011
RCPTR_37	farmer_adult	TOCDFMPF	Nitrobenzene	2.3398E-012	1.2196E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.0659E-012	5.5522E-012
RCPTR_37	farmer_adult	TOCDFMPF	Nitrophenol, 4-	3.6564E-011	7.9134E-011
RCPTR_37	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.3248E-012	6.8768E-012
RCPTR_37	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.3047E-012	6.7568E-012
RCPTR_37	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.1776E-013	6.0392E-013
RCPTR_37	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	1.3204E-013	1.5377E-013
RCPTR_37	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.8307E-013	2.1269E-013
RCPTR_37	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	3.6503E-012	4.0959E-012
RCPTR_37	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	2.7000E-012	3.2876E-012
RCPTR_37	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	8.2765E-012	1.0050E-011
RCPTR_37	farmer_adult	TOCDFMPF	Pentachlorobenzene	9.7291E-011	4.5601E-010
RCPTR_37	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	3.9132E-011	1.7921E-010
RCPTR_37	farmer_adult	TOCDFMPF	Pentachlorophenol	5.4427E-008	8.0651E-008
RCPTR_37	farmer_adult	TOCDFMPF	Phenanthrene	1.8333E-012	9.3024E-012
RCPTR_37	farmer_adult	TOCDFMPF	Phenol	1.8586E-012	9.6576E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFMPF	Pronamide	1.8355E-010	9.2011E-010
RCPTR_37	farmer_adult	TOCDFMPF	Pyrene	9.1582E-008	3.7650E-007
RCPTR_37	farmer_adult	TOCDFMPF	Selenium	8.1100E-009	8.1686E-009
RCPTR_37	farmer_adult	TOCDFMPF	Silver	3.7586E-008	4.2493E-008
RCPTR_37	farmer_adult	TOCDFMPF	Styrene	1.6998E-013	8.8253E-013
RCPTR_37	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	9.0348E-013	1.1689E-012
RCPTR_37	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	1.8080E-012	2.5110E-012
RCPTR_37	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.5407E-010	7.4220E-010
RCPTR_37	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	5.8010E-012	7.7630E-012
RCPTR_37	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.9360E-015	1.5252E-014
RCPTR_37	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.8553E-009	5.0456E-009
RCPTR_37	farmer_adult	TOCDFMPF	Thallium (I)	7.2958E-008	7.9110E-008
RCPTR_37	farmer_adult	TOCDFMPF	Toluene	2.0594E-015	1.0602E-014
RCPTR_37	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	5.7096E-012	2.8495E-011
RCPTR_37	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	8.5519E-016	4.4478E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	6.5313E-015	3.4014E-014
RCPTR_37	farmer_adult	TOCDFMPF	Trichloroethylene	1.0644E-015	5.5286E-015
RCPTR_37	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.3986E-016	7.2662E-016
RCPTR_37	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	6.8628E-010	3.2559E-009
RCPTR_37	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	1.6547E-010	6.5159E-010
RCPTR_37	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	2.4189E-014	1.2588E-013
RCPTR_37	farmer_adult	TOCDFMPF	Vinyl Chloride	3.4502E-019	1.7966E-018
RCPTR_37	farmer_adult	TOCDFMPF	Xylene, m-	1.3883E-014	3.5602E-014
RCPTR_37	farmer_adult	TOCDFMPF	Xylene, o-	1.3240E-014	3.8000E-014
RCPTR_37	farmer_adult	TOCDFMPF	Xylene, p-	1.6095E-014	4.9778E-014
RCPTR_37	farmer_adult	TOCDFMPF	Zinc	2.1935E-008	2.9375E-008
RCPTR_37	farmer_adult	TOCDHVAC	GB	5.9753E-015	3.1113E-014
RCPTR_37	farmer_adult	TOCDLIC2	Acenaphthene	7.0667E-011	3.6057E-010
RCPTR_37	farmer_adult	TOCDLIC2	Acetone	8.7562E-016	4.5661E-015
RCPTR_37	farmer_adult	TOCDLIC2	Acetophenone	3.6522E-013	1.9024E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDLIC2	Aniline	2.2051E-014	1.1457E-013
RCPTR_37	farmer_adult	TOCDLIC2	Anthracene	1.2484E-009	6.3596E-009
RCPTR_37	farmer_adult	TOCDLIC2	Antimony	1.6930E-008	2.1474E-008
RCPTR_37	farmer_adult	TOCDLIC2	Arsenic	3.9958E-008	4.2000E-008
RCPTR_37	farmer_adult	TOCDLIC2	Barium	1.2963E-008	1.5525E-008
RCPTR_37	farmer_adult	TOCDLIC2	Benzene	5.8712E-016	3.0464E-015
RCPTR_37	farmer_adult	TOCDLIC2	Benzo(a)anthracene	3.8083E-007	6.8561E-007
RCPTR_37	farmer_adult	TOCDLIC2	Benzo(a)pyrene	3.6179E-006	3.8722E-006
RCPTR_37	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	2.1484E-006	2.9116E-006
RCPTR_37	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	5.7303E-006	6.1800E-006
RCPTR_37	farmer_adult	TOCDLIC2	Benzoic acid	2.8877E-012	1.3003E-011
RCPTR_37	farmer_adult	TOCDLIC2	Benzyl alcohol	4.9914E-013	2.5985E-012
RCPTR_37	farmer_adult	TOCDLIC2	Beryllium	7.3868E-009	9.0379E-009
RCPTR_37	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	4.9887E-013	2.6014E-012
RCPTR_37	farmer_adult	TOCDLIC2	Bromodichloromethane	6.6248E-015	3.4515E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	1.7274E-013	9.0025E-013
RCPTR_37	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	2.8110E-008	1.3971E-007
RCPTR_37	farmer_adult	TOCDLIC2	Butylbenzylphthalate	1.9841E-009	2.4832E-009
RCPTR_37	farmer_adult	TOCDLIC2	Cadmium	4.9161E-010	7.4832E-010
RCPTR_37	farmer_adult	TOCDLIC2	Carbon disulfide	7.4784E-016	3.8874E-015
RCPTR_37	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.1881E-015	6.1618E-015
RCPTR_37	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	5.1487E-011	2.1195E-010
RCPTR_37	farmer_adult	TOCDLIC2	Chloroaniline, p-	2.3265E-012	1.2077E-011
RCPTR_37	farmer_adult	TOCDLIC2	Chlorobenzene	6.9724E-015	3.6043E-014
RCPTR_37	farmer_adult	TOCDLIC2	Chloroethane	2.0024E-017	1.0117E-016
RCPTR_37	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	2.1260E-015	1.1073E-014
RCPTR_37	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	1.8387E-010	9.4231E-010
RCPTR_37	farmer_adult	TOCDLIC2	Chlorophenol, 2-	6.4365E-012	3.3552E-011
RCPTR_37	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	2.8356E-010	1.1738E-009
RCPTR_37	farmer_adult	TOCDLIC2	Chromium	3.8794E-007	4.0248E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDLIC2	Chromium, hexavalent	2.5278E-007	2.5908E-007
RCPTR_37	farmer_adult	TOCDLIC2	Chrysene	1.1248E-006	1.5230E-006
RCPTR_37	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	8.9393E-009	1.0865E-008
RCPTR_37	farmer_adult	TOCDLIC2	Di-n-octylphthalate	4.6432E+001	4.6432E+001
RCPTR_37	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	7.9289E-005	8.1305E-005
RCPTR_37	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	3.0249E-013	1.5202E-012
RCPTR_37	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	3.6162E-013	1.8409E-012
RCPTR_37	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	3.4701E-013	1.7729E-012
RCPTR_37	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	4.5966E-009	6.1120E-009
RCPTR_37	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	1.5568E-018	8.0854E-018
RCPTR_37	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	3.9095E-016	2.0367E-015
RCPTR_37	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	4.8557E-016	2.5303E-015
RCPTR_37	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	1.4827E-016	7.7100E-016
RCPTR_37	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	2.3841E-016	1.2394E-015
RCPTR_37	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	4.1237E-011	1.4533E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	1.3443E-015	6.9729E-015
RCPTR_37	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	4.4195E-016	2.3011E-015
RCPTR_37	farmer_adult	TOCDLIC2	Diethyl phthalate	5.7029E-009	6.0326E-009
RCPTR_37	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.0659E-011	5.3949E-011
RCPTR_37	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	4.4229E-012	2.2860E-011
RCPTR_37	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	4.5891E-012	1.1014E-011
RCPTR_37	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	4.2009E-012	2.0907E-011
RCPTR_37	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	3.2106E-012	1.6149E-011
RCPTR_37	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	9.3403E-014	4.8698E-013
RCPTR_37	farmer_adult	TOCDLIC2	Ethylbenzene	4.9720E-015	2.4934E-014
RCPTR_37	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.0369E-009	2.5792E-009
RCPTR_37	farmer_adult	TOCDLIC2	Fluoranthene	2.2903E-008	8.7097E-008
RCPTR_37	farmer_adult	TOCDLIC2	Fluorene	2.8122E-010	1.4142E-009
RCPTR_37	farmer_adult	TOCDLIC2	GB	7.8891E-016	4.1077E-015
RCPTR_37	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.0531E-013	2.2873E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.0997E-013	2.2822E-013
RCPTR_37	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	1.8576E-013	2.0625E-013
RCPTR_37	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	6.1907E-013	6.7710E-013
RCPTR_37	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	3.9885E-013	4.4906E-013
RCPTR_37	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	3.5511E-013	4.0888E-013
RCPTR_37	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	3.4755E-013	4.1032E-013
RCPTR_37	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	2.1107E-013	2.4894E-013
RCPTR_37	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	1.9114E-013	2.2504E-013
RCPTR_37	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	2.1742E-013	2.5620E-013
RCPTR_37	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	6.1467E-012	2.9560E-011
RCPTR_37	farmer_adult	TOCDLIC2	Hexachlorobenzene	1.2360E-008	6.0370E-008
RCPTR_37	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	1.6591E-011	7.8381E-011
RCPTR_37	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	3.5886E-012	1.8294E-011
RCPTR_37	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_37	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.1600E-004	6.1976E-004

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDLIC2	Isophorone	6.6863E-013	3.4823E-012
RCPTR_37	farmer_adult	TOCDLIC2	Lead	6.4392E-008	8.4549E-008
RCPTR_37	farmer_adult	TOCDLIC2	Mercuric chloride	5.4650E-006	6.0736E-006
RCPTR_37	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	2.3132E-017	1.2058E-016
RCPTR_37	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	9.2246E-019	4.8060E-018
RCPTR_37	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	5.1875E-015	2.7050E-014
RCPTR_37	farmer_adult	TOCDLIC2	Methyl mercury	2.9153E-008	3.2330E-008
RCPTR_37	farmer_adult	TOCDLIC2	Methylene chloride	4.0747E-016	2.1232E-015
RCPTR_37	farmer_adult	TOCDLIC2	Naphthalene	2.8510E-012	1.4690E-011
RCPTR_37	farmer_adult	TOCDLIC2	Nickel	4.4034E-008	4.8830E-008
RCPTR_37	farmer_adult	TOCDLIC2	Nitroaniline, 2-	1.1464E-011	5.9516E-011
RCPTR_37	farmer_adult	TOCDLIC2	Nitroaniline, 3-	2.7209E-012	1.4170E-011
RCPTR_37	farmer_adult	TOCDLIC2	Nitroaniline, 4-	3.5164E-012	1.8304E-011
RCPTR_37	farmer_adult	TOCDLIC2	Nitrobenzene	1.1278E-012	5.8786E-012
RCPTR_37	farmer_adult	TOCDLIC2	Nitrophenol, 2-	5.1377E-013	2.6762E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.7711E-011	3.8320E-011
RCPTR_37	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	6.3856E-013	3.3147E-012
RCPTR_37	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	6.2887E-013	3.2568E-012
RCPTR_37	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	5.6757E-014	2.9109E-013
RCPTR_37	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	2.9639E-013	3.4508E-013
RCPTR_37	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	9.7769E-014	1.1356E-013
RCPTR_37	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.7213E-012	1.9311E-012
RCPTR_37	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	5.1072E-013	6.2180E-013
RCPTR_37	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	1.3485E-012	1.6374E-012
RCPTR_37	farmer_adult	TOCDLIC2	Pentachlorobenzene	4.6883E-011	2.1979E-010
RCPTR_37	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.8940E-011	8.6753E-011
RCPTR_37	farmer_adult	TOCDLIC2	Pentachlorophenol	2.6366E-008	3.9062E-008
RCPTR_37	farmer_adult	TOCDLIC2	Phenanthrene	8.8367E-013	4.4838E-012
RCPTR_37	farmer_adult	TOCDLIC2	Phenol	9.4714E-013	4.9216E-012
RCPTR_37	farmer_adult	TOCDLIC2	Pronamide	8.8476E-011	4.4350E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDLIC2	Pyrene	4.4145E-008	1.8148E-007
RCPTR_37	farmer_adult	TOCDLIC2	Selenium	2.7503E-008	2.7701E-008
RCPTR_37	farmer_adult	TOCDLIC2	Silver	9.3174E-009	1.0533E-008
RCPTR_37	farmer_adult	TOCDLIC2	Styrene	1.3260E-013	6.8847E-013
RCPTR_37	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	9.1924E-013	1.1892E-012
RCPTR_37	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	7.8742E-013	1.0935E-012
RCPTR_37	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	7.4267E-011	3.5775E-010
RCPTR_37	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	6.2494E-012	8.3617E-012
RCPTR_37	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.4263E-015	7.4091E-015
RCPTR_37	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	8.9856E-010	2.4431E-009
RCPTR_37	farmer_adult	TOCDLIC2	Thallium (I)	2.4530E-007	2.6597E-007
RCPTR_37	farmer_adult	TOCDLIC2	Toluene	7.7071E-015	3.9679E-014
RCPTR_37	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	2.7521E-012	1.3735E-011
RCPTR_37	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	9.2068E-016	4.7884E-015
RCPTR_37	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	7.0315E-015	3.6619E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_adult	TOCDLIC2	Trichloroethylene	1.1459E-015	5.9519E-015
RCPTR_37	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.5057E-016	7.8226E-016
RCPTR_37	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	3.3081E-010	1.5694E-009
RCPTR_37	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	7.9772E-011	3.1408E-010
RCPTR_37	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	2.6041E-014	1.3552E-013
RCPTR_37	farmer_adult	TOCDLIC2	Vinyl Chloride	4.3892E-019	2.2855E-018
RCPTR_37	farmer_adult	TOCDLIC2	Xylene, m-	2.0274E-014	5.2072E-014
RCPTR_37	farmer_adult	TOCDLIC2	Xylene, o-	1.4221E-014	4.0878E-014
RCPTR_37	farmer_adult	TOCDLIC2	Xylene, p-	2.3515E-014	7.2831E-014
RCPTR_37	farmer_adult	TOCDLIC2	Zinc	4.2446E-008	5.6831E-008
RCPTR_37	farmer_child	TOCDFBRA	Antimony	1.0462E-007	1.0804E-007
RCPTR_37	farmer_child	TOCDFBRA	Arsenic	1.4483E-007	1.4552E-007
RCPTR_37	farmer_child	TOCDFBRA	Barium	1.3646E-008	1.3960E-008
RCPTR_37	farmer_child	TOCDFBRA	Beryllium	4.4194E-008	5.2258E-008
RCPTR_37	farmer_child	TOCDFBRA	Cadmium	9.3773E-009	1.0224E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFBRA	Chromium	1.0597E-006	1.3045E-006
RCPTR_37	farmer_child	TOCDFBRA	Chromium, hexavalent	8.3887E-007	8.4017E-007
RCPTR_37	farmer_child	TOCDFBRA	Lead	4.9939E-007	6.3662E-007
RCPTR_37	farmer_child	TOCDFBRA	Mercuric chloride	1.4035E-004	2.6355E-004
RCPTR_37	farmer_child	TOCDFBRA	Methyl mercury	1.0817E-006	1.4446E-006
RCPTR_37	farmer_child	TOCDFBRA	Nickel	4.9540E-007	5.0596E-007
RCPTR_37	farmer_child	TOCDFBRA	Selenium	1.5627E-007	1.5628E-007
RCPTR_37	farmer_child	TOCDFBRA	Silver	5.9627E-008	5.9820E-008
RCPTR_37	farmer_child	TOCDFBRA	Thallium (I)	1.5109E-006	1.5385E-006
RCPTR_37	farmer_child	TOCDFBRA	Zinc	3.1158E-007	3.2851E-007
RCPTR_37	farmer_child	TOCDFDFS	Acenaphthene	3.0699E-010	3.0808E-010
RCPTR_37	farmer_child	TOCDFDFS	Acetone	3.8562E-015	3.8562E-015
RCPTR_37	farmer_child	TOCDFDFS	Acetophenone	1.7063E-012	1.7067E-012
RCPTR_37	farmer_child	TOCDFDFS	Aniline	9.7884E-014	9.7886E-014
RCPTR_37	farmer_child	TOCDFDFS	Anthracene	5.2568E-009	5.4338E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFDFS	Antimony	9.1931E-007	9.4937E-007
RCPTR_37	farmer_child	TOCDFDFS	Aroclor 1254	2.9160E-011	2.9374E-011
RCPTR_37	farmer_child	TOCDFDFS	Arsenic	7.1973E-008	7.2314E-008
RCPTR_37	farmer_child	TOCDFDFS	Barium	2.3842E-009	2.4391E-009
RCPTR_37	farmer_child	TOCDFDFS	Benzene	3.1888E-015	3.1888E-015
RCPTR_37	farmer_child	TOCDFDFS	Benzo(a)anthracene	4.9706E-007	5.8780E-007
RCPTR_37	farmer_child	TOCDFDFS	Benzo(a)pyrene	3.2733E-006	3.3405E-006
RCPTR_37	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	2.2798E-006	2.4978E-006
RCPTR_37	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	5.0923E-006	5.3323E-006
RCPTR_37	farmer_child	TOCDFDFS	Benzoic acid	1.1109E-011	1.1110E-011
RCPTR_37	farmer_child	TOCDFDFS	Benzyl alcohol	2.2191E-012	2.2202E-012
RCPTR_37	farmer_child	TOCDFDFS	Beryllium	2.1255E-008	2.5129E-008
RCPTR_37	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	2.2217E-012	2.2226E-012
RCPTR_37	farmer_child	TOCDFDFS	Bromodichloromethane	2.5151E-014	2.5151E-014
RCPTR_37	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	9.9954E-013	9.9963E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	8.6290E-008	1.1937E-007
RCPTR_37	farmer_child	TOCDFDFS	Butylbenzylphthalate	2.1453E-009	2.1472E-009
RCPTR_37	farmer_child	TOCDFDFS	Cadmium	2.2697E-008	2.4746E-008
RCPTR_37	farmer_child	TOCDFDFS	Carbon disulfide	1.6669E-015	1.6669E-015
RCPTR_37	farmer_child	TOCDFDFS	Carbon tetrachloride	8.3188E-015	8.3188E-015
RCPTR_37	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	1.8022E-010	1.8110E-010
RCPTR_37	farmer_child	TOCDFDFS	Chloroaniline, p-	1.0307E-011	1.0318E-011
RCPTR_37	farmer_child	TOCDFDFS	Chlorobenzene	4.8661E-014	4.8661E-014
RCPTR_37	farmer_child	TOCDFDFS	Chloroethane	1.3658E-016	1.3658E-016
RCPTR_37	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	7.5326E-015	7.5326E-015
RCPTR_37	farmer_child	TOCDFDFS	Chloronaphthalene,2-	7.9856E-010	8.0511E-010
RCPTR_37	farmer_child	TOCDFDFS	Chlorophenol, 2-	2.8601E-011	2.8666E-011
RCPTR_37	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	9.9965E-010	1.0032E-009
RCPTR_37	farmer_child	TOCDFDFS	Chromium	2.7386E-007	3.3705E-007
RCPTR_37	farmer_child	TOCDFDFS	Chromium, hexavalent	2.1684E-007	2.1717E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFDFS	Chrysene	1.1588E-006	1.3064E-006
RCPTR_37	farmer_child	TOCDFDFS	Di-n-butyl phthalate	9.2860E-009	9.3038E-009
RCPTR_37	farmer_child	TOCDFDFS	Di-n-octylphthalate	3.9708E+001	3.9708E+001
RCPTR_37	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	6.9529E-005	7.0326E-005
RCPTR_37	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.2988E-012	1.2989E-012
RCPTR_37	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	1.5729E-012	1.5729E-012
RCPTR_37	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	1.5147E-012	1.5148E-012
RCPTR_37	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	8.6578E-009	8.7080E-009
RCPTR_37	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.0916E-017	1.0916E-017
RCPTR_37	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.7497E-015	2.7497E-015
RCPTR_37	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.4160E-015	3.4160E-015
RCPTR_37	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.0409E-015	1.0409E-015
RCPTR_37	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.6732E-015	1.6732E-015
RCPTR_37	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	1.2379E-010	1.2418E-010
RCPTR_37	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	9.4138E-015	9.4139E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.1067E-015	3.1067E-015
RCPTR_37	farmer_child	TOCDFDFS	Diethyl phthalate	5.1582E-009	5.1590E-009
RCPTR_37	farmer_child	TOCDFDFS	Dimethyl phthalate	4.3010E-011	4.3047E-011
RCPTR_37	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	1.9507E-011	1.9531E-011
RCPTR_37	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	9.2790E-012	9.2804E-012
RCPTR_37	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	1.7836E-011	1.7865E-011
RCPTR_37	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.3779E-011	1.3798E-011
RCPTR_37	farmer_child	TOCDFDFS	Ethyl methanesulfonate	4.1597E-013	4.1607E-013
RCPTR_37	farmer_child	TOCDFDFS	Ethylbenzene	2.9682E-014	2.9682E-014
RCPTR_37	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	2.1687E-010	2.1753E-010
RCPTR_37	farmer_child	TOCDFDFS	Fluoranthene	6.3316E-008	7.4450E-008
RCPTR_37	farmer_child	TOCDFDFS	Fluorene	1.1954E-009	1.2083E-009
RCPTR_37	farmer_child	TOCDFDFS	GB	1.1189E-014	1.1192E-014
RCPTR_37	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	4.9340E-014	5.3787E-014
RCPTR_37	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	2.8001E-014	2.9937E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	8.8291E-014	9.5974E-014
RCPTR_37	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	5.4281E-013	5.8313E-013
RCPTR_37	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.6550E-013	2.9164E-013
RCPTR_37	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	2.1347E-013	2.3850E-013
RCPTR_37	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.7074E-013	1.9427E-013
RCPTR_37	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.5298E-013	1.7398E-013
RCPTR_37	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	2.0811E-013	2.3634E-013
RCPTR_37	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.4228E-013	1.6168E-013
RCPTR_37	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	2.5257E-011	2.5260E-011
RCPTR_37	farmer_child	TOCDFDFS	Hexachlorobenzene	4.8527E-008	5.1584E-008
RCPTR_37	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	3.3150E-010	3.3156E-010
RCPTR_37	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.5627E-011	1.5630E-011
RCPTR_37	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_37	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	5.3050E-004	5.3180E-004
RCPTR_37	farmer_child	TOCDFDFS	Isophorone	2.9742E-012	2.9753E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFDFS	Lead	2.5990E-006	3.3126E-006
RCPTR_37	farmer_child	TOCDFDFS	Mercuric chloride	3.8943E-008	7.3277E-008
RCPTR_37	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	2.9111E-016	2.9111E-016
RCPTR_37	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	4.9281E-017	4.9281E-017
RCPTR_37	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	2.5878E-014	2.5878E-014
RCPTR_37	farmer_child	TOCDFDFS	Methyl mercury	2.9425E-010	3.9537E-010
RCPTR_37	farmer_child	TOCDFDFS	Methylene chloride	7.4801E-016	7.4801E-016
RCPTR_37	farmer_child	TOCDFDFS	Naphthalene	1.2548E-011	1.2551E-011
RCPTR_37	farmer_child	TOCDFDFS	Nickel	2.5609E-007	2.6154E-007
RCPTR_37	farmer_child	TOCDFDFS	Nitroaniline, 2-	5.0066E-011	5.0121E-011
RCPTR_37	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.1928E-011	1.1933E-011
RCPTR_37	farmer_child	TOCDFDFS	Nitroaniline, 4-	1.5406E-011	1.5414E-011
RCPTR_37	farmer_child	TOCDFDFS	Nitrobenzene	5.0198E-012	5.0226E-012
RCPTR_37	farmer_child	TOCDFDFS	Nitrophenol, 2-	2.2859E-012	2.2865E-012
RCPTR_37	farmer_child	TOCDFDFS	Nitrophenol, 4-	3.2272E-011	3.2282E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	2.8315E-012	2.8320E-012
RCPTR_37	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	2.7823E-012	2.7826E-012
RCPTR_37	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	2.4876E-013	2.4877E-013
RCPTR_37	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.1074E-013	1.2481E-013
RCPTR_37	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	3.7843E-014	4.2577E-014
RCPTR_37	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.4942E-012	1.6342E-012
RCPTR_37	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	1.2591E-013	1.4641E-013
RCPTR_37	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	4.7708E-013	5.5392E-013
RCPTR_37	farmer_child	TOCDFDFS	Pentachlorobenzene	1.8786E-010	1.8794E-010
RCPTR_37	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	7.3126E-011	7.3131E-011
RCPTR_37	farmer_child	TOCDFDFS	Pentachlorophenol	3.2828E-008	3.2915E-008
RCPTR_37	farmer_child	TOCDFDFS	Phenanthrene	3.8309E-012	3.8310E-012
RCPTR_37	farmer_child	TOCDFDFS	Phenol	3.9747E-012	3.9772E-012
RCPTR_37	farmer_child	TOCDFDFS	Pronamide	7.5234E-010	7.5786E-010
RCPTR_37	farmer_child	TOCDFDFS	Pyrene	1.0451E-007	1.5508E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFDFS	Selenium	7.7659E-008	7.7668E-008
RCPTR_37	farmer_child	TOCDFDFS	Silver	3.0098E-008	3.0196E-008
RCPTR_37	farmer_child	TOCDFDFS	Styrene	8.1198E-013	8.1199E-013
RCPTR_37	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	7.1397E-013	8.6636E-013
RCPTR_37	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	2.4146E-013	3.0806E-013
RCPTR_37	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	3.0524E-010	3.0567E-010
RCPTR_37	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.1296E-011	1.1296E-011
RCPTR_37	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.0003E-014	1.0003E-014
RCPTR_37	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.0540E-009	2.0579E-009
RCPTR_37	farmer_child	TOCDFDFS	Thallium (I)	7.2680E-007	7.4001E-007
RCPTR_37	farmer_child	TOCDFDFS	Toluene	1.3467E-014	1.3467E-014
RCPTR_37	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.1734E-011	1.1735E-011
RCPTR_37	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	6.4647E-015	6.4647E-015
RCPTR_37	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	4.9438E-014	4.9438E-014
RCPTR_37	farmer_child	TOCDFDFS	Trichloroethylene	8.0355E-015	8.0355E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.0561E-015	1.0561E-015
RCPTR_37	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	1.3187E-009	1.3409E-009
RCPTR_37	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	2.6742E-010	2.6837E-010
RCPTR_37	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.8296E-013	1.8297E-013
RCPTR_37	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	2.1236E-012	2.1256E-012
RCPTR_37	farmer_child	TOCDFDFS	Vinyl Chloride	2.6112E-018	2.6112E-018
RCPTR_37	farmer_child	TOCDFDFS	Xylene, m-	5.2414E-014	5.2414E-014
RCPTR_37	farmer_child	TOCDFDFS	Xylene, o-	5.5799E-014	5.5799E-014
RCPTR_37	farmer_child	TOCDFDFS	Xylene, p-	7.2972E-014	7.2972E-014
RCPTR_37	farmer_child	TOCDFDFS	Zinc	1.8093E-007	1.9075E-007
RCPTR_37	farmer_child	TOCDFLIC	Acenaphthene	1.7411E-010	1.7473E-010
RCPTR_37	farmer_child	TOCDFLIC	Acetone	4.6141E-015	4.6141E-015
RCPTR_37	farmer_child	TOCDFLIC	Acetophenone	1.6590E-012	1.6594E-012
RCPTR_37	farmer_child	TOCDFLIC	Aniline	5.5516E-014	5.5517E-014
RCPTR_37	farmer_child	TOCDFLIC	Anthracene	2.9813E-009	3.0817E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFLIC	Antimony	1.5628E-008	1.6140E-008
RCPTR_37	farmer_child	TOCDFLIC	Arsenic	4.1802E-008	4.2000E-008
RCPTR_37	farmer_child	TOCDFLIC	Barium	1.5747E-009	1.6111E-009
RCPTR_37	farmer_child	TOCDFLIC	Benzene	4.2332E-014	4.2332E-014
RCPTR_37	farmer_child	TOCDFLIC	Benzo(a)anthracene	2.8082E-007	3.3223E-007
RCPTR_37	farmer_child	TOCDFLIC	Benzo(a)pyrene	1.8388E-006	1.8764E-006
RCPTR_37	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	1.2875E-006	1.4109E-006
RCPTR_37	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	2.8618E-006	2.9947E-006
RCPTR_37	farmer_child	TOCDFLIC	Benzoic acid	6.7587E-012	6.7594E-012
RCPTR_37	farmer_child	TOCDFLIC	Benzyl alcohol	1.2586E-012	1.2592E-012
RCPTR_37	farmer_child	TOCDFLIC	Beryllium	7.6417E-009	9.0379E-009
RCPTR_37	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.2601E-012	1.2606E-012
RCPTR_37	farmer_child	TOCDFLIC	Bromodichloromethane	1.1272E-014	1.1272E-014
RCPTR_37	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	3.8824E-013	3.8828E-013
RCPTR_37	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	4.8940E-008	6.7702E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFLIC	Butylbenzylphthalate	1.2023E-009	1.2033E-009
RCPTR_37	farmer_child	TOCDFLIC	Cadmium	6.0396E-009	6.5856E-009
RCPTR_37	farmer_child	TOCDFLIC	Carbon disulfide	2.5652E-015	2.5652E-015
RCPTR_37	farmer_child	TOCDFLIC	Carbon tetrachloride	4.0486E-015	4.0486E-015
RCPTR_37	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	1.0221E-010	1.0271E-010
RCPTR_37	farmer_child	TOCDFLIC	Chloroaniline, p-	5.8458E-012	5.8522E-012
RCPTR_37	farmer_child	TOCDFLIC	Chlorobenzene	2.3682E-014	2.3682E-014
RCPTR_37	farmer_child	TOCDFLIC	Chloroethane	6.6471E-017	6.6471E-017
RCPTR_37	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	3.5864E-015	3.5864E-015
RCPTR_37	farmer_child	TOCDFLIC	Chloronaphthalene,2-	4.5291E-010	4.5662E-010
RCPTR_37	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.6221E-011	1.6258E-011
RCPTR_37	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	5.6679E-010	5.6879E-010
RCPTR_37	farmer_child	TOCDFLIC	Chromium	3.2689E-007	4.0248E-007
RCPTR_37	farmer_child	TOCDFLIC	Chromium, hexavalent	2.5868E-007	2.5908E-007
RCPTR_37	farmer_child	TOCDFLIC	Chrysene	6.5452E-007	7.3801E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFLIC	Di-n-butyl phthalate	5.2547E-009	5.2648E-009
RCPTR_37	farmer_child	TOCDFLIC	Di-n-octylphthalate	2.2500E+001	2.2500E+001
RCPTR_37	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	3.8977E-005	3.9399E-005
RCPTR_37	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	7.3664E-013	7.3666E-013
RCPTR_37	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	8.9206E-013	8.9209E-013
RCPTR_37	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	8.5908E-013	8.5910E-013
RCPTR_37	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.5269E-009	2.5416E-009
RCPTR_37	farmer_child	TOCDFLIC	Dichlorodifluoromethane	5.3124E-018	5.3124E-018
RCPTR_37	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.3382E-015	1.3382E-015
RCPTR_37	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.6625E-015	1.6625E-015
RCPTR_37	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	5.0658E-016	5.0658E-016
RCPTR_37	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	8.1433E-016	8.1433E-016
RCPTR_37	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	7.0199E-011	7.0424E-011
RCPTR_37	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	4.5815E-015	4.5815E-015
RCPTR_37	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.5120E-015	1.5120E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFLIC	Diethyl phthalate	2.9229E-009	2.9233E-009
RCPTR_37	farmer_child	TOCDFLIC	Dimethyl phthalate	4.4008E-011	4.4047E-011
RCPTR_37	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	1.1063E-011	1.1077E-011
RCPTR_37	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	5.3229E-012	5.3236E-012
RCPTR_37	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	1.0114E-011	1.0131E-011
RCPTR_37	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	7.8143E-012	7.8254E-012
RCPTR_37	farmer_child	TOCDFLIC	Ethyl methanesulfonate	2.3592E-013	2.3598E-013
RCPTR_37	farmer_child	TOCDFLIC	Ethylbenzene	1.9260E-014	1.9260E-014
RCPTR_37	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	3.8404E-009	3.8522E-009
RCPTR_37	farmer_child	TOCDFLIC	Fluoranthene	3.5891E-008	4.2205E-008
RCPTR_37	farmer_child	TOCDFLIC	Fluorene	6.7796E-010	6.8529E-010
RCPTR_37	farmer_child	TOCDFLIC	GB	3.9503E-015	3.9513E-015
RCPTR_37	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	2.9935E-014	3.2587E-014
RCPTR_37	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	3.9132E-014	4.1781E-014
RCPTR_37	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	8.7055E-014	9.4497E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	4.2033E-013	4.5103E-013
RCPTR_37	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.1701E-013	2.3807E-013
RCPTR_37	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.7181E-013	1.9177E-013
RCPTR_37	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.1210E-013	1.2751E-013
RCPTR_37	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.1058E-013	1.2572E-013
RCPTR_37	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.2987E-013	1.4744E-013
RCPTR_37	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	9.4123E-014	1.0693E-013
RCPTR_37	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.4323E-011	1.4324E-011
RCPTR_37	farmer_child	TOCDFLIC	Hexachlorobenzene	2.7520E-008	2.9254E-008
RCPTR_37	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	3.7974E-011	3.7982E-011
RCPTR_37	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	8.8632E-012	8.8648E-012
RCPTR_37	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_37	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	2.9964E-004	3.0032E-004
RCPTR_37	farmer_child	TOCDFLIC	Isophorone	1.6868E-012	1.6875E-012
RCPTR_37	farmer_child	TOCDFLIC	Lead	9.1968E-007	1.1727E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFLIC	Mercuric chloride	3.2222E-006	6.0736E-006
RCPTR_37	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	9.2185E-017	9.2185E-017
RCPTR_37	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	7.5502E-018	7.5502E-018
RCPTR_37	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	2.7444E-014	2.7444E-014
RCPTR_37	farmer_child	TOCDFLIC	Methyl mercury	2.3933E-008	3.2330E-008
RCPTR_37	farmer_child	TOCDFLIC	Methylene chloride	5.8369E-016	5.8369E-016
RCPTR_37	farmer_child	TOCDFLIC	Naphthalene	7.1165E-012	7.1185E-012
RCPTR_37	farmer_child	TOCDFLIC	Nickel	1.3754E-007	1.4047E-007
RCPTR_37	farmer_child	TOCDFLIC	Nitroaniline, 2-	2.8735E-011	2.8766E-011
RCPTR_37	farmer_child	TOCDFLIC	Nitroaniline, 3-	6.8459E-012	6.8487E-012
RCPTR_37	farmer_child	TOCDFLIC	Nitroaniline, 4-	8.8420E-012	8.8467E-012
RCPTR_37	farmer_child	TOCDFLIC	Nitrobenzene	2.8471E-012	2.8486E-012
RCPTR_37	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.2965E-012	1.2968E-012
RCPTR_37	farmer_child	TOCDFLIC	Nitrophenol, 4-	1.8516E-011	1.8521E-011
RCPTR_37	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.6059E-012	1.6062E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.5780E-012	1.5782E-012
RCPTR_37	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.4105E-013	1.4106E-013
RCPTR_37	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	9.1256E-014	1.0277E-013
RCPTR_37	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	2.9862E-014	3.3576E-014
RCPTR_37	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	9.4474E-013	1.0327E-012
RCPTR_37	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.5265E-013	2.9386E-013
RCPTR_37	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	5.2979E-013	6.1527E-013
RCPTR_37	farmer_child	TOCDFLIC	Pentachlorobenzene	1.0646E-010	1.0650E-010
RCPTR_37	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	4.1928E-011	4.1931E-011
RCPTR_37	farmer_child	TOCDFLIC	Pentachlorophenol	1.8830E-008	1.8880E-008
RCPTR_37	farmer_child	TOCDFLIC	Phenanthrene	2.1727E-012	2.1728E-012
RCPTR_37	farmer_child	TOCDFLIC	Phenol	2.2543E-012	2.2557E-012
RCPTR_37	farmer_child	TOCDFLIC	Pronamide	2.1334E-010	2.1491E-010
RCPTR_37	farmer_child	TOCDFLIC	Pyrene	5.9264E-008	8.7939E-008
RCPTR_37	farmer_child	TOCDFLIC	Selenium	2.7698E-008	2.7701E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFLIC	Silver	1.0499E-008	1.0533E-008
RCPTR_37	farmer_child	TOCDFLIC	Styrene	8.2181E-013	8.2182E-013
RCPTR_37	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	3.3788E-013	4.1023E-013
RCPTR_37	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	4.7815E-013	6.1048E-013
RCPTR_37	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.7311E-010	1.7336E-010
RCPTR_37	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	5.4939E-012	5.4940E-012
RCPTR_37	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	4.8681E-015	4.8681E-015
RCPTR_37	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.1785E-009	1.1808E-009
RCPTR_37	farmer_child	TOCDFLIC	Thallium (I)	2.6120E-007	2.6597E-007
RCPTR_37	farmer_child	TOCDFLIC	Toluene	3.7695E-014	3.7695E-014
RCPTR_37	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	6.6548E-012	6.6556E-012
RCPTR_37	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	3.1462E-015	3.1462E-015
RCPTR_37	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	2.4060E-014	2.4060E-014
RCPTR_37	farmer_child	TOCDFLIC	Trichloroethylene	3.9107E-015	3.9107E-015
RCPTR_37	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	5.1398E-016	5.1398E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	7.4789E-010	7.6050E-010
RCPTR_37	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.5166E-010	1.5220E-010
RCPTR_37	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	8.9042E-014	8.9045E-014
RCPTR_37	farmer_child	TOCDFLIC	Vinyl Chloride	1.3693E-018	1.3693E-018
RCPTR_37	farmer_child	TOCDFLIC	Xylene, m-	4.4856E-014	4.4856E-014
RCPTR_37	farmer_child	TOCDFLIC	Xylene, o-	3.0467E-014	3.0468E-014
RCPTR_37	farmer_child	TOCDFLIC	Xylene, p-	6.2738E-014	6.2738E-014
RCPTR_37	farmer_child	TOCDFLIC	Zinc	4.5141E-008	4.7597E-008
RCPTR_37	farmer_child	TOCDFMPF	Acenaphthene	7.4542E-010	7.4806E-010
RCPTR_37	farmer_child	TOCDFMPF	Acetone	2.3220E-015	2.3220E-015
RCPTR_37	farmer_child	TOCDFMPF	Acetophenone	3.9461E-012	3.9469E-012
RCPTR_37	farmer_child	TOCDFMPF	Aniline	2.3768E-013	2.3769E-013
RCPTR_37	farmer_child	TOCDFMPF	Anthracene	1.2764E-008	1.3194E-008
RCPTR_37	farmer_child	TOCDFMPF	Antimony	4.6895E-009	4.8432E-009
RCPTR_37	farmer_child	TOCDFMPF	Arsenic	9.8886E-009	9.9355E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFMPF	Barium	1.4882E-009	1.5226E-009
RCPTR_37	farmer_child	TOCDFMPF	Benzene	2.0679E-015	2.0679E-015
RCPTR_37	farmer_child	TOCDFMPF	Benzo(a)anthracene	1.2022E-006	1.4223E-006
RCPTR_37	farmer_child	TOCDFMPF	Benzo(a)pyrene	7.8734E-006	8.0344E-006
RCPTR_37	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	5.5111E-006	6.0395E-006
RCPTR_37	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	1.2253E-005	1.2823E-005
RCPTR_37	farmer_child	TOCDFMPF	Benzoic acid	2.6974E-011	2.6977E-011
RCPTR_37	farmer_child	TOCDFMPF	Benzyl alcohol	5.3884E-012	5.3911E-012
RCPTR_37	farmer_child	TOCDFMPF	Beryllium	2.2003E-009	2.6025E-009
RCPTR_37	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	5.3949E-012	5.3971E-012
RCPTR_37	farmer_child	TOCDFMPF	Bromodichloromethane	1.8432E-014	1.8432E-014
RCPTR_37	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	6.9543E-013	6.9549E-013
RCPTR_37	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	2.0953E-007	2.8986E-007
RCPTR_37	farmer_child	TOCDFMPF	Butylbenzylphthalate	5.1495E-009	5.1540E-009
RCPTR_37	farmer_child	TOCDFMPF	Cadmium	2.6642E-009	2.9052E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFMPF	Carbon disulfide	3.6170E-015	3.6170E-015
RCPTR_37	farmer_child	TOCDFMPF	Carbon tetrachloride	5.7235E-015	5.7235E-015
RCPTR_37	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	4.3758E-010	4.3971E-010
RCPTR_37	farmer_child	TOCDFMPF	Chloroaniline, p-	2.5028E-011	2.5056E-011
RCPTR_37	farmer_child	TOCDFMPF	Chlorobenzene	3.3479E-014	3.3480E-014
RCPTR_37	farmer_child	TOCDFMPF	Chloroethane	9.3970E-017	9.3970E-017
RCPTR_37	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	4.8771E-015	4.8771E-015
RCPTR_37	farmer_child	TOCDFMPF	Chloronaphthalene,2-	1.9391E-009	1.9550E-009
RCPTR_37	farmer_child	TOCDFMPF	Chlorophenol, 2-	6.9450E-011	6.9609E-011
RCPTR_37	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	2.4266E-009	2.4351E-009
RCPTR_37	farmer_child	TOCDFMPF	Chromium	6.3759E-008	7.8513E-008
RCPTR_37	farmer_child	TOCDFMPF	Chromium, hexavalent	5.0446E-008	5.0524E-008
RCPTR_37	farmer_child	TOCDFMPF	Chrysene	2.8016E-006	3.1591E-006
RCPTR_37	farmer_child	TOCDFMPF	Di-n-butyl phthalate	2.2487E-008	2.2531E-008
RCPTR_37	farmer_child	TOCDFMPF	Di-n-octylphthalate	9.6260E+001	9.6260E+001

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.6688E-004	1.6870E-004
RCPTR_37	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	3.1538E-012	3.1539E-012
RCPTR_37	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	3.8192E-012	3.8194E-012
RCPTR_37	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	3.6780E-012	3.6781E-012
RCPTR_37	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.4152E-008	1.4234E-008
RCPTR_37	farmer_child	TOCDFMPF	Dichlorodifluoromethane	7.5103E-018	7.5103E-018
RCPTR_37	farmer_child	TOCDFMPF	Dichloroethane 1,1-	1.8919E-015	1.8919E-015
RCPTR_37	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	2.3503E-015	2.3503E-015
RCPTR_37	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	7.1616E-016	7.1616E-016
RCPTR_37	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.1512E-015	1.1512E-015
RCPTR_37	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	3.0052E-010	3.0149E-010
RCPTR_37	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	6.4769E-015	6.4769E-015
RCPTR_37	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	2.1375E-015	2.1375E-015
RCPTR_37	farmer_child	TOCDFMPF	Diethyl phthalate	1.2505E-008	1.2507E-008
RCPTR_37	farmer_child	TOCDFMPF	Dimethyl phthalate	1.6066E-011	1.6081E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	4.7367E-011	4.7427E-011
RCPTR_37	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	2.2744E-011	2.2747E-011
RCPTR_37	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	4.3304E-011	4.3375E-011
RCPTR_37	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	3.3456E-011	3.3504E-011
RCPTR_37	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.0101E-012	1.0103E-012
RCPTR_37	farmer_child	TOCDFMPF	Ethylbenzene	2.0421E-014	2.0421E-014
RCPTR_37	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	4.2707E-009	4.2838E-009
RCPTR_37	farmer_child	TOCDFMPF	Fluoranthene	1.5366E-007	1.8069E-007
RCPTR_37	farmer_child	TOCDFMPF	Fluorene	2.9026E-009	2.9340E-009
RCPTR_37	farmer_child	TOCDFMPF	GB	5.6435E-015	5.6449E-015
RCPTR_37	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	6.3398E-014	6.9029E-014
RCPTR_37	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	2.6390E-012	2.8181E-012
RCPTR_37	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	4.0611E-013	4.4092E-013
RCPTR_37	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	9.6497E-013	1.0356E-012
RCPTR_37	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	4.7434E-013	5.2049E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	4.1010E-013	4.5783E-013
RCPTR_37	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.6924E-011	1.9254E-011
RCPTR_37	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	4.1572E-012	4.7271E-012
RCPTR_37	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	7.3231E-013	8.3151E-013
RCPTR_37	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	5.1953E-013	5.9028E-013
RCPTR_37	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	6.1321E-011	6.1327E-011
RCPTR_37	farmer_child	TOCDFMPF	Hexachlorobenzene	1.1782E-007	1.2525E-007
RCPTR_37	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	1.6258E-010	1.6261E-010
RCPTR_37	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	3.7947E-011	3.7953E-011
RCPTR_37	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_37	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.2822E-003	1.2852E-003
RCPTR_37	farmer_child	TOCDFMPF	Isophorone	7.2220E-012	7.2247E-012
RCPTR_37	farmer_child	TOCDFMPF	Lead	7.3109E-010	9.3233E-010
RCPTR_37	farmer_child	TOCDFMPF	Mercuric chloride	3.6644E-008	6.9065E-008
RCPTR_37	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	1.1105E-016	1.1105E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	3.9719E-018	3.9719E-018
RCPTR_37	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.6011E-014	2.6011E-014
RCPTR_37	farmer_child	TOCDFMPF	Methyl mercury	2.7246E-010	3.6794E-010
RCPTR_37	farmer_child	TOCDFMPF	Methylene chloride	6.5021E-016	6.5021E-016
RCPTR_37	farmer_child	TOCDFMPF	Naphthalene	3.0468E-011	3.0477E-011
RCPTR_37	farmer_child	TOCDFMPF	Nickel	1.0873E-007	1.1105E-007
RCPTR_37	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.2280E-010	1.2294E-010
RCPTR_37	farmer_child	TOCDFMPF	Nitroaniline, 3-	2.9257E-011	2.9269E-011
RCPTR_37	farmer_child	TOCDFMPF	Nitroaniline, 4-	3.7787E-011	3.7807E-011
RCPTR_37	farmer_child	TOCDFMPF	Nitrobenzene	1.2189E-011	1.2196E-011
RCPTR_37	farmer_child	TOCDFMPF	Nitrophenol, 2-	5.5507E-012	5.5522E-012
RCPTR_37	farmer_child	TOCDFMPF	Nitrophenol, 4-	7.9111E-011	7.9134E-011
RCPTR_37	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	6.8756E-012	6.8768E-012
RCPTR_37	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	6.7562E-012	6.7568E-012
RCPTR_37	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	6.0390E-013	6.0392E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	1.3651E-013	1.5377E-013
RCPTR_37	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.8913E-013	2.1269E-013
RCPTR_37	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	3.7466E-012	4.0959E-012
RCPTR_37	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	2.8264E-012	3.2876E-012
RCPTR_37	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	8.6533E-012	1.0050E-011
RCPTR_37	farmer_child	TOCDFMPF	Pentachlorobenzene	4.5581E-010	4.5601E-010
RCPTR_37	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.7919E-010	1.7921E-010
RCPTR_37	farmer_child	TOCDFMPF	Pentachlorophenol	8.0439E-008	8.0651E-008
RCPTR_37	farmer_child	TOCDFMPF	Phenanthrene	9.3022E-012	9.3024E-012
RCPTR_37	farmer_child	TOCDFMPF	Phenol	9.6516E-012	9.6576E-012
RCPTR_37	farmer_child	TOCDFMPF	Pronamide	9.1340E-010	9.2011E-010
RCPTR_37	farmer_child	TOCDFMPF	Pyrene	2.5373E-007	3.7650E-007
RCPTR_37	farmer_child	TOCDFMPF	Selenium	8.1676E-009	8.1686E-009
RCPTR_37	farmer_child	TOCDFMPF	Silver	4.2355E-008	4.2493E-008
RCPTR_37	farmer_child	TOCDFMPF	Styrene	8.8251E-013	8.8253E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	9.6271E-013	1.1689E-012
RCPTR_37	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	1.9666E-012	2.5110E-012
RCPTR_37	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	7.4116E-010	7.4220E-010
RCPTR_37	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	7.7629E-012	7.7630E-012
RCPTR_37	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.5252E-014	1.5252E-014
RCPTR_37	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	5.0359E-009	5.0456E-009
RCPTR_37	farmer_child	TOCDFMPF	Thallium (I)	7.7692E-008	7.9110E-008
RCPTR_37	farmer_child	TOCDFMPF	Toluene	1.0602E-014	1.0602E-014
RCPTR_37	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	2.8491E-011	2.8495E-011
RCPTR_37	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	4.4478E-015	4.4478E-015
RCPTR_37	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	3.4014E-014	3.4014E-014
RCPTR_37	farmer_child	TOCDFMPF	Trichloroethylene	5.5286E-015	5.5286E-015
RCPTR_37	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	7.2662E-016	7.2662E-016
RCPTR_37	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	3.2019E-009	3.2559E-009
RCPTR_37	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	6.4926E-010	6.5159E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	1.2588E-013	1.2588E-013
RCPTR_37	farmer_child	TOCDFMPF	Vinyl Chloride	1.7966E-018	1.7966E-018
RCPTR_37	farmer_child	TOCDFMPF	Xylene, m-	3.5602E-014	3.5602E-014
RCPTR_37	farmer_child	TOCDFMPF	Xylene, o-	3.8000E-014	3.8000E-014
RCPTR_37	farmer_child	TOCDFMPF	Xylene, p-	4.9778E-014	4.9778E-014
RCPTR_37	farmer_child	TOCDFMPF	Zinc	2.7858E-008	2.9375E-008
RCPTR_37	farmer_child	TOCDHVAC	GB	3.1105E-014	3.1113E-014
RCPTR_37	farmer_child	TOCDLIC2	Acenaphthene	3.5930E-010	3.6057E-010
RCPTR_37	farmer_child	TOCDLIC2	Acetone	4.5661E-015	4.5661E-015
RCPTR_37	farmer_child	TOCDLIC2	Acetophenone	1.9020E-012	1.9024E-012
RCPTR_37	farmer_child	TOCDLIC2	Aniline	1.1456E-013	1.1457E-013
RCPTR_37	farmer_child	TOCDLIC2	Anthracene	6.1524E-009	6.3596E-009
RCPTR_37	farmer_child	TOCDLIC2	Antimony	2.0792E-008	2.1474E-008
RCPTR_37	farmer_child	TOCDLIC2	Arsenic	4.1802E-008	4.2000E-008
RCPTR_37	farmer_child	TOCDLIC2	Barium	1.5175E-008	1.5525E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDLIC2	Benzene	3.0464E-015	3.0464E-015
RCPTR_37	farmer_child	TOCDLIC2	Benzo(a)anthracene	5.7951E-007	6.8561E-007
RCPTR_37	farmer_child	TOCDLIC2	Benzo(a)pyrene	3.7947E-006	3.8722E-006
RCPTR_37	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	2.6570E-006	2.9116E-006
RCPTR_37	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	5.9057E-006	6.1800E-006
RCPTR_37	farmer_child	TOCDLIC2	Benzoic acid	1.3002E-011	1.3003E-011
RCPTR_37	farmer_child	TOCDLIC2	Benzyl alcohol	2.5972E-012	2.5985E-012
RCPTR_37	farmer_child	TOCDLIC2	Beryllium	7.6417E-009	9.0379E-009
RCPTR_37	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	2.6004E-012	2.6014E-012
RCPTR_37	farmer_child	TOCDLIC2	Bromodichloromethane	3.4515E-014	3.4515E-014
RCPTR_37	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	9.0017E-013	9.0025E-013
RCPTR_37	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	1.0099E-007	1.3971E-007
RCPTR_37	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.4810E-009	2.4832E-009
RCPTR_37	farmer_child	TOCDLIC2	Cadmium	6.8627E-010	7.4832E-010
RCPTR_37	farmer_child	TOCDLIC2	Carbon disulfide	3.8874E-015	3.8874E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDLIC2	Carbon tetrachloride	6.1618E-015	6.1618E-015
RCPTR_37	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	2.1092E-010	2.1195E-010
RCPTR_37	farmer_child	TOCDLIC2	Chloroaniline, p-	1.2064E-011	1.2077E-011
RCPTR_37	farmer_child	TOCDLIC2	Chlorobenzene	3.6043E-014	3.6043E-014
RCPTR_37	farmer_child	TOCDLIC2	Chloroethane	1.0117E-016	1.0117E-016
RCPTR_37	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.1073E-014	1.1073E-014
RCPTR_37	farmer_child	TOCDLIC2	Chloronaphthalene,2-	9.3464E-010	9.4231E-010
RCPTR_37	farmer_child	TOCDLIC2	Chlorophenol, 2-	3.3475E-011	3.3552E-011
RCPTR_37	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.1697E-009	1.1738E-009
RCPTR_37	farmer_child	TOCDLIC2	Chromium	3.2689E-007	4.0248E-007
RCPTR_37	farmer_child	TOCDLIC2	Chromium, hexavalent	2.5868E-007	2.5908E-007
RCPTR_37	farmer_child	TOCDLIC2	Chrysene	1.3507E-006	1.5230E-006
RCPTR_37	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.0844E-008	1.0865E-008
RCPTR_37	farmer_child	TOCDLIC2	Di-n-octylphthalate	4.6432E+001	4.6432E+001
RCPTR_37	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	8.0434E-005	8.1305E-005

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	1.5202E-012	1.5202E-012
RCPTR_37	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	1.8409E-012	1.8409E-012
RCPTR_37	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	1.7728E-012	1.7729E-012
RCPTR_37	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	6.0766E-009	6.1120E-009
RCPTR_37	farmer_child	TOCDLIC2	Dichlorodifluoromethane	8.0854E-018	8.0854E-018
RCPTR_37	farmer_child	TOCDLIC2	Dichloroethane 1,1-	2.0367E-015	2.0367E-015
RCPTR_37	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	2.5303E-015	2.5303E-015
RCPTR_37	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	7.7100E-016	7.7100E-016
RCPTR_37	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.2394E-015	1.2394E-015
RCPTR_37	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	1.4487E-010	1.4533E-010
RCPTR_37	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	6.9729E-015	6.9729E-015
RCPTR_37	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	2.3011E-015	2.3011E-015
RCPTR_37	farmer_child	TOCDLIC2	Diethyl phthalate	6.0317E-009	6.0326E-009
RCPTR_37	farmer_child	TOCDLIC2	Dimethyl phthalate	5.3902E-011	5.3949E-011
RCPTR_37	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	2.2831E-011	2.2860E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.1013E-011	1.1014E-011
RCPTR_37	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	2.0872E-011	2.0907E-011
RCPTR_37	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	1.6126E-011	1.6149E-011
RCPTR_37	farmer_child	TOCDLIC2	Ethyl methanesulfonate	4.8685E-013	4.8698E-013
RCPTR_37	farmer_child	TOCDLIC2	Ethylbenzene	2.4934E-014	2.4934E-014
RCPTR_37	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.5713E-009	2.5792E-009
RCPTR_37	farmer_child	TOCDLIC2	Fluoranthene	7.4066E-008	8.7097E-008
RCPTR_37	farmer_child	TOCDLIC2	Fluorene	1.3991E-009	1.4142E-009
RCPTR_37	farmer_child	TOCDLIC2	GB	4.1067E-015	4.1077E-015
RCPTR_37	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.1011E-013	2.2873E-013
RCPTR_37	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.1375E-013	2.2822E-013
RCPTR_37	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	1.9000E-013	2.0625E-013
RCPTR_37	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	6.3102E-013	6.7710E-013
RCPTR_37	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	4.0933E-013	4.4906E-013
RCPTR_37	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	3.6633E-013	4.0888E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	3.6071E-013	4.1032E-013
RCPTR_37	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	2.1896E-013	2.4894E-013
RCPTR_37	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	1.9822E-013	2.2504E-013
RCPTR_37	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	2.2552E-013	2.5620E-013
RCPTR_37	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	2.9557E-011	2.9560E-011
RCPTR_37	farmer_child	TOCDLIC2	Hexachlorobenzene	5.6792E-008	6.0370E-008
RCPTR_37	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	7.8365E-011	7.8381E-011
RCPTR_37	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.8290E-011	1.8294E-011
RCPTR_37	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_37	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.1834E-004	6.1976E-004
RCPTR_37	farmer_child	TOCDLIC2	Isophorone	3.4810E-012	3.4823E-012
RCPTR_37	farmer_child	TOCDLIC2	Lead	6.6308E-008	8.4549E-008
RCPTR_37	farmer_child	TOCDLIC2	Mercuric chloride	3.2222E-006	6.0736E-006
RCPTR_37	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	1.2058E-016	1.2058E-016
RCPTR_37	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	4.8060E-018	4.8060E-018

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	2.7050E-014	2.7050E-014
RCPTR_37	farmer_child	TOCDLIC2	Methyl mercury	2.3933E-008	3.2330E-008
RCPTR_37	farmer_child	TOCDLIC2	Methylene chloride	2.1232E-015	2.1232E-015
RCPTR_37	farmer_child	TOCDLIC2	Naphthalene	1.4686E-011	1.4690E-011
RCPTR_37	farmer_child	TOCDLIC2	Nickel	4.7809E-008	4.8830E-008
RCPTR_37	farmer_child	TOCDLIC2	Nitroaniline, 2-	5.9451E-011	5.9516E-011
RCPTR_37	farmer_child	TOCDLIC2	Nitroaniline, 3-	1.4164E-011	1.4170E-011
RCPTR_37	farmer_child	TOCDLIC2	Nitroaniline, 4-	1.8294E-011	1.8304E-011
RCPTR_37	farmer_child	TOCDLIC2	Nitrobenzene	5.8753E-012	5.8786E-012
RCPTR_37	farmer_child	TOCDLIC2	Nitrophenol, 2-	2.6755E-012	2.6762E-012
RCPTR_37	farmer_child	TOCDLIC2	Nitrophenol, 4-	3.8309E-011	3.8320E-011
RCPTR_37	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	3.3141E-012	3.3147E-012
RCPTR_37	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	3.2565E-012	3.2568E-012
RCPTR_37	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	2.9108E-013	2.9109E-013
RCPTR_37	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	3.0641E-013	3.4508E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.0100E-013	1.1356E-013
RCPTR_37	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.7666E-012	1.9311E-012
RCPTR_37	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	5.3461E-013	6.2180E-013
RCPTR_37	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	1.4099E-012	1.6374E-012
RCPTR_37	farmer_child	TOCDLIC2	Pentachlorobenzene	2.1969E-010	2.1979E-010
RCPTR_37	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	8.6747E-011	8.6753E-011
RCPTR_37	farmer_child	TOCDLIC2	Pentachlorophenol	3.8960E-008	3.9062E-008
RCPTR_37	farmer_child	TOCDLIC2	Phenanthrene	4.4837E-012	4.4838E-012
RCPTR_37	farmer_child	TOCDLIC2	Phenol	4.9185E-012	4.9216E-012
RCPTR_37	farmer_child	TOCDLIC2	Pronamide	4.4027E-010	4.4350E-010
RCPTR_37	farmer_child	TOCDLIC2	Pyrene	1.2230E-007	1.8148E-007
RCPTR_37	farmer_child	TOCDLIC2	Selenium	2.7698E-008	2.7701E-008
RCPTR_37	farmer_child	TOCDLIC2	Silver	1.0499E-008	1.0533E-008
RCPTR_37	farmer_child	TOCDLIC2	Styrene	6.8846E-013	6.8847E-013
RCPTR_37	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	9.7948E-013	1.1892E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	8.5648E-013	1.0935E-012
RCPTR_37	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	3.5724E-010	3.5775E-010
RCPTR_37	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	8.3615E-012	8.3617E-012
RCPTR_37	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	7.4091E-015	7.4091E-015
RCPTR_37	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	2.4384E-009	2.4431E-009
RCPTR_37	farmer_child	TOCDLIC2	Thallium (I)	2.6120E-007	2.6597E-007
RCPTR_37	farmer_child	TOCDLIC2	Toluene	3.9678E-014	3.9679E-014
RCPTR_37	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.3733E-011	1.3735E-011
RCPTR_37	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	4.7884E-015	4.7884E-015
RCPTR_37	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	3.6619E-014	3.6619E-014
RCPTR_37	farmer_child	TOCDLIC2	Trichloroethylene	5.9519E-015	5.9519E-015
RCPTR_37	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	7.8226E-016	7.8226E-016
RCPTR_37	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	1.5434E-009	1.5694E-009
RCPTR_37	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	3.1296E-010	3.1408E-010
RCPTR_37	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	1.3552E-013	1.3552E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_37	farmer_child	TOCDLIC2	Vinyl Chloride	2.2855E-018	2.2855E-018
RCPTR_37	farmer_child	TOCDLIC2	Xylene, m-	5.2072E-014	5.2072E-014
RCPTR_37	farmer_child	TOCDLIC2	Xylene, o-	4.0878E-014	4.0878E-014
RCPTR_37	farmer_child	TOCDLIC2	Xylene, p-	7.2830E-014	7.2831E-014
RCPTR_37	farmer_child	TOCDLIC2	Zinc	5.3899E-008	5.6831E-008
RCPTR_38	farmer_adult	TOCDFBRA	Antimony	2.5271E-007	3.2000E-007
RCPTR_38	farmer_adult	TOCDFBRA	Arsenic	4.1079E-007	4.3161E-007
RCPTR_38	farmer_adult	TOCDFBRA	Barium	3.4584E-008	4.1365E-008
RCPTR_38	farmer_adult	TOCDFBRA	Beryllium	1.2660E-007	1.5468E-007
RCPTR_38	farmer_adult	TOCDFBRA	Cadmium	1.9923E-008	3.0248E-008
RCPTR_38	farmer_adult	TOCDFBRA	Chromium	3.7213E-006	3.8600E-006
RCPTR_38	farmer_adult	TOCDFBRA	Chromium, hexavalent	2.4324E-006	2.4925E-006
RCPTR_38	farmer_adult	TOCDFBRA	Lead	1.4360E-006	1.8826E-006
RCPTR_38	farmer_adult	TOCDFBRA	Mercuric chloride	4.8724E-004	5.4005E-004
RCPTR_38	farmer_adult	TOCDFBRA	Methyl mercury	3.0732E-006	3.3490E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFBRA	Nickel	1.3538E-006	1.5000E-006
RCPTR_38	farmer_adult	TOCDFBRA	Selenium	4.6041E-007	4.6370E-007
RCPTR_38	farmer_adult	TOCDFBRA	Silver	1.5701E-007	1.7732E-007
RCPTR_38	farmer_adult	TOCDFBRA	Thallium (I)	4.2102E-006	4.5619E-006
RCPTR_38	farmer_adult	TOCDFBRA	Zinc	7.2790E-007	9.7263E-007
RCPTR_38	farmer_adult	TOCDFDFS	Acenaphthene	9.3360E-011	4.7612E-010
RCPTR_38	farmer_adult	TOCDFDFS	Acetone	1.1427E-015	5.9589E-015
RCPTR_38	farmer_adult	TOCDFDFS	Acetophenone	5.0636E-013	2.6376E-012
RCPTR_38	farmer_adult	TOCDFDFS	Aniline	2.9115E-014	1.5127E-013
RCPTR_38	farmer_adult	TOCDFDFS	Anthracene	1.6501E-009	8.3987E-009
RCPTR_38	farmer_adult	TOCDFDFS	Antimony	1.5882E-006	2.0118E-006
RCPTR_38	farmer_adult	TOCDFDFS	Aroclor 1254	2.3727E-011	4.7064E-011
RCPTR_38	farmer_adult	TOCDFDFS	Arsenic	1.4595E-007	1.5336E-007
RCPTR_38	farmer_adult	TOCDFDFS	Barium	4.3212E-009	5.1698E-009
RCPTR_38	farmer_adult	TOCDFDFS	Benzene	9.4972E-016	4.9277E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFDFS	Benzo(a)anthracene	5.2046E-007	9.2654E-007
RCPTR_38	farmer_adult	TOCDFDFS	Benzo(a)pyrene	5.0981E-006	5.4803E-006
RCPTR_38	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	2.9183E-006	3.9405E-006
RCPTR_38	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	8.0385E-006	8.7632E-006
RCPTR_38	farmer_adult	TOCDFDFS	Benzoic acid	3.8095E-012	1.7167E-011
RCPTR_38	farmer_adult	TOCDFDFS	Benzyl alcohol	6.5923E-013	3.4319E-012
RCPTR_38	farmer_adult	TOCDFDFS	Beryllium	4.3554E-008	5.3230E-008
RCPTR_38	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	6.5870E-013	3.4349E-012
RCPTR_38	farmer_adult	TOCDFDFS	Bromodichloromethane	7.4600E-015	3.8866E-014
RCPTR_38	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.9641E-013	1.5447E-012
RCPTR_38	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	3.7142E-008	1.8454E-007
RCPTR_38	farmer_adult	TOCDFDFS	Butylbenzylphthalate	2.9311E-009	3.5917E-009
RCPTR_38	farmer_adult	TOCDFDFS	Cadmium	3.4498E-008	5.2403E-008
RCPTR_38	farmer_adult	TOCDFDFS	Carbon disulfide	4.9554E-016	2.5759E-015
RCPTR_38	farmer_adult	TOCDFDFS	Carbon tetrachloride	2.4787E-015	1.2855E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	6.7848E-011	2.7975E-010
RCPTR_38	farmer_adult	TOCDFDFS	Chloroaniline, p-	3.0727E-012	1.5950E-011
RCPTR_38	farmer_adult	TOCDFDFS	Chlorobenzene	1.4548E-014	7.5197E-014
RCPTR_38	farmer_adult	TOCDFDFS	Chloroethane	4.1762E-017	2.1104E-016
RCPTR_38	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	2.2348E-015	1.1640E-014
RCPTR_38	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	2.4282E-010	1.2442E-009
RCPTR_38	farmer_adult	TOCDFDFS	Chlorophenol, 2-	8.4988E-012	4.4302E-011
RCPTR_38	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.7703E-010	1.5524E-009
RCPTR_38	farmer_adult	TOCDFDFS	Chromium	6.8812E-007	7.1380E-007
RCPTR_38	farmer_adult	TOCDFDFS	Chromium, hexavalent	4.4953E-007	4.6064E-007
RCPTR_38	farmer_adult	TOCDFDFS	Chrysene	1.5229E-006	2.0595E-006
RCPTR_38	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.1904E-008	1.4448E-008
RCPTR_38	farmer_adult	TOCDFDFS	Di-n-octylphthalate	6.0776E+001	6.0776E+001
RCPTR_38	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.1076E-004	1.1464E-004
RCPTR_38	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	3.9955E-013	2.0073E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	4.7756E-013	2.4307E-012
RCPTR_38	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	4.5826E-013	2.3408E-012
RCPTR_38	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.0588E-008	1.3945E-008
RCPTR_38	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	3.2496E-018	1.6870E-017
RCPTR_38	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	8.1561E-016	4.2491E-015
RCPTR_38	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0130E-015	5.2788E-015
RCPTR_38	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	3.0933E-016	1.6085E-015
RCPTR_38	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	4.9737E-016	2.5856E-015
RCPTR_38	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	5.4289E-011	1.9177E-010
RCPTR_38	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	2.8045E-015	1.4547E-014
RCPTR_38	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	9.2211E-016	4.8008E-015
RCPTR_38	farmer_adult	TOCDFDFS	Diethyl phthalate	7.4684E-009	7.9039E-009
RCPTR_38	farmer_adult	TOCDFDFS	Dimethyl phthalate	1.3169E-011	6.6562E-011
RCPTR_38	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	5.8397E-012	3.0185E-011
RCPTR_38	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	5.9695E-012	1.4333E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	5.5781E-012	2.7645E-011
RCPTR_38	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	4.2476E-012	2.1337E-011
RCPTR_38	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.2335E-013	6.4313E-013
RCPTR_38	farmer_adult	TOCDFDFS	Ethylbenzene	9.1514E-015	4.5872E-014
RCPTR_38	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	2.9684E-010	3.6693E-010
RCPTR_38	farmer_adult	TOCDFDFS	Fluoranthene	3.0506E-008	1.1531E-007
RCPTR_38	farmer_adult	TOCDFDFS	Fluorene	3.7164E-010	1.8675E-009
RCPTR_38	farmer_adult	TOCDFDFS	GB	3.3222E-015	1.7298E-014
RCPTR_38	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	9.0898E-014	1.0284E-013
RCPTR_38	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	4.8706E-014	5.3762E-014
RCPTR_38	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.6078E-013	1.8132E-013
RCPTR_38	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	9.3407E-013	1.0357E-012
RCPTR_38	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	4.8590E-013	5.5489E-013
RCPTR_38	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	4.1050E-013	4.7810E-013
RCPTR_38	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	3.2411E-013	3.8454E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.8913E-013	3.4274E-013
RCPTR_38	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	3.8963E-013	4.6121E-013
RCPTR_38	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	2.6753E-013	3.1690E-013
RCPTR_38	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	8.1573E-012	3.9070E-011
RCPTR_38	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.6346E-008	7.9736E-008
RCPTR_38	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	1.0919E-010	5.1302E-010
RCPTR_38	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.7370E-012	2.4152E-011
RCPTR_38	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_38	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	8.2242E-004	8.2967E-004
RCPTR_38	farmer_adult	TOCDFDFS	Isophorone	8.8289E-013	4.5983E-012
RCPTR_38	farmer_adult	TOCDFDFS	Lead	5.3477E-006	7.0128E-006
RCPTR_38	farmer_adult	TOCDFDFS	Mercuric chloride	1.0465E-007	1.1609E-007
RCPTR_38	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	8.6301E-017	4.4985E-016
RCPTR_38	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.4618E-017	7.6154E-017
RCPTR_38	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	7.6691E-015	3.9990E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFDFS	Methyl mercury	6.2756E-010	6.8729E-010
RCPTR_38	farmer_adult	TOCDFDFS	Methylene chloride	2.2183E-016	1.1559E-015
RCPTR_38	farmer_adult	TOCDFDFS	Naphthalene	3.7648E-012	1.9396E-011
RCPTR_38	farmer_adult	TOCDFDFS	Nickel	5.0041E-007	5.5454E-007
RCPTR_38	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.4925E-011	7.7478E-011
RCPTR_38	farmer_adult	TOCDFDFS	Nitroaniline, 3-	3.5419E-012	1.8444E-011
RCPTR_38	farmer_adult	TOCDFDFS	Nitroaniline, 4-	4.5797E-012	2.3828E-011
RCPTR_38	farmer_adult	TOCDFDFS	Nitrobenzene	1.4891E-012	7.7619E-012
RCPTR_38	farmer_adult	TOCDFDFS	Nitrophenol, 2-	6.7841E-013	3.5336E-012
RCPTR_38	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.2914E-011	4.9738E-011
RCPTR_38	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	8.4306E-013	4.3764E-012
RCPTR_38	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	8.3023E-013	4.2999E-012
RCPTR_38	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	7.5730E-014	3.8512E-013
RCPTR_38	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	2.2255E-013	2.6139E-013
RCPTR_38	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	7.6276E-014	8.9332E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.4167E-012	2.7325E-012
RCPTR_38	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.0092E-013	2.4474E-013
RCPTR_38	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	7.8898E-013	9.5817E-013
RCPTR_38	farmer_adult	TOCDFDFS	Pentachlorobenzene	6.3951E-011	2.9223E-010
RCPTR_38	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.5591E-011	1.1384E-010
RCPTR_38	farmer_adult	TOCDFDFS	Pentachlorophenol	3.4056E-008	5.0581E-008
RCPTR_38	farmer_adult	TOCDFDFS	Phenanthrene	1.1674E-012	5.9206E-012
RCPTR_38	farmer_adult	TOCDFDFS	Phenol	1.1830E-012	6.1475E-012
RCPTR_38	farmer_adult	TOCDFDFS	Pronamide	2.3370E-010	1.1713E-009
RCPTR_38	farmer_adult	TOCDFDFS	Pyrene	5.8435E-008	2.3983E-007
RCPTR_38	farmer_adult	TOCDFDFS	Selenium	1.6358E-007	1.6475E-007
RCPTR_38	farmer_adult	TOCDFDFS	Silver	5.6674E-008	6.4018E-008
RCPTR_38	farmer_adult	TOCDFDFS	Styrene	2.4169E-013	1.2548E-012
RCPTR_38	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.1064E-012	1.4264E-012
RCPTR_38	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	3.5847E-013	4.9523E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	9.8073E-011	4.7235E-010
RCPTR_38	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.2935E-011	1.7342E-011
RCPTR_38	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	2.9767E-015	1.5458E-014
RCPTR_38	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.1646E-009	3.1749E-009
RCPTR_38	farmer_adult	TOCDFDFS	Thallium (I)	1.4480E-006	1.5692E-006
RCPTR_38	farmer_adult	TOCDFDFS	Toluene	4.0428E-015	2.0811E-014
RCPTR_38	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.6366E-012	1.8137E-011
RCPTR_38	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.9208E-015	9.9899E-015
RCPTR_38	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	1.4669E-014	7.6397E-014
RCPTR_38	farmer_adult	TOCDFDFS	Trichloroethylene	2.3908E-015	1.2417E-014
RCPTR_38	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	3.1413E-016	1.6320E-015
RCPTR_38	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	4.3647E-010	2.0721E-009
RCPTR_38	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	1.0509E-010	4.1453E-010
RCPTR_38	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	5.4330E-014	2.8274E-013
RCPTR_38	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	6.5505E-013	3.2939E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFDFS	Vinyl Chloride	7.7523E-019	4.0354E-018
RCPTR_38	farmer_adult	TOCDFDFS	Xylene, m-	4.0771E-014	8.9552E-014
RCPTR_38	farmer_adult	TOCDFDFS	Xylene, o-	3.7880E-014	9.3492E-014
RCPTR_38	farmer_adult	TOCDFDFS	Xylene, p-	4.5075E-014	1.2073E-013
RCPTR_38	farmer_adult	TOCDFDFS	Zinc	3.0232E-007	4.0413E-007
RCPTR_38	farmer_adult	TOCDFLIC	Acenaphthene	5.1876E-011	2.6456E-010
RCPTR_38	farmer_adult	TOCDFLIC	Acetone	1.3396E-015	6.9857E-015
RCPTR_38	farmer_adult	TOCDFLIC	Acetophenone	4.8234E-013	2.5125E-012
RCPTR_38	farmer_adult	TOCDFLIC	Aniline	1.6178E-014	8.4054E-014
RCPTR_38	farmer_adult	TOCDFLIC	Anthracene	9.1689E-010	4.6668E-009
RCPTR_38	farmer_adult	TOCDFLIC	Antimony	2.7815E-008	3.5232E-008
RCPTR_38	farmer_adult	TOCDFLIC	Arsenic	8.7373E-008	9.1808E-008
RCPTR_38	farmer_adult	TOCDFLIC	Barium	2.9407E-009	3.5183E-009
RCPTR_38	farmer_adult	TOCDFLIC	Benzene	1.2352E-014	6.4091E-014
RCPTR_38	farmer_adult	TOCDFLIC	Benzo(a)anthracene	2.8878E-007	5.1434E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFLIC	Benzo(a)pyrene	2.8252E-006	3.0364E-006
RCPTR_38	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.6197E-006	2.1874E-006
RCPTR_38	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	4.4554E-006	4.8549E-006
RCPTR_38	farmer_adult	TOCDFLIC	Benzoic acid	2.2709E-012	1.0233E-011
RCPTR_38	farmer_adult	TOCDFLIC	Benzyl alcohol	3.6631E-013	1.9070E-012
RCPTR_38	farmer_adult	TOCDFLIC	Beryllium	1.6133E-008	1.9716E-008
RCPTR_38	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	3.6602E-013	1.9087E-012
RCPTR_38	farmer_adult	TOCDFLIC	Bromodichloromethane	3.2757E-015	1.7066E-014
RCPTR_38	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.1280E-013	5.8785E-013
RCPTR_38	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	2.0638E-008	1.0254E-007
RCPTR_38	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.6212E-009	1.9883E-009
RCPTR_38	farmer_adult	TOCDFLIC	Cadmium	9.4529E-009	1.4359E-008
RCPTR_38	farmer_adult	TOCDFLIC	Carbon disulfide	7.4712E-016	3.8836E-015
RCPTR_38	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.1819E-015	6.1295E-015
RCPTR_38	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	3.7705E-011	1.5545E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFLIC	Chloroaniline, p-	1.7074E-012	8.8629E-012
RCPTR_38	farmer_adult	TOCDFLIC	Chlorobenzene	6.9367E-015	3.5855E-014
RCPTR_38	farmer_adult	TOCDFLIC	Chloroethane	1.9913E-017	1.0063E-016
RCPTR_38	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	1.0425E-015	5.4297E-015
RCPTR_38	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	1.3493E-010	6.9136E-010
RCPTR_38	farmer_adult	TOCDFLIC	Chlorophenol, 2-	4.7225E-012	2.4617E-011
RCPTR_38	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	2.0944E-010	8.6256E-010
RCPTR_38	farmer_adult	TOCDFLIC	Chromium	8.4616E-007	8.7774E-007
RCPTR_38	farmer_adult	TOCDFLIC	Chromium, hexavalent	5.5277E-007	5.6643E-007
RCPTR_38	farmer_adult	TOCDFLIC	Chrysene	8.4537E-007	1.1433E-006
RCPTR_38	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	6.6124E-009	8.0260E-009
RCPTR_38	farmer_adult	TOCDFLIC	Di-n-octylphthalate	3.3786E+001	3.3786E+001
RCPTR_38	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	6.1327E-005	6.3439E-005
RCPTR_38	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	2.2201E-013	1.1154E-012
RCPTR_38	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	2.6536E-013	1.3507E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	2.5464E-013	1.3007E-012
RCPTR_38	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.0394E-009	4.0048E-009
RCPTR_38	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	1.5494E-018	8.0437E-018
RCPTR_38	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	3.8890E-016	2.0260E-015
RCPTR_38	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	4.8302E-016	2.5170E-015
RCPTR_38	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.4749E-016	7.6696E-016
RCPTR_38	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	2.3715E-016	1.2329E-015
RCPTR_38	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	3.0172E-011	1.0657E-010
RCPTR_38	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	1.3372E-015	6.9363E-015
RCPTR_38	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	4.3967E-016	2.2891E-015
RCPTR_38	farmer_adult	TOCDFLIC	Diethyl phthalate	4.1517E-009	4.3937E-009
RCPTR_38	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.3202E-011	6.6730E-011
RCPTR_38	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	3.2450E-012	1.6773E-011
RCPTR_38	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.3569E-012	8.0599E-012
RCPTR_38	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	3.0989E-012	1.5361E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	2.3601E-012	1.1856E-011
RCPTR_38	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	6.8543E-014	3.5737E-013
RCPTR_38	farmer_adult	TOCDFLIC	Ethylbenzene	5.8179E-015	2.9163E-014
RCPTR_38	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	5.1916E-009	6.4236E-009
RCPTR_38	farmer_adult	TOCDFLIC	Fluoranthene	1.6945E-008	6.4068E-008
RCPTR_38	farmer_adult	TOCDFLIC	Fluorene	2.0650E-010	1.0377E-009
RCPTR_38	farmer_adult	TOCDFLIC	GB	1.1491E-015	5.9835E-015
RCPTR_38	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	5.5191E-014	6.2404E-014
RCPTR_38	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	6.7660E-014	7.4638E-014
RCPTR_38	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.5844E-013	1.7857E-013
RCPTR_38	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	7.1821E-013	7.9591E-013
RCPTR_38	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	3.9726E-013	4.5343E-013
RCPTR_38	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	3.3263E-013	3.8725E-013
RCPTR_38	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.1398E-013	2.5382E-013
RCPTR_38	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.1003E-013	2.4892E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	2.4408E-013	2.8886E-013
RCPTR_38	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.7775E-013	2.1051E-013
RCPTR_38	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	4.5318E-012	2.1709E-011
RCPTR_38	farmer_adult	TOCDFLIC	Hexachlorobenzene	9.0823E-009	4.4306E-008
RCPTR_38	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	1.2254E-011	5.7586E-011
RCPTR_38	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	2.6322E-012	1.3421E-011
RCPTR_38	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_38	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.5663E-004	4.6057E-004
RCPTR_38	farmer_adult	TOCDFLIC	Isophorone	4.9059E-013	2.5551E-012
RCPTR_38	farmer_adult	TOCDFLIC	Lead	1.9490E-006	2.5558E-006
RCPTR_38	farmer_adult	TOCDFLIC	Mercuric chloride	8.5144E-006	9.4461E-006
RCPTR_38	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	2.6775E-017	1.3957E-016
RCPTR_38	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	2.1941E-018	1.1431E-017
RCPTR_38	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	7.9683E-015	4.1550E-014
RCPTR_38	farmer_adult	TOCDFLIC	Methyl mercury	5.0822E-008	5.5686E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFLIC	Methylene chloride	1.6959E-016	8.8369E-016
RCPTR_38	farmer_adult	TOCDFLIC	Naphthalene	2.0920E-012	1.0778E-011
RCPTR_38	farmer_adult	TOCDFLIC	Nickel	2.7697E-007	3.0693E-007
RCPTR_38	farmer_adult	TOCDFLIC	Nitroaniline, 2-	8.3925E-012	4.3566E-011
RCPTR_38	farmer_adult	TOCDFLIC	Nitroaniline, 3-	1.9916E-012	1.0371E-011
RCPTR_38	farmer_adult	TOCDFLIC	Nitroaniline, 4-	2.5751E-012	1.3399E-011
RCPTR_38	farmer_adult	TOCDFLIC	Nitrobenzene	8.2746E-013	4.3131E-012
RCPTR_38	farmer_adult	TOCDFLIC	Nitrophenol, 2-	3.7697E-013	1.9635E-012
RCPTR_38	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.2889E-011	2.7971E-011
RCPTR_38	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	4.6846E-013	2.4318E-012
RCPTR_38	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	4.6134E-013	2.3893E-012
RCPTR_38	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	4.2062E-014	2.1398E-013
RCPTR_38	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.8575E-013	2.1810E-013
RCPTR_38	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	6.0983E-014	7.1401E-014
RCPTR_38	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.5090E-012	1.7056E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	3.9823E-013	4.8507E-013
RCPTR_38	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	8.6821E-013	1.0544E-012
RCPTR_38	farmer_adult	TOCDFLIC	Pentachlorobenzene	3.5486E-011	1.6234E-010
RCPTR_38	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.4367E-011	6.3990E-011
RCPTR_38	farmer_adult	TOCDFLIC	Pentachlorophenol	1.9157E-008	2.8449E-008
RCPTR_38	farmer_adult	TOCDFLIC	Phenanthrene	6.4868E-013	3.2899E-012
RCPTR_38	farmer_adult	TOCDFLIC	Phenol	6.5738E-013	3.4160E-012
RCPTR_38	farmer_adult	TOCDFLIC	Pronamide	6.4929E-011	3.2543E-010
RCPTR_38	farmer_adult	TOCDFLIC	Pyrene	3.2467E-008	1.3326E-007
RCPTR_38	farmer_adult	TOCDFLIC	Selenium	6.0143E-008	6.0574E-008
RCPTR_38	farmer_adult	TOCDFLIC	Silver	2.0371E-008	2.3011E-008
RCPTR_38	farmer_adult	TOCDFLIC	Styrene	2.3966E-013	1.2442E-012
RCPTR_38	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	5.1652E-013	6.6595E-013
RCPTR_38	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	6.9875E-013	9.6552E-013
RCPTR_38	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	5.4496E-011	2.6247E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	6.1702E-012	8.2714E-012
RCPTR_38	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.4193E-015	7.3708E-015
RCPTR_38	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	6.5500E-010	1.7854E-009
RCPTR_38	farmer_adult	TOCDFLIC	Thallium (I)	5.3635E-007	5.8123E-007
RCPTR_38	farmer_adult	TOCDFLIC	Toluene	1.1086E-014	5.7070E-014
RCPTR_38	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	2.0207E-012	1.0078E-011
RCPTR_38	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	9.1589E-016	4.7633E-015
RCPTR_38	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	6.9946E-015	3.6427E-014
RCPTR_38	farmer_adult	TOCDFLIC	Trichloroethylene	1.1400E-015	5.9208E-015
RCPTR_38	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.4978E-016	7.7817E-016
RCPTR_38	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	2.4254E-010	1.1514E-009
RCPTR_38	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	5.8403E-011	2.3035E-010
RCPTR_38	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	2.5905E-014	1.3481E-013
RCPTR_38	farmer_adult	TOCDFLIC	Vinyl Chloride	3.9829E-019	2.0733E-018
RCPTR_38	farmer_adult	TOCDFLIC	Xylene, m-	3.4302E-014	7.5772E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFLIC	Xylene, o-	2.0295E-014	5.0374E-014
RCPTR_38	farmer_adult	TOCDFLIC	Xylene, p-	3.7986E-014	1.0230E-013
RCPTR_38	farmer_adult	TOCDFLIC	Zinc	7.7696E-008	1.0386E-007
RCPTR_38	farmer_adult	TOCDFMPF	Acenaphthene	2.2184E-010	1.1313E-009
RCPTR_38	farmer_adult	TOCDFMPF	Acetone	6.7334E-016	3.5113E-015
RCPTR_38	farmer_adult	TOCDFMPF	Acetophenone	1.1459E-012	5.9689E-012
RCPTR_38	farmer_adult	TOCDFMPF	Aniline	6.9182E-014	3.5944E-013
RCPTR_38	farmer_adult	TOCDFMPF	Anthracene	3.9209E-009	1.9957E-008
RCPTR_38	farmer_adult	TOCDFMPF	Antimony	8.3067E-009	1.0522E-008
RCPTR_38	farmer_adult	TOCDFMPF	Arsenic	2.0574E-008	2.1618E-008
RCPTR_38	farmer_adult	TOCDFMPF	Barium	2.7660E-009	3.3092E-009
RCPTR_38	farmer_adult	TOCDFMPF	Benzene	6.0267E-016	3.1270E-015
RCPTR_38	farmer_adult	TOCDFMPF	Benzo(a)anthracene	1.2349E-006	2.1995E-006
RCPTR_38	farmer_adult	TOCDFMPF	Benzo(a)pyrene	1.2081E-005	1.2985E-005
RCPTR_38	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	6.9264E-006	9.3538E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	1.9053E-005	2.0761E-005
RCPTR_38	farmer_adult	TOCDFMPF	Benzoic acid	9.0526E-012	4.0792E-011
RCPTR_38	farmer_adult	TOCDFMPF	Benzyl alcohol	1.5665E-012	8.1549E-012
RCPTR_38	farmer_adult	TOCDFMPF	Beryllium	4.6231E-009	5.6501E-009
RCPTR_38	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.5652E-012	8.1619E-012
RCPTR_38	farmer_adult	TOCDFMPF	Bromodichloromethane	5.3498E-015	2.7872E-014
RCPTR_38	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	2.0181E-013	1.0517E-012
RCPTR_38	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	8.8254E-008	4.3851E-007
RCPTR_38	farmer_adult	TOCDFMPF	Butylbenzylphthalate	6.9327E-009	8.5023E-009
RCPTR_38	farmer_adult	TOCDFMPF	Cadmium	4.1497E-009	6.3034E-009
RCPTR_38	farmer_adult	TOCDFMPF	Carbon disulfide	1.0522E-015	5.4696E-015
RCPTR_38	farmer_adult	TOCDFMPF	Carbon tetrachloride	1.6689E-015	8.6550E-015
RCPTR_38	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.6124E-010	6.6476E-010
RCPTR_38	farmer_adult	TOCDFMPF	Chloroaniline, p-	7.3013E-012	3.7900E-011
RCPTR_38	farmer_adult	TOCDFMPF	Chlorobenzene	9.7948E-015	5.0628E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFMPF	Chloroethane	2.8117E-017	1.4209E-016
RCPTR_38	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.4160E-015	7.3749E-015
RCPTR_38	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	5.7699E-010	2.9565E-009
RCPTR_38	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.0195E-011	1.0527E-010
RCPTR_38	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	8.9563E-010	3.6885E-009
RCPTR_38	farmer_adult	TOCDFMPF	Chromium	1.6426E-007	1.7039E-007
RCPTR_38	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.0731E-007	1.0996E-007
RCPTR_38	farmer_adult	TOCDFMPF	Chrysene	3.6151E-006	4.8890E-006
RCPTR_38	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	2.8277E-008	3.4322E-008
RCPTR_38	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.4448E+002	1.4448E+002
RCPTR_38	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	2.6228E-004	2.7131E-004
RCPTR_38	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	9.4939E-013	4.7696E-012
RCPTR_38	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.1348E-012	5.7758E-012
RCPTR_38	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.0889E-012	5.5622E-012
RCPTR_38	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.7002E-008	2.2402E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	2.1878E-018	1.1358E-017
RCPTR_38	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	5.4913E-016	2.8608E-015
RCPTR_38	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	6.8204E-016	3.5541E-015
RCPTR_38	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.0826E-016	1.0830E-015
RCPTR_38	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.3487E-016	1.7408E-015
RCPTR_38	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.2902E-010	4.5570E-010
RCPTR_38	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.8882E-015	9.7943E-015
RCPTR_38	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	6.2083E-016	3.2323E-015
RCPTR_38	farmer_adult	TOCDFMPF	Diethyl phthalate	1.7754E-008	1.8789E-008
RCPTR_38	farmer_adult	TOCDFMPF	Dimethyl phthalate	4.8139E-012	2.4332E-011
RCPTR_38	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.3876E-011	7.1726E-011
RCPTR_38	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.4329E-011	3.4404E-011
RCPTR_38	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.3252E-011	6.5686E-011
RCPTR_38	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.0092E-011	5.0700E-011
RCPTR_38	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	2.9311E-013	1.5282E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFMPF	Ethylbenzene	6.1612E-015	3.0884E-014
RCPTR_38	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	5.7633E-009	7.1309E-009
RCPTR_38	farmer_adult	TOCDFMPF	Fluoranthene	7.2462E-008	2.7397E-007
RCPTR_38	farmer_adult	TOCDFMPF	Fluorene	8.8306E-010	4.4376E-009
RCPTR_38	farmer_adult	TOCDFMPF	GB	1.6397E-015	8.5380E-015
RCPTR_38	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.1651E-013	1.3174E-013
RCPTR_38	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	4.5522E-012	5.0217E-012
RCPTR_38	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	7.3689E-013	8.3052E-013
RCPTR_38	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.6452E-012	1.8232E-012
RCPTR_38	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	8.6562E-013	9.8801E-013
RCPTR_38	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	7.9084E-013	9.2069E-013
RCPTR_38	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.2181E-011	3.8174E-011
RCPTR_38	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	7.8667E-012	9.3233E-012
RCPTR_38	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.3713E-012	1.6229E-012
RCPTR_38	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	9.7752E-013	1.1577E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.9379E-011	9.2833E-011
RCPTR_38	farmer_adult	TOCDFMPF	Hexachlorobenzene	3.8838E-008	1.8946E-007
RCPTR_38	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	5.2401E-011	2.4625E-010
RCPTR_38	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.1256E-011	5.7390E-011
RCPTR_38	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_38	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.9528E-003	1.9696E-003
RCPTR_38	farmer_adult	TOCDFMPF	Isophorone	2.0979E-012	1.0926E-011
RCPTR_38	farmer_adult	TOCDFMPF	Lead	1.5419E-009	2.0220E-009
RCPTR_38	farmer_adult	TOCDFMPF	Mercuric chloride	9.6681E-008	1.0726E-007
RCPTR_38	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	3.2214E-017	1.6792E-016
RCPTR_38	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	1.1529E-018	6.0062E-018
RCPTR_38	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	7.5431E-015	3.9333E-014
RCPTR_38	farmer_adult	TOCDFMPF	Methyl mercury	5.7707E-010	6.3230E-010
RCPTR_38	farmer_adult	TOCDFMPF	Methylene chloride	1.8869E-016	9.8322E-016
RCPTR_38	farmer_adult	TOCDFMPF	Naphthalene	8.9459E-012	4.6088E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFMPF	Nickel	2.1795E-007	2.4152E-007
RCPTR_38	farmer_adult	TOCDFMPF	Nitroaniline, 2-	3.5823E-011	1.8596E-010
RCPTR_38	farmer_adult	TOCDFMPF	Nitroaniline, 3-	8.5012E-012	4.4269E-011
RCPTR_38	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.0992E-011	5.7192E-011
RCPTR_38	farmer_adult	TOCDFMPF	Nitrobenzene	3.5384E-012	1.8444E-011
RCPTR_38	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.6120E-012	8.3966E-012
RCPTR_38	farmer_adult	TOCDFMPF	Nitrophenol, 4-	5.5016E-011	1.1940E-010
RCPTR_38	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.0033E-012	1.0399E-011
RCPTR_38	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.9728E-012	1.0217E-011
RCPTR_38	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.7987E-013	9.1505E-013
RCPTR_38	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.7657E-013	3.2473E-013
RCPTR_38	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	3.8443E-013	4.5010E-013
RCPTR_38	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	5.9756E-012	6.7540E-012
RCPTR_38	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	4.4478E-012	5.4178E-012
RCPTR_38	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.4152E-011	1.7187E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.5175E-010	6.9419E-010
RCPTR_38	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	6.1324E-011	2.7314E-010
RCPTR_38	farmer_adult	TOCDFMPF	Pentachlorophenol	8.1774E-008	1.2144E-007
RCPTR_38	farmer_adult	TOCDFMPF	Phenanthrene	2.7739E-012	1.4068E-011
RCPTR_38	farmer_adult	TOCDFMPF	Phenol	2.8111E-012	1.4608E-011
RCPTR_38	farmer_adult	TOCDFMPF	Pronamide	2.7765E-010	1.3916E-009
RCPTR_38	farmer_adult	TOCDFMPF	Pyrene	1.3884E-007	5.6986E-007
RCPTR_38	farmer_adult	TOCDFMPF	Selenium	1.7654E-008	1.7781E-008
RCPTR_38	farmer_adult	TOCDFMPF	Silver	8.1799E-008	9.2399E-008
RCPTR_38	farmer_adult	TOCDFMPF	Styrene	2.5706E-013	1.3346E-012
RCPTR_38	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.4695E-012	1.8947E-012
RCPTR_38	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	2.8703E-012	3.9662E-012
RCPTR_38	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.3304E-010	1.1224E-009
RCPTR_38	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	8.7127E-012	1.1680E-011
RCPTR_38	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	4.4413E-015	2.3065E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.7959E-009	7.6210E-009
RCPTR_38	farmer_adult	TOCDFMPF	Thallium (I)	1.5879E-007	1.7208E-007
RCPTR_38	farmer_adult	TOCDFMPF	Toluene	3.1145E-015	1.6033E-014
RCPTR_38	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	8.6409E-012	4.3096E-011
RCPTR_38	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.2933E-015	6.7259E-015
RCPTR_38	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	9.8765E-015	5.1436E-014
RCPTR_38	farmer_adult	TOCDFMPF	Trichloroethylene	1.6097E-015	8.3602E-015
RCPTR_38	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	2.1150E-016	1.0988E-015
RCPTR_38	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.0372E-009	4.9238E-009
RCPTR_38	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	2.4975E-010	9.8503E-010
RCPTR_38	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	3.6579E-014	1.9036E-013
RCPTR_38	farmer_adult	TOCDFMPF	Vinyl Chloride	5.2193E-019	2.7169E-018
RCPTR_38	farmer_adult	TOCDFMPF	Xylene, m-	2.7164E-014	6.0007E-014
RCPTR_38	farmer_adult	TOCDFMPF	Xylene, o-	2.5261E-014	6.2703E-014
RCPTR_38	farmer_adult	TOCDFMPF	Xylene, p-	3.0082E-014	8.1018E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDFMPF	Zinc	4.7720E-008	6.3790E-008
RCPTR_38	farmer_adult	TOCDHVAC	GB	8.5714E-015	4.4632E-014
RCPTR_38	farmer_adult	TOCDLIC2	Acenaphthene	1.0705E-010	5.4597E-010
RCPTR_38	farmer_adult	TOCDLIC2	Acetone	1.3257E-015	6.9130E-015
RCPTR_38	farmer_adult	TOCDLIC2	Acetophenone	5.5299E-013	2.8805E-012
RCPTR_38	farmer_adult	TOCDLIC2	Aniline	3.3386E-014	1.7346E-013
RCPTR_38	farmer_adult	TOCDLIC2	Anthracene	1.8921E-009	9.6307E-009
RCPTR_38	farmer_adult	TOCDLIC2	Antimony	3.7006E-008	4.6874E-008
RCPTR_38	farmer_adult	TOCDLIC2	Arsenic	8.7373E-008	9.1808E-008
RCPTR_38	farmer_adult	TOCDLIC2	Barium	2.8338E-008	3.3903E-008
RCPTR_38	farmer_adult	TOCDLIC2	Benzene	8.8893E-016	4.6122E-015
RCPTR_38	farmer_adult	TOCDLIC2	Benzo(a)anthracene	5.9594E-007	1.0614E-006
RCPTR_38	farmer_adult	TOCDLIC2	Benzo(a)pyrene	5.8301E-006	6.2661E-006
RCPTR_38	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	3.3425E-006	4.5139E-006
RCPTR_38	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	9.1944E-006	1.0019E-005

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDLIC2	Benzoic acid	4.3686E-012	1.9685E-011
RCPTR_38	farmer_adult	TOCDLIC2	Benzyl alcohol	7.5594E-013	3.9354E-012
RCPTR_38	farmer_adult	TOCDLIC2	Beryllium	1.6133E-008	1.9716E-008
RCPTR_38	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	7.5533E-013	3.9388E-012
RCPTR_38	farmer_adult	TOCDLIC2	Bromodichloromethane	1.0030E-014	5.2255E-014
RCPTR_38	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.6153E-013	1.3630E-012
RCPTR_38	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	4.2590E-008	2.1161E-007
RCPTR_38	farmer_adult	TOCDLIC2	Butylbenzylphthalate	3.3456E-009	4.1030E-009
RCPTR_38	farmer_adult	TOCDLIC2	Cadmium	1.0741E-009	1.6316E-009
RCPTR_38	farmer_adult	TOCDLIC2	Carbon disulfide	1.1322E-015	5.8855E-015
RCPTR_38	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.7988E-015	9.3289E-015
RCPTR_38	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	7.7810E-011	3.2080E-010
RCPTR_38	farmer_adult	TOCDLIC2	Chloroaniline, p-	3.5234E-012	1.8290E-011
RCPTR_38	farmer_adult	TOCDLIC2	Chlorobenzene	1.0557E-014	5.4570E-014
RCPTR_38	farmer_adult	TOCDLIC2	Chloroethane	3.0307E-017	1.5315E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	3.2187E-015	1.6764E-014
RCPTR_38	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	2.7844E-010	1.4267E-009
RCPTR_38	farmer_adult	TOCDLIC2	Chlorophenol, 2-	9.7456E-012	5.0801E-011
RCPTR_38	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	4.3221E-010	1.7800E-009
RCPTR_38	farmer_adult	TOCDLIC2	Chromium	8.4616E-007	8.7774E-007
RCPTR_38	farmer_adult	TOCDLIC2	Chromium, hexavalent	5.5277E-007	5.6643E-007
RCPTR_38	farmer_adult	TOCDLIC2	Chrysene	1.7445E-006	2.3593E-006
RCPTR_38	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.3646E-008	1.6563E-008
RCPTR_38	farmer_adult	TOCDLIC2	Di-n-octylphthalate	6.9723E+001	6.9723E+001
RCPTR_38	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	1.2656E-004	1.3092E-004
RCPTR_38	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	4.5816E-013	2.3017E-012
RCPTR_38	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	5.4762E-013	2.7873E-012
RCPTR_38	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	5.2548E-013	2.6842E-012
RCPTR_38	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	7.3089E-009	9.6305E-009
RCPTR_38	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	2.3582E-018	1.2242E-017

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	5.9189E-016	3.0836E-015
RCPTR_38	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	7.3515E-016	3.8308E-015
RCPTR_38	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	2.2448E-016	1.1673E-015
RCPTR_38	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	3.6094E-016	1.8764E-015
RCPTR_38	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	6.2263E-011	2.1991E-010
RCPTR_38	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	2.0352E-015	1.0557E-014
RCPTR_38	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	6.6917E-016	3.4839E-015
RCPTR_38	farmer_adult	TOCDLIC2	Diethyl phthalate	8.5675E-009	9.0669E-009
RCPTR_38	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.6169E-011	8.1731E-011
RCPTR_38	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	6.6965E-012	3.4613E-011
RCPTR_38	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	6.9452E-012	1.6676E-011
RCPTR_38	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	6.3950E-012	3.1699E-011
RCPTR_38	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	4.8704E-012	2.4467E-011
RCPTR_38	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.4145E-013	7.3748E-013
RCPTR_38	farmer_adult	TOCDLIC2	Ethylbenzene	7.5317E-015	3.7754E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	3.4760E-009	4.3009E-009
RCPTR_38	farmer_adult	TOCDLIC2	Fluoranthene	3.4968E-008	1.3221E-007
RCPTR_38	farmer_adult	TOCDLIC2	Fluorene	4.2615E-010	2.1415E-009
RCPTR_38	farmer_adult	TOCDLIC2	GB	1.1947E-015	6.2205E-015
RCPTR_38	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	3.8738E-013	4.3801E-013
RCPTR_38	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	3.6957E-013	4.0769E-013
RCPTR_38	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	3.4580E-013	3.8974E-013
RCPTR_38	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.0782E-012	1.1948E-012
RCPTR_38	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	7.4933E-013	8.5529E-013
RCPTR_38	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	7.0922E-013	8.2567E-013
RCPTR_38	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	6.8855E-013	8.1678E-013
RCPTR_38	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	4.1590E-013	4.9292E-013
RCPTR_38	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	3.7254E-013	4.4089E-013
RCPTR_38	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.2590E-013	5.0440E-013
RCPTR_38	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	9.3520E-012	4.4799E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDLIC2	Hexachlorobenzene	1.8743E-008	9.1432E-008
RCPTR_38	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	2.5287E-011	1.1884E-010
RCPTR_38	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	5.4319E-012	2.7695E-011
RCPTR_38	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_38	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	9.4231E-004	9.5045E-004
RCPTR_38	farmer_adult	TOCDLIC2	Isophorone	1.0124E-012	5.2728E-012
RCPTR_38	farmer_adult	TOCDLIC2	Lead	1.4052E-007	1.8427E-007
RCPTR_38	farmer_adult	TOCDLIC2	Mercuric chloride	8.5144E-006	9.4461E-006
RCPTR_38	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	3.5021E-017	1.8255E-016
RCPTR_38	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.3967E-018	7.2762E-018
RCPTR_38	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	7.8538E-015	4.0953E-014
RCPTR_38	farmer_adult	TOCDLIC2	Methyl mercury	5.0822E-008	5.5686E-008
RCPTR_38	farmer_adult	TOCDLIC2	Methylene chloride	6.1690E-016	3.2145E-015
RCPTR_38	farmer_adult	TOCDLIC2	Naphthalene	4.3171E-012	2.2241E-011
RCPTR_38	farmer_adult	TOCDLIC2	Nickel	9.6278E-008	1.0669E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDLIC2	Nitroaniline, 2-	1.7364E-011	9.0137E-011
RCPTR_38	farmer_adult	TOCDLIC2	Nitroaniline, 3-	4.1206E-012	2.1458E-011
RCPTR_38	farmer_adult	TOCDLIC2	Nitroaniline, 4-	5.3278E-012	2.7721E-011
RCPTR_38	farmer_adult	TOCDLIC2	Nitrobenzene	1.7076E-012	8.9006E-012
RCPTR_38	farmer_adult	TOCDLIC2	Nitrophenol, 2-	7.7793E-013	4.0520E-012
RCPTR_38	farmer_adult	TOCDLIC2	Nitrophenol, 4-	2.6666E-011	5.7872E-011
RCPTR_38	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	9.6674E-013	5.0184E-012
RCPTR_38	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	9.5203E-013	4.9307E-012
RCPTR_38	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	8.6800E-014	4.4158E-013
RCPTR_38	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	6.2369E-013	7.3231E-013
RCPTR_38	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.0627E-013	2.4150E-013
RCPTR_38	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.8217E-012	3.1893E-012
RCPTR_38	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	8.4264E-013	1.0264E-012
RCPTR_38	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.3105E-012	2.8059E-012
RCPTR_38	farmer_adult	TOCDLIC2	Pentachlorobenzene	7.3230E-011	3.3500E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.9724E-011	1.3239E-010
RCPTR_38	farmer_adult	TOCDLIC2	Pentachlorophenol	3.9635E-008	5.8860E-008
RCPTR_38	farmer_adult	TOCDLIC2	Phenanthrene	1.3386E-012	6.7891E-012
RCPTR_38	farmer_adult	TOCDLIC2	Phenol	1.4343E-012	7.4531E-012
RCPTR_38	farmer_adult	TOCDLIC2	Pronamide	1.3399E-010	6.7156E-010
RCPTR_38	farmer_adult	TOCDLIC2	Pyrene	6.7000E-008	2.7500E-007
RCPTR_38	farmer_adult	TOCDLIC2	Selenium	6.0143E-008	6.0574E-008
RCPTR_38	farmer_adult	TOCDLIC2	Silver	2.0371E-008	2.3011E-008
RCPTR_38	farmer_adult	TOCDLIC2	Styrene	2.0077E-013	1.0423E-012
RCPTR_38	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.4973E-012	1.9305E-012
RCPTR_38	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.2516E-012	1.7295E-012
RCPTR_38	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.1246E-010	5.4164E-010
RCPTR_38	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	9.3907E-012	1.2589E-011
RCPTR_38	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.1601E-015	1.1218E-014
RCPTR_38	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.3552E-009	3.6939E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_adult	TOCDLIC2	Thallium (I)	5.3635E-007	5.8123E-007
RCPTR_38	farmer_adult	TOCDLIC2	Toluene	1.1670E-014	6.0074E-014
RCPTR_38	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	4.1699E-012	2.0797E-011
RCPTR_38	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.3939E-015	7.2496E-015
RCPTR_38	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.0646E-014	5.5441E-014
RCPTR_38	farmer_adult	TOCDLIC2	Trichloroethylene	1.7350E-015	9.0112E-015
RCPTR_38	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.2796E-016	1.1843E-015
RCPTR_38	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	5.0052E-010	2.3761E-009
RCPTR_38	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.2052E-010	4.7535E-010
RCPTR_38	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	3.9427E-014	2.0518E-013
RCPTR_38	farmer_adult	TOCDLIC2	Vinyl Chloride	6.6477E-019	3.4604E-018
RCPTR_38	farmer_adult	TOCDLIC2	Xylene, m-	3.9820E-014	8.7962E-014
RCPTR_38	farmer_adult	TOCDLIC2	Xylene, o-	2.7229E-014	6.7586E-014
RCPTR_38	farmer_adult	TOCDLIC2	Xylene, p-	4.4097E-014	1.1876E-013
RCPTR_38	farmer_adult	TOCDLIC2	Zinc	9.2770E-008	1.2401E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFBRA	Antimony	3.0990E-007	3.2000E-007
RCPTR_38	farmer_child	TOCDFBRA	Arsenic	4.2959E-007	4.3161E-007
RCPTR_38	farmer_child	TOCDFBRA	Barium	4.0437E-008	4.1365E-008
RCPTR_38	farmer_child	TOCDFBRA	Beryllium	1.3093E-007	1.5468E-007
RCPTR_38	farmer_child	TOCDFBRA	Cadmium	2.7751E-008	3.0248E-008
RCPTR_38	farmer_child	TOCDFBRA	Chromium	3.1391E-006	3.8600E-006
RCPTR_38	farmer_child	TOCDFBRA	Chromium, hexavalent	2.4886E-006	2.4925E-006
RCPTR_38	farmer_child	TOCDFBRA	Lead	1.4784E-006	1.8826E-006
RCPTR_38	farmer_child	TOCDFBRA	Mercuric chloride	2.9256E-004	5.4005E-004
RCPTR_38	farmer_child	TOCDFBRA	Methyl mercury	2.6200E-006	3.3490E-006
RCPTR_38	farmer_child	TOCDFBRA	Nickel	1.4689E-006	1.5000E-006
RCPTR_38	farmer_child	TOCDFBRA	Selenium	4.6365E-007	4.6370E-007
RCPTR_38	farmer_child	TOCDFBRA	Silver	1.7675E-007	1.7732E-007
RCPTR_38	farmer_child	TOCDFBRA	Thallium (I)	4.4808E-006	4.5619E-006
RCPTR_38	farmer_child	TOCDFBRA	Zinc	9.2273E-007	9.7263E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFDFS	Acenaphthene	4.7444E-010	4.7612E-010
RCPTR_38	farmer_child	TOCDFDFS	Acetone	5.9589E-015	5.9589E-015
RCPTR_38	farmer_child	TOCDFDFS	Acetophenone	2.6370E-012	2.6376E-012
RCPTR_38	farmer_child	TOCDFDFS	Aniline	1.5126E-013	1.5127E-013
RCPTR_38	farmer_child	TOCDFDFS	Anthracene	8.1251E-009	8.3987E-009
RCPTR_38	farmer_child	TOCDFDFS	Antimony	1.9482E-006	2.0118E-006
RCPTR_38	farmer_child	TOCDFDFS	Aroclor 1254	4.6734E-011	4.7064E-011
RCPTR_38	farmer_child	TOCDFDFS	Arsenic	1.5264E-007	1.5336E-007
RCPTR_38	farmer_child	TOCDFDFS	Barium	5.0537E-009	5.1698E-009
RCPTR_38	farmer_child	TOCDFDFS	Benzene	4.9277E-015	4.9277E-015
RCPTR_38	farmer_child	TOCDFDFS	Benzo(a)anthracene	7.8517E-007	9.2654E-007
RCPTR_38	farmer_child	TOCDFDFS	Benzo(a)pyrene	5.3638E-006	5.4803E-006
RCPTR_38	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	3.5994E-006	3.9405E-006
RCPTR_38	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	8.3212E-006	8.7632E-006
RCPTR_38	farmer_child	TOCDFDFS	Benzoic acid	1.7165E-011	1.7167E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFDFS	Benzyl alcohol	3.4302E-012	3.4319E-012
RCPTR_38	farmer_child	TOCDFDFS	Beryllium	4.5046E-008	5.3230E-008
RCPTR_38	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	3.4335E-012	3.4349E-012
RCPTR_38	farmer_child	TOCDFDFS	Bromodichloromethane	3.8866E-014	3.8866E-014
RCPTR_38	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.5446E-012	1.5447E-012
RCPTR_38	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.3339E-007	1.8454E-007
RCPTR_38	farmer_child	TOCDFDFS	Butylbenzylphthalate	3.5888E-009	3.5917E-009
RCPTR_38	farmer_child	TOCDFDFS	Cadmium	4.8074E-008	5.2403E-008
RCPTR_38	farmer_child	TOCDFDFS	Carbon disulfide	2.5759E-015	2.5759E-015
RCPTR_38	farmer_child	TOCDFDFS	Carbon tetrachloride	1.2855E-014	1.2855E-014
RCPTR_38	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	2.7840E-010	2.7975E-010
RCPTR_38	farmer_child	TOCDFDFS	Chloroaniline, p-	1.5933E-011	1.5950E-011
RCPTR_38	farmer_child	TOCDFDFS	Chlorobenzene	7.5197E-014	7.5197E-014
RCPTR_38	farmer_child	TOCDFDFS	Chloroethane	2.1104E-016	2.1104E-016
RCPTR_38	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	1.1640E-014	1.1640E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.2341E-009	1.2442E-009
RCPTR_38	farmer_child	TOCDFDFS	Chlorophenol, 2-	4.4201E-011	4.4302E-011
RCPTR_38	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.5470E-009	1.5524E-009
RCPTR_38	farmer_child	TOCDFDFS	Chromium	5.8035E-007	7.1380E-007
RCPTR_38	farmer_child	TOCDFDFS	Chromium, hexavalent	4.5993E-007	4.6064E-007
RCPTR_38	farmer_child	TOCDFDFS	Chrysene	1.8273E-006	2.0595E-006
RCPTR_38	farmer_child	TOCDFDFS	Di-n-butyl phthalate	1.4420E-008	1.4448E-008
RCPTR_38	farmer_child	TOCDFDFS	Di-n-octylphthalate	6.0776E+001	6.0776E+001
RCPTR_38	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.1296E-004	1.1464E-004
RCPTR_38	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	2.0072E-012	2.0073E-012
RCPTR_38	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.4306E-012	2.4307E-012
RCPTR_38	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.3407E-012	2.3408E-012
RCPTR_38	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.3867E-008	1.3945E-008
RCPTR_38	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.6870E-017	1.6870E-017
RCPTR_38	farmer_child	TOCDFDFS	Dichloroethane 1,1-	4.2491E-015	4.2491E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	5.2788E-015	5.2788E-015
RCPTR_38	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.6085E-015	1.6085E-015
RCPTR_38	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.5856E-015	2.5856E-015
RCPTR_38	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	1.9116E-010	1.9177E-010
RCPTR_38	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	1.4547E-014	1.4547E-014
RCPTR_38	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	4.8008E-015	4.8008E-015
RCPTR_38	farmer_child	TOCDFDFS	Diethyl phthalate	7.9027E-009	7.9039E-009
RCPTR_38	farmer_child	TOCDFDFS	Dimethyl phthalate	6.6503E-011	6.6562E-011
RCPTR_38	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	3.0147E-011	3.0185E-011
RCPTR_38	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.4331E-011	1.4333E-011
RCPTR_38	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.7599E-011	2.7645E-011
RCPTR_38	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	2.1307E-011	2.1337E-011
RCPTR_38	farmer_child	TOCDFDFS	Ethyl methanesulfonate	6.4296E-013	6.4313E-013
RCPTR_38	farmer_child	TOCDFDFS	Ethylbenzene	4.5872E-014	4.5872E-014
RCPTR_38	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.6591E-010	3.6693E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFDFS	Fluoranthene	9.8096E-008	1.1531E-007
RCPTR_38	farmer_child	TOCDFDFS	Fluorene	1.8476E-009	1.8675E-009
RCPTR_38	farmer_child	TOCDFDFS	GB	1.7294E-014	1.7298E-014
RCPTR_38	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	9.3347E-014	1.0284E-013
RCPTR_38	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	4.9754E-014	5.3762E-014
RCPTR_38	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.6504E-013	1.8132E-013
RCPTR_38	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	9.5499E-013	1.0357E-012
RCPTR_38	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	5.0030E-013	5.5489E-013
RCPTR_38	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	4.2461E-013	4.7810E-013
RCPTR_38	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	3.3678E-013	3.8454E-013
RCPTR_38	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.0030E-013	3.4274E-013
RCPTR_38	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	4.0459E-013	4.6121E-013
RCPTR_38	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	2.7785E-013	3.1690E-013
RCPTR_38	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	3.9066E-011	3.9070E-011
RCPTR_38	farmer_child	TOCDFDFS	Hexachlorobenzene	7.5011E-008	7.9736E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	5.1291E-010	5.1302E-010
RCPTR_38	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.4148E-011	2.4152E-011
RCPTR_38	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_38	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	8.2693E-004	8.2967E-004
RCPTR_38	farmer_child	TOCDFDFS	Isophorone	4.5966E-012	4.5983E-012
RCPTR_38	farmer_child	TOCDFDFS	Lead	5.5057E-006	7.0128E-006
RCPTR_38	farmer_child	TOCDFDFS	Mercuric chloride	6.2471E-008	1.1609E-007
RCPTR_38	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	4.4985E-016	4.4985E-016
RCPTR_38	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	7.6154E-017	7.6154E-017
RCPTR_38	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	3.9990E-014	3.9990E-014
RCPTR_38	farmer_child	TOCDFDFS	Methyl mercury	5.2938E-010	6.8729E-010
RCPTR_38	farmer_child	TOCDFDFS	Methylene chloride	1.1559E-015	1.1559E-015
RCPTR_38	farmer_child	TOCDFDFS	Naphthalene	1.9390E-011	1.9396E-011
RCPTR_38	farmer_child	TOCDFDFS	Nickel	5.4302E-007	5.5454E-007
RCPTR_38	farmer_child	TOCDFDFS	Nitroaniline, 2-	7.7394E-011	7.7478E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.8436E-011	1.8444E-011
RCPTR_38	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.3816E-011	2.3828E-011
RCPTR_38	farmer_child	TOCDFDFS	Nitrobenzene	7.7576E-012	7.7619E-012
RCPTR_38	farmer_child	TOCDFDFS	Nitrophenol, 2-	3.5327E-012	3.5336E-012
RCPTR_38	farmer_child	TOCDFDFS	Nitrophenol, 4-	4.9723E-011	4.9738E-011
RCPTR_38	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	4.3756E-012	4.3764E-012
RCPTR_38	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	4.2995E-012	4.2999E-012
RCPTR_38	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	3.8511E-013	3.8512E-013
RCPTR_38	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	2.3054E-013	2.6139E-013
RCPTR_38	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	7.8950E-014	8.9332E-014
RCPTR_38	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.4850E-012	2.7325E-012
RCPTR_38	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.1034E-013	2.4474E-013
RCPTR_38	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	8.2492E-013	9.5817E-013
RCPTR_38	farmer_child	TOCDFDFS	Pentachlorobenzene	2.9211E-010	2.9223E-010
RCPTR_38	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.1383E-010	1.1384E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFDFS	Pentachlorophenol	5.0447E-008	5.0581E-008
RCPTR_38	farmer_child	TOCDFDFS	Phenanthrene	5.9205E-012	5.9206E-012
RCPTR_38	farmer_child	TOCDFDFS	Phenol	6.1437E-012	6.1475E-012
RCPTR_38	farmer_child	TOCDFDFS	Pronamide	1.1628E-009	1.1713E-009
RCPTR_38	farmer_child	TOCDFDFS	Pyrene	1.6166E-007	2.3983E-007
RCPTR_38	farmer_child	TOCDFDFS	Selenium	1.6473E-007	1.6475E-007
RCPTR_38	farmer_child	TOCDFDFS	Silver	6.3812E-008	6.4018E-008
RCPTR_38	farmer_child	TOCDFDFS	Styrene	1.2548E-012	1.2548E-012
RCPTR_38	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.1778E-012	1.4264E-012
RCPTR_38	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	3.8933E-013	4.9523E-013
RCPTR_38	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	4.7169E-010	4.7235E-010
RCPTR_38	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.7342E-011	1.7342E-011
RCPTR_38	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.5458E-014	1.5458E-014
RCPTR_38	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	3.1687E-009	3.1749E-009
RCPTR_38	farmer_child	TOCDFDFS	Thallium (I)	1.5413E-006	1.5692E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFDFS	Toluene	2.0811E-014	2.0811E-014
RCPTR_38	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.8135E-011	1.8137E-011
RCPTR_38	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	9.9899E-015	9.9899E-015
RCPTR_38	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	7.6396E-014	7.6397E-014
RCPTR_38	farmer_child	TOCDFDFS	Trichloroethylene	1.2417E-014	1.2417E-014
RCPTR_38	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.6320E-015	1.6320E-015
RCPTR_38	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	2.0377E-009	2.0721E-009
RCPTR_38	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	4.1305E-010	4.1453E-010
RCPTR_38	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	2.8273E-013	2.8274E-013
RCPTR_38	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	3.2908E-012	3.2939E-012
RCPTR_38	farmer_child	TOCDFDFS	Vinyl Chloride	4.0354E-018	4.0354E-018
RCPTR_38	farmer_child	TOCDFDFS	Xylene, m-	8.9552E-014	8.9552E-014
RCPTR_38	farmer_child	TOCDFDFS	Xylene, o-	9.3492E-014	9.3492E-014
RCPTR_38	farmer_child	TOCDFDFS	Xylene, p-	1.2073E-013	1.2073E-013
RCPTR_38	farmer_child	TOCDFDFS	Zinc	3.8337E-007	4.0413E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFLIC	Acenaphthene	2.6363E-010	2.6456E-010
RCPTR_38	farmer_child	TOCDFLIC	Acetone	6.9857E-015	6.9857E-015
RCPTR_38	farmer_child	TOCDFLIC	Acetophenone	2.5119E-012	2.5125E-012
RCPTR_38	farmer_child	TOCDFLIC	Aniline	8.4052E-014	8.4054E-014
RCPTR_38	farmer_child	TOCDFLIC	Anthracene	4.5148E-009	4.6668E-009
RCPTR_38	farmer_child	TOCDFLIC	Antimony	3.4120E-008	3.5232E-008
RCPTR_38	farmer_child	TOCDFLIC	Arsenic	9.1378E-008	9.1808E-008
RCPTR_38	farmer_child	TOCDFLIC	Barium	3.4392E-009	3.5183E-009
RCPTR_38	farmer_child	TOCDFLIC	Benzene	6.4091E-014	6.4091E-014
RCPTR_38	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.3582E-007	5.1434E-007
RCPTR_38	farmer_child	TOCDFLIC	Benzo(a)pyrene	2.9720E-006	3.0364E-006
RCPTR_38	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	1.9979E-006	2.1874E-006
RCPTR_38	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	4.6113E-006	4.8549E-006
RCPTR_38	farmer_child	TOCDFLIC	Benzoic acid	1.0232E-011	1.0233E-011
RCPTR_38	farmer_child	TOCDFLIC	Benzyl alcohol	1.9061E-012	1.9070E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFLIC	Beryllium	1.6685E-008	1.9716E-008
RCPTR_38	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.9079E-012	1.9087E-012
RCPTR_38	farmer_child	TOCDFLIC	Bromodichloromethane	1.7066E-014	1.7066E-014
RCPTR_38	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	5.8779E-013	5.8785E-013
RCPTR_38	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	7.4121E-008	1.0254E-007
RCPTR_38	farmer_child	TOCDFLIC	Butylbenzylphthalate	1.9866E-009	1.9883E-009
RCPTR_38	farmer_child	TOCDFLIC	Cadmium	1.3173E-008	1.4359E-008
RCPTR_38	farmer_child	TOCDFLIC	Carbon disulfide	3.8836E-015	3.8836E-015
RCPTR_38	farmer_child	TOCDFLIC	Carbon tetrachloride	6.1295E-015	6.1295E-015
RCPTR_38	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	1.5470E-010	1.5545E-010
RCPTR_38	farmer_child	TOCDFLIC	Chloroaniline, p-	8.8532E-012	8.8629E-012
RCPTR_38	farmer_child	TOCDFLIC	Chlorobenzene	3.5855E-014	3.5855E-014
RCPTR_38	farmer_child	TOCDFLIC	Chloroethane	1.0063E-016	1.0063E-016
RCPTR_38	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	5.4297E-015	5.4297E-015
RCPTR_38	farmer_child	TOCDFLIC	Chloronaphthalene,2-	6.8574E-010	6.9136E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFLIC	Chlorophenol, 2-	2.4561E-011	2.4617E-011
RCPTR_38	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	8.5953E-010	8.6256E-010
RCPTR_38	farmer_child	TOCDFLIC	Chromium	7.1364E-007	8.7774E-007
RCPTR_38	farmer_child	TOCDFLIC	Chromium, hexavalent	5.6556E-007	5.6643E-007
RCPTR_38	farmer_child	TOCDFLIC	Chrysene	1.0144E-006	1.1433E-006
RCPTR_38	farmer_child	TOCDFLIC	Di-n-butyl phthalate	8.0107E-009	8.0260E-009
RCPTR_38	farmer_child	TOCDFLIC	Di-n-octylphthalate	3.3786E+001	3.3786E+001
RCPTR_38	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	6.2526E-005	6.3439E-005
RCPTR_38	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	1.1153E-012	1.1154E-012
RCPTR_38	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	1.3506E-012	1.3507E-012
RCPTR_38	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	1.3007E-012	1.3007E-012
RCPTR_38	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.9822E-009	4.0048E-009
RCPTR_38	farmer_child	TOCDFLIC	Dichlorodifluoromethane	8.0437E-018	8.0437E-018
RCPTR_38	farmer_child	TOCDFLIC	Dichloroethane 1,1-	2.0260E-015	2.0260E-015
RCPTR_38	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.5170E-015	2.5170E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	7.6696E-016	7.6696E-016
RCPTR_38	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.2329E-015	1.2329E-015
RCPTR_38	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	1.0623E-010	1.0657E-010
RCPTR_38	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	6.9363E-015	6.9363E-015
RCPTR_38	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	2.2891E-015	2.2891E-015
RCPTR_38	farmer_child	TOCDFLIC	Diethyl phthalate	4.3930E-009	4.3937E-009
RCPTR_38	farmer_child	TOCDFLIC	Dimethyl phthalate	6.6671E-011	6.6730E-011
RCPTR_38	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	1.6752E-011	1.6773E-011
RCPTR_38	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	8.0587E-012	8.0599E-012
RCPTR_38	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	1.5335E-011	1.5361E-011
RCPTR_38	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	1.1839E-011	1.1856E-011
RCPTR_38	farmer_child	TOCDFLIC	Ethyl methanesulfonate	3.5727E-013	3.5737E-013
RCPTR_38	farmer_child	TOCDFLIC	Ethylbenzene	2.9163E-014	2.9163E-014
RCPTR_38	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	6.4057E-009	6.4236E-009
RCPTR_38	farmer_child	TOCDFLIC	Fluoranthene	5.4502E-008	6.4068E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFLIC	Fluorene	1.0266E-009	1.0377E-009
RCPTR_38	farmer_child	TOCDFLIC	GB	5.9820E-015	5.9835E-015
RCPTR_38	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	5.6671E-014	6.2404E-014
RCPTR_38	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	6.9105E-014	7.4638E-014
RCPTR_38	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.6261E-013	1.7857E-013
RCPTR_38	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	7.3421E-013	7.9591E-013
RCPTR_38	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	4.0899E-013	4.5343E-013
RCPTR_38	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	3.4404E-013	3.8725E-013
RCPTR_38	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.2233E-013	2.5382E-013
RCPTR_38	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.1813E-013	2.4892E-013
RCPTR_38	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	2.5344E-013	2.8886E-013
RCPTR_38	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.8460E-013	2.1051E-013
RCPTR_38	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.1707E-011	2.1709E-011
RCPTR_38	farmer_child	TOCDFLIC	Hexachlorobenzene	4.1681E-008	4.4306E-008
RCPTR_38	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	5.7574E-011	5.7586E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.3418E-011	1.3421E-011
RCPTR_38	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_38	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.5908E-004	4.6057E-004
RCPTR_38	farmer_child	TOCDFLIC	Isophorone	2.5542E-012	2.5551E-012
RCPTR_38	farmer_child	TOCDFLIC	Lead	2.0066E-006	2.5558E-006
RCPTR_38	farmer_child	TOCDFLIC	Mercuric chloride	5.0803E-006	9.4461E-006
RCPTR_38	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	1.3957E-016	1.3957E-016
RCPTR_38	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.1431E-017	1.1431E-017
RCPTR_38	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	4.1550E-014	4.1550E-014
RCPTR_38	farmer_child	TOCDFLIC	Methyl mercury	4.2828E-008	5.5686E-008
RCPTR_38	farmer_child	TOCDFLIC	Methylene chloride	8.8369E-016	8.8369E-016
RCPTR_38	farmer_child	TOCDFLIC	Naphthalene	1.0775E-011	1.0778E-011
RCPTR_38	farmer_child	TOCDFLIC	Nickel	3.0055E-007	3.0693E-007
RCPTR_38	farmer_child	TOCDFLIC	Nitroaniline, 2-	4.3519E-011	4.3566E-011
RCPTR_38	farmer_child	TOCDFLIC	Nitroaniline, 3-	1.0367E-011	1.0371E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFLIC	Nitroaniline, 4-	1.3391E-011	1.3399E-011
RCPTR_38	farmer_child	TOCDFLIC	Nitrobenzene	4.3107E-012	4.3131E-012
RCPTR_38	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.9630E-012	1.9635E-012
RCPTR_38	farmer_child	TOCDFLIC	Nitrophenol, 4-	2.7963E-011	2.7971E-011
RCPTR_38	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.4314E-012	2.4318E-012
RCPTR_38	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	2.3891E-012	2.3893E-012
RCPTR_38	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	2.1397E-013	2.1398E-013
RCPTR_38	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.9241E-013	2.1810E-013
RCPTR_38	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	6.3117E-014	7.1401E-014
RCPTR_38	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.5515E-012	1.7056E-012
RCPTR_38	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	4.1690E-013	4.8507E-013
RCPTR_38	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	9.0775E-013	1.0544E-012
RCPTR_38	farmer_child	TOCDFLIC	Pentachlorobenzene	1.6227E-010	1.6234E-010
RCPTR_38	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	6.3986E-011	6.3990E-011
RCPTR_38	farmer_child	TOCDFLIC	Pentachlorophenol	2.8374E-008	2.8449E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFLIC	Phenanthrene	3.2898E-012	3.2899E-012
RCPTR_38	farmer_child	TOCDFLIC	Phenol	3.4139E-012	3.4160E-012
RCPTR_38	farmer_child	TOCDFLIC	Pronamide	3.2306E-010	3.2543E-010
RCPTR_38	farmer_child	TOCDFLIC	Pyrene	8.9826E-008	1.3326E-007
RCPTR_38	farmer_child	TOCDFLIC	Selenium	6.0566E-008	6.0574E-008
RCPTR_38	farmer_child	TOCDFLIC	Silver	2.2937E-008	2.3011E-008
RCPTR_38	farmer_child	TOCDFLIC	Styrene	1.2442E-012	1.2442E-012
RCPTR_38	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	5.4986E-013	6.6595E-013
RCPTR_38	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	7.5894E-013	9.6552E-013
RCPTR_38	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.6210E-010	2.6247E-010
RCPTR_38	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	8.2713E-012	8.2714E-012
RCPTR_38	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	7.3707E-015	7.3708E-015
RCPTR_38	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.7819E-009	1.7854E-009
RCPTR_38	farmer_child	TOCDFLIC	Thallium (I)	5.7088E-007	5.8123E-007
RCPTR_38	farmer_child	TOCDFLIC	Toluene	5.7070E-014	5.7070E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.0077E-011	1.0078E-011
RCPTR_38	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	4.7633E-015	4.7633E-015
RCPTR_38	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	3.6427E-014	3.6427E-014
RCPTR_38	farmer_child	TOCDFLIC	Trichloroethylene	5.9208E-015	5.9208E-015
RCPTR_38	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	7.7817E-016	7.7817E-016
RCPTR_38	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	1.1323E-009	1.1514E-009
RCPTR_38	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	2.2953E-010	2.3035E-010
RCPTR_38	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	1.3481E-013	1.3481E-013
RCPTR_38	farmer_child	TOCDFLIC	Vinyl Chloride	2.0733E-018	2.0733E-018
RCPTR_38	farmer_child	TOCDFLIC	Xylene, m-	7.5772E-014	7.5772E-014
RCPTR_38	farmer_child	TOCDFLIC	Xylene, o-	5.0374E-014	5.0374E-014
RCPTR_38	farmer_child	TOCDFLIC	Xylene, p-	1.0230E-013	1.0230E-013
RCPTR_38	farmer_child	TOCDFLIC	Zinc	9.8525E-008	1.0386E-007
RCPTR_38	farmer_child	TOCDFMPF	Acenaphthene	1.1274E-009	1.1313E-009
RCPTR_38	farmer_child	TOCDFMPF	Acetone	3.5113E-015	3.5113E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFMPF	Acetophenone	5.9676E-012	5.9689E-012
RCPTR_38	farmer_child	TOCDFMPF	Aniline	3.5943E-013	3.5944E-013
RCPTR_38	farmer_child	TOCDFMPF	Anthracene	1.9307E-008	1.9957E-008
RCPTR_38	farmer_child	TOCDFMPF	Antimony	1.0190E-008	1.0522E-008
RCPTR_38	farmer_child	TOCDFMPF	Arsenic	2.1517E-008	2.1618E-008
RCPTR_38	farmer_child	TOCDFMPF	Barium	3.2349E-009	3.3092E-009
RCPTR_38	farmer_child	TOCDFMPF	Benzene	3.1270E-015	3.1270E-015
RCPTR_38	farmer_child	TOCDFMPF	Benzo(a)anthracene	1.8637E-006	2.1995E-006
RCPTR_38	farmer_child	TOCDFMPF	Benzo(a)pyrene	1.2709E-005	1.2985E-005
RCPTR_38	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	8.5439E-006	9.3538E-006
RCPTR_38	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	1.9719E-005	2.0761E-005
RCPTR_38	farmer_child	TOCDFMPF	Benzoic acid	4.0787E-011	4.0792E-011
RCPTR_38	farmer_child	TOCDFMPF	Benzyl alcohol	8.1508E-012	8.1549E-012
RCPTR_38	farmer_child	TOCDFMPF	Beryllium	4.7815E-009	5.6501E-009
RCPTR_38	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	8.1586E-012	8.1619E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFMPF	Bromodichloromethane	2.7872E-014	2.7872E-014
RCPTR_38	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.0516E-012	1.0517E-012
RCPTR_38	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	3.1696E-007	4.3851E-007
RCPTR_38	farmer_child	TOCDFMPF	Butylbenzylphthalate	8.4954E-009	8.5023E-009
RCPTR_38	farmer_child	TOCDFMPF	Cadmium	5.7827E-009	6.3034E-009
RCPTR_38	farmer_child	TOCDFMPF	Carbon disulfide	5.4696E-015	5.4696E-015
RCPTR_38	farmer_child	TOCDFMPF	Carbon tetrachloride	8.6550E-015	8.6550E-015
RCPTR_38	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	6.6154E-010	6.6476E-010
RCPTR_38	farmer_child	TOCDFMPF	Chloroaniline, p-	3.7859E-011	3.7900E-011
RCPTR_38	farmer_child	TOCDFMPF	Chlorobenzene	5.0628E-014	5.0628E-014
RCPTR_38	farmer_child	TOCDFMPF	Chloroethane	1.4209E-016	1.4209E-016
RCPTR_38	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	7.3749E-015	7.3749E-015
RCPTR_38	farmer_child	TOCDFMPF	Chloronaphthalene,2-	2.9324E-009	2.9565E-009
RCPTR_38	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.0503E-010	1.0527E-010
RCPTR_38	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	3.6756E-009	3.6885E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFMPF	Chromium	1.3853E-007	1.7039E-007
RCPTR_38	farmer_child	TOCDFMPF	Chromium, hexavalent	1.0979E-007	1.0996E-007
RCPTR_38	farmer_child	TOCDFMPF	Chrysene	4.3378E-006	4.8890E-006
RCPTR_38	farmer_child	TOCDFMPF	Di-n-butyl phthalate	3.4257E-008	3.4322E-008
RCPTR_38	farmer_child	TOCDFMPF	Di-n-octylphthalate	1.4448E+002	1.4448E+002
RCPTR_38	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	2.6741E-004	2.7131E-004
RCPTR_38	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	4.7695E-012	4.7696E-012
RCPTR_38	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	5.7756E-012	5.7758E-012
RCPTR_38	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	5.5620E-012	5.5622E-012
RCPTR_38	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.2276E-008	2.2402E-008
RCPTR_38	farmer_child	TOCDFMPF	Dichlorodifluoromethane	1.1358E-017	1.1358E-017
RCPTR_38	farmer_child	TOCDFMPF	Dichloroethane 1,1-	2.8608E-015	2.8608E-015
RCPTR_38	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	3.5541E-015	3.5541E-015
RCPTR_38	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.0830E-015	1.0830E-015
RCPTR_38	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.7408E-015	1.7408E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	4.5425E-010	4.5570E-010
RCPTR_38	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	9.7942E-015	9.7943E-015
RCPTR_38	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	3.2323E-015	3.2323E-015
RCPTR_38	farmer_child	TOCDFMPF	Diethyl phthalate	1.8786E-008	1.8789E-008
RCPTR_38	farmer_child	TOCDFMPF	Dimethyl phthalate	2.4311E-011	2.4332E-011
RCPTR_38	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	7.1635E-011	7.1726E-011
RCPTR_38	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	3.4399E-011	3.4404E-011
RCPTR_38	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	6.5578E-011	6.5686E-011
RCPTR_38	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	5.0628E-011	5.0700E-011
RCPTR_38	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.5278E-012	1.5282E-012
RCPTR_38	farmer_child	TOCDFMPF	Ethylbenzene	3.0884E-014	3.0884E-014
RCPTR_38	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	7.1110E-009	7.1309E-009
RCPTR_38	farmer_child	TOCDFMPF	Fluoranthene	2.3306E-007	2.7397E-007
RCPTR_38	farmer_child	TOCDFMPF	Fluorene	4.3901E-009	4.4376E-009
RCPTR_38	farmer_child	TOCDFMPF	GB	8.5358E-015	8.5380E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.1964E-013	1.3174E-013
RCPTR_38	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	4.6495E-012	5.0217E-012
RCPTR_38	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	7.5629E-013	8.3052E-013
RCPTR_38	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.6819E-012	1.8232E-012
RCPTR_38	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	8.9117E-013	9.8801E-013
RCPTR_38	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	8.1794E-013	9.2069E-013
RCPTR_38	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.3438E-011	3.8174E-011
RCPTR_38	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	8.1701E-012	9.3233E-012
RCPTR_38	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.4239E-012	1.6229E-012
RCPTR_38	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.0152E-012	1.1577E-012
RCPTR_38	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	9.2823E-011	9.2833E-011
RCPTR_38	farmer_child	TOCDFMPF	Hexachlorobenzene	1.7824E-007	1.8946E-007
RCPTR_38	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	2.4620E-010	2.4625E-010
RCPTR_38	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	5.7380E-011	5.7390E-011
RCPTR_38	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.9633E-003	1.9696E-003
RCPTR_38	farmer_child	TOCDFMPF	Isophorone	1.0922E-011	1.0926E-011
RCPTR_38	farmer_child	TOCDFMPF	Lead	1.5874E-009	2.0220E-009
RCPTR_38	farmer_child	TOCDFMPF	Mercuric chloride	5.7686E-008	1.0726E-007
RCPTR_38	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	1.6792E-016	1.6792E-016
RCPTR_38	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	6.0062E-018	6.0062E-018
RCPTR_38	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	3.9332E-014	3.9333E-014
RCPTR_38	farmer_child	TOCDFMPF	Methyl mercury	4.8630E-010	6.3230E-010
RCPTR_38	farmer_child	TOCDFMPF	Methylene chloride	9.8322E-016	9.8322E-016
RCPTR_38	farmer_child	TOCDFMPF	Naphthalene	4.6075E-011	4.6088E-011
RCPTR_38	farmer_child	TOCDFMPF	Nickel	2.3650E-007	2.4152E-007
RCPTR_38	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.8576E-010	1.8596E-010
RCPTR_38	farmer_child	TOCDFMPF	Nitroaniline, 3-	4.4251E-011	4.4269E-011
RCPTR_38	farmer_child	TOCDFMPF	Nitroaniline, 4-	5.7161E-011	5.7192E-011
RCPTR_38	farmer_child	TOCDFMPF	Nitrobenzene	1.8434E-011	1.8444E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFMPF	Nitrophenol, 2-	8.3944E-012	8.3966E-012
RCPTR_38	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.1936E-010	1.1940E-010
RCPTR_38	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.0397E-011	1.0399E-011
RCPTR_38	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.0216E-011	1.0217E-011
RCPTR_38	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	9.1501E-013	9.1505E-013
RCPTR_38	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.8648E-013	3.2473E-013
RCPTR_38	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	3.9788E-013	4.5010E-013
RCPTR_38	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.1438E-012	6.7540E-012
RCPTR_38	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	4.6564E-012	5.4178E-012
RCPTR_38	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.4797E-011	1.7187E-011
RCPTR_38	farmer_child	TOCDFMPF	Pentachlorobenzene	6.9389E-010	6.9419E-010
RCPTR_38	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	2.7312E-010	2.7314E-010
RCPTR_38	farmer_child	TOCDFMPF	Pentachlorophenol	1.2112E-007	1.2144E-007
RCPTR_38	farmer_child	TOCDFMPF	Phenanthrene	1.4068E-011	1.4068E-011
RCPTR_38	farmer_child	TOCDFMPF	Phenol	1.4599E-011	1.4608E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFMPF	Pronamide	1.3815E-009	1.3916E-009
RCPTR_38	farmer_child	TOCDFMPF	Pyrene	3.8412E-007	5.6986E-007
RCPTR_38	farmer_child	TOCDFMPF	Selenium	1.7779E-008	1.7781E-008
RCPTR_38	farmer_child	TOCDFMPF	Silver	9.2101E-008	9.2399E-008
RCPTR_38	farmer_child	TOCDFMPF	Styrene	1.3345E-012	1.3346E-012
RCPTR_38	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.5644E-012	1.8947E-012
RCPTR_38	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	3.1176E-012	3.9662E-012
RCPTR_38	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.1208E-009	1.1224E-009
RCPTR_38	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.1679E-011	1.1680E-011
RCPTR_38	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.3065E-014	2.3065E-014
RCPTR_38	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	7.6062E-009	7.6210E-009
RCPTR_38	farmer_child	TOCDFMPF	Thallium (I)	1.6902E-007	1.7208E-007
RCPTR_38	farmer_child	TOCDFMPF	Toluene	1.6033E-014	1.6033E-014
RCPTR_38	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	4.3091E-011	4.3096E-011
RCPTR_38	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	6.7259E-015	6.7259E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	5.1435E-014	5.1436E-014
RCPTR_38	farmer_child	TOCDFMPF	Trichloroethylene	8.3602E-015	8.3602E-015
RCPTR_38	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.0988E-015	1.0988E-015
RCPTR_38	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	4.8421E-009	4.9238E-009
RCPTR_38	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	9.8151E-010	9.8503E-010
RCPTR_38	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	1.9035E-013	1.9036E-013
RCPTR_38	farmer_child	TOCDFMPF	Vinyl Chloride	2.7169E-018	2.7169E-018
RCPTR_38	farmer_child	TOCDFMPF	Xylene, m-	6.0007E-014	6.0007E-014
RCPTR_38	farmer_child	TOCDFMPF	Xylene, o-	6.2703E-014	6.2703E-014
RCPTR_38	farmer_child	TOCDFMPF	Xylene, p-	8.1017E-014	8.1018E-014
RCPTR_38	farmer_child	TOCDFMPF	Zinc	6.0513E-008	6.3790E-008
RCPTR_38	farmer_child	TOCDHVAC	GB	4.4620E-014	4.4632E-014
RCPTR_38	farmer_child	TOCDLIC2	Acenaphthene	5.4404E-010	5.4597E-010
RCPTR_38	farmer_child	TOCDLIC2	Acetone	6.9130E-015	6.9130E-015
RCPTR_38	farmer_child	TOCDLIC2	Acetophenone	2.8799E-012	2.8805E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDLIC2	Aniline	1.7345E-013	1.7346E-013
RCPTR_38	farmer_child	TOCDLIC2	Anthracene	9.3169E-009	9.6307E-009
RCPTR_38	farmer_child	TOCDLIC2	Antimony	4.5394E-008	4.6874E-008
RCPTR_38	farmer_child	TOCDLIC2	Arsenic	9.1378E-008	9.1808E-008
RCPTR_38	farmer_child	TOCDLIC2	Barium	3.3142E-008	3.3903E-008
RCPTR_38	farmer_child	TOCDLIC2	Benzene	4.6122E-015	4.6122E-015
RCPTR_38	farmer_child	TOCDLIC2	Benzo(a)anthracene	8.9938E-007	1.0614E-006
RCPTR_38	farmer_child	TOCDLIC2	Benzo(a)pyrene	6.1332E-006	6.2661E-006
RCPTR_38	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	4.1230E-006	4.5139E-006
RCPTR_38	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	9.5160E-006	1.0019E-005
RCPTR_38	farmer_child	TOCDLIC2	Benzoic acid	1.9683E-011	1.9685E-011
RCPTR_38	farmer_child	TOCDLIC2	Benzyl alcohol	3.9334E-012	3.9354E-012
RCPTR_38	farmer_child	TOCDLIC2	Beryllium	1.6685E-008	1.9716E-008
RCPTR_38	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	3.9372E-012	3.9388E-012
RCPTR_38	farmer_child	TOCDLIC2	Bromodichloromethane	5.2255E-014	5.2255E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.3629E-012	1.3630E-012
RCPTR_38	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	1.5296E-007	2.1161E-007
RCPTR_38	farmer_child	TOCDLIC2	Butylbenzylphthalate	4.0997E-009	4.1030E-009
RCPTR_38	farmer_child	TOCDLIC2	Cadmium	1.4968E-009	1.6316E-009
RCPTR_38	farmer_child	TOCDLIC2	Carbon disulfide	5.8855E-015	5.8855E-015
RCPTR_38	farmer_child	TOCDLIC2	Carbon tetrachloride	9.3289E-015	9.3289E-015
RCPTR_38	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	3.1924E-010	3.2080E-010
RCPTR_38	farmer_child	TOCDLIC2	Chloroaniline, p-	1.8270E-011	1.8290E-011
RCPTR_38	farmer_child	TOCDLIC2	Chlorobenzene	5.4570E-014	5.4570E-014
RCPTR_38	farmer_child	TOCDLIC2	Chloroethane	1.5315E-016	1.5315E-016
RCPTR_38	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.6764E-014	1.6764E-014
RCPTR_38	farmer_child	TOCDLIC2	Chloronaphthalene,2-	1.4151E-009	1.4267E-009
RCPTR_38	farmer_child	TOCDLIC2	Chlorophenol, 2-	5.0685E-011	5.0801E-011
RCPTR_38	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.7738E-009	1.7800E-009
RCPTR_38	farmer_child	TOCDLIC2	Chromium	7.1364E-007	8.7774E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDLIC2	Chromium, hexavalent	5.6556E-007	5.6643E-007
RCPTR_38	farmer_child	TOCDLIC2	Chrysene	2.0933E-006	2.3593E-006
RCPTR_38	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.6531E-008	1.6563E-008
RCPTR_38	farmer_child	TOCDLIC2	Di-n-octylphthalate	6.9723E+001	6.9723E+001
RCPTR_38	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	1.2903E-004	1.3092E-004
RCPTR_38	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	2.3017E-012	2.3017E-012
RCPTR_38	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	2.7872E-012	2.7873E-012
RCPTR_38	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	2.6841E-012	2.6842E-012
RCPTR_38	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	9.5762E-009	9.6305E-009
RCPTR_38	farmer_child	TOCDLIC2	Dichlorodifluoromethane	1.2242E-017	1.2242E-017
RCPTR_38	farmer_child	TOCDLIC2	Dichloroethane 1,1-	3.0836E-015	3.0836E-015
RCPTR_38	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	3.8308E-015	3.8308E-015
RCPTR_38	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	1.1673E-015	1.1673E-015
RCPTR_38	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.8764E-015	1.8764E-015
RCPTR_38	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	2.1921E-010	2.1991E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	1.0557E-014	1.0557E-014
RCPTR_38	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	3.4839E-015	3.4839E-015
RCPTR_38	farmer_child	TOCDLIC2	Diethyl phthalate	9.0655E-009	9.0669E-009
RCPTR_38	farmer_child	TOCDLIC2	Dimethyl phthalate	8.1659E-011	8.1731E-011
RCPTR_38	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	3.4570E-011	3.4613E-011
RCPTR_38	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.6673E-011	1.6676E-011
RCPTR_38	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	3.1647E-011	3.1699E-011
RCPTR_38	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	2.4432E-011	2.4467E-011
RCPTR_38	farmer_child	TOCDLIC2	Ethyl methanesulfonate	7.3728E-013	7.3748E-013
RCPTR_38	farmer_child	TOCDLIC2	Ethylbenzene	3.7754E-014	3.7754E-014
RCPTR_38	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	4.2888E-009	4.3009E-009
RCPTR_38	farmer_child	TOCDLIC2	Fluoranthene	1.1247E-007	1.3221E-007
RCPTR_38	farmer_child	TOCDLIC2	Fluorene	2.1186E-009	2.1415E-009
RCPTR_38	farmer_child	TOCDLIC2	GB	6.2189E-015	6.2205E-015
RCPTR_38	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	3.9777E-013	4.3801E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	3.7747E-013	4.0769E-013
RCPTR_38	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	3.5491E-013	3.8974E-013
RCPTR_38	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.1022E-012	1.1948E-012
RCPTR_38	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	7.7145E-013	8.5529E-013
RCPTR_38	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	7.3353E-013	8.2567E-013
RCPTR_38	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	7.1544E-013	8.1678E-013
RCPTR_38	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	4.3194E-013	4.9292E-013
RCPTR_38	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	3.8682E-013	4.4089E-013
RCPTR_38	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.4231E-013	5.0440E-013
RCPTR_38	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	4.4795E-011	4.4799E-011
RCPTR_38	farmer_child	TOCDLIC2	Hexachlorobenzene	8.6014E-008	9.1432E-008
RCPTR_38	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.1881E-010	1.1884E-010
RCPTR_38	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	2.7690E-011	2.7695E-011
RCPTR_38	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_38	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	9.4737E-004	9.5045E-004

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDLIC2	Isophorone	5.2709E-012	5.2728E-012
RCPTR_38	farmer_child	TOCDLIC2	Lead	1.4467E-007	1.8427E-007
RCPTR_38	farmer_child	TOCDLIC2	Mercuric chloride	5.0803E-006	9.4461E-006
RCPTR_38	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	1.8255E-016	1.8255E-016
RCPTR_38	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	7.2762E-018	7.2762E-018
RCPTR_38	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	4.0953E-014	4.0953E-014
RCPTR_38	farmer_child	TOCDLIC2	Methyl mercury	4.2828E-008	5.5686E-008
RCPTR_38	farmer_child	TOCDLIC2	Methylene chloride	3.2145E-015	3.2145E-015
RCPTR_38	farmer_child	TOCDLIC2	Naphthalene	2.2235E-011	2.2241E-011
RCPTR_38	farmer_child	TOCDLIC2	Nickel	1.0447E-007	1.0669E-007
RCPTR_38	farmer_child	TOCDLIC2	Nitroaniline, 2-	9.0038E-011	9.0137E-011
RCPTR_38	farmer_child	TOCDLIC2	Nitroaniline, 3-	2.1449E-011	2.1458E-011
RCPTR_38	farmer_child	TOCDLIC2	Nitroaniline, 4-	2.7706E-011	2.7721E-011
RCPTR_38	farmer_child	TOCDLIC2	Nitrobenzene	8.8957E-012	8.9006E-012
RCPTR_38	farmer_child	TOCDLIC2	Nitrophenol, 2-	4.0509E-012	4.0520E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDLIC2	Nitrophenol, 4-	5.7855E-011	5.7872E-011
RCPTR_38	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	5.0175E-012	5.0184E-012
RCPTR_38	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	4.9302E-012	4.9307E-012
RCPTR_38	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	4.4156E-013	4.4158E-013
RCPTR_38	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	6.4605E-013	7.3231E-013
RCPTR_38	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.1348E-013	2.4150E-013
RCPTR_38	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.9011E-012	3.1893E-012
RCPTR_38	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	8.8216E-013	1.0264E-012
RCPTR_38	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.4157E-012	2.8059E-012
RCPTR_38	farmer_child	TOCDLIC2	Pentachlorobenzene	3.3486E-010	3.3500E-010
RCPTR_38	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.3238E-010	1.3239E-010
RCPTR_38	farmer_child	TOCDLIC2	Pentachlorophenol	5.8704E-008	5.8860E-008
RCPTR_38	farmer_child	TOCDLIC2	Phenanthrene	6.7890E-012	6.7891E-012
RCPTR_38	farmer_child	TOCDLIC2	Phenol	7.4485E-012	7.4531E-012
RCPTR_38	farmer_child	TOCDLIC2	Pronamide	6.6667E-010	6.7156E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDLIC2	Pyrene	1.8537E-007	2.7500E-007
RCPTR_38	farmer_child	TOCDLIC2	Selenium	6.0566E-008	6.0574E-008
RCPTR_38	farmer_child	TOCDLIC2	Silver	2.2937E-008	2.3011E-008
RCPTR_38	farmer_child	TOCDLIC2	Styrene	1.0423E-012	1.0423E-012
RCPTR_38	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.5940E-012	1.9305E-012
RCPTR_38	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.3594E-012	1.7295E-012
RCPTR_38	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	5.4088E-010	5.4164E-010
RCPTR_38	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.2589E-011	1.2589E-011
RCPTR_38	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.1218E-014	1.1218E-014
RCPTR_38	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	3.6867E-009	3.6939E-009
RCPTR_38	farmer_child	TOCDLIC2	Thallium (I)	5.7088E-007	5.8123E-007
RCPTR_38	farmer_child	TOCDLIC2	Toluene	6.0074E-014	6.0074E-014
RCPTR_38	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	2.0795E-011	2.0797E-011
RCPTR_38	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	7.2496E-015	7.2496E-015
RCPTR_38	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	5.5440E-014	5.5441E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_38	farmer_child	TOCDLIC2	Trichloroethylene	9.0112E-015	9.0112E-015
RCPTR_38	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.1843E-015	1.1843E-015
RCPTR_38	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	2.3367E-009	2.3761E-009
RCPTR_38	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	4.7366E-010	4.7535E-010
RCPTR_38	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	2.0518E-013	2.0518E-013
RCPTR_38	farmer_child	TOCDLIC2	Vinyl Chloride	3.4604E-018	3.4604E-018
RCPTR_38	farmer_child	TOCDLIC2	Xylene, m-	8.7962E-014	8.7962E-014
RCPTR_38	farmer_child	TOCDLIC2	Xylene, o-	6.7586E-014	6.7586E-014
RCPTR_38	farmer_child	TOCDLIC2	Xylene, p-	1.1876E-013	1.1876E-013
RCPTR_38	farmer_child	TOCDLIC2	Zinc	1.1764E-007	1.2401E-007
RCPTR_39	farmer_adult	TOCDFBRA	Antimony	2.8907E-007	3.6575E-007
RCPTR_39	farmer_adult	TOCDFBRA	Arsenic	4.6998E-007	4.9371E-007
RCPTR_39	farmer_adult	TOCDFBRA	Barium	3.9562E-008	4.7290E-008
RCPTR_39	farmer_adult	TOCDFBRA	Beryllium	1.4474E-007	1.7675E-007
RCPTR_39	farmer_adult	TOCDFBRA	Cadmium	2.2784E-008	3.4550E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFBRA	Chromium	4.2518E-006	4.4099E-006
RCPTR_39	farmer_adult	TOCDFBRA	Chromium, hexavalent	2.7830E-006	2.8514E-006
RCPTR_39	farmer_adult	TOCDFBRA	Lead	1.6411E-006	2.1501E-006
RCPTR_39	farmer_adult	TOCDFBRA	Mercuric chloride	5.3512E-004	5.9297E-004
RCPTR_39	farmer_adult	TOCDFBRA	Methyl mercury	3.4272E-006	3.7292E-006
RCPTR_39	farmer_adult	TOCDFBRA	Nickel	1.5488E-006	1.7155E-006
RCPTR_39	farmer_adult	TOCDFBRA	Selenium	5.2677E-007	5.3053E-007
RCPTR_39	farmer_adult	TOCDFBRA	Silver	1.7963E-007	2.0277E-007
RCPTR_39	farmer_adult	TOCDFBRA	Thallium (I)	4.8167E-006	5.2175E-006
RCPTR_39	farmer_adult	TOCDFBRA	Zinc	8.3256E-007	1.1115E-006
RCPTR_39	farmer_adult	TOCDFDFS	Acenaphthene	1.0746E-010	5.4794E-010
RCPTR_39	farmer_adult	TOCDFDFS	Acetone	1.3150E-015	6.8574E-015
RCPTR_39	farmer_adult	TOCDFDFS	Acetophenone	5.8271E-013	3.0353E-012
RCPTR_39	farmer_adult	TOCDFDFS	Aniline	3.3506E-014	1.7407E-013
RCPTR_39	farmer_adult	TOCDFDFS	Anthracene	1.8997E-009	9.6657E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFDFS	Antimony	1.9836E-006	2.5105E-006
RCPTR_39	farmer_adult	TOCDFDFS	Aroclor 1254	2.7889E-011	5.4748E-011
RCPTR_39	farmer_adult	TOCDFDFS	Arsenic	1.8232E-007	1.9154E-007
RCPTR_39	farmer_adult	TOCDFDFS	Barium	5.3972E-009	6.4529E-009
RCPTR_39	farmer_adult	TOCDFDFS	Benzene	1.0930E-015	5.6707E-015
RCPTR_39	farmer_adult	TOCDFDFS	Benzo(a)anthracene	6.0555E-007	1.0738E-006
RCPTR_39	farmer_adult	TOCDFDFS	Benzo(a)pyrene	5.9748E-006	6.4267E-006
RCPTR_39	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	3.3924E-006	4.5726E-006
RCPTR_39	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	9.4110E-006	1.0279E-005
RCPTR_39	farmer_adult	TOCDFDFS	Benzoic acid	4.3860E-012	1.9757E-011
RCPTR_39	farmer_adult	TOCDFDFS	Benzyl alcohol	7.5863E-013	3.9494E-012
RCPTR_39	farmer_adult	TOCDFDFS	Beryllium	5.4367E-008	6.6404E-008
RCPTR_39	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	7.5801E-013	3.9528E-012
RCPTR_39	farmer_adult	TOCDFDFS	Bromodichloromethane	8.5849E-015	4.4726E-014
RCPTR_39	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	3.4110E-013	1.7776E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	4.2745E-008	2.1237E-007
RCPTR_39	farmer_adult	TOCDFDFS	Butylbenzylphthalate	3.4677E-009	4.2284E-009
RCPTR_39	farmer_adult	TOCDFDFS	Cadmium	4.3074E-008	6.5349E-008
RCPTR_39	farmer_adult	TOCDFDFS	Carbon disulfide	5.7027E-016	2.9643E-015
RCPTR_39	farmer_adult	TOCDFDFS	Carbon tetrachloride	2.8526E-015	1.4793E-014
RCPTR_39	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	7.8126E-011	3.2198E-010
RCPTR_39	farmer_adult	TOCDFDFS	Chloroaniline, p-	3.5360E-012	1.8355E-011
RCPTR_39	farmer_adult	TOCDFDFS	Chlorobenzene	1.6743E-014	8.6536E-014
RCPTR_39	farmer_adult	TOCDFDFS	Chloroethane	4.8062E-017	2.4287E-016
RCPTR_39	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	2.5718E-015	1.3395E-014
RCPTR_39	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	2.7947E-010	1.4318E-009
RCPTR_39	farmer_adult	TOCDFDFS	Chlorophenol, 2-	9.7802E-012	5.0981E-011
RCPTR_39	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	4.3504E-010	1.7876E-009
RCPTR_39	farmer_adult	TOCDFDFS	Chromium	8.5837E-007	8.9033E-007
RCPTR_39	farmer_adult	TOCDFDFS	Chromium, hexavalent	5.6155E-007	5.7538E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFDFS	Chrysene	1.7690E-006	2.3894E-006
RCPTR_39	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.3779E-008	1.6707E-008
RCPTR_39	farmer_adult	TOCDFDFS	Di-n-octylphthalate	7.0094E+001	7.0094E+001
RCPTR_39	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.2974E-004	1.3457E-004
RCPTR_39	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	4.5992E-013	2.3100E-012
RCPTR_39	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	5.4966E-013	2.7973E-012
RCPTR_39	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	5.2744E-013	2.6938E-012
RCPTR_39	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.2369E-008	1.6243E-008
RCPTR_39	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	3.7402E-018	1.9414E-017
RCPTR_39	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	9.3859E-016	4.8898E-015
RCPTR_39	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	1.1658E-015	6.0747E-015
RCPTR_39	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	3.5597E-016	1.8510E-015
RCPTR_39	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	5.7237E-016	2.9755E-015
RCPTR_39	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	6.2535E-011	2.2074E-010
RCPTR_39	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	3.2275E-015	1.6741E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	1.0612E-015	5.5247E-015
RCPTR_39	farmer_adult	TOCDFDFS	Diethyl phthalate	8.6138E-009	9.1150E-009
RCPTR_39	farmer_adult	TOCDFDFS	Dimethyl phthalate	1.5163E-011	7.6606E-011
RCPTR_39	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	6.7204E-012	3.4737E-011
RCPTR_39	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	6.8879E-012	1.6513E-011
RCPTR_39	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	6.4285E-012	3.1822E-011
RCPTR_39	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	4.8908E-012	2.4557E-011
RCPTR_39	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.4195E-013	7.4010E-013
RCPTR_39	farmer_adult	TOCDFDFS	Ethylbenzene	1.0535E-014	5.2792E-014
RCPTR_39	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.5204E-010	4.3279E-010
RCPTR_39	farmer_adult	TOCDFDFS	Fluoranthene	3.5225E-008	1.3283E-007
RCPTR_39	farmer_adult	TOCDFDFS	Fluorene	4.2785E-010	2.1493E-009
RCPTR_39	farmer_adult	TOCDFDFS	GB	3.8231E-015	1.9906E-014
RCPTR_39	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.0986E-013	1.2455E-013
RCPTR_39	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.8114E-014	6.4305E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.9385E-013	2.1910E-013
RCPTR_39	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.1122E-012	1.2358E-012
RCPTR_39	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	5.8678E-013	6.7141E-013
RCPTR_39	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	5.0095E-013	5.8419E-013
RCPTR_39	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	3.9496E-013	4.6871E-013
RCPTR_39	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.5202E-013	4.1740E-013
RCPTR_39	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	4.7350E-013	5.6067E-013
RCPTR_39	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.2540E-013	3.8556E-013
RCPTR_39	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	9.4022E-012	4.4975E-011
RCPTR_39	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.8824E-008	9.1772E-008
RCPTR_39	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	1.2592E-010	5.9063E-010
RCPTR_39	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	5.4515E-012	2.7794E-011
RCPTR_39	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_39	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	9.5314E-004	9.6215E-004
RCPTR_39	farmer_adult	TOCDFDFS	Isophorone	1.0160E-012	5.2916E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFDFS	Lead	6.6724E-006	8.7439E-006
RCPTR_39	farmer_adult	TOCDFDFS	Mercuric chloride	1.2127E-007	1.3447E-007
RCPTR_39	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	9.9313E-017	5.1768E-016
RCPTR_39	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.6822E-017	8.7636E-017
RCPTR_39	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	8.8254E-015	4.6019E-014
RCPTR_39	farmer_adult	TOCDFDFS	Methyl mercury	7.4636E-010	8.1528E-010
RCPTR_39	farmer_adult	TOCDFDFS	Methylene chloride	2.5528E-016	1.3302E-015
RCPTR_39	farmer_adult	TOCDFDFS	Naphthalene	4.3329E-012	2.2321E-011
RCPTR_39	farmer_adult	TOCDFDFS	Nickel	6.2507E-007	6.9240E-007
RCPTR_39	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.7177E-011	8.9161E-011
RCPTR_39	farmer_adult	TOCDFDFS	Nitroaniline, 3-	4.0760E-012	2.1225E-011
RCPTR_39	farmer_adult	TOCDFDFS	Nitroaniline, 4-	5.2708E-012	2.7421E-011
RCPTR_39	farmer_adult	TOCDFDFS	Nitrobenzene	1.7137E-012	8.9322E-012
RCPTR_39	farmer_adult	TOCDFDFS	Nitrophenol, 2-	7.8071E-013	4.0664E-012
RCPTR_39	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.6413E-011	5.7281E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	9.7018E-013	5.0362E-012
RCPTR_39	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	9.5543E-013	4.9482E-012
RCPTR_39	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	8.7379E-014	4.4342E-013
RCPTR_39	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	2.7386E-013	3.2190E-013
RCPTR_39	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	9.3903E-014	1.1005E-013
RCPTR_39	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.8419E-012	3.2169E-012
RCPTR_39	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.3653E-013	2.8797E-013
RCPTR_39	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	9.3607E-013	1.1361E-012
RCPTR_39	farmer_adult	TOCDFDFS	Pentachlorobenzene	7.4176E-011	3.3688E-010
RCPTR_39	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.9719E-011	1.3127E-010
RCPTR_39	farmer_adult	TOCDFDFS	Pentachlorophenol	3.9268E-008	5.8285E-008
RCPTR_39	farmer_adult	TOCDFDFS	Phenanthrene	1.3438E-012	6.8136E-012
RCPTR_39	farmer_adult	TOCDFDFS	Phenol	1.3614E-012	7.0744E-012
RCPTR_39	farmer_adult	TOCDFDFS	Pronamide	2.6900E-010	1.3480E-009
RCPTR_39	farmer_adult	TOCDFDFS	Pyrene	6.7320E-008	2.7608E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFDFS	Selenium	2.0435E-007	2.0581E-007
RCPTR_39	farmer_adult	TOCDFDFS	Silver	7.0790E-008	7.9926E-008
RCPTR_39	farmer_adult	TOCDFDFS	Styrene	2.7814E-013	1.4440E-012
RCPTR_39	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.2987E-012	1.6718E-012
RCPTR_39	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	4.1842E-013	5.7692E-013
RCPTR_39	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.1291E-010	5.4362E-010
RCPTR_39	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.4916E-011	1.9987E-011
RCPTR_39	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	3.4258E-015	1.7789E-014
RCPTR_39	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.3422E-009	3.6556E-009
RCPTR_39	farmer_adult	TOCDFDFS	Thallium (I)	1.8087E-006	1.9595E-006
RCPTR_39	farmer_adult	TOCDFDFS	Toluene	4.6528E-015	2.3950E-014
RCPTR_39	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	4.1866E-012	2.0873E-011
RCPTR_39	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	2.2105E-015	1.1496E-014
RCPTR_39	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	1.6881E-014	8.7915E-014
RCPTR_39	farmer_adult	TOCDFDFS	Trichloroethylene	2.7514E-015	1.4290E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	3.6150E-016	1.8781E-015
RCPTR_39	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	5.0241E-010	2.3847E-009
RCPTR_39	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	1.2102E-010	4.7712E-010
RCPTR_39	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	6.2522E-014	3.2537E-013
RCPTR_39	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	7.5621E-013	3.7930E-012
RCPTR_39	farmer_adult	TOCDFDFS	Vinyl Chloride	8.9220E-019	4.6439E-018
RCPTR_39	farmer_adult	TOCDFDFS	Xylene, m-	4.9586E-014	1.0572E-013
RCPTR_39	farmer_adult	TOCDFDFS	Xylene, o-	4.5856E-014	1.0985E-013
RCPTR_39	farmer_adult	TOCDFDFS	Xylene, p-	5.4354E-014	1.4141E-013
RCPTR_39	farmer_adult	TOCDFDFS	Zinc	3.7754E-007	5.0420E-007
RCPTR_39	farmer_adult	TOCDFLIC	Acenaphthene	6.0333E-011	3.0764E-010
RCPTR_39	farmer_adult	TOCDFLIC	Acetone	1.5576E-015	8.1226E-015
RCPTR_39	farmer_adult	TOCDFLIC	Acetophenone	5.6085E-013	2.9214E-012
RCPTR_39	farmer_adult	TOCDFLIC	Aniline	1.8812E-014	9.7734E-014
RCPTR_39	farmer_adult	TOCDFLIC	Anthracene	1.0665E-009	5.4267E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFLIC	Antimony	3.4831E-008	4.4084E-008
RCPTR_39	farmer_adult	TOCDFLIC	Arsenic	1.0944E-007	1.1497E-007
RCPTR_39	farmer_adult	TOCDFLIC	Barium	3.6828E-009	4.4032E-009
RCPTR_39	farmer_adult	TOCDFLIC	Benzene	1.4363E-014	7.4522E-014
RCPTR_39	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.3922E-007	6.0196E-007
RCPTR_39	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.3402E-006	3.5919E-006
RCPTR_39	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.9012E-006	2.5631E-006
RCPTR_39	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	5.2629E-006	5.7441E-006
RCPTR_39	farmer_adult	TOCDFLIC	Benzoic acid	2.6419E-012	1.1900E-011
RCPTR_39	farmer_adult	TOCDFLIC	Benzyl alcohol	4.2593E-013	2.2174E-012
RCPTR_39	farmer_adult	TOCDFLIC	Beryllium	2.0192E-008	2.4662E-008
RCPTR_39	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	4.2558E-013	2.2193E-012
RCPTR_39	farmer_adult	TOCDFLIC	Bromodichloromethane	3.8088E-015	1.9843E-014
RCPTR_39	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.3116E-013	6.8352E-013
RCPTR_39	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	2.3999E-008	1.1923E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.9329E-009	2.3599E-009
RCPTR_39	farmer_adult	TOCDFLIC	Cadmium	1.1834E-008	1.7954E-008
RCPTR_39	farmer_adult	TOCDFLIC	Carbon disulfide	8.6873E-016	4.5157E-015
RCPTR_39	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.3743E-015	7.1272E-015
RCPTR_39	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	4.3873E-011	1.8078E-010
RCPTR_39	farmer_adult	TOCDFLIC	Chloroaniline, p-	1.9853E-012	1.0305E-011
RCPTR_39	farmer_adult	TOCDFLIC	Chlorobenzene	8.0662E-015	4.1691E-014
RCPTR_39	farmer_adult	TOCDFLIC	Chloroethane	2.3156E-017	1.1701E-016
RCPTR_39	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	1.2121E-015	6.3133E-015
RCPTR_39	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	1.5691E-010	8.0390E-010
RCPTR_39	farmer_adult	TOCDFLIC	Chlorophenol, 2-	5.4911E-012	2.8623E-011
RCPTR_39	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	2.4414E-010	1.0035E-009
RCPTR_39	farmer_adult	TOCDFLIC	Chromium	1.0583E-006	1.0977E-006
RCPTR_39	farmer_adult	TOCDFLIC	Chromium, hexavalent	6.9237E-007	7.0942E-007
RCPTR_39	farmer_adult	TOCDFLIC	Chrysene	9.9165E-007	1.3394E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	7.7331E-009	9.3770E-009
RCPTR_39	farmer_adult	TOCDFLIC	Di-n-octylphthalate	3.9387E+001	3.9387E+001
RCPTR_39	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	7.2476E-005	7.5108E-005
RCPTR_39	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	2.5822E-013	1.2970E-012
RCPTR_39	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	3.0861E-013	1.5705E-012
RCPTR_39	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	2.9613E-013	1.5125E-012
RCPTR_39	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.5833E-009	4.7085E-009
RCPTR_39	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	1.8018E-018	9.3531E-018
RCPTR_39	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	4.5219E-016	2.3558E-015
RCPTR_39	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	5.6164E-016	2.9266E-015
RCPTR_39	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.7150E-016	8.9178E-016
RCPTR_39	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	2.7576E-016	1.4335E-015
RCPTR_39	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	3.5121E-011	1.2395E-010
RCPTR_39	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	1.5549E-015	8.0652E-015
RCPTR_39	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	5.1125E-016	2.6617E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFLIC	Diethyl phthalate	4.8400E-009	5.1214E-009
RCPTR_39	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.5358E-011	7.7598E-011
RCPTR_39	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	3.7732E-012	1.9503E-011
RCPTR_39	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.9140E-012	9.3825E-012
RCPTR_39	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	3.6080E-012	1.7865E-011
RCPTR_39	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	2.7456E-012	1.3787E-011
RCPTR_39	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	7.9698E-014	4.1553E-013
RCPTR_39	farmer_adult	TOCDFLIC	Ethylbenzene	6.7669E-015	3.3911E-014
RCPTR_39	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	6.2030E-009	7.6368E-009
RCPTR_39	farmer_adult	TOCDFLIC	Fluoranthene	1.9766E-008	7.4564E-008
RCPTR_39	farmer_adult	TOCDFLIC	Fluorene	2.4020E-010	1.2067E-009
RCPTR_39	farmer_adult	TOCDFLIC	GB	1.3362E-015	6.9573E-015
RCPTR_39	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	6.7063E-014	7.5971E-014
RCPTR_39	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	8.1274E-014	8.9852E-014
RCPTR_39	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.9210E-013	2.1694E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	8.6114E-013	9.5610E-013
RCPTR_39	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	4.8236E-013	5.5151E-013
RCPTR_39	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.0771E-013	4.7519E-013
RCPTR_39	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.6194E-013	3.1076E-013
RCPTR_39	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.5690E-013	3.0452E-013
RCPTR_39	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	2.9805E-013	3.5281E-013
RCPTR_39	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.1722E-013	2.5731E-013
RCPTR_39	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	5.2770E-012	2.5250E-011
RCPTR_39	farmer_adult	TOCDFLIC	Hexachlorobenzene	1.0568E-008	5.1524E-008
RCPTR_39	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	1.4276E-011	6.6985E-011
RCPTR_39	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	3.0608E-012	1.5605E-011
RCPTR_39	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_39	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.3459E-004	5.3951E-004
RCPTR_39	farmer_adult	TOCDFLIC	Isophorone	5.7044E-013	2.9710E-012
RCPTR_39	farmer_adult	TOCDFLIC	Lead	2.4383E-006	3.1952E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFLIC	Mercuric chloride	9.9618E-006	1.1048E-005
RCPTR_39	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	3.1132E-017	1.6228E-016
RCPTR_39	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	2.5513E-018	1.3291E-017
RCPTR_39	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	9.2651E-015	4.8312E-014
RCPTR_39	farmer_adult	TOCDFLIC	Methyl mercury	6.0861E-008	6.6529E-008
RCPTR_39	farmer_adult	TOCDFLIC	Methylene chloride	1.9719E-016	1.0275E-015
RCPTR_39	farmer_adult	TOCDFLIC	Naphthalene	2.4327E-012	1.2532E-011
RCPTR_39	farmer_adult	TOCDFLIC	Nickel	3.4690E-007	3.8427E-007
RCPTR_39	farmer_adult	TOCDFLIC	Nitroaniline, 2-	9.7588E-012	5.0657E-011
RCPTR_39	farmer_adult	TOCDFLIC	Nitroaniline, 3-	2.3158E-012	1.2059E-011
RCPTR_39	farmer_adult	TOCDFLIC	Nitroaniline, 4-	2.9945E-012	1.5579E-011
RCPTR_39	farmer_adult	TOCDFLIC	Nitrobenzene	9.6213E-013	5.0150E-012
RCPTR_39	farmer_adult	TOCDFLIC	Nitrophenol, 2-	4.3833E-013	2.2831E-012
RCPTR_39	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.5015E-011	3.2553E-011
RCPTR_39	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	5.4471E-013	2.8276E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	5.3643E-013	2.7782E-012
RCPTR_39	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	4.9023E-014	2.4892E-013
RCPTR_39	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.2940E-013	2.6952E-013
RCPTR_39	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	7.5342E-014	8.8263E-014
RCPTR_39	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.7894E-012	2.0244E-012
RCPTR_39	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	4.7266E-013	5.7541E-013
RCPTR_39	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.0376E-012	1.2593E-012
RCPTR_39	farmer_adult	TOCDFLIC	Pentachlorobenzene	4.1552E-011	1.8905E-010
RCPTR_39	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.6841E-011	7.4540E-011
RCPTR_39	farmer_adult	TOCDFLIC	Pentachlorophenol	2.2326E-008	3.3131E-008
RCPTR_39	farmer_adult	TOCDFLIC	Phenanthrene	7.5445E-013	3.8255E-012
RCPTR_39	farmer_adult	TOCDFLIC	Phenol	7.6438E-013	3.9719E-012
RCPTR_39	farmer_adult	TOCDFLIC	Pronamide	7.5514E-011	3.7841E-010
RCPTR_39	farmer_adult	TOCDFLIC	Pyrene	3.7791E-008	1.5500E-007
RCPTR_39	farmer_adult	TOCDFLIC	Selenium	7.5333E-008	7.5871E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFLIC	Silver	2.5513E-008	2.8806E-008
RCPTR_39	farmer_adult	TOCDFLIC	Styrene	2.7867E-013	1.4467E-012
RCPTR_39	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	6.1145E-013	7.8724E-013
RCPTR_39	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	8.2306E-013	1.1352E-012
RCPTR_39	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	6.3393E-011	3.0521E-010
RCPTR_39	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	7.1915E-012	9.6347E-012
RCPTR_39	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.6504E-015	8.5705E-015
RCPTR_39	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	7.6291E-010	2.0773E-009
RCPTR_39	farmer_adult	TOCDFLIC	Thallium (I)	6.7176E-007	7.2775E-007
RCPTR_39	farmer_adult	TOCDFLIC	Toluene	1.2892E-014	6.6359E-014
RCPTR_39	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	2.3504E-012	1.1719E-011
RCPTR_39	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	1.0650E-015	5.5386E-015
RCPTR_39	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	8.1330E-015	4.2355E-014
RCPTR_39	farmer_adult	TOCDFLIC	Trichloroethylene	1.3255E-015	6.8844E-015
RCPTR_39	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.7416E-016	9.0481E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	2.8210E-010	1.3389E-009
RCPTR_39	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	6.7965E-011	2.6789E-010
RCPTR_39	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	3.0122E-014	1.5675E-013
RCPTR_39	farmer_adult	TOCDFLIC	Vinyl Chloride	4.6315E-019	2.4107E-018
RCPTR_39	farmer_adult	TOCDFLIC	Xylene, m-	4.1911E-014	9.0131E-014
RCPTR_39	farmer_adult	TOCDFLIC	Xylene, o-	2.4692E-014	5.9667E-014
RCPTR_39	farmer_adult	TOCDFLIC	Xylene, p-	4.6054E-014	1.2084E-013
RCPTR_39	farmer_adult	TOCDFLIC	Zinc	9.7288E-008	1.2993E-007
RCPTR_39	farmer_adult	TOCDFMPF	Acenaphthene	2.5751E-010	1.3130E-009
RCPTR_39	farmer_adult	TOCDFMPF	Acetone	7.8144E-016	4.0750E-015
RCPTR_39	farmer_adult	TOCDFMPF	Acetophenone	1.3299E-012	6.9272E-012
RCPTR_39	farmer_adult	TOCDFMPF	Aniline	8.0291E-014	4.1714E-013
RCPTR_39	farmer_adult	TOCDFMPF	Anthracene	4.5520E-009	2.3162E-008
RCPTR_39	farmer_adult	TOCDFMPF	Antimony	1.0395E-008	1.3156E-008
RCPTR_39	farmer_adult	TOCDFMPF	Arsenic	2.5751E-008	2.7053E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFMPF	Barium	3.4617E-009	4.1388E-009
RCPTR_39	farmer_adult	TOCDFMPF	Benzene	6.9946E-016	3.6291E-015
RCPTR_39	farmer_adult	TOCDFMPF	Benzo(a)anthracene	1.4480E-006	2.5695E-006
RCPTR_39	farmer_adult	TOCDFMPF	Benzo(a)pyrene	1.4260E-005	1.5335E-005
RCPTR_39	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	8.1157E-006	1.0941E-005
RCPTR_39	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	2.2468E-005	2.4524E-005
RCPTR_39	farmer_adult	TOCDFMPF	Benzoic acid	1.0512E-011	4.7346E-011
RCPTR_39	farmer_adult	TOCDFMPF	Benzyl alcohol	1.8180E-012	9.4642E-012
RCPTR_39	farmer_adult	TOCDFMPF	Beryllium	5.7824E-009	7.0626E-009
RCPTR_39	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.8165E-012	9.4723E-012
RCPTR_39	farmer_adult	TOCDFMPF	Bromodichloromethane	6.2088E-015	3.2347E-014
RCPTR_39	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	2.3421E-013	1.2206E-012
RCPTR_39	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.0243E-007	5.0891E-007
RCPTR_39	farmer_adult	TOCDFMPF	Butylbenzylphthalate	8.2534E-009	1.0076E-008
RCPTR_39	farmer_adult	TOCDFMPF	Cadmium	5.1916E-009	7.8762E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFMPF	Carbon disulfide	1.2212E-015	6.3478E-015
RCPTR_39	farmer_adult	TOCDFMPF	Carbon tetrachloride	1.9369E-015	1.0045E-014
RCPTR_39	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.8725E-010	7.7162E-010
RCPTR_39	farmer_adult	TOCDFMPF	Chloroaniline, p-	8.4737E-012	4.3985E-011
RCPTR_39	farmer_adult	TOCDFMPF	Chlorobenzene	1.1368E-014	5.8757E-014
RCPTR_39	farmer_adult	TOCDFMPF	Chloroethane	3.2635E-017	1.6490E-016
RCPTR_39	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.6433E-015	8.5590E-015
RCPTR_39	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	6.6971E-010	3.4312E-009
RCPTR_39	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.3437E-011	1.2217E-010
RCPTR_39	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.0421E-009	4.2833E-009
RCPTR_39	farmer_adult	TOCDFMPF	Chromium	2.0531E-007	2.1295E-007
RCPTR_39	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.3432E-007	1.3762E-007
RCPTR_39	farmer_adult	TOCDFMPF	Chrysene	4.2329E-006	5.7174E-006
RCPTR_39	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	3.3007E-008	4.0024E-008
RCPTR_39	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.6810E+002	1.6810E+002

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	3.0943E-004	3.2069E-004
RCPTR_39	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.1021E-012	5.5357E-012
RCPTR_39	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.3172E-012	6.7033E-012
RCPTR_39	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.2639E-012	6.4554E-012
RCPTR_39	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.0011E-008	2.6293E-008
RCPTR_39	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	2.5394E-018	1.3182E-017
RCPTR_39	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	6.3730E-016	3.3201E-015
RCPTR_39	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	7.9154E-016	4.1247E-015
RCPTR_39	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.4170E-016	1.2568E-015
RCPTR_39	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.8863E-016	2.0203E-015
RCPTR_39	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.4990E-010	5.2903E-010
RCPTR_39	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.1914E-015	1.1367E-014
RCPTR_39	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	7.2052E-016	3.7512E-015
RCPTR_39	farmer_adult	TOCDFMPF	Diethyl phthalate	2.0657E-008	2.1858E-008
RCPTR_39	farmer_adult	TOCDFMPF	Dimethyl phthalate	5.5896E-012	2.8242E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.6105E-011	8.3242E-011
RCPTR_39	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.6675E-011	3.9973E-011
RCPTR_39	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.5400E-011	7.6253E-011
RCPTR_39	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.1719E-011	5.8846E-011
RCPTR_39	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	3.4017E-013	1.7735E-012
RCPTR_39	farmer_adult	TOCDFMPF	Ethylbenzene	7.1527E-015	3.5845E-014
RCPTR_39	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	6.8764E-009	8.4651E-009
RCPTR_39	farmer_adult	TOCDFMPF	Fluoranthene	8.4367E-008	3.1825E-007
RCPTR_39	farmer_adult	TOCDFMPF	Fluorene	1.0252E-009	5.1504E-009
RCPTR_39	farmer_adult	TOCDFMPF	GB	1.9030E-015	9.9087E-015
RCPTR_39	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.4143E-013	1.6023E-013
RCPTR_39	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	5.4613E-012	6.0380E-012
RCPTR_39	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	8.9251E-013	1.0080E-012
RCPTR_39	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.9700E-012	2.1874E-012
RCPTR_39	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.0500E-012	1.2005E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	9.6854E-013	1.1289E-012
RCPTR_39	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.9361E-011	4.6698E-011
RCPTR_39	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	9.6137E-012	1.1396E-011
RCPTR_39	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.6730E-012	1.9805E-012
RCPTR_39	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.1935E-012	1.4138E-012
RCPTR_39	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.2524E-011	1.0777E-010
RCPTR_39	farmer_adult	TOCDFMPF	Hexachlorobenzene	4.5104E-008	2.1991E-007
RCPTR_39	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	6.0932E-011	2.8591E-010
RCPTR_39	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.3064E-011	6.6604E-011
RCPTR_39	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_39	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.2819E-003	2.3029E-003
RCPTR_39	farmer_adult	TOCDFMPF	Isophorone	2.4347E-012	1.2681E-011
RCPTR_39	farmer_adult	TOCDFMPF	Lead	1.9277E-009	2.5261E-009
RCPTR_39	farmer_adult	TOCDFMPF	Mercuric chloride	1.1292E-007	1.2522E-007
RCPTR_39	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	3.7386E-017	1.9488E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	1.3380E-018	6.9705E-018
RCPTR_39	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	8.7541E-015	4.5647E-014
RCPTR_39	farmer_adult	TOCDFMPF	Methyl mercury	6.9016E-010	7.5441E-010
RCPTR_39	farmer_adult	TOCDFMPF	Methylene chloride	2.1899E-016	1.1411E-015
RCPTR_39	farmer_adult	TOCDFMPF	Naphthalene	1.0383E-011	5.3489E-011
RCPTR_39	farmer_adult	TOCDFMPF	Nickel	2.7278E-007	3.0217E-007
RCPTR_39	farmer_adult	TOCDFMPF	Nitroaniline, 2-	4.1577E-011	2.1582E-010
RCPTR_39	farmer_adult	TOCDFMPF	Nitroaniline, 3-	9.8662E-012	5.1377E-011
RCPTR_39	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.2758E-011	6.6375E-011
RCPTR_39	farmer_adult	TOCDFMPF	Nitrobenzene	4.1065E-012	2.1405E-011
RCPTR_39	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.8709E-012	9.7446E-012
RCPTR_39	farmer_adult	TOCDFMPF	Nitrophenol, 4-	6.3970E-011	1.3869E-010
RCPTR_39	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.3249E-012	1.2069E-011
RCPTR_39	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.2896E-012	1.1858E-011
RCPTR_39	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.0925E-013	1.0625E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.4134E-013	4.0105E-013
RCPTR_39	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	4.7464E-013	5.5605E-013
RCPTR_39	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	7.0747E-012	8.0042E-012
RCPTR_39	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	5.2711E-012	6.4170E-012
RCPTR_39	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.6890E-011	2.0500E-011
RCPTR_39	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.7738E-010	8.0690E-010
RCPTR_39	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	7.1760E-011	3.1758E-010
RCPTR_39	farmer_adult	TOCDFMPF	Pentachlorophenol	9.5116E-008	1.4115E-007
RCPTR_39	farmer_adult	TOCDFMPF	Phenanthrene	3.2201E-012	1.6328E-011
RCPTR_39	farmer_adult	TOCDFMPF	Phenol	3.2625E-012	1.6953E-011
RCPTR_39	farmer_adult	TOCDFMPF	Pronamide	3.2231E-010	1.6151E-009
RCPTR_39	farmer_adult	TOCDFMPF	Pyrene	1.6130E-007	6.6155E-007
RCPTR_39	farmer_adult	TOCDFMPF	Selenium	2.2098E-008	2.2256E-008
RCPTR_39	farmer_adult	TOCDFMPF	Silver	1.0238E-007	1.1559E-007
RCPTR_39	farmer_adult	TOCDFMPF	Styrene	2.9834E-013	1.5488E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.7368E-012	2.2361E-012
RCPTR_39	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	3.3753E-012	4.6552E-012
RCPTR_39	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.7057E-010	1.3027E-009
RCPTR_39	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.0135E-011	1.3578E-011
RCPTR_39	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	5.1548E-015	2.6768E-014
RCPTR_39	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	3.2503E-009	8.8499E-009
RCPTR_39	farmer_adult	TOCDFMPF	Thallium (I)	1.9875E-007	2.1532E-007
RCPTR_39	farmer_adult	TOCDFMPF	Toluene	3.6149E-015	1.8607E-014
RCPTR_39	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.0032E-011	5.0019E-011
RCPTR_39	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.5009E-015	7.8057E-015
RCPTR_39	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.1462E-014	5.9694E-014
RCPTR_39	farmer_adult	TOCDFMPF	Trichloroethylene	1.8682E-015	9.7025E-015
RCPTR_39	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	2.4546E-016	1.2752E-015
RCPTR_39	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.2040E-009	5.7147E-009
RCPTR_39	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	2.9008E-010	1.1434E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	4.2452E-014	2.2092E-013
RCPTR_39	farmer_adult	TOCDFMPF	Vinyl Chloride	6.0578E-019	3.1531E-018
RCPTR_39	farmer_adult	TOCDFMPF	Xylene, m-	3.3161E-014	7.1277E-014
RCPTR_39	farmer_adult	TOCDFMPF	Xylene, o-	3.0705E-014	7.4158E-014
RCPTR_39	farmer_adult	TOCDFMPF	Xylene, p-	3.6434E-014	9.5547E-014
RCPTR_39	farmer_adult	TOCDFMPF	Zinc	5.9713E-008	7.9744E-008
RCPTR_39	farmer_adult	TOCDHVAC	GB	1.1258E-014	5.8622E-014
RCPTR_39	farmer_adult	TOCDLIC2	Acenaphthene	1.2451E-010	6.3485E-010
RCPTR_39	farmer_adult	TOCDLIC2	Acetone	1.5414E-015	8.0381E-015
RCPTR_39	farmer_adult	TOCDLIC2	Acetophenone	6.4299E-013	3.3493E-012
RCPTR_39	farmer_adult	TOCDLIC2	Aniline	3.8820E-014	2.0169E-013
RCPTR_39	farmer_adult	TOCDLIC2	Anthracene	2.2009E-009	1.1199E-008
RCPTR_39	farmer_adult	TOCDLIC2	Antimony	4.6341E-008	5.8650E-008
RCPTR_39	farmer_adult	TOCDLIC2	Arsenic	1.0944E-007	1.1497E-007
RCPTR_39	farmer_adult	TOCDLIC2	Barium	3.5489E-008	4.2431E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDLIC2	Benzene	1.0336E-015	5.3629E-015
RCPTR_39	farmer_adult	TOCDLIC2	Benzo(a)anthracene	7.0002E-007	1.2422E-006
RCPTR_39	farmer_adult	TOCDLIC2	Benzo(a)pyrene	6.8931E-006	7.4123E-006
RCPTR_39	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	3.9235E-006	5.2894E-006
RCPTR_39	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.0861E-005	1.1854E-005
RCPTR_39	farmer_adult	TOCDLIC2	Benzoic acid	5.0823E-012	2.2892E-011
RCPTR_39	farmer_adult	TOCDLIC2	Benzyl alcohol	8.7897E-013	4.5759E-012
RCPTR_39	farmer_adult	TOCDLIC2	Beryllium	2.0192E-008	2.4662E-008
RCPTR_39	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	8.7825E-013	4.5798E-012
RCPTR_39	farmer_adult	TOCDLIC2	Bromodichloromethane	1.1662E-014	6.0759E-014
RCPTR_39	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	3.0410E-013	1.5848E-012
RCPTR_39	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	4.9524E-008	2.4606E-007
RCPTR_39	farmer_adult	TOCDLIC2	Butylbenzylphthalate	3.9887E-009	4.8699E-009
RCPTR_39	farmer_adult	TOCDLIC2	Cadmium	1.3447E-009	2.0401E-009
RCPTR_39	farmer_adult	TOCDLIC2	Carbon disulfide	1.3165E-015	6.8433E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDLIC2	Carbon tetrachloride	2.0916E-015	1.0847E-014
RCPTR_39	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	9.0537E-011	3.7307E-010
RCPTR_39	farmer_adult	TOCDLIC2	Chloroaniline, p-	4.0970E-012	2.1267E-011
RCPTR_39	farmer_adult	TOCDLIC2	Chlorobenzene	1.2277E-014	6.3452E-014
RCPTR_39	farmer_adult	TOCDLIC2	Chloroethane	3.5242E-017	1.7808E-016
RCPTR_39	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	3.7425E-015	1.9493E-014
RCPTR_39	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	3.2380E-010	1.6590E-009
RCPTR_39	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.1332E-011	5.9068E-011
RCPTR_39	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	5.0382E-010	2.0710E-009
RCPTR_39	farmer_adult	TOCDLIC2	Chromium	1.0583E-006	1.0977E-006
RCPTR_39	farmer_adult	TOCDLIC2	Chromium, hexavalent	6.9237E-007	7.0942E-007
RCPTR_39	farmer_adult	TOCDLIC2	Chrysene	2.0464E-006	2.7641E-006
RCPTR_39	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.5958E-008	1.9351E-008
RCPTR_39	farmer_adult	TOCDLIC2	Di-n-octylphthalate	8.1280E+001	8.1280E+001
RCPTR_39	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	1.4956E-004	1.5500E-004

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	5.3287E-013	2.6765E-012
RCPTR_39	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	6.3685E-013	3.2410E-012
RCPTR_39	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	6.1110E-013	3.1211E-012
RCPTR_39	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	8.6170E-009	1.1323E-008
RCPTR_39	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	2.7423E-018	1.4235E-017
RCPTR_39	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	6.8822E-016	3.5854E-015
RCPTR_39	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	8.5479E-016	4.4543E-015
RCPTR_39	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	2.6102E-016	1.3573E-015
RCPTR_39	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	4.1969E-016	2.1818E-015
RCPTR_39	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	7.2477E-011	2.5578E-010
RCPTR_39	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	2.3665E-015	1.2275E-014
RCPTR_39	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	7.7810E-016	4.0510E-015
RCPTR_39	farmer_adult	TOCDLIC2	Diethyl phthalate	9.9881E-009	1.0569E-008
RCPTR_39	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.8811E-011	9.5042E-011
RCPTR_39	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	7.7865E-012	4.0247E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	8.0980E-012	1.9412E-011
RCPTR_39	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	7.4456E-012	3.6868E-011
RCPTR_39	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	5.6660E-012	2.8452E-011
RCPTR_39	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.6447E-013	8.5750E-013
RCPTR_39	farmer_adult	TOCDLIC2	Ethylbenzene	8.7603E-015	4.3901E-014
RCPTR_39	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	4.1532E-009	5.1132E-009
RCPTR_39	farmer_adult	TOCDLIC2	Fluoranthene	4.0790E-008	1.5387E-007
RCPTR_39	farmer_adult	TOCDLIC2	Fluorene	4.9569E-010	2.4902E-009
RCPTR_39	farmer_adult	TOCDLIC2	GB	1.3891E-015	7.2328E-015
RCPTR_39	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.7071E-013	5.3323E-013
RCPTR_39	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	4.4394E-013	4.9079E-013
RCPTR_39	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.1928E-013	4.7349E-013
RCPTR_39	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.2928E-012	1.4353E-012
RCPTR_39	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	9.0986E-013	1.0403E-012
RCPTR_39	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	8.6930E-013	1.0132E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	8.4289E-013	9.9998E-013
RCPTR_39	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.0871E-013	6.0300E-013
RCPTR_39	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.5491E-013	5.3850E-013
RCPTR_39	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	5.2047E-013	6.1651E-013
RCPTR_39	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.0890E-011	5.2106E-011
RCPTR_39	farmer_adult	TOCDLIC2	Hexachlorobenzene	2.1808E-008	1.0633E-007
RCPTR_39	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	2.9459E-011	1.3823E-010
RCPTR_39	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	6.3164E-012	3.2203E-011
RCPTR_39	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_39	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.1032E-003	1.1133E-003
RCPTR_39	farmer_adult	TOCDLIC2	Isophorone	1.1772E-012	6.1310E-012
RCPTR_39	farmer_adult	TOCDLIC2	Lead	1.7580E-007	2.3037E-007
RCPTR_39	farmer_adult	TOCDLIC2	Mercuric chloride	9.9618E-006	1.1048E-005
RCPTR_39	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	4.0721E-017	2.1226E-016
RCPTR_39	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.6240E-018	8.4604E-018

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	9.1320E-015	4.7618E-014
RCPTR_39	farmer_adult	TOCDLIC2	Methyl mercury	6.0861E-008	6.6529E-008
RCPTR_39	farmer_adult	TOCDLIC2	Methylene chloride	7.1731E-016	3.7377E-015
RCPTR_39	farmer_adult	TOCDLIC2	Naphthalene	5.0202E-012	2.5861E-011
RCPTR_39	farmer_adult	TOCDLIC2	Nickel	1.2058E-007	1.3357E-007
RCPTR_39	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.0191E-011	1.0481E-010
RCPTR_39	farmer_adult	TOCDLIC2	Nitroaniline, 3-	4.7913E-012	2.4950E-011
RCPTR_39	farmer_adult	TOCDLIC2	Nitroaniline, 4-	6.1956E-012	3.2233E-011
RCPTR_39	farmer_adult	TOCDLIC2	Nitrobenzene	1.9855E-012	1.0349E-011
RCPTR_39	farmer_adult	TOCDLIC2	Nitrophenol, 2-	9.0455E-013	4.7115E-012
RCPTR_39	farmer_adult	TOCDLIC2	Nitrophenol, 4-	3.1066E-011	6.7351E-011
RCPTR_39	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.1241E-012	5.8351E-012
RCPTR_39	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.1070E-012	5.7331E-012
RCPTR_39	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.0117E-013	5.1369E-013
RCPTR_39	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	7.7026E-013	9.0498E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.5483E-013	2.9854E-013
RCPTR_39	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.3460E-012	3.7855E-012
RCPTR_39	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.0001E-012	1.2176E-012
RCPTR_39	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.7614E-012	3.3514E-012
RCPTR_39	farmer_adult	TOCDLIC2	Pentachlorobenzene	8.5749E-011	3.9012E-010
RCPTR_39	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	3.4843E-011	1.5422E-010
RCPTR_39	farmer_adult	TOCDLIC2	Pentachlorophenol	4.6192E-008	6.8546E-008
RCPTR_39	farmer_adult	TOCDLIC2	Phenanthrene	1.5569E-012	7.8944E-012
RCPTR_39	farmer_adult	TOCDLIC2	Phenol	1.6677E-012	8.6661E-012
RCPTR_39	farmer_adult	TOCDLIC2	Pronamide	1.5583E-010	7.8089E-010
RCPTR_39	farmer_adult	TOCDLIC2	Pyrene	7.7987E-008	3.1986E-007
RCPTR_39	farmer_adult	TOCDLIC2	Selenium	7.5333E-008	7.5871E-008
RCPTR_39	farmer_adult	TOCDLIC2	Silver	2.5513E-008	2.8806E-008
RCPTR_39	farmer_adult	TOCDLIC2	Styrene	2.3346E-013	1.2120E-012
RCPTR_39	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.7725E-012	2.2821E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.4743E-012	2.0334E-012
RCPTR_39	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.3082E-010	6.2985E-010
RCPTR_39	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.0945E-011	1.4664E-011
RCPTR_39	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.5119E-015	1.3044E-014
RCPTR_39	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.5784E-009	4.2978E-009
RCPTR_39	farmer_adult	TOCDLIC2	Thallium (I)	6.7176E-007	7.2775E-007
RCPTR_39	farmer_adult	TOCDLIC2	Toluene	1.3570E-014	6.9852E-014
RCPTR_39	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	4.8505E-012	2.4184E-011
RCPTR_39	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.6208E-015	8.4295E-015
RCPTR_39	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.2378E-014	6.4463E-014
RCPTR_39	farmer_adult	TOCDLIC2	Trichloroethylene	2.0174E-015	1.0478E-014
RCPTR_39	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.6507E-016	1.3771E-015
RCPTR_39	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	5.8215E-010	2.7630E-009
RCPTR_39	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.4025E-010	5.5283E-010
RCPTR_39	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	4.5844E-014	2.3857E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_adult	TOCDLIC2	Vinyl Chloride	7.7303E-019	4.0237E-018
RCPTR_39	farmer_adult	TOCDLIC2	Xylene, m-	4.8654E-014	1.0463E-013
RCPTR_39	farmer_adult	TOCDLIC2	Xylene, o-	3.3129E-014	8.0055E-014
RCPTR_39	farmer_adult	TOCDLIC2	Xylene, p-	5.3463E-014	1.4028E-013
RCPTR_39	farmer_adult	TOCDLIC2	Zinc	1.1616E-007	1.5513E-007
RCPTR_39	farmer_child	TOCDFBRA	Antimony	3.5425E-007	3.6575E-007
RCPTR_39	farmer_child	TOCDFBRA	Arsenic	4.9141E-007	4.9371E-007
RCPTR_39	farmer_child	TOCDFBRA	Barium	4.6232E-008	4.7290E-008
RCPTR_39	farmer_child	TOCDFBRA	Beryllium	1.4968E-007	1.7675E-007
RCPTR_39	farmer_child	TOCDFBRA	Cadmium	3.1705E-008	3.4550E-008
RCPTR_39	farmer_child	TOCDFBRA	Chromium	3.5884E-006	4.4099E-006
RCPTR_39	farmer_child	TOCDFBRA	Chromium, hexavalent	2.8471E-006	2.8514E-006
RCPTR_39	farmer_child	TOCDFBRA	Lead	1.6894E-006	2.1501E-006
RCPTR_39	farmer_child	TOCDFBRA	Mercuric chloride	3.2189E-004	5.9297E-004
RCPTR_39	farmer_child	TOCDFBRA	Methyl mercury	2.9308E-006	3.7292E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFBRA	Nickel	1.6800E-006	1.7155E-006
RCPTR_39	farmer_child	TOCDFBRA	Selenium	5.3047E-007	5.3053E-007
RCPTR_39	farmer_child	TOCDFBRA	Silver	2.0212E-007	2.0277E-007
RCPTR_39	farmer_child	TOCDFBRA	Thallium (I)	5.1252E-006	5.2175E-006
RCPTR_39	farmer_child	TOCDFBRA	Zinc	1.0546E-006	1.1115E-006
RCPTR_39	farmer_child	TOCDFDFS	Acenaphthene	5.4600E-010	5.4794E-010
RCPTR_39	farmer_child	TOCDFDFS	Acetone	6.8574E-015	6.8574E-015
RCPTR_39	farmer_child	TOCDFDFS	Acetophenone	3.0346E-012	3.0353E-012
RCPTR_39	farmer_child	TOCDFDFS	Aniline	1.7407E-013	1.7407E-013
RCPTR_39	farmer_child	TOCDFDFS	Anthracene	9.3509E-009	9.6657E-009
RCPTR_39	farmer_child	TOCDFDFS	Antimony	2.4314E-006	2.5105E-006
RCPTR_39	farmer_child	TOCDFDFS	Aroclor 1254	5.4369E-011	5.4748E-011
RCPTR_39	farmer_child	TOCDFDFS	Arsenic	1.9064E-007	1.9154E-007
RCPTR_39	farmer_child	TOCDFDFS	Barium	6.3084E-009	6.4529E-009
RCPTR_39	farmer_child	TOCDFDFS	Benzene	5.6707E-015	5.6707E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFDFS	Benzo(a)anthracene	9.1080E-007	1.0738E-006
RCPTR_39	farmer_child	TOCDFDFS	Benzo(a)pyrene	6.2890E-006	6.4267E-006
RCPTR_39	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	4.1788E-006	4.5726E-006
RCPTR_39	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	9.7497E-006	1.0279E-005
RCPTR_39	farmer_child	TOCDFDFS	Benzoic acid	1.9755E-011	1.9757E-011
RCPTR_39	farmer_child	TOCDFDFS	Benzyl alcohol	3.9474E-012	3.9494E-012
RCPTR_39	farmer_child	TOCDFDFS	Beryllium	5.6224E-008	6.6404E-008
RCPTR_39	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	3.9511E-012	3.9528E-012
RCPTR_39	farmer_child	TOCDFDFS	Bromodichloromethane	4.4726E-014	4.4726E-014
RCPTR_39	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.7775E-012	1.7776E-012
RCPTR_39	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.5351E-007	2.1237E-007
RCPTR_39	farmer_child	TOCDFDFS	Butylbenzylphthalate	4.2251E-009	4.2284E-009
RCPTR_39	farmer_child	TOCDFDFS	Cadmium	5.9964E-008	6.5349E-008
RCPTR_39	farmer_child	TOCDFDFS	Carbon disulfide	2.9643E-015	2.9643E-015
RCPTR_39	farmer_child	TOCDFDFS	Carbon tetrachloride	1.4793E-014	1.4793E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	3.2042E-010	3.2198E-010
RCPTR_39	farmer_child	TOCDFDFS	Chloroaniline, p-	1.8335E-011	1.8355E-011
RCPTR_39	farmer_child	TOCDFDFS	Chlorobenzene	8.6535E-014	8.6536E-014
RCPTR_39	farmer_child	TOCDFDFS	Chloroethane	2.4287E-016	2.4287E-016
RCPTR_39	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	1.3395E-014	1.3395E-014
RCPTR_39	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.4202E-009	1.4318E-009
RCPTR_39	farmer_child	TOCDFDFS	Chlorophenol, 2-	5.0865E-011	5.0981E-011
RCPTR_39	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.7814E-009	1.7876E-009
RCPTR_39	farmer_child	TOCDFDFS	Chromium	7.2430E-007	8.9033E-007
RCPTR_39	farmer_child	TOCDFDFS	Chromium, hexavalent	5.7449E-007	5.7538E-007
RCPTR_39	farmer_child	TOCDFDFS	Chrysene	2.1209E-006	2.3894E-006
RCPTR_39	farmer_child	TOCDFDFS	Di-n-butyl phthalate	1.6676E-008	1.6707E-008
RCPTR_39	farmer_child	TOCDFDFS	Di-n-octylphthalate	7.0094E+001	7.0094E+001
RCPTR_39	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.3248E-004	1.3457E-004
RCPTR_39	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	2.3100E-012	2.3100E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.7972E-012	2.7973E-012
RCPTR_39	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.6937E-012	2.6938E-012
RCPTR_39	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.6153E-008	1.6243E-008
RCPTR_39	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.9414E-017	1.9414E-017
RCPTR_39	farmer_child	TOCDFDFS	Dichloroethane 1,1-	4.8898E-015	4.8898E-015
RCPTR_39	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	6.0747E-015	6.0747E-015
RCPTR_39	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.8510E-015	1.8510E-015
RCPTR_39	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.9755E-015	2.9755E-015
RCPTR_39	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.2004E-010	2.2074E-010
RCPTR_39	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	1.6741E-014	1.6741E-014
RCPTR_39	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	5.5247E-015	5.5247E-015
RCPTR_39	farmer_child	TOCDFDFS	Diethyl phthalate	9.1136E-009	9.1150E-009
RCPTR_39	farmer_child	TOCDFDFS	Dimethyl phthalate	7.6539E-011	7.6606E-011
RCPTR_39	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	3.4692E-011	3.4737E-011
RCPTR_39	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.6510E-011	1.6513E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	3.1770E-011	3.1822E-011
RCPTR_39	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	2.4522E-011	2.4557E-011
RCPTR_39	farmer_child	TOCDFDFS	Ethyl methanesulfonate	7.3990E-013	7.4010E-013
RCPTR_39	farmer_child	TOCDFDFS	Ethylbenzene	5.2791E-014	5.2792E-014
RCPTR_39	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.3162E-010	4.3279E-010
RCPTR_39	farmer_child	TOCDFDFS	Fluoranthene	1.1302E-007	1.3283E-007
RCPTR_39	farmer_child	TOCDFDFS	Fluorene	2.1263E-009	2.1493E-009
RCPTR_39	farmer_child	TOCDFDFS	GB	1.9901E-014	1.9906E-014
RCPTR_39	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.1287E-013	1.2455E-013
RCPTR_39	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.9397E-014	6.4305E-014
RCPTR_39	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.9908E-013	2.1910E-013
RCPTR_39	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.1376E-012	1.2358E-012
RCPTR_39	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	6.0444E-013	6.7141E-013
RCPTR_39	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	5.1832E-013	5.8419E-013
RCPTR_39	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.1042E-013	4.6871E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.6564E-013	4.1740E-013
RCPTR_39	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	4.9172E-013	5.6067E-013
RCPTR_39	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.3797E-013	3.8556E-013
RCPTR_39	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	4.4971E-011	4.4975E-011
RCPTR_39	farmer_child	TOCDFDFS	Hexachlorobenzene	8.6335E-008	9.1772E-008
RCPTR_39	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	5.9051E-010	5.9063E-010
RCPTR_39	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.7789E-011	2.7794E-011
RCPTR_39	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_39	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	9.5874E-004	9.6215E-004
RCPTR_39	farmer_child	TOCDFDFS	Isophorone	5.2896E-012	5.2916E-012
RCPTR_39	farmer_child	TOCDFDFS	Lead	6.8689E-006	8.7439E-006
RCPTR_39	farmer_child	TOCDFDFS	Mercuric chloride	7.2609E-008	1.3447E-007
RCPTR_39	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	5.1768E-016	5.1768E-016
RCPTR_39	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	8.7636E-017	8.7636E-017
RCPTR_39	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.6019E-014	4.6019E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFDFS	Methyl mercury	6.3308E-010	8.1528E-010
RCPTR_39	farmer_child	TOCDFDFS	Methylene chloride	1.3302E-015	1.3302E-015
RCPTR_39	farmer_child	TOCDFDFS	Naphthalene	2.2314E-011	2.2321E-011
RCPTR_39	farmer_child	TOCDFDFS	Nickel	6.7806E-007	6.9240E-007
RCPTR_39	farmer_child	TOCDFDFS	Nitroaniline, 2-	8.9063E-011	8.9161E-011
RCPTR_39	farmer_child	TOCDFDFS	Nitroaniline, 3-	2.1216E-011	2.1225E-011
RCPTR_39	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.7407E-011	2.7421E-011
RCPTR_39	farmer_child	TOCDFDFS	Nitrobenzene	8.9273E-012	8.9322E-012
RCPTR_39	farmer_child	TOCDFDFS	Nitrophenol, 2-	4.0653E-012	4.0664E-012
RCPTR_39	farmer_child	TOCDFDFS	Nitrophenol, 4-	5.7264E-011	5.7281E-011
RCPTR_39	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	5.0353E-012	5.0362E-012
RCPTR_39	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	4.9478E-012	4.9482E-012
RCPTR_39	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	4.4340E-013	4.4342E-013
RCPTR_39	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	2.8375E-013	3.2190E-013
RCPTR_39	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	9.7211E-014	1.1005E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.9229E-012	3.2169E-012
RCPTR_39	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.4759E-013	2.8797E-013
RCPTR_39	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	9.7856E-013	1.1361E-012
RCPTR_39	farmer_child	TOCDFDFS	Pentachlorobenzene	3.3673E-010	3.3688E-010
RCPTR_39	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.3127E-010	1.3127E-010
RCPTR_39	farmer_child	TOCDFDFS	Pentachlorophenol	5.8131E-008	5.8285E-008
RCPTR_39	farmer_child	TOCDFDFS	Phenanthrene	6.8135E-012	6.8136E-012
RCPTR_39	farmer_child	TOCDFDFS	Phenol	7.0700E-012	7.0744E-012
RCPTR_39	farmer_child	TOCDFDFS	Pronamide	1.3381E-009	1.3480E-009
RCPTR_39	farmer_child	TOCDFDFS	Pyrene	1.8612E-007	2.7608E-007
RCPTR_39	farmer_child	TOCDFDFS	Selenium	2.0578E-007	2.0581E-007
RCPTR_39	farmer_child	TOCDFDFS	Silver	7.9669E-008	7.9926E-008
RCPTR_39	farmer_child	TOCDFDFS	Styrene	1.4439E-012	1.4440E-012
RCPTR_39	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.3819E-012	1.6718E-012
RCPTR_39	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	4.5418E-013	5.7692E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	5.4285E-010	5.4362E-010
RCPTR_39	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.9987E-011	1.9987E-011
RCPTR_39	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.7789E-014	1.7789E-014
RCPTR_39	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	3.6485E-009	3.6556E-009
RCPTR_39	farmer_child	TOCDFDFS	Thallium (I)	1.9248E-006	1.9595E-006
RCPTR_39	farmer_child	TOCDFDFS	Toluene	2.3950E-014	2.3950E-014
RCPTR_39	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.0870E-011	2.0873E-011
RCPTR_39	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	1.1496E-014	1.1496E-014
RCPTR_39	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	8.7914E-014	8.7915E-014
RCPTR_39	farmer_child	TOCDFDFS	Trichloroethylene	1.4290E-014	1.4290E-014
RCPTR_39	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.8781E-015	1.8781E-015
RCPTR_39	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	2.3451E-009	2.3847E-009
RCPTR_39	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	4.7541E-010	4.7712E-010
RCPTR_39	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	3.2536E-013	3.2537E-013
RCPTR_39	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	3.7895E-012	3.7930E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFDFS	Vinyl Chloride	4.6439E-018	4.6439E-018
RCPTR_39	farmer_child	TOCDFDFS	Xylene, m-	1.0572E-013	1.0572E-013
RCPTR_39	farmer_child	TOCDFDFS	Xylene, o-	1.0985E-013	1.0985E-013
RCPTR_39	farmer_child	TOCDFDFS	Xylene, p-	1.4141E-013	1.4141E-013
RCPTR_39	farmer_child	TOCDFDFS	Zinc	4.7837E-007	5.0420E-007
RCPTR_39	farmer_child	TOCDFLIC	Acenaphthene	3.0655E-010	3.0764E-010
RCPTR_39	farmer_child	TOCDFLIC	Acetone	8.1226E-015	8.1226E-015
RCPTR_39	farmer_child	TOCDFLIC	Acetophenone	2.9208E-012	2.9214E-012
RCPTR_39	farmer_child	TOCDFLIC	Aniline	9.7731E-014	9.7734E-014
RCPTR_39	farmer_child	TOCDFLIC	Anthracene	5.2500E-009	5.4267E-009
RCPTR_39	farmer_child	TOCDFLIC	Antimony	4.2696E-008	4.4084E-008
RCPTR_39	farmer_child	TOCDFLIC	Arsenic	1.1443E-007	1.1497E-007
RCPTR_39	farmer_child	TOCDFLIC	Barium	4.3046E-009	4.4032E-009
RCPTR_39	farmer_child	TOCDFLIC	Benzene	7.4522E-014	7.4522E-014
RCPTR_39	farmer_child	TOCDFLIC	Benzo(a)anthracene	5.1049E-007	6.0196E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.5152E-006	3.5919E-006
RCPTR_39	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.3423E-006	2.5631E-006
RCPTR_39	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	5.4506E-006	5.7441E-006
RCPTR_39	farmer_child	TOCDFLIC	Benzoic acid	1.1898E-011	1.1900E-011
RCPTR_39	farmer_child	TOCDFLIC	Benzyl alcohol	2.2163E-012	2.2174E-012
RCPTR_39	farmer_child	TOCDFLIC	Beryllium	2.0881E-008	2.4662E-008
RCPTR_39	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	2.2184E-012	2.2193E-012
RCPTR_39	farmer_child	TOCDFLIC	Bromodichloromethane	1.9843E-014	1.9843E-014
RCPTR_39	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	6.8346E-013	6.8352E-013
RCPTR_39	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	8.6185E-008	1.1923E-007
RCPTR_39	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.3580E-009	2.3599E-009
RCPTR_39	farmer_child	TOCDFLIC	Cadmium	1.6475E-008	1.7954E-008
RCPTR_39	farmer_child	TOCDFLIC	Carbon disulfide	4.5157E-015	4.5157E-015
RCPTR_39	farmer_child	TOCDFLIC	Carbon tetrachloride	7.1271E-015	7.1272E-015
RCPTR_39	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	1.7991E-010	1.8078E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFLIC	Chloroaniline, p-	1.0294E-011	1.0305E-011
RCPTR_39	farmer_child	TOCDFLIC	Chlorobenzene	4.1691E-014	4.1691E-014
RCPTR_39	farmer_child	TOCDFLIC	Chloroethane	1.1701E-016	1.1701E-016
RCPTR_39	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	6.3133E-015	6.3133E-015
RCPTR_39	farmer_child	TOCDFLIC	Chloronaphthalene,2-	7.9736E-010	8.0390E-010
RCPTR_39	farmer_child	TOCDFLIC	Chlorophenol, 2-	2.8558E-011	2.8623E-011
RCPTR_39	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.0000E-009	1.0035E-009
RCPTR_39	farmer_child	TOCDFLIC	Chromium	8.9304E-007	1.0977E-006
RCPTR_39	farmer_child	TOCDFLIC	Chromium, hexavalent	7.0833E-007	7.0942E-007
RCPTR_39	farmer_child	TOCDFLIC	Chrysene	1.1889E-006	1.3394E-006
RCPTR_39	farmer_child	TOCDFLIC	Di-n-butyl phthalate	9.3592E-009	9.3770E-009
RCPTR_39	farmer_child	TOCDFLIC	Di-n-octylphthalate	3.9387E+001	3.9387E+001
RCPTR_39	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	7.3970E-005	7.5108E-005
RCPTR_39	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	1.2969E-012	1.2970E-012
RCPTR_39	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	1.5705E-012	1.5705E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	1.5124E-012	1.5125E-012
RCPTR_39	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	4.6822E-009	4.7085E-009
RCPTR_39	farmer_child	TOCDFLIC	Dichlorodifluoromethane	9.3531E-018	9.3531E-018
RCPTR_39	farmer_child	TOCDFLIC	Dichloroethane 1,1-	2.3558E-015	2.3558E-015
RCPTR_39	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.9266E-015	2.9266E-015
RCPTR_39	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	8.9178E-016	8.9178E-016
RCPTR_39	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.4335E-015	1.4335E-015
RCPTR_39	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	1.2355E-010	1.2395E-010
RCPTR_39	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	8.0652E-015	8.0652E-015
RCPTR_39	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	2.6617E-015	2.6617E-015
RCPTR_39	farmer_child	TOCDFLIC	Diethyl phthalate	5.1206E-009	5.1214E-009
RCPTR_39	farmer_child	TOCDFLIC	Dimethyl phthalate	7.7530E-011	7.7598E-011
RCPTR_39	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	1.9478E-011	1.9503E-011
RCPTR_39	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	9.3811E-012	9.3825E-012
RCPTR_39	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	1.7836E-011	1.7865E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	1.3768E-011	1.3787E-011
RCPTR_39	farmer_child	TOCDFLIC	Ethyl methanesulfonate	4.1542E-013	4.1553E-013
RCPTR_39	farmer_child	TOCDFLIC	Ethylbenzene	3.3911E-014	3.3911E-014
RCPTR_39	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	7.6159E-009	7.6368E-009
RCPTR_39	farmer_child	TOCDFLIC	Fluoranthene	6.3440E-008	7.4564E-008
RCPTR_39	farmer_child	TOCDFLIC	Fluorene	1.1938E-009	1.2067E-009
RCPTR_39	farmer_child	TOCDFLIC	GB	6.9555E-015	6.9573E-015
RCPTR_39	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	6.8890E-014	7.5971E-014
RCPTR_39	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	8.3052E-014	8.9852E-014
RCPTR_39	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.9725E-013	2.1694E-013
RCPTR_39	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	8.8069E-013	9.5610E-013
RCPTR_39	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	4.9680E-013	5.5151E-013
RCPTR_39	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.2180E-013	4.7519E-013
RCPTR_39	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.7217E-013	3.1076E-013
RCPTR_39	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.6682E-013	3.0452E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.0949E-013	3.5281E-013
RCPTR_39	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.2560E-013	2.5731E-013
RCPTR_39	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.5247E-011	2.5250E-011
RCPTR_39	farmer_child	TOCDFLIC	Hexachlorobenzene	4.8472E-008	5.1524E-008
RCPTR_39	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	6.6971E-011	6.6985E-011
RCPTR_39	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.5602E-011	1.5605E-011
RCPTR_39	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_39	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.3765E-004	5.3951E-004
RCPTR_39	farmer_child	TOCDFLIC	Isophorone	2.9698E-012	2.9710E-012
RCPTR_39	farmer_child	TOCDFLIC	Lead	2.5101E-006	3.1952E-006
RCPTR_39	farmer_child	TOCDFLIC	Mercuric chloride	5.9595E-006	1.1048E-005
RCPTR_39	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	1.6228E-016	1.6228E-016
RCPTR_39	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.3291E-017	1.3291E-017
RCPTR_39	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	4.8312E-014	4.8312E-014
RCPTR_39	farmer_child	TOCDFLIC	Methyl mercury	5.1544E-008	6.6529E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFLIC	Methylene chloride	1.0275E-015	1.0275E-015
RCPTR_39	farmer_child	TOCDFLIC	Naphthalene	1.2528E-011	1.2532E-011
RCPTR_39	farmer_child	TOCDFLIC	Nickel	3.7631E-007	3.8427E-007
RCPTR_39	farmer_child	TOCDFLIC	Nitroaniline, 2-	5.0601E-011	5.0657E-011
RCPTR_39	farmer_child	TOCDFLIC	Nitroaniline, 3-	1.2054E-011	1.2059E-011
RCPTR_39	farmer_child	TOCDFLIC	Nitroaniline, 4-	1.5571E-011	1.5579E-011
RCPTR_39	farmer_child	TOCDFLIC	Nitrobenzene	5.0122E-012	5.0150E-012
RCPTR_39	farmer_child	TOCDFLIC	Nitrophenol, 2-	2.2825E-012	2.2831E-012
RCPTR_39	farmer_child	TOCDFLIC	Nitrophenol, 4-	3.2543E-011	3.2553E-011
RCPTR_39	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.8271E-012	2.8276E-012
RCPTR_39	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	2.7779E-012	2.7782E-012
RCPTR_39	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	2.4891E-013	2.4892E-013
RCPTR_39	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.3766E-013	2.6952E-013
RCPTR_39	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	7.7989E-014	8.8263E-014
RCPTR_39	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.8402E-012	2.0244E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	4.9475E-013	5.7541E-013
RCPTR_39	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.0847E-012	1.2593E-012
RCPTR_39	farmer_child	TOCDFLIC	Pentachlorobenzene	1.8897E-010	1.8905E-010
RCPTR_39	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	7.4535E-011	7.4540E-011
RCPTR_39	farmer_child	TOCDFLIC	Pentachlorophenol	3.3043E-008	3.3131E-008
RCPTR_39	farmer_child	TOCDFLIC	Phenanthrene	3.8254E-012	3.8255E-012
RCPTR_39	farmer_child	TOCDFLIC	Phenol	3.9695E-012	3.9719E-012
RCPTR_39	farmer_child	TOCDFLIC	Pronamide	3.7565E-010	3.7841E-010
RCPTR_39	farmer_child	TOCDFLIC	Pyrene	1.0449E-007	1.5500E-007
RCPTR_39	farmer_child	TOCDFLIC	Selenium	7.5862E-008	7.5871E-008
RCPTR_39	farmer_child	TOCDFLIC	Silver	2.8714E-008	2.8806E-008
RCPTR_39	farmer_child	TOCDFLIC	Styrene	1.4467E-012	1.4467E-012
RCPTR_39	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	6.5067E-013	7.8724E-013
RCPTR_39	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	8.9349E-013	1.1352E-012
RCPTR_39	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	3.0479E-010	3.0521E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	9.6346E-012	9.6347E-012
RCPTR_39	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	8.5705E-015	8.5705E-015
RCPTR_39	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	2.0732E-009	2.0773E-009
RCPTR_39	farmer_child	TOCDFLIC	Thallium (I)	7.1485E-007	7.2775E-007
RCPTR_39	farmer_child	TOCDFLIC	Toluene	6.6359E-014	6.6359E-014
RCPTR_39	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.1718E-011	1.1719E-011
RCPTR_39	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	5.5385E-015	5.5386E-015
RCPTR_39	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	4.2355E-014	4.2355E-014
RCPTR_39	farmer_child	TOCDFLIC	Trichloroethylene	6.8844E-015	6.8844E-015
RCPTR_39	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	9.0481E-016	9.0481E-016
RCPTR_39	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	1.3167E-009	1.3389E-009
RCPTR_39	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	2.6694E-010	2.6789E-010
RCPTR_39	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	1.5675E-013	1.5675E-013
RCPTR_39	farmer_child	TOCDFLIC	Vinyl Chloride	2.4107E-018	2.4107E-018
RCPTR_39	farmer_child	TOCDFLIC	Xylene, m-	9.0131E-014	9.0131E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFLIC	Xylene, o-	5.9667E-014	5.9667E-014
RCPTR_39	farmer_child	TOCDFLIC	Xylene, p-	1.2084E-013	1.2084E-013
RCPTR_39	farmer_child	TOCDFLIC	Zinc	1.2327E-007	1.2993E-007
RCPTR_39	farmer_child	TOCDFMPF	Acenaphthene	1.3084E-009	1.3130E-009
RCPTR_39	farmer_child	TOCDFMPF	Acetone	4.0750E-015	4.0750E-015
RCPTR_39	farmer_child	TOCDFMPF	Acetophenone	6.9257E-012	6.9272E-012
RCPTR_39	farmer_child	TOCDFMPF	Aniline	4.1713E-013	4.1714E-013
RCPTR_39	farmer_child	TOCDFMPF	Anthracene	2.2408E-008	2.3162E-008
RCPTR_39	farmer_child	TOCDFMPF	Antimony	1.2742E-008	1.3156E-008
RCPTR_39	farmer_child	TOCDFMPF	Arsenic	2.6927E-008	2.7053E-008
RCPTR_39	farmer_child	TOCDFMPF	Barium	4.0461E-009	4.1388E-009
RCPTR_39	farmer_child	TOCDFMPF	Benzene	3.6291E-015	3.6291E-015
RCPTR_39	farmer_child	TOCDFMPF	Benzo(a)anthracene	2.1791E-006	2.5695E-006
RCPTR_39	farmer_child	TOCDFMPF	Benzo(a)pyrene	1.5007E-005	1.5335E-005
RCPTR_39	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	9.9984E-006	1.0941E-005

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	2.3270E-005	2.4524E-005
RCPTR_39	farmer_child	TOCDFMPF	Benzoic acid	4.7341E-011	4.7346E-011
RCPTR_39	farmer_child	TOCDFMPF	Benzyl alcohol	9.4594E-012	9.4642E-012
RCPTR_39	farmer_child	TOCDFMPF	Beryllium	5.9798E-009	7.0626E-009
RCPTR_39	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	9.4684E-012	9.4723E-012
RCPTR_39	farmer_child	TOCDFMPF	Bromodichloromethane	3.2347E-014	3.2347E-014
RCPTR_39	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.2204E-012	1.2206E-012
RCPTR_39	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	3.6785E-007	5.0891E-007
RCPTR_39	farmer_child	TOCDFMPF	Butylbenzylphthalate	1.0068E-008	1.0076E-008
RCPTR_39	farmer_child	TOCDFMPF	Cadmium	7.2271E-009	7.8762E-009
RCPTR_39	farmer_child	TOCDFMPF	Carbon disulfide	6.3477E-015	6.3478E-015
RCPTR_39	farmer_child	TOCDFMPF	Carbon tetrachloride	1.0045E-014	1.0045E-014
RCPTR_39	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	7.6787E-010	7.7162E-010
RCPTR_39	farmer_child	TOCDFMPF	Chloroaniline, p-	4.3937E-011	4.3985E-011
RCPTR_39	farmer_child	TOCDFMPF	Chlorobenzene	5.8757E-014	5.8757E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFMPF	Chloroethane	1.6490E-016	1.6490E-016
RCPTR_39	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	8.5589E-015	8.5590E-015
RCPTR_39	farmer_child	TOCDFMPF	Chloronaphthalene,2-	3.4033E-009	3.4312E-009
RCPTR_39	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.2189E-010	1.2217E-010
RCPTR_39	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	4.2684E-009	4.2833E-009
RCPTR_39	farmer_child	TOCDFMPF	Chromium	1.7324E-007	2.1295E-007
RCPTR_39	farmer_child	TOCDFMPF	Chromium, hexavalent	1.3741E-007	1.3762E-007
RCPTR_39	farmer_child	TOCDFMPF	Chrysene	5.0751E-006	5.7174E-006
RCPTR_39	farmer_child	TOCDFMPF	Di-n-butyl phthalate	3.9948E-008	4.0024E-008
RCPTR_39	farmer_child	TOCDFMPF	Di-n-octylphthalate	1.6810E+002	1.6810E+002
RCPTR_39	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	3.1582E-004	3.2069E-004
RCPTR_39	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	5.5355E-012	5.5357E-012
RCPTR_39	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	6.7031E-012	6.7033E-012
RCPTR_39	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	6.4552E-012	6.4554E-012
RCPTR_39	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.6147E-008	2.6293E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFMPF	Dichlorodifluoromethane	1.3182E-017	1.3182E-017
RCPTR_39	farmer_child	TOCDFMPF	Dichloroethane 1,1-	3.3201E-015	3.3201E-015
RCPTR_39	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	4.1247E-015	4.1247E-015
RCPTR_39	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.2568E-015	1.2568E-015
RCPTR_39	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.0203E-015	2.0203E-015
RCPTR_39	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	5.2734E-010	5.2903E-010
RCPTR_39	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.1367E-014	1.1367E-014
RCPTR_39	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	3.7512E-015	3.7512E-015
RCPTR_39	farmer_child	TOCDFMPF	Diethyl phthalate	2.1855E-008	2.1858E-008
RCPTR_39	farmer_child	TOCDFMPF	Dimethyl phthalate	2.8217E-011	2.8242E-011
RCPTR_39	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	8.3136E-011	8.3242E-011
RCPTR_39	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	3.9967E-011	3.9973E-011
RCPTR_39	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	7.6128E-011	7.6253E-011
RCPTR_39	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	5.8762E-011	5.8846E-011
RCPTR_39	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.7731E-012	1.7735E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFMPF	Ethylbenzene	3.5845E-014	3.5845E-014
RCPTR_39	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	8.4419E-009	8.4651E-009
RCPTR_39	farmer_child	TOCDFMPF	Fluoranthene	2.7077E-007	3.1825E-007
RCPTR_39	farmer_child	TOCDFMPF	Fluorene	5.0953E-009	5.1504E-009
RCPTR_39	farmer_child	TOCDFMPF	GB	9.9062E-015	9.9087E-015
RCPTR_39	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.4529E-013	1.6023E-013
RCPTR_39	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	5.5808E-012	6.0380E-012
RCPTR_39	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	9.1643E-013	1.0080E-012
RCPTR_39	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.0148E-012	2.1874E-012
RCPTR_39	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.0814E-012	1.2005E-012
RCPTR_39	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.0020E-012	1.1289E-012
RCPTR_39	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.0899E-011	4.6698E-011
RCPTR_39	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	9.9849E-012	1.1396E-011
RCPTR_39	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.7373E-012	1.9805E-012
RCPTR_39	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.2396E-012	1.4138E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.0776E-010	1.0777E-010
RCPTR_39	farmer_child	TOCDFMPF	Hexachlorobenzene	2.0689E-007	2.1991E-007
RCPTR_39	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	2.8585E-010	2.8591E-010
RCPTR_39	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	6.6592E-011	6.6604E-011
RCPTR_39	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_39	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.2949E-003	2.3029E-003
RCPTR_39	farmer_child	TOCDFMPF	Isophorone	1.2676E-011	1.2681E-011
RCPTR_39	farmer_child	TOCDFMPF	Lead	1.9844E-009	2.5261E-009
RCPTR_39	farmer_child	TOCDFMPF	Mercuric chloride	6.7554E-008	1.2522E-007
RCPTR_39	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	1.9488E-016	1.9488E-016
RCPTR_39	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	6.9705E-018	6.9705E-018
RCPTR_39	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	4.5647E-014	4.5647E-014
RCPTR_39	farmer_child	TOCDFMPF	Methyl mercury	5.8456E-010	7.5441E-010
RCPTR_39	farmer_child	TOCDFMPF	Methylene chloride	1.1411E-015	1.1411E-015
RCPTR_39	farmer_child	TOCDFMPF	Naphthalene	5.3473E-011	5.3489E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFMPF	Nickel	2.9591E-007	3.0217E-007
RCPTR_39	farmer_child	TOCDFMPF	Nitroaniline, 2-	2.1558E-010	2.1582E-010
RCPTR_39	farmer_child	TOCDFMPF	Nitroaniline, 3-	5.1355E-011	5.1377E-011
RCPTR_39	farmer_child	TOCDFMPF	Nitroaniline, 4-	6.6340E-011	6.6375E-011
RCPTR_39	farmer_child	TOCDFMPF	Nitrobenzene	2.1393E-011	2.1405E-011
RCPTR_39	farmer_child	TOCDFMPF	Nitrophenol, 2-	9.7420E-012	9.7446E-012
RCPTR_39	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.3865E-010	1.3869E-010
RCPTR_39	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.2066E-011	1.2069E-011
RCPTR_39	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.1857E-011	1.1858E-011
RCPTR_39	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.0624E-012	1.0625E-012
RCPTR_39	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.5363E-013	4.0105E-013
RCPTR_39	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	4.9131E-013	5.5605E-013
RCPTR_39	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	7.2755E-012	8.0042E-012
RCPTR_39	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	5.5175E-012	6.4170E-012
RCPTR_39	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.7657E-011	2.0500E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFMPF	Pentachlorobenzene	8.0656E-010	8.0690E-010
RCPTR_39	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	3.1756E-010	3.1758E-010
RCPTR_39	farmer_child	TOCDFMPF	Pentachlorophenol	1.4077E-007	1.4115E-007
RCPTR_39	farmer_child	TOCDFMPF	Phenanthrene	1.6328E-011	1.6328E-011
RCPTR_39	farmer_child	TOCDFMPF	Phenol	1.6942E-011	1.6953E-011
RCPTR_39	farmer_child	TOCDFMPF	Pronamide	1.6033E-009	1.6151E-009
RCPTR_39	farmer_child	TOCDFMPF	Pyrene	4.4598E-007	6.6155E-007
RCPTR_39	farmer_child	TOCDFMPF	Selenium	2.2253E-008	2.2256E-008
RCPTR_39	farmer_child	TOCDFMPF	Silver	1.1522E-007	1.1559E-007
RCPTR_39	farmer_child	TOCDFMPF	Styrene	1.5488E-012	1.5488E-012
RCPTR_39	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.8482E-012	2.2361E-012
RCPTR_39	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	3.6640E-012	4.6552E-012
RCPTR_39	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.3009E-009	1.3027E-009
RCPTR_39	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.3578E-011	1.3578E-011
RCPTR_39	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.6768E-014	2.6768E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	8.8328E-009	8.8499E-009
RCPTR_39	farmer_child	TOCDFMPF	Thallium (I)	2.1150E-007	2.1532E-007
RCPTR_39	farmer_child	TOCDFMPF	Toluene	1.8607E-014	1.8607E-014
RCPTR_39	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	5.0013E-011	5.0019E-011
RCPTR_39	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	7.8057E-015	7.8057E-015
RCPTR_39	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	5.9693E-014	5.9694E-014
RCPTR_39	farmer_child	TOCDFMPF	Trichloroethylene	9.7025E-015	9.7025E-015
RCPTR_39	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.2752E-015	1.2752E-015
RCPTR_39	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	5.6198E-009	5.7147E-009
RCPTR_39	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.1393E-009	1.1434E-009
RCPTR_39	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	2.2091E-013	2.2092E-013
RCPTR_39	farmer_child	TOCDFMPF	Vinyl Chloride	3.1531E-018	3.1531E-018
RCPTR_39	farmer_child	TOCDFMPF	Xylene, m-	7.1277E-014	7.1277E-014
RCPTR_39	farmer_child	TOCDFMPF	Xylene, o-	7.4158E-014	7.4158E-014
RCPTR_39	farmer_child	TOCDFMPF	Xylene, p-	9.5547E-014	9.5547E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDFMPF	Zinc	7.5659E-008	7.9744E-008
RCPTR_39	farmer_child	TOCDHVAC	GB	5.8607E-014	5.8622E-014
RCPTR_39	farmer_child	TOCDLIC2	Acenaphthene	6.3261E-010	6.3485E-010
RCPTR_39	farmer_child	TOCDLIC2	Acetone	8.0381E-015	8.0381E-015
RCPTR_39	farmer_child	TOCDLIC2	Acetophenone	3.3485E-012	3.3493E-012
RCPTR_39	farmer_child	TOCDLIC2	Aniline	2.0168E-013	2.0169E-013
RCPTR_39	farmer_child	TOCDLIC2	Anthracene	1.0834E-008	1.1199E-008
RCPTR_39	farmer_child	TOCDLIC2	Antimony	5.6804E-008	5.8650E-008
RCPTR_39	farmer_child	TOCDLIC2	Arsenic	1.1443E-007	1.1497E-007
RCPTR_39	farmer_child	TOCDLIC2	Barium	4.1481E-008	4.2431E-008
RCPTR_39	farmer_child	TOCDLIC2	Benzene	5.3629E-015	5.3629E-015
RCPTR_39	farmer_child	TOCDLIC2	Benzo(a)anthracene	1.0535E-006	1.2422E-006
RCPTR_39	farmer_child	TOCDLIC2	Benzo(a)pyrene	7.2540E-006	7.4123E-006
RCPTR_39	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	4.8337E-006	5.2894E-006
RCPTR_39	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	1.1248E-005	1.1854E-005

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDLIC2	Benzoic acid	2.2889E-011	2.2892E-011
RCPTR_39	farmer_child	TOCDLIC2	Benzyl alcohol	4.5736E-012	4.5759E-012
RCPTR_39	farmer_child	TOCDLIC2	Beryllium	2.0881E-008	2.4662E-008
RCPTR_39	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	4.5779E-012	4.5798E-012
RCPTR_39	farmer_child	TOCDLIC2	Bromodichloromethane	6.0759E-014	6.0759E-014
RCPTR_39	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.5846E-012	1.5848E-012
RCPTR_39	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	1.7786E-007	2.4606E-007
RCPTR_39	farmer_child	TOCDLIC2	Butylbenzylphthalate	4.8660E-009	4.8699E-009
RCPTR_39	farmer_child	TOCDLIC2	Cadmium	1.8720E-009	2.0401E-009
RCPTR_39	farmer_child	TOCDLIC2	Carbon disulfide	6.8433E-015	6.8433E-015
RCPTR_39	farmer_child	TOCDLIC2	Carbon tetrachloride	1.0847E-014	1.0847E-014
RCPTR_39	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	3.7126E-010	3.7307E-010
RCPTR_39	farmer_child	TOCDLIC2	Chloroaniline, p-	2.1243E-011	2.1267E-011
RCPTR_39	farmer_child	TOCDLIC2	Chlorobenzene	6.3452E-014	6.3452E-014
RCPTR_39	farmer_child	TOCDLIC2	Chloroethane	1.7808E-016	1.7808E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.9493E-014	1.9493E-014
RCPTR_39	farmer_child	TOCDLIC2	Chloronaphthalene,2-	1.6455E-009	1.6590E-009
RCPTR_39	farmer_child	TOCDLIC2	Chlorophenol, 2-	5.8933E-011	5.9068E-011
RCPTR_39	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	2.0637E-009	2.0710E-009
RCPTR_39	farmer_child	TOCDLIC2	Chromium	8.9304E-007	1.0977E-006
RCPTR_39	farmer_child	TOCDLIC2	Chromium, hexavalent	7.0833E-007	7.0942E-007
RCPTR_39	farmer_child	TOCDLIC2	Chrysene	2.4535E-006	2.7641E-006
RCPTR_39	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.9314E-008	1.9351E-008
RCPTR_39	farmer_child	TOCDLIC2	Di-n-octylphthalate	8.1280E+001	8.1280E+001
RCPTR_39	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	1.5265E-004	1.5500E-004
RCPTR_39	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	2.6764E-012	2.6765E-012
RCPTR_39	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	3.2409E-012	3.2410E-012
RCPTR_39	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	3.1210E-012	3.1211E-012
RCPTR_39	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.1260E-008	1.1323E-008
RCPTR_39	farmer_child	TOCDLIC2	Dichlorodifluoromethane	1.4235E-017	1.4235E-017

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDLIC2	Dichloroethane 1,1-	3.5854E-015	3.5854E-015
RCPTR_39	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	4.4542E-015	4.4543E-015
RCPTR_39	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	1.3573E-015	1.3573E-015
RCPTR_39	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	2.1818E-015	2.1818E-015
RCPTR_39	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	2.5497E-010	2.5578E-010
RCPTR_39	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	1.2275E-014	1.2275E-014
RCPTR_39	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	4.0510E-015	4.0510E-015
RCPTR_39	farmer_child	TOCDLIC2	Diethyl phthalate	1.0567E-008	1.0569E-008
RCPTR_39	farmer_child	TOCDLIC2	Dimethyl phthalate	9.4959E-011	9.5042E-011
RCPTR_39	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	4.0196E-011	4.0247E-011
RCPTR_39	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.9409E-011	1.9412E-011
RCPTR_39	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	3.6807E-011	3.6868E-011
RCPTR_39	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	2.8411E-011	2.8452E-011
RCPTR_39	farmer_child	TOCDLIC2	Ethyl methanesulfonate	8.5727E-013	8.5750E-013
RCPTR_39	farmer_child	TOCDLIC2	Ethylbenzene	4.3901E-014	4.3901E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	5.0992E-009	5.1132E-009
RCPTR_39	farmer_child	TOCDLIC2	Fluoranthene	1.3092E-007	1.5387E-007
RCPTR_39	farmer_child	TOCDLIC2	Fluorene	2.4635E-009	2.4902E-009
RCPTR_39	farmer_child	TOCDLIC2	GB	7.2310E-015	7.2328E-015
RCPTR_39	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.8353E-013	5.3323E-013
RCPTR_39	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	4.5364E-013	4.9079E-013
RCPTR_39	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.3051E-013	4.7349E-013
RCPTR_39	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.3221E-012	1.4353E-012
RCPTR_39	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	9.3708E-013	1.0403E-012
RCPTR_39	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	8.9933E-013	1.0132E-012
RCPTR_39	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	8.7583E-013	9.9998E-013
RCPTR_39	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.2835E-013	6.0300E-013
RCPTR_39	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.7238E-013	5.3850E-013
RCPTR_39	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	5.4054E-013	6.1651E-013
RCPTR_39	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	5.2101E-011	5.2106E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDLIC2	Hexachlorobenzene	1.0003E-007	1.0633E-007
RCPTR_39	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.3820E-010	1.3823E-010
RCPTR_39	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	3.2197E-011	3.2203E-011
RCPTR_39	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_39	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.1095E-003	1.1133E-003
RCPTR_39	farmer_child	TOCDLIC2	Isophorone	6.1287E-012	6.1310E-012
RCPTR_39	farmer_child	TOCDLIC2	Lead	1.8097E-007	2.3037E-007
RCPTR_39	farmer_child	TOCDLIC2	Mercuric chloride	5.9595E-006	1.1048E-005
RCPTR_39	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	2.1226E-016	2.1226E-016
RCPTR_39	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	8.4604E-018	8.4604E-018
RCPTR_39	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	4.7618E-014	4.7618E-014
RCPTR_39	farmer_child	TOCDLIC2	Methyl mercury	5.1544E-008	6.6529E-008
RCPTR_39	farmer_child	TOCDLIC2	Methylene chloride	3.7377E-015	3.7377E-015
RCPTR_39	farmer_child	TOCDLIC2	Naphthalene	2.5854E-011	2.5861E-011
RCPTR_39	farmer_child	TOCDLIC2	Nickel	1.3081E-007	1.3357E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.0469E-010	1.0481E-010
RCPTR_39	farmer_child	TOCDLIC2	Nitroaniline, 3-	2.4939E-011	2.4950E-011
RCPTR_39	farmer_child	TOCDLIC2	Nitroaniline, 4-	3.2216E-011	3.2233E-011
RCPTR_39	farmer_child	TOCDLIC2	Nitrobenzene	1.0343E-011	1.0349E-011
RCPTR_39	farmer_child	TOCDLIC2	Nitrophenol, 2-	4.7102E-012	4.7115E-012
RCPTR_39	farmer_child	TOCDLIC2	Nitrophenol, 4-	6.7331E-011	6.7351E-011
RCPTR_39	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	5.8341E-012	5.8351E-012
RCPTR_39	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	5.7326E-012	5.7331E-012
RCPTR_39	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	5.1367E-013	5.1369E-013
RCPTR_39	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	7.9800E-013	9.0498E-013
RCPTR_39	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.6379E-013	2.9854E-013
RCPTR_39	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.4409E-012	3.7855E-012
RCPTR_39	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.0469E-012	1.2176E-012
RCPTR_39	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.8867E-012	3.3514E-012
RCPTR_39	farmer_child	TOCDLIC2	Pentachlorobenzene	3.8996E-010	3.9012E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.5421E-010	1.5422E-010
RCPTR_39	farmer_child	TOCDLIC2	Pentachlorophenol	6.8365E-008	6.8546E-008
RCPTR_39	farmer_child	TOCDLIC2	Phenanthrene	7.8943E-012	7.8944E-012
RCPTR_39	farmer_child	TOCDLIC2	Phenol	8.6607E-012	8.6661E-012
RCPTR_39	farmer_child	TOCDLIC2	Pronamide	7.7520E-010	7.8089E-010
RCPTR_39	farmer_child	TOCDLIC2	Pyrene	2.1563E-007	3.1986E-007
RCPTR_39	farmer_child	TOCDLIC2	Selenium	7.5862E-008	7.5871E-008
RCPTR_39	farmer_child	TOCDLIC2	Silver	2.8714E-008	2.8806E-008
RCPTR_39	farmer_child	TOCDLIC2	Styrene	1.2120E-012	1.2120E-012
RCPTR_39	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.8862E-012	2.2821E-012
RCPTR_39	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.6004E-012	2.0334E-012
RCPTR_39	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	6.2897E-010	6.2985E-010
RCPTR_39	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.4663E-011	1.4664E-011
RCPTR_39	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.3044E-014	1.3044E-014
RCPTR_39	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	4.2895E-009	4.2978E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_39	farmer_child	TOCDLIC2	Thallium (I)	7.1485E-007	7.2775E-007
RCPTR_39	farmer_child	TOCDLIC2	Toluene	6.9852E-014	6.9852E-014
RCPTR_39	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	2.4181E-011	2.4184E-011
RCPTR_39	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	8.4295E-015	8.4295E-015
RCPTR_39	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	6.4463E-014	6.4463E-014
RCPTR_39	farmer_child	TOCDLIC2	Trichloroethylene	1.0478E-014	1.0478E-014
RCPTR_39	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.3771E-015	1.3771E-015
RCPTR_39	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	2.7172E-009	2.7630E-009
RCPTR_39	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	5.5086E-010	5.5283E-010
RCPTR_39	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	2.3857E-013	2.3857E-013
RCPTR_39	farmer_child	TOCDLIC2	Vinyl Chloride	4.0237E-018	4.0237E-018
RCPTR_39	farmer_child	TOCDLIC2	Xylene, m-	1.0463E-013	1.0463E-013
RCPTR_39	farmer_child	TOCDLIC2	Xylene, o-	8.0054E-014	8.0055E-014
RCPTR_39	farmer_child	TOCDLIC2	Xylene, p-	1.4028E-013	1.4028E-013
RCPTR_39	farmer_child	TOCDLIC2	Zinc	1.4719E-007	1.5513E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFBRA	Antimony	2.3706E-007	2.9977E-007
RCPTR_40	farmer_adult	TOCDFBRA	Arsenic	3.8549E-007	4.0489E-007
RCPTR_40	farmer_adult	TOCDFBRA	Barium	3.2446E-008	3.8766E-008
RCPTR_40	farmer_adult	TOCDFBRA	Beryllium	1.1866E-007	1.4483E-007
RCPTR_40	farmer_adult	TOCDFBRA	Cadmium	1.8681E-008	2.8304E-008
RCPTR_40	farmer_adult	TOCDFBRA	Chromium	3.4839E-006	3.6132E-006
RCPTR_40	farmer_adult	TOCDFBRA	Chromium, hexavalent	2.2827E-006	2.3386E-006
RCPTR_40	farmer_adult	TOCDFBRA	Lead	1.3449E-006	1.7612E-006
RCPTR_40	farmer_adult	TOCDFBRA	Mercuric chloride	4.2377E-004	4.6945E-004
RCPTR_40	farmer_adult	TOCDFBRA	Methyl mercury	2.7561E-006	2.9946E-006
RCPTR_40	farmer_adult	TOCDFBRA	Nickel	1.2703E-006	1.4066E-006
RCPTR_40	farmer_adult	TOCDFBRA	Selenium	4.3208E-007	4.3515E-007
RCPTR_40	farmer_adult	TOCDFBRA	Silver	1.4732E-007	1.6625E-007
RCPTR_40	farmer_adult	TOCDFBRA	Thallium (I)	3.9506E-006	4.2784E-006
RCPTR_40	farmer_adult	TOCDFBRA	Zinc	6.8274E-007	9.1083E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFDFS	Acenaphthene	1.2023E-010	6.1293E-010
RCPTR_40	farmer_adult	TOCDFDFS	Acetone	1.4709E-015	7.6704E-015
RCPTR_40	farmer_adult	TOCDFDFS	Acetophenone	6.5180E-013	3.3951E-012
RCPTR_40	farmer_adult	TOCDFDFS	Aniline	3.7479E-014	1.9471E-013
RCPTR_40	farmer_adult	TOCDFDFS	Anthracene	2.1255E-009	1.0812E-008
RCPTR_40	farmer_adult	TOCDFDFS	Antimony	2.2990E-006	2.9064E-006
RCPTR_40	farmer_adult	TOCDFDFS	Aroclor 1254	3.1521E-011	6.1565E-011
RCPTR_40	farmer_adult	TOCDFDFS	Arsenic	2.1137E-007	2.2200E-007
RCPTR_40	farmer_adult	TOCDFDFS	Barium	6.2559E-009	7.4731E-009
RCPTR_40	farmer_adult	TOCDFDFS	Benzene	1.2226E-015	6.3431E-015
RCPTR_40	farmer_adult	TOCDFDFS	Benzo(a)anthracene	6.8255E-007	1.2067E-006
RCPTR_40	farmer_adult	TOCDFDFS	Benzo(a)pyrene	6.7550E-006	7.2645E-006
RCPTR_40	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	3.8252E-006	5.1465E-006
RCPTR_40	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	1.0636E-005	1.1618E-005
RCPTR_40	farmer_adult	TOCDFDFS	Benzoic acid	4.9114E-012	2.2105E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFDFS	Benzyl alcohol	8.4859E-013	4.4177E-012
RCPTR_40	farmer_adult	TOCDFDFS	Beryllium	6.2969E-008	7.6846E-008
RCPTR_40	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	8.4788E-013	4.4214E-012
RCPTR_40	farmer_adult	TOCDFDFS	Bromodichloromethane	9.6028E-015	5.0029E-014
RCPTR_40	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	3.8154E-013	1.9884E-012
RCPTR_40	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	4.7814E-008	2.3755E-007
RCPTR_40	farmer_adult	TOCDFDFS	Butylbenzylphthalate	3.9302E-009	4.7812E-009
RCPTR_40	farmer_adult	TOCDFDFS	Cadmium	4.9906E-008	7.5587E-008
RCPTR_40	farmer_adult	TOCDFDFS	Carbon disulfide	6.3790E-016	3.3157E-015
RCPTR_40	farmer_adult	TOCDFDFS	Carbon tetrachloride	3.1910E-015	1.6548E-014
RCPTR_40	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	8.7532E-011	3.6030E-010
RCPTR_40	farmer_adult	TOCDFDFS	Chloroaniline, p-	3.9554E-012	2.0531E-011
RCPTR_40	farmer_adult	TOCDFDFS	Chlorobenzene	1.8729E-014	9.6797E-014
RCPTR_40	farmer_adult	TOCDFDFS	Chloroethane	5.3773E-017	2.7167E-016
RCPTR_40	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	2.8768E-015	1.4983E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	3.1266E-010	1.6017E-009
RCPTR_40	farmer_adult	TOCDFDFS	Chlorophenol, 2-	1.0940E-011	5.7026E-011
RCPTR_40	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	4.8771E-010	2.0007E-009
RCPTR_40	farmer_adult	TOCDFDFS	Chromium	9.9326E-007	1.0301E-006
RCPTR_40	farmer_adult	TOCDFDFS	Chromium, hexavalent	6.5105E-007	6.6699E-007
RCPTR_40	farmer_adult	TOCDFDFS	Chrysene	1.9941E-006	2.6889E-006
RCPTR_40	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.5521E-008	1.8797E-008
RCPTR_40	farmer_adult	TOCDFDFS	Di-n-octylphthalate	7.8896E+001	7.8896E+001
RCPTR_40	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.4685E-004	1.5241E-004
RCPTR_40	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	5.1463E-013	2.5841E-012
RCPTR_40	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	6.1497E-013	3.1291E-012
RCPTR_40	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	5.9008E-013	3.0133E-012
RCPTR_40	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.3967E-008	1.8304E-008
RCPTR_40	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	4.1839E-018	2.1716E-017
RCPTR_40	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	1.0499E-015	5.4695E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3040E-015	6.7950E-015
RCPTR_40	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	3.9819E-016	2.0705E-015
RCPTR_40	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	6.4025E-016	3.3283E-015
RCPTR_40	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	7.0126E-011	2.4709E-010
RCPTR_40	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	3.6103E-015	1.8726E-014
RCPTR_40	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	1.1870E-015	6.1798E-015
RCPTR_40	farmer_adult	TOCDFDFS	Diethyl phthalate	9.6948E-009	1.0255E-008
RCPTR_40	farmer_adult	TOCDFDFS	Dimethyl phthalate	1.6968E-011	8.5696E-011
RCPTR_40	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	7.5177E-012	3.8856E-011
RCPTR_40	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	7.7394E-012	1.8506E-011
RCPTR_40	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	7.1963E-012	3.5601E-011
RCPTR_40	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	5.4729E-012	2.7471E-011
RCPTR_40	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.5878E-013	8.2785E-013
RCPTR_40	farmer_adult	TOCDFDFS	Ethylbenzene	1.1788E-014	5.9055E-014
RCPTR_40	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.9926E-010	4.8961E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFDFS	Fluoranthene	3.9515E-008	1.4870E-007
RCPTR_40	farmer_adult	TOCDFDFS	Fluorene	4.7875E-010	2.4043E-009
RCPTR_40	farmer_adult	TOCDFDFS	GB	4.2764E-015	2.2267E-014
RCPTR_40	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.2521E-013	1.4196E-013
RCPTR_40	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.6009E-014	7.3057E-014
RCPTR_40	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.2080E-013	2.4957E-013
RCPTR_40	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.2625E-012	1.4030E-012
RCPTR_40	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	6.6860E-013	7.6497E-013
RCPTR_40	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	5.7236E-013	6.6726E-013
RCPTR_40	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.5106E-013	5.3492E-013
RCPTR_40	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.0192E-013	4.7625E-013
RCPTR_40	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.4036E-013	6.3943E-013
RCPTR_40	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.7143E-013	4.3981E-013
RCPTR_40	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.0528E-011	5.0319E-011
RCPTR_40	farmer_adult	TOCDFDFS	Hexachlorobenzene	2.1070E-008	1.0267E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	1.4103E-010	6.6084E-010
RCPTR_40	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	6.0989E-012	3.1090E-011
RCPTR_40	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_40	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.0747E-003	1.0851E-003
RCPTR_40	farmer_adult	TOCDFDFS	Isophorone	1.1365E-012	5.9190E-012
RCPTR_40	farmer_adult	TOCDFDFS	Lead	7.7234E-006	1.0112E-005
RCPTR_40	farmer_adult	TOCDFDFS	Mercuric chloride	1.3599E-007	1.5077E-007
RCPTR_40	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.1109E-016	5.7905E-016
RCPTR_40	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.8817E-017	9.8027E-017
RCPTR_40	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	9.8718E-015	5.1475E-014
RCPTR_40	farmer_adult	TOCDFDFS	Methyl mercury	8.4550E-010	9.2265E-010
RCPTR_40	farmer_adult	TOCDFDFS	Methylene chloride	2.8555E-016	1.4879E-015
RCPTR_40	farmer_adult	TOCDFDFS	Naphthalene	4.8472E-012	2.4968E-011
RCPTR_40	farmer_adult	TOCDFDFS	Nickel	7.2461E-007	8.0224E-007
RCPTR_40	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.9214E-011	9.9733E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFDFS	Nitroaniline, 3-	4.5593E-012	2.3742E-011
RCPTR_40	farmer_adult	TOCDFDFS	Nitroaniline, 4-	5.8961E-012	3.0673E-011
RCPTR_40	farmer_adult	TOCDFDFS	Nitrobenzene	1.9168E-012	9.9913E-012
RCPTR_40	farmer_adult	TOCDFDFS	Nitrophenol, 2-	8.7328E-013	4.5486E-012
RCPTR_40	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.9680E-011	6.4207E-011
RCPTR_40	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.0853E-012	5.6334E-012
RCPTR_40	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	1.0688E-012	5.5349E-012
RCPTR_40	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	9.7851E-014	4.9611E-013
RCPTR_40	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	3.1359E-013	3.6841E-013
RCPTR_40	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.0754E-013	1.2597E-013
RCPTR_40	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.2147E-012	3.6379E-012
RCPTR_40	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.6754E-013	3.2541E-013
RCPTR_40	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.0611E-012	1.2867E-012
RCPTR_40	farmer_adult	TOCDFDFS	Pentachlorobenzene	8.3234E-011	3.7708E-010
RCPTR_40	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	3.3365E-011	1.4696E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFDFS	Pentachlorophenol	4.4167E-008	6.5439E-008
RCPTR_40	farmer_adult	TOCDFDFS	Phenanthrene	1.5035E-012	7.6219E-012
RCPTR_40	farmer_adult	TOCDFDFS	Phenol	1.5229E-012	7.9133E-012
RCPTR_40	farmer_adult	TOCDFDFS	Pronamide	3.0099E-010	1.5079E-009
RCPTR_40	farmer_adult	TOCDFDFS	Pyrene	7.5382E-008	3.0890E-007
RCPTR_40	farmer_adult	TOCDFDFS	Selenium	2.3692E-007	2.3860E-007
RCPTR_40	farmer_adult	TOCDFDFS	Silver	8.2061E-008	9.2594E-008
RCPTR_40	farmer_adult	TOCDFDFS	Styrene	3.1113E-013	1.6152E-012
RCPTR_40	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.4674E-012	1.8863E-012
RCPTR_40	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	4.7186E-013	6.4952E-013
RCPTR_40	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.2638E-010	6.0815E-010
RCPTR_40	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.6780E-011	2.2453E-011
RCPTR_40	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	3.8322E-015	1.9899E-014
RCPTR_40	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.5070E-009	4.0947E-009
RCPTR_40	farmer_adult	TOCDFDFS	Thallium (I)	2.0969E-006	2.2707E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFDFS	Toluene	5.2051E-015	2.6790E-014
RCPTR_40	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	4.6849E-012	2.3350E-011
RCPTR_40	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	2.4727E-015	1.2859E-014
RCPTR_40	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	1.8883E-014	9.8339E-014
RCPTR_40	farmer_adult	TOCDFDFS	Trichloroethylene	3.0777E-015	1.5984E-014
RCPTR_40	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	4.0438E-016	2.1008E-015
RCPTR_40	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	5.6237E-010	2.6678E-009
RCPTR_40	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	1.3563E-010	5.3394E-010
RCPTR_40	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	6.9936E-014	3.6395E-013
RCPTR_40	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	8.4687E-013	4.2438E-012
RCPTR_40	farmer_adult	TOCDFDFS	Vinyl Chloride	9.9803E-019	5.1945E-018
RCPTR_40	farmer_adult	TOCDFDFS	Xylene, m-	5.6556E-014	1.1935E-013
RCPTR_40	farmer_adult	TOCDFDFS	Xylene, o-	5.2218E-014	1.2380E-013
RCPTR_40	farmer_adult	TOCDFDFS	Xylene, p-	6.1814E-014	1.5920E-013
RCPTR_40	farmer_adult	TOCDFDFS	Zinc	4.3753E-007	5.8355E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFLIC	Acenaphthene	6.7738E-011	3.4533E-010
RCPTR_40	farmer_adult	TOCDFLIC	Acetone	1.7484E-015	9.1175E-015
RCPTR_40	farmer_adult	TOCDFLIC	Acetophenone	6.2955E-013	3.2792E-012
RCPTR_40	farmer_adult	TOCDFLIC	Aniline	2.1117E-014	1.0971E-013
RCPTR_40	farmer_adult	TOCDFLIC	Anthracene	1.1974E-009	6.0918E-009
RCPTR_40	farmer_adult	TOCDFLIC	Antimony	4.0396E-008	5.1068E-008
RCPTR_40	farmer_adult	TOCDFLIC	Arsenic	1.2696E-007	1.3334E-007
RCPTR_40	farmer_adult	TOCDFLIC	Barium	4.2715E-009	5.1025E-009
RCPTR_40	farmer_adult	TOCDFLIC	Benzene	1.6123E-014	8.3650E-014
RCPTR_40	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.8357E-007	6.7865E-007
RCPTR_40	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.7876E-006	4.0719E-006
RCPTR_40	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	2.1507E-006	2.8943E-006
RCPTR_40	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	5.9654E-006	6.5109E-006
RCPTR_40	farmer_adult	TOCDFLIC	Benzoic acid	2.9687E-012	1.3360E-011
RCPTR_40	farmer_adult	TOCDFLIC	Benzyl alcohol	4.7811E-013	2.4890E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFLIC	Beryllium	2.3401E-008	2.8558E-008
RCPTR_40	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	4.7771E-013	2.4911E-012
RCPTR_40	farmer_adult	TOCDFLIC	Bromodichloromethane	4.2754E-015	2.2274E-014
RCPTR_40	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.4722E-013	7.6724E-013
RCPTR_40	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	2.6939E-008	1.3384E-007
RCPTR_40	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.1964E-009	2.6757E-009
RCPTR_40	farmer_adult	TOCDFLIC	Cadmium	1.3720E-008	2.0780E-008
RCPTR_40	farmer_adult	TOCDFLIC	Carbon disulfide	9.7517E-016	5.0688E-015
RCPTR_40	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.5427E-015	8.0002E-015
RCPTR_40	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	4.9328E-011	2.0301E-010
RCPTR_40	farmer_adult	TOCDFLIC	Chloroaniline, p-	2.2286E-012	1.1568E-011
RCPTR_40	farmer_adult	TOCDFLIC	Chlorobenzene	9.0550E-015	4.6798E-014
RCPTR_40	farmer_adult	TOCDFLIC	Chloroethane	2.5998E-017	1.3135E-016
RCPTR_40	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	1.3606E-015	7.0866E-015
RCPTR_40	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	1.7616E-010	9.0240E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFLIC	Chlorophenol, 2-	6.1637E-012	3.2129E-011
RCPTR_40	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	2.7464E-010	1.1271E-009
RCPTR_40	farmer_adult	TOCDFLIC	Chromium	1.2254E-006	1.2708E-006
RCPTR_40	farmer_adult	TOCDFLIC	Chromium, hexavalent	8.0324E-007	8.2290E-007
RCPTR_40	farmer_adult	TOCDFLIC	Chrysene	1.1215E-006	1.5123E-006
RCPTR_40	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	8.7405E-009	1.0586E-008
RCPTR_40	farmer_adult	TOCDFLIC	Di-n-octylphthalate	4.4490E+001	4.4490E+001
RCPTR_40	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	8.2261E-005	8.5297E-005
RCPTR_40	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	2.8994E-013	1.4559E-012
RCPTR_40	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	3.4648E-013	1.7630E-012
RCPTR_40	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	3.3246E-013	1.6978E-012
RCPTR_40	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	4.0587E-009	5.3226E-009
RCPTR_40	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	2.0227E-018	1.0499E-017
RCPTR_40	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	5.0758E-016	2.6443E-015
RCPTR_40	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	6.3044E-016	3.2851E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.9251E-016	1.0010E-015
RCPTR_40	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	3.0954E-016	1.6091E-015
RCPTR_40	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	3.9523E-011	1.3923E-010
RCPTR_40	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	1.7455E-015	9.0532E-015
RCPTR_40	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	5.7388E-016	2.9877E-015
RCPTR_40	farmer_adult	TOCDFLIC	Diethyl phthalate	5.4668E-009	5.7826E-009
RCPTR_40	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.7245E-011	8.7109E-011
RCPTR_40	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	4.2357E-012	2.1892E-011
RCPTR_40	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	4.4133E-012	1.0552E-011
RCPTR_40	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	4.0528E-012	2.0057E-011
RCPTR_40	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	3.0832E-012	1.5477E-011
RCPTR_40	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	8.9461E-014	4.6642E-013
RCPTR_40	farmer_adult	TOCDFLIC	Ethylbenzene	7.5985E-015	3.8068E-014
RCPTR_40	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	7.0528E-009	8.6626E-009
RCPTR_40	farmer_adult	TOCDFLIC	Fluoranthene	2.2249E-008	8.3761E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFLIC	Fluorene	2.6972E-010	1.3546E-009
RCPTR_40	farmer_adult	TOCDFLIC	GB	1.4998E-015	7.8095E-015
RCPTR_40	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	7.6580E-014	8.6747E-014
RCPTR_40	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	9.2531E-014	1.0231E-013
RCPTR_40	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.1924E-013	2.4758E-013
RCPTR_40	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	9.7989E-013	1.0880E-012
RCPTR_40	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	5.5069E-013	6.2953E-013
RCPTR_40	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.6660E-013	5.4360E-013
RCPTR_40	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.9964E-013	3.5524E-013
RCPTR_40	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.9381E-013	3.4803E-013
RCPTR_40	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.4073E-013	4.0305E-013
RCPTR_40	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.4838E-013	2.9401E-013
RCPTR_40	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	5.9292E-012	2.8348E-011
RCPTR_40	farmer_adult	TOCDFLIC	Hexachlorobenzene	1.1870E-008	5.7843E-008
RCPTR_40	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	1.6044E-011	7.5210E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	3.4363E-012	1.7517E-011
RCPTR_40	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_40	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.0477E-004	6.1044E-004
RCPTR_40	farmer_adult	TOCDFLIC	Isophorone	6.4032E-013	3.3349E-012
RCPTR_40	farmer_adult	TOCDFLIC	Lead	2.8241E-006	3.6972E-006
RCPTR_40	farmer_adult	TOCDFLIC	Mercuric chloride	1.1207E-005	1.2427E-005
RCPTR_40	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	3.4946E-017	1.8216E-016
RCPTR_40	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	2.8638E-018	1.4919E-017
RCPTR_40	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.0400E-014	5.4229E-014
RCPTR_40	farmer_adult	TOCDFLIC	Methyl mercury	6.9108E-008	7.5475E-008
RCPTR_40	farmer_adult	TOCDFLIC	Methylene chloride	2.2135E-016	1.1534E-015
RCPTR_40	farmer_adult	TOCDFLIC	Naphthalene	2.7310E-012	1.4067E-011
RCPTR_40	farmer_adult	TOCDFLIC	Nickel	4.0240E-007	4.4551E-007
RCPTR_40	farmer_adult	TOCDFLIC	Nitroaniline, 2-	1.0955E-011	5.6862E-011
RCPTR_40	farmer_adult	TOCDFLIC	Nitroaniline, 3-	2.5995E-012	1.3536E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFLIC	Nitroaniline, 4-	3.3615E-012	1.7488E-011
RCPTR_40	farmer_adult	TOCDFLIC	Nitrobenzene	1.0800E-012	5.6293E-012
RCPTR_40	farmer_adult	TOCDFLIC	Nitrophenol, 2-	4.9202E-013	2.5627E-012
RCPTR_40	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.6932E-011	3.6617E-011
RCPTR_40	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	6.1145E-013	3.1739E-012
RCPTR_40	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	6.0217E-013	3.1185E-012
RCPTR_40	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	5.5085E-014	2.7947E-013
RCPTR_40	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.6305E-013	3.0888E-013
RCPTR_40	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	8.6402E-014	1.0116E-013
RCPTR_40	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.0298E-012	2.2957E-012
RCPTR_40	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	5.3612E-013	6.5203E-013
RCPTR_40	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.1792E-012	1.4297E-012
RCPTR_40	farmer_adult	TOCDFLIC	Pentachlorobenzene	4.6776E-011	2.1234E-010
RCPTR_40	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.8967E-011	8.3733E-011
RCPTR_40	farmer_adult	TOCDFLIC	Pentachlorophenol	2.5201E-008	3.7329E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFLIC	Phenanthrene	8.4709E-013	4.2943E-012
RCPTR_40	farmer_adult	TOCDFLIC	Phenol	8.5803E-013	4.4585E-012
RCPTR_40	farmer_adult	TOCDFLIC	Pronamide	8.4792E-011	4.2478E-010
RCPTR_40	farmer_adult	TOCDFLIC	Pyrene	4.2464E-008	1.7403E-007
RCPTR_40	farmer_adult	TOCDFLIC	Selenium	8.7398E-008	8.8019E-008
RCPTR_40	farmer_adult	TOCDFLIC	Silver	2.9595E-008	3.3393E-008
RCPTR_40	farmer_adult	TOCDFLIC	Styrene	3.1282E-013	1.6240E-012
RCPTR_40	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	6.9286E-013	8.9084E-013
RCPTR_40	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	9.3103E-013	1.2820E-012
RCPTR_40	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	7.1205E-011	3.4265E-010
RCPTR_40	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	8.1192E-012	1.0862E-011
RCPTR_40	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.8527E-015	9.6203E-015
RCPTR_40	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	8.5960E-010	2.3349E-009
RCPTR_40	farmer_adult	TOCDFLIC	Thallium (I)	7.7927E-007	8.4385E-007
RCPTR_40	farmer_adult	TOCDFLIC	Toluene	1.4473E-014	7.4489E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	2.6394E-012	1.3156E-011
RCPTR_40	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	1.1954E-015	6.2170E-015
RCPTR_40	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	9.1293E-015	4.7544E-014
RCPTR_40	farmer_adult	TOCDFLIC	Trichloroethylene	1.4880E-015	7.7277E-015
RCPTR_40	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.9550E-016	1.0156E-015
RCPTR_40	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	3.1688E-010	1.5031E-009
RCPTR_40	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	7.6436E-011	3.0085E-010
RCPTR_40	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	3.3812E-014	1.7596E-013
RCPTR_40	farmer_adult	TOCDFLIC	Vinyl Chloride	5.1990E-019	2.7060E-018
RCPTR_40	farmer_adult	TOCDFLIC	Xylene, m-	4.7885E-014	1.0201E-013
RCPTR_40	farmer_adult	TOCDFLIC	Xylene, o-	2.8170E-014	6.7429E-014
RCPTR_40	farmer_adult	TOCDFLIC	Xylene, p-	5.2477E-014	1.3642E-013
RCPTR_40	farmer_adult	TOCDFLIC	Zinc	1.1282E-007	1.5047E-007
RCPTR_40	farmer_adult	TOCDFMPF	Acenaphthene	2.9019E-010	1.4794E-009
RCPTR_40	farmer_adult	TOCDFMPF	Acetone	8.8042E-016	4.5912E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFMPF	Acetophenone	1.4983E-012	7.8046E-012
RCPTR_40	farmer_adult	TOCDFMPF	Aniline	9.0464E-014	4.6998E-013
RCPTR_40	farmer_adult	TOCDFMPF	Anthracene	5.1299E-009	2.6097E-008
RCPTR_40	farmer_adult	TOCDFMPF	Antimony	1.2068E-008	1.5256E-008
RCPTR_40	farmer_adult	TOCDFMPF	Arsenic	2.9905E-008	3.1408E-008
RCPTR_40	farmer_adult	TOCDFMPF	Barium	4.0192E-009	4.8011E-009
RCPTR_40	farmer_adult	TOCDFMPF	Benzene	7.8808E-016	4.0887E-015
RCPTR_40	farmer_adult	TOCDFMPF	Benzo(a)anthracene	1.6430E-006	2.9071E-006
RCPTR_40	farmer_adult	TOCDFMPF	Benzo(a)pyrene	1.6222E-005	1.7439E-005
RCPTR_40	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	9.2126E-006	1.2398E-005
RCPTR_40	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	2.5549E-005	2.7885E-005
RCPTR_40	farmer_adult	TOCDFMPF	Benzoic acid	1.1856E-011	5.3356E-011
RCPTR_40	farmer_adult	TOCDFMPF	Benzyl alcohol	2.0482E-012	1.0663E-011
RCPTR_40	farmer_adult	TOCDFMPF	Beryllium	6.7084E-009	8.1867E-009
RCPTR_40	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	2.0465E-012	1.0672E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFMPF	Bromodichloromethane	6.9952E-015	3.6444E-014
RCPTR_40	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	2.6387E-013	1.3751E-012
RCPTR_40	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.1541E-007	5.7337E-007
RCPTR_40	farmer_adult	TOCDFMPF	Butylbenzylphthalate	9.4051E-009	1.1459E-008
RCPTR_40	farmer_adult	TOCDFMPF	Cadmium	6.0251E-009	9.1251E-009
RCPTR_40	farmer_adult	TOCDFMPF	Carbon disulfide	1.3759E-015	7.1518E-015
RCPTR_40	farmer_adult	TOCDFMPF	Carbon tetrachloride	2.1823E-015	1.1317E-014
RCPTR_40	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	2.1132E-010	8.6970E-010
RCPTR_40	farmer_adult	TOCDFMPF	Chloroaniline, p-	9.5473E-012	4.9556E-011
RCPTR_40	farmer_adult	TOCDFMPF	Chlorobenzene	1.2809E-014	6.6200E-014
RCPTR_40	farmer_adult	TOCDFMPF	Chloroethane	3.6777E-017	1.8580E-016
RCPTR_40	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.8514E-015	9.6430E-015
RCPTR_40	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	7.5466E-010	3.8659E-009
RCPTR_40	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.6405E-011	1.3764E-010
RCPTR_40	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.1765E-009	4.8283E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFMPF	Chromium	2.3796E-007	2.4679E-007
RCPTR_40	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.5598E-007	1.5980E-007
RCPTR_40	farmer_adult	TOCDFMPF	Chrysene	4.8039E-006	6.4780E-006
RCPTR_40	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	3.7443E-008	4.5348E-008
RCPTR_40	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.9060E+002	1.9060E+002
RCPTR_40	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	3.5234E-004	3.6534E-004
RCPTR_40	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.2421E-012	6.2372E-012
RCPTR_40	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.4843E-012	7.5526E-012
RCPTR_40	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.4243E-012	7.2733E-012
RCPTR_40	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.2741E-008	2.9823E-008
RCPTR_40	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	2.8613E-018	1.4851E-017
RCPTR_40	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	7.1802E-016	3.7406E-015
RCPTR_40	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	8.9180E-016	4.6471E-015
RCPTR_40	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.7232E-016	1.4160E-015
RCPTR_40	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	4.3787E-016	2.2762E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.6932E-010	5.9647E-010
RCPTR_40	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.4691E-015	1.2807E-014
RCPTR_40	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	8.1180E-016	4.2263E-015
RCPTR_40	farmer_adult	TOCDFMPF	Diethyl phthalate	2.3420E-008	2.4773E-008
RCPTR_40	farmer_adult	TOCDFMPF	Dimethyl phthalate	6.2998E-012	3.1821E-011
RCPTR_40	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.8146E-011	9.3786E-011
RCPTR_40	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.8872E-011	4.5121E-011
RCPTR_40	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.7362E-011	8.5922E-011
RCPTR_40	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.3208E-011	6.6304E-011
RCPTR_40	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	3.8325E-013	1.9982E-012
RCPTR_40	farmer_adult	TOCDFMPF	Ethylbenzene	8.0615E-015	4.0388E-014
RCPTR_40	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	7.8398E-009	9.6301E-009
RCPTR_40	farmer_adult	TOCDFMPF	Fluoranthene	9.5312E-008	3.5883E-007
RCPTR_40	farmer_adult	TOCDFMPF	Fluorene	1.1555E-009	5.8032E-009
RCPTR_40	farmer_adult	TOCDFMPF	GB	2.1440E-015	1.1164E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.6183E-013	1.8331E-013
RCPTR_40	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	6.2333E-012	6.8915E-012
RCPTR_40	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.0208E-012	1.1526E-012
RCPTR_40	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.2475E-012	2.4953E-012
RCPTR_40	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.2012E-012	1.3731E-012
RCPTR_40	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.1103E-012	1.2935E-012
RCPTR_40	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.5105E-011	5.3473E-011
RCPTR_40	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.1015E-011	1.3047E-011
RCPTR_40	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.9161E-012	2.2666E-012
RCPTR_40	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.3672E-012	1.6183E-012
RCPTR_40	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.5400E-011	1.2144E-010
RCPTR_40	farmer_adult	TOCDFMPF	Hexachlorobenzene	5.0849E-008	2.4780E-007
RCPTR_40	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	6.8730E-011	3.2220E-010
RCPTR_40	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.4721E-011	7.5043E-011
RCPTR_40	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.5907E-003	2.6150E-003
RCPTR_40	farmer_adult	TOCDFMPF	Isophorone	2.7431E-012	1.4287E-011
RCPTR_40	farmer_adult	TOCDFMPF	Lead	2.2350E-009	2.9260E-009
RCPTR_40	farmer_adult	TOCDFMPF	Mercuric chloride	1.2747E-007	1.4135E-007
RCPTR_40	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	4.2122E-017	2.1956E-016
RCPTR_40	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	1.5075E-018	7.8533E-018
RCPTR_40	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	9.8628E-015	5.1429E-014
RCPTR_40	farmer_adult	TOCDFMPF	Methyl mercury	7.8571E-010	8.5814E-010
RCPTR_40	farmer_adult	TOCDFMPF	Methylene chloride	2.4673E-016	1.2856E-015
RCPTR_40	farmer_adult	TOCDFMPF	Naphthalene	1.1700E-011	6.0265E-011
RCPTR_40	farmer_adult	TOCDFMPF	Nickel	3.1676E-007	3.5069E-007
RCPTR_40	farmer_adult	TOCDFMPF	Nitroaniline, 2-	4.6845E-011	2.4316E-010
RCPTR_40	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.1116E-011	5.7884E-011
RCPTR_40	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.4375E-011	7.4783E-011
RCPTR_40	farmer_adult	TOCDFMPF	Nitrobenzene	4.6267E-012	2.4116E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFMPF	Nitrophenol, 2-	2.1078E-012	1.0979E-011
RCPTR_40	farmer_adult	TOCDFMPF	Nitrophenol, 4-	7.2406E-011	1.5659E-010
RCPTR_40	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.6195E-012	1.3597E-011
RCPTR_40	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.5797E-012	1.3360E-011
RCPTR_40	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.3598E-013	1.1973E-012
RCPTR_40	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.9194E-013	4.6023E-013
RCPTR_40	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	5.4506E-013	6.3816E-013
RCPTR_40	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	8.0497E-012	9.1039E-012
RCPTR_40	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	5.9967E-012	7.2931E-012
RCPTR_40	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.9247E-011	2.3336E-011
RCPTR_40	farmer_adult	TOCDFMPF	Pentachlorobenzene	2.0036E-010	9.0962E-010
RCPTR_40	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	8.1095E-011	3.5805E-010
RCPTR_40	farmer_adult	TOCDFMPF	Pentachlorophenol	1.0777E-007	1.5963E-007
RCPTR_40	farmer_adult	TOCDFMPF	Phenanthrene	3.6289E-012	1.8397E-011
RCPTR_40	farmer_adult	TOCDFMPF	Phenol	3.6758E-012	1.9100E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFMPF	Pronamide	3.6325E-010	1.8198E-009
RCPTR_40	farmer_adult	TOCDFMPF	Pyrene	1.8191E-007	7.4554E-007
RCPTR_40	farmer_adult	TOCDFMPF	Selenium	2.5664E-008	2.5846E-008
RCPTR_40	farmer_adult	TOCDFMPF	Silver	1.1888E-007	1.3413E-007
RCPTR_40	farmer_adult	TOCDFMPF	Styrene	3.3614E-013	1.7450E-012
RCPTR_40	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.9742E-012	2.5383E-012
RCPTR_40	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	3.8306E-012	5.2748E-012
RCPTR_40	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.0504E-010	1.4679E-009
RCPTR_40	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.1486E-011	1.5365E-011
RCPTR_40	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	5.8080E-015	3.0159E-014
RCPTR_40	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	3.6759E-009	9.9848E-009
RCPTR_40	farmer_adult	TOCDFMPF	Thallium (I)	2.3080E-007	2.4992E-007
RCPTR_40	farmer_adult	TOCDFMPF	Toluene	4.0732E-015	2.0964E-014
RCPTR_40	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.1307E-011	5.6359E-011
RCPTR_40	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.6911E-015	8.7944E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.2914E-014	6.7254E-014
RCPTR_40	farmer_adult	TOCDFMPF	Trichloroethylene	2.1048E-015	1.0931E-014
RCPTR_40	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	2.7656E-016	1.4367E-015
RCPTR_40	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.3575E-009	6.4394E-009
RCPTR_40	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	3.2746E-010	1.2889E-009
RCPTR_40	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	4.7830E-014	2.4890E-013
RCPTR_40	farmer_adult	TOCDFMPF	Vinyl Chloride	6.8253E-019	3.5525E-018
RCPTR_40	farmer_adult	TOCDFMPF	Xylene, m-	3.7956E-014	8.0899E-014
RCPTR_40	farmer_adult	TOCDFMPF	Xylene, o-	3.5098E-014	8.4055E-014
RCPTR_40	farmer_adult	TOCDFMPF	Xylene, p-	4.1601E-014	1.0820E-013
RCPTR_40	farmer_adult	TOCDFMPF	Zinc	6.9317E-008	9.2448E-008
RCPTR_40	farmer_adult	TOCDHVAC	GB	1.2544E-014	6.5317E-014
RCPTR_40	farmer_adult	TOCDLIC2	Acenaphthene	1.3979E-010	7.1264E-010
RCPTR_40	farmer_adult	TOCDLIC2	Acetone	1.7302E-015	9.0226E-015
RCPTR_40	farmer_adult	TOCDLIC2	Acetophenone	7.2176E-013	3.7595E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDLIC2	Aniline	4.3577E-014	2.2639E-013
RCPTR_40	farmer_adult	TOCDLIC2	Anthracene	2.4711E-009	1.2571E-008
RCPTR_40	farmer_adult	TOCDLIC2	Antimony	5.3744E-008	6.7943E-008
RCPTR_40	farmer_adult	TOCDLIC2	Arsenic	1.2696E-007	1.3334E-007
RCPTR_40	farmer_adult	TOCDLIC2	Barium	4.1162E-008	4.9170E-008
RCPTR_40	farmer_adult	TOCDLIC2	Benzene	1.1603E-015	6.0198E-015
RCPTR_40	farmer_adult	TOCDLIC2	Benzo(a)anthracene	7.9156E-007	1.4005E-006
RCPTR_40	farmer_adult	TOCDLIC2	Benzo(a)pyrene	7.8162E-006	8.4029E-006
RCPTR_40	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	4.4383E-006	5.9728E-006
RCPTR_40	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.2310E-005	1.3436E-005
RCPTR_40	farmer_adult	TOCDLIC2	Benzoic acid	5.7111E-012	2.5702E-011
RCPTR_40	farmer_adult	TOCDLIC2	Benzyl alcohol	9.8665E-013	5.1364E-012
RCPTR_40	farmer_adult	TOCDLIC2	Beryllium	2.3401E-008	2.8558E-008
RCPTR_40	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	9.8583E-013	5.1408E-012
RCPTR_40	farmer_adult	TOCDLIC2	Bromodichloromethane	1.3091E-014	6.8202E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	3.4135E-013	1.7789E-012
RCPTR_40	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	5.5592E-008	2.7620E-007
RCPTR_40	farmer_adult	TOCDLIC2	Butylbenzylphthalate	4.5325E-009	5.5217E-009
RCPTR_40	farmer_adult	TOCDLIC2	Cadmium	1.5590E-009	2.3612E-009
RCPTR_40	farmer_adult	TOCDLIC2	Carbon disulfide	1.4778E-015	7.6816E-015
RCPTR_40	farmer_adult	TOCDLIC2	Carbon tetrachloride	2.3480E-015	1.2176E-014
RCPTR_40	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.0179E-010	4.1894E-010
RCPTR_40	farmer_adult	TOCDLIC2	Chloroaniline, p-	4.5990E-012	2.3872E-011
RCPTR_40	farmer_adult	TOCDLIC2	Chlorobenzene	1.3781E-014	7.1225E-014
RCPTR_40	farmer_adult	TOCDLIC2	Chloroethane	3.9569E-017	1.9990E-016
RCPTR_40	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	4.2010E-015	2.1880E-014
RCPTR_40	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	3.6352E-010	1.8622E-009
RCPTR_40	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.2720E-011	6.6303E-011
RCPTR_40	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	5.6676E-010	2.3259E-009
RCPTR_40	farmer_adult	TOCDLIC2	Chromium	1.2254E-006	1.2708E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDLIC2	Chromium, hexavalent	8.0324E-007	8.2290E-007
RCPTR_40	farmer_adult	TOCDLIC2	Chrysene	2.3143E-006	3.1208E-006
RCPTR_40	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.8037E-008	2.1845E-008
RCPTR_40	farmer_adult	TOCDLIC2	Di-n-octylphthalate	9.1811E+001	9.1811E+001
RCPTR_40	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	1.6976E-004	1.7602E-004
RCPTR_40	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	5.9834E-013	3.0045E-012
RCPTR_40	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	7.1501E-013	3.6381E-012
RCPTR_40	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	6.8607E-013	3.5036E-012
RCPTR_40	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	9.7603E-009	1.2799E-008
RCPTR_40	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	3.0785E-018	1.5979E-017
RCPTR_40	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	7.7252E-016	4.0246E-015
RCPTR_40	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	9.5950E-016	4.9998E-015
RCPTR_40	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	2.9299E-016	1.5235E-015
RCPTR_40	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	4.7111E-016	2.4490E-015
RCPTR_40	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	8.1561E-011	2.8732E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	2.6565E-015	1.3779E-014
RCPTR_40	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	8.7342E-016	4.5472E-015
RCPTR_40	farmer_adult	TOCDLIC2	Diethyl phthalate	1.1281E-008	1.1933E-008
RCPTR_40	farmer_adult	TOCDLIC2	Dimethyl phthalate	2.1122E-011	1.0669E-010
RCPTR_40	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	8.7408E-012	4.5177E-011
RCPTR_40	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	9.1309E-012	2.1831E-011
RCPTR_40	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	8.3636E-012	4.1390E-011
RCPTR_40	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	6.3625E-012	3.1939E-011
RCPTR_40	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.8461E-013	9.6253E-013
RCPTR_40	farmer_adult	TOCDLIC2	Ethylbenzene	9.8368E-015	4.9282E-014
RCPTR_40	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	4.7221E-009	5.8000E-009
RCPTR_40	farmer_adult	TOCDLIC2	Fluoranthene	4.5914E-008	1.7285E-007
RCPTR_40	farmer_adult	TOCDLIC2	Fluorene	5.5660E-010	2.7954E-009
RCPTR_40	farmer_adult	TOCDLIC2	GB	1.5592E-015	8.1188E-015
RCPTR_40	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	5.3751E-013	6.0886E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	5.0542E-013	5.5882E-013
RCPTR_40	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.7851E-013	5.4036E-013
RCPTR_40	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.4710E-012	1.6333E-012
RCPTR_40	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.0387E-012	1.1874E-012
RCPTR_40	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	9.9485E-013	1.1590E-012
RCPTR_40	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	9.6422E-013	1.1431E-012
RCPTR_40	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.8181E-013	6.8917E-013
RCPTR_40	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.2006E-013	6.1519E-013
RCPTR_40	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	5.9513E-013	7.0446E-013
RCPTR_40	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.2236E-011	5.8500E-011
RCPTR_40	farmer_adult	TOCDLIC2	Hexachlorobenzene	2.4494E-008	1.1937E-007
RCPTR_40	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	3.3109E-011	1.5521E-010
RCPTR_40	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	7.0913E-012	3.6148E-011
RCPTR_40	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_40	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.2480E-003	1.2597E-003

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDLIC2	Isophorone	1.3214E-012	6.8820E-012
RCPTR_40	farmer_adult	TOCDLIC2	Lead	2.0361E-007	2.6657E-007
RCPTR_40	farmer_adult	TOCDLIC2	Mercuric chloride	1.1207E-005	1.2427E-005
RCPTR_40	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	4.5709E-017	2.3826E-016
RCPTR_40	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.8229E-018	9.4967E-018
RCPTR_40	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.0251E-014	5.3450E-014
RCPTR_40	farmer_adult	TOCDLIC2	Methyl mercury	6.9108E-008	7.5475E-008
RCPTR_40	farmer_adult	TOCDLIC2	Methylene chloride	8.0517E-016	4.1955E-015
RCPTR_40	farmer_adult	TOCDLIC2	Naphthalene	5.6357E-012	2.9030E-011
RCPTR_40	farmer_adult	TOCDLIC2	Nickel	1.3988E-007	1.5486E-007
RCPTR_40	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.2665E-011	1.1765E-010
RCPTR_40	farmer_adult	TOCDLIC2	Nitroaniline, 3-	5.3782E-012	2.8006E-011
RCPTR_40	farmer_adult	TOCDLIC2	Nitroaniline, 4-	6.9548E-012	3.6182E-011
RCPTR_40	farmer_adult	TOCDLIC2	Nitrobenzene	2.2287E-012	1.1617E-011
RCPTR_40	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.0154E-012	5.2886E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDLIC2	Nitrophenol, 4-	3.5031E-011	7.5760E-011
RCPTR_40	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.2618E-012	6.5499E-012
RCPTR_40	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.2427E-012	6.4354E-012
RCPTR_40	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.1368E-013	5.7673E-013
RCPTR_40	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	8.8323E-013	1.0371E-012
RCPTR_40	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.9224E-013	3.4217E-013
RCPTR_40	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.7956E-012	4.2927E-012
RCPTR_40	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.1344E-012	1.3797E-012
RCPTR_40	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.1381E-012	3.8049E-012
RCPTR_40	farmer_adult	TOCDLIC2	Pentachlorobenzene	9.6529E-011	4.3818E-010
RCPTR_40	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	3.9242E-011	1.7324E-010
RCPTR_40	farmer_adult	TOCDLIC2	Pentachlorophenol	5.2140E-008	7.7232E-008
RCPTR_40	farmer_adult	TOCDLIC2	Phenanthrene	1.7481E-012	8.8618E-012
RCPTR_40	farmer_adult	TOCDLIC2	Phenol	1.8721E-012	9.7276E-012
RCPTR_40	farmer_adult	TOCDLIC2	Pronamide	1.7498E-010	8.7660E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDLIC2	Pyrene	8.7630E-008	3.5913E-007
RCPTR_40	farmer_adult	TOCDLIC2	Selenium	8.7398E-008	8.8019E-008
RCPTR_40	farmer_adult	TOCDLIC2	Silver	2.9595E-008	3.3393E-008
RCPTR_40	farmer_adult	TOCDLIC2	Styrene	2.6206E-013	1.3605E-012
RCPTR_40	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	2.0085E-012	2.5824E-012
RCPTR_40	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.6677E-012	2.2964E-012
RCPTR_40	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.4694E-010	7.0710E-010
RCPTR_40	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.2357E-011	1.6531E-011
RCPTR_40	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.8197E-015	1.4642E-014
RCPTR_40	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.7785E-009	4.8309E-009
RCPTR_40	farmer_adult	TOCDLIC2	Thallium (I)	7.7927E-007	8.4385E-007
RCPTR_40	farmer_adult	TOCDLIC2	Toluene	1.5234E-014	7.8410E-014
RCPTR_40	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	5.4468E-012	2.7148E-011
RCPTR_40	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.8194E-015	9.4620E-015
RCPTR_40	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.3894E-014	7.2360E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_adult	TOCDLIC2	Trichloroethylene	2.2646E-015	1.1761E-014
RCPTR_40	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.9755E-016	1.5458E-015
RCPTR_40	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	6.5392E-010	3.1019E-009
RCPTR_40	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.5774E-010	6.2085E-010
RCPTR_40	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	5.1460E-014	2.6780E-013
RCPTR_40	farmer_adult	TOCDLIC2	Vinyl Chloride	8.6775E-019	4.5166E-018
RCPTR_40	farmer_adult	TOCDLIC2	Xylene, m-	5.5588E-014	1.1842E-013
RCPTR_40	farmer_adult	TOCDLIC2	Xylene, o-	3.7795E-014	9.0468E-014
RCPTR_40	farmer_adult	TOCDLIC2	Xylene, p-	6.0919E-014	1.5837E-013
RCPTR_40	farmer_adult	TOCDLIC2	Zinc	1.3471E-007	1.7966E-007
RCPTR_40	farmer_child	TOCDFBRA	Antimony	2.9036E-007	2.9977E-007
RCPTR_40	farmer_child	TOCDFBRA	Arsenic	4.0301E-007	4.0489E-007
RCPTR_40	farmer_child	TOCDFBRA	Barium	3.7901E-008	3.8766E-008
RCPTR_40	farmer_child	TOCDFBRA	Beryllium	1.2270E-007	1.4483E-007
RCPTR_40	farmer_child	TOCDFBRA	Cadmium	2.5977E-008	2.8304E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFBRA	Chromium	2.9413E-006	3.6132E-006
RCPTR_40	farmer_child	TOCDFBRA	Chromium, hexavalent	2.3351E-006	2.3386E-006
RCPTR_40	farmer_child	TOCDFBRA	Lead	1.3844E-006	1.7612E-006
RCPTR_40	farmer_child	TOCDFBRA	Mercuric chloride	2.5537E-004	4.6945E-004
RCPTR_40	farmer_child	TOCDFBRA	Methyl mercury	2.3641E-006	2.9946E-006
RCPTR_40	farmer_child	TOCDFBRA	Nickel	1.3776E-006	1.4066E-006
RCPTR_40	farmer_child	TOCDFBRA	Selenium	4.3510E-007	4.3515E-007
RCPTR_40	farmer_child	TOCDFBRA	Silver	1.6572E-007	1.6625E-007
RCPTR_40	farmer_child	TOCDFBRA	Thallium (I)	4.2029E-006	4.2784E-006
RCPTR_40	farmer_child	TOCDFBRA	Zinc	8.6432E-007	9.1083E-007
RCPTR_40	farmer_child	TOCDFDFS	Acenaphthene	6.1076E-010	6.1293E-010
RCPTR_40	farmer_child	TOCDFDFS	Acetone	7.6704E-015	7.6704E-015
RCPTR_40	farmer_child	TOCDFDFS	Acetophenone	3.3944E-012	3.3951E-012
RCPTR_40	farmer_child	TOCDFDFS	Aniline	1.9471E-013	1.9471E-013
RCPTR_40	farmer_child	TOCDFDFS	Anthracene	1.0460E-008	1.0812E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFDFS	Antimony	2.8153E-006	2.9064E-006
RCPTR_40	farmer_child	TOCDFDFS	Aroclor 1254	6.1141E-011	6.1565E-011
RCPTR_40	farmer_child	TOCDFDFS	Arsenic	2.2097E-007	2.2200E-007
RCPTR_40	farmer_child	TOCDFDFS	Barium	7.3065E-009	7.4731E-009
RCPTR_40	farmer_child	TOCDFDFS	Benzene	6.3431E-015	6.3431E-015
RCPTR_40	farmer_child	TOCDFDFS	Benzo(a)anthracene	1.0242E-006	1.2067E-006
RCPTR_40	farmer_child	TOCDFDFS	Benzo(a)pyrene	7.1093E-006	7.2645E-006
RCPTR_40	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	4.7056E-006	5.1465E-006
RCPTR_40	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	1.1019E-005	1.1618E-005
RCPTR_40	farmer_child	TOCDFDFS	Benzoic acid	2.2102E-011	2.2105E-011
RCPTR_40	farmer_child	TOCDFDFS	Benzyl alcohol	4.4154E-012	4.4177E-012
RCPTR_40	farmer_child	TOCDFDFS	Beryllium	6.5109E-008	7.6846E-008
RCPTR_40	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	4.4196E-012	4.4214E-012
RCPTR_40	farmer_child	TOCDFDFS	Bromodichloromethane	5.0029E-014	5.0029E-014
RCPTR_40	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.9882E-012	1.9884E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.7171E-007	2.3755E-007
RCPTR_40	farmer_child	TOCDFDFS	Butylbenzylphthalate	4.7775E-009	4.7812E-009
RCPTR_40	farmer_child	TOCDFDFS	Cadmium	6.9378E-008	7.5587E-008
RCPTR_40	farmer_child	TOCDFDFS	Carbon disulfide	3.3157E-015	3.3157E-015
RCPTR_40	farmer_child	TOCDFDFS	Carbon tetrachloride	1.6548E-014	1.6548E-014
RCPTR_40	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	3.5855E-010	3.6030E-010
RCPTR_40	farmer_child	TOCDFDFS	Chloroaniline, p-	2.0509E-011	2.0531E-011
RCPTR_40	farmer_child	TOCDFDFS	Chlorobenzene	9.6797E-014	9.6797E-014
RCPTR_40	farmer_child	TOCDFDFS	Chloroethane	2.7167E-016	2.7167E-016
RCPTR_40	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	1.4983E-014	1.4983E-014
RCPTR_40	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.5886E-009	1.6017E-009
RCPTR_40	farmer_child	TOCDFDFS	Chlorophenol, 2-	5.6896E-011	5.7026E-011
RCPTR_40	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.9937E-009	2.0007E-009
RCPTR_40	farmer_child	TOCDFDFS	Chromium	8.3869E-007	1.0301E-006
RCPTR_40	farmer_child	TOCDFDFS	Chromium, hexavalent	6.6597E-007	6.6699E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFDFS	Chrysene	2.3883E-006	2.6889E-006
RCPTR_40	farmer_child	TOCDFDFS	Di-n-butyl phthalate	1.8761E-008	1.8797E-008
RCPTR_40	farmer_child	TOCDFDFS	Di-n-octylphthalate	7.8896E+001	7.8896E+001
RCPTR_40	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.5000E-004	1.5241E-004
RCPTR_40	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	2.5840E-012	2.5841E-012
RCPTR_40	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	3.1290E-012	3.1291E-012
RCPTR_40	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	3.0132E-012	3.0133E-012
RCPTR_40	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.8203E-008	1.8304E-008
RCPTR_40	farmer_child	TOCDFDFS	Dichlorodifluoromethane	2.1716E-017	2.1716E-017
RCPTR_40	farmer_child	TOCDFDFS	Dichloroethane 1,1-	5.4695E-015	5.4695E-015
RCPTR_40	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	6.7949E-015	6.7950E-015
RCPTR_40	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	2.0705E-015	2.0705E-015
RCPTR_40	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	3.3283E-015	3.3283E-015
RCPTR_40	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.4631E-010	2.4709E-010
RCPTR_40	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	1.8726E-014	1.8726E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	6.1798E-015	6.1798E-015
RCPTR_40	farmer_child	TOCDFDFS	Diethyl phthalate	1.0254E-008	1.0255E-008
RCPTR_40	farmer_child	TOCDFDFS	Dimethyl phthalate	8.5620E-011	8.5696E-011
RCPTR_40	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	3.8806E-011	3.8856E-011
RCPTR_40	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.8503E-011	1.8506E-011
RCPTR_40	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	3.5543E-011	3.5601E-011
RCPTR_40	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	2.7432E-011	2.7471E-011
RCPTR_40	farmer_child	TOCDFDFS	Ethyl methanesulfonate	8.2763E-013	8.2785E-013
RCPTR_40	farmer_child	TOCDFDFS	Ethylbenzene	5.9055E-014	5.9055E-014
RCPTR_40	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.8830E-010	4.8961E-010
RCPTR_40	farmer_child	TOCDFDFS	Fluoranthene	1.2653E-007	1.4870E-007
RCPTR_40	farmer_child	TOCDFDFS	Fluorene	2.3786E-009	2.4043E-009
RCPTR_40	farmer_child	TOCDFDFS	GB	2.2261E-014	2.2267E-014
RCPTR_40	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.2864E-013	1.4196E-013
RCPTR_40	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.7470E-014	7.3057E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.2676E-013	2.4957E-013
RCPTR_40	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.2915E-012	1.4030E-012
RCPTR_40	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	6.8871E-013	7.6497E-013
RCPTR_40	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	5.9217E-013	6.6726E-013
RCPTR_40	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.6864E-013	5.3492E-013
RCPTR_40	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.1741E-013	4.7625E-013
RCPTR_40	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.6106E-013	6.3943E-013
RCPTR_40	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.8572E-013	4.3981E-013
RCPTR_40	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	5.0314E-011	5.0319E-011
RCPTR_40	farmer_child	TOCDFDFS	Hexachlorobenzene	9.6585E-008	1.0267E-007
RCPTR_40	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	6.6071E-010	6.6084E-010
RCPTR_40	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.1085E-011	3.1090E-011
RCPTR_40	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_40	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.0812E-003	1.0851E-003
RCPTR_40	farmer_child	TOCDFDFS	Isophorone	5.9168E-012	5.9190E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFDFS	Lead	7.9499E-006	1.0112E-005
RCPTR_40	farmer_child	TOCDFDFS	Mercuric chloride	8.1518E-008	1.5077E-007
RCPTR_40	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	5.7905E-016	5.7905E-016
RCPTR_40	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	9.8027E-017	9.8027E-017
RCPTR_40	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	5.1475E-014	5.1475E-014
RCPTR_40	farmer_child	TOCDFDFS	Methyl mercury	7.1869E-010	9.2265E-010
RCPTR_40	farmer_child	TOCDFDFS	Methylene chloride	1.4879E-015	1.4879E-015
RCPTR_40	farmer_child	TOCDFDFS	Naphthalene	2.4961E-011	2.4968E-011
RCPTR_40	farmer_child	TOCDFDFS	Nickel	7.8571E-007	8.0224E-007
RCPTR_40	farmer_child	TOCDFDFS	Nitroaniline, 2-	9.9624E-011	9.9733E-011
RCPTR_40	farmer_child	TOCDFDFS	Nitroaniline, 3-	2.3732E-011	2.3742E-011
RCPTR_40	farmer_child	TOCDFDFS	Nitroaniline, 4-	3.0657E-011	3.0673E-011
RCPTR_40	farmer_child	TOCDFDFS	Nitrobenzene	9.9858E-012	9.9913E-012
RCPTR_40	farmer_child	TOCDFDFS	Nitrophenol, 2-	4.5474E-012	4.5486E-012
RCPTR_40	farmer_child	TOCDFDFS	Nitrophenol, 4-	6.4188E-011	6.4207E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	5.6324E-012	5.6334E-012
RCPTR_40	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	5.5344E-012	5.5349E-012
RCPTR_40	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	4.9609E-013	4.9611E-013
RCPTR_40	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	3.2488E-013	3.6841E-013
RCPTR_40	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.1131E-013	1.2597E-013
RCPTR_40	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.3061E-012	3.6379E-012
RCPTR_40	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.7999E-013	3.2541E-013
RCPTR_40	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.1090E-012	1.2867E-012
RCPTR_40	farmer_child	TOCDFDFS	Pentachlorobenzene	3.7692E-010	3.7708E-010
RCPTR_40	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.4695E-010	1.4696E-010
RCPTR_40	farmer_child	TOCDFDFS	Pentachlorophenol	6.5267E-008	6.5439E-008
RCPTR_40	farmer_child	TOCDFDFS	Phenanthrene	7.6217E-012	7.6219E-012
RCPTR_40	farmer_child	TOCDFDFS	Phenol	7.9083E-012	7.9133E-012
RCPTR_40	farmer_child	TOCDFDFS	Pronamide	1.4969E-009	1.5079E-009
RCPTR_40	farmer_child	TOCDFDFS	Pyrene	2.0827E-007	3.0890E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFDFS	Selenium	2.3858E-007	2.3860E-007
RCPTR_40	farmer_child	TOCDFDFS	Silver	9.2298E-008	9.2594E-008
RCPTR_40	farmer_child	TOCDFDFS	Styrene	1.6152E-012	1.6152E-012
RCPTR_40	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.5609E-012	1.8863E-012
RCPTR_40	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	5.1195E-013	6.4952E-013
RCPTR_40	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	6.0730E-010	6.0815E-010
RCPTR_40	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	2.2453E-011	2.2453E-011
RCPTR_40	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.9899E-014	1.9899E-014
RCPTR_40	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	4.0868E-009	4.0947E-009
RCPTR_40	farmer_child	TOCDFDFS	Thallium (I)	2.2306E-006	2.2707E-006
RCPTR_40	farmer_child	TOCDFDFS	Toluene	2.6790E-014	2.6790E-014
RCPTR_40	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.3347E-011	2.3350E-011
RCPTR_40	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	1.2859E-014	1.2859E-014
RCPTR_40	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	9.8338E-014	9.8339E-014
RCPTR_40	farmer_child	TOCDFDFS	Trichloroethylene	1.5984E-014	1.5984E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	2.1008E-015	2.1008E-015
RCPTR_40	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	2.6236E-009	2.6678E-009
RCPTR_40	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	5.3204E-010	5.3394E-010
RCPTR_40	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	3.6393E-013	3.6395E-013
RCPTR_40	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	4.2398E-012	4.2438E-012
RCPTR_40	farmer_child	TOCDFDFS	Vinyl Chloride	5.1945E-018	5.1945E-018
RCPTR_40	farmer_child	TOCDFDFS	Xylene, m-	1.1935E-013	1.1935E-013
RCPTR_40	farmer_child	TOCDFDFS	Xylene, o-	1.2380E-013	1.2380E-013
RCPTR_40	farmer_child	TOCDFDFS	Xylene, p-	1.5920E-013	1.5920E-013
RCPTR_40	farmer_child	TOCDFDFS	Zinc	5.5378E-007	5.8355E-007
RCPTR_40	farmer_child	TOCDFLIC	Acenaphthene	3.4411E-010	3.4533E-010
RCPTR_40	farmer_child	TOCDFLIC	Acetone	9.1175E-015	9.1175E-015
RCPTR_40	farmer_child	TOCDFLIC	Acetophenone	3.2785E-012	3.2792E-012
RCPTR_40	farmer_child	TOCDFLIC	Aniline	1.0970E-013	1.0971E-013
RCPTR_40	farmer_child	TOCDFLIC	Anthracene	5.8933E-009	6.0918E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFLIC	Antimony	4.9467E-008	5.1068E-008
RCPTR_40	farmer_child	TOCDFLIC	Arsenic	1.3272E-007	1.3334E-007
RCPTR_40	farmer_child	TOCDFLIC	Barium	4.9888E-009	5.1025E-009
RCPTR_40	farmer_child	TOCDFLIC	Benzene	8.3650E-014	8.3650E-014
RCPTR_40	farmer_child	TOCDFLIC	Benzo(a)anthracene	5.7593E-007	6.7865E-007
RCPTR_40	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.9853E-006	4.0719E-006
RCPTR_40	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.6462E-006	2.8943E-006
RCPTR_40	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	6.1782E-006	6.5109E-006
RCPTR_40	farmer_child	TOCDFLIC	Benzoic acid	1.3359E-011	1.3360E-011
RCPTR_40	farmer_child	TOCDFLIC	Benzyl alcohol	2.4877E-012	2.4890E-012
RCPTR_40	farmer_child	TOCDFLIC	Beryllium	2.4196E-008	2.8558E-008
RCPTR_40	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	2.4901E-012	2.4911E-012
RCPTR_40	farmer_child	TOCDFLIC	Bromodichloromethane	2.2274E-014	2.2274E-014
RCPTR_40	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	7.6717E-013	7.6724E-013
RCPTR_40	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	9.6743E-008	1.3384E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.6736E-009	2.6757E-009
RCPTR_40	farmer_child	TOCDFLIC	Cadmium	1.9073E-008	2.0780E-008
RCPTR_40	farmer_child	TOCDFLIC	Carbon disulfide	5.0688E-015	5.0688E-015
RCPTR_40	farmer_child	TOCDFLIC	Carbon tetrachloride	8.0002E-015	8.0002E-015
RCPTR_40	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	2.0203E-010	2.0301E-010
RCPTR_40	farmer_child	TOCDFLIC	Chloroaniline, p-	1.1555E-011	1.1568E-011
RCPTR_40	farmer_child	TOCDFLIC	Chlorobenzene	4.6798E-014	4.6798E-014
RCPTR_40	farmer_child	TOCDFLIC	Chloroethane	1.3135E-016	1.3135E-016
RCPTR_40	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	7.0866E-015	7.0866E-015
RCPTR_40	farmer_child	TOCDFLIC	Chloronaphthalene,2-	8.9506E-010	9.0240E-010
RCPTR_40	farmer_child	TOCDFLIC	Chlorophenol, 2-	3.2056E-011	3.2129E-011
RCPTR_40	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.1231E-009	1.1271E-009
RCPTR_40	farmer_child	TOCDFLIC	Chromium	1.0347E-006	1.2708E-006
RCPTR_40	farmer_child	TOCDFLIC	Chromium, hexavalent	8.2165E-007	8.2290E-007
RCPTR_40	farmer_child	TOCDFLIC	Chrysene	1.3432E-006	1.5123E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.0566E-008	1.0586E-008
RCPTR_40	farmer_child	TOCDFLIC	Di-n-octylphthalate	4.4490E+001	4.4490E+001
RCPTR_40	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	8.3985E-005	8.5297E-005
RCPTR_40	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	1.4559E-012	1.4559E-012
RCPTR_40	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	1.7629E-012	1.7630E-012
RCPTR_40	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	1.6977E-012	1.6978E-012
RCPTR_40	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	5.2930E-009	5.3226E-009
RCPTR_40	farmer_child	TOCDFLIC	Dichlorodifluoromethane	1.0499E-017	1.0499E-017
RCPTR_40	farmer_child	TOCDFLIC	Dichloroethane 1,1-	2.6443E-015	2.6443E-015
RCPTR_40	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	3.2851E-015	3.2851E-015
RCPTR_40	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	1.0010E-015	1.0010E-015
RCPTR_40	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.6091E-015	1.6091E-015
RCPTR_40	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	1.3879E-010	1.3923E-010
RCPTR_40	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	9.0532E-015	9.0532E-015
RCPTR_40	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	2.9877E-015	2.9877E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFLIC	Diethyl phthalate	5.7817E-009	5.7826E-009
RCPTR_40	farmer_child	TOCDFLIC	Dimethyl phthalate	8.7032E-011	8.7109E-011
RCPTR_40	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	2.1864E-011	2.1892E-011
RCPTR_40	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	1.0550E-011	1.0552E-011
RCPTR_40	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	2.0024E-011	2.0057E-011
RCPTR_40	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	1.5455E-011	1.5477E-011
RCPTR_40	farmer_child	TOCDFLIC	Ethyl methanesulfonate	4.6630E-013	4.6642E-013
RCPTR_40	farmer_child	TOCDFLIC	Ethylbenzene	3.8068E-014	3.8068E-014
RCPTR_40	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	8.6392E-009	8.6626E-009
RCPTR_40	farmer_child	TOCDFLIC	Fluoranthene	7.1274E-008	8.3761E-008
RCPTR_40	farmer_child	TOCDFLIC	Fluorene	1.3401E-009	1.3546E-009
RCPTR_40	farmer_child	TOCDFLIC	GB	7.8075E-015	7.8095E-015
RCPTR_40	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	7.8666E-014	8.6747E-014
RCPTR_40	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	9.4557E-014	1.0231E-013
RCPTR_40	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.2511E-013	2.4758E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.0021E-012	1.0880E-012
RCPTR_40	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	5.6715E-013	6.2953E-013
RCPTR_40	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.8267E-013	5.4360E-013
RCPTR_40	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.1130E-013	3.5524E-013
RCPTR_40	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.0511E-013	3.4803E-013
RCPTR_40	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.5375E-013	4.0305E-013
RCPTR_40	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.5791E-013	2.9401E-013
RCPTR_40	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.8345E-011	2.8348E-011
RCPTR_40	farmer_child	TOCDFLIC	Hexachlorobenzene	5.4416E-008	5.7843E-008
RCPTR_40	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	7.5194E-011	7.5210E-011
RCPTR_40	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.7514E-011	1.7517E-011
RCPTR_40	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_40	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.0830E-004	6.1044E-004
RCPTR_40	farmer_child	TOCDFLIC	Isophorone	3.3336E-012	3.3349E-012
RCPTR_40	farmer_child	TOCDFLIC	Lead	2.9069E-006	3.6972E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFLIC	Mercuric chloride	6.7116E-006	1.2427E-005
RCPTR_40	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	1.8216E-016	1.8216E-016
RCPTR_40	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.4919E-017	1.4919E-017
RCPTR_40	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	5.4229E-014	5.4229E-014
RCPTR_40	farmer_child	TOCDFLIC	Methyl mercury	5.8643E-008	7.5475E-008
RCPTR_40	farmer_child	TOCDFLIC	Methylene chloride	1.1534E-015	1.1534E-015
RCPTR_40	farmer_child	TOCDFLIC	Naphthalene	1.4063E-011	1.4067E-011
RCPTR_40	farmer_child	TOCDFLIC	Nickel	4.3632E-007	4.4551E-007
RCPTR_40	farmer_child	TOCDFLIC	Nitroaniline, 2-	5.6800E-011	5.6862E-011
RCPTR_40	farmer_child	TOCDFLIC	Nitroaniline, 3-	1.3531E-011	1.3536E-011
RCPTR_40	farmer_child	TOCDFLIC	Nitroaniline, 4-	1.7479E-011	1.7488E-011
RCPTR_40	farmer_child	TOCDFLIC	Nitrobenzene	5.6262E-012	5.6293E-012
RCPTR_40	farmer_child	TOCDFLIC	Nitrophenol, 2-	2.5621E-012	2.5627E-012
RCPTR_40	farmer_child	TOCDFLIC	Nitrophenol, 4-	3.6607E-011	3.6617E-011
RCPTR_40	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	3.1734E-012	3.1739E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	3.1182E-012	3.1185E-012
RCPTR_40	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	2.7946E-013	2.7947E-013
RCPTR_40	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.7248E-013	3.0888E-013
RCPTR_40	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	8.9426E-014	1.0116E-013
RCPTR_40	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.0872E-012	2.2957E-012
RCPTR_40	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	5.6104E-013	6.5203E-013
RCPTR_40	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.2324E-012	1.4297E-012
RCPTR_40	farmer_child	TOCDFLIC	Pentachlorobenzene	2.1225E-010	2.1234E-010
RCPTR_40	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	8.3728E-011	8.3733E-011
RCPTR_40	farmer_child	TOCDFLIC	Pentachlorophenol	3.7231E-008	3.7329E-008
RCPTR_40	farmer_child	TOCDFLIC	Phenanthrene	4.2942E-012	4.2943E-012
RCPTR_40	farmer_child	TOCDFLIC	Phenol	4.4557E-012	4.4585E-012
RCPTR_40	farmer_child	TOCDFLIC	Pronamide	4.2169E-010	4.2478E-010
RCPTR_40	farmer_child	TOCDFLIC	Pyrene	1.1733E-007	1.7403E-007
RCPTR_40	farmer_child	TOCDFLIC	Selenium	8.8008E-008	8.8019E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFLIC	Silver	3.3286E-008	3.3393E-008
RCPTR_40	farmer_child	TOCDFLIC	Styrene	1.6239E-012	1.6240E-012
RCPTR_40	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	7.3703E-013	8.9084E-013
RCPTR_40	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	1.0102E-012	1.2820E-012
RCPTR_40	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	3.4216E-010	3.4265E-010
RCPTR_40	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	1.0861E-011	1.0862E-011
RCPTR_40	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	9.6203E-015	9.6203E-015
RCPTR_40	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	2.3304E-009	2.3349E-009
RCPTR_40	farmer_child	TOCDFLIC	Thallium (I)	8.2896E-007	8.4385E-007
RCPTR_40	farmer_child	TOCDFLIC	Toluene	7.4489E-014	7.4489E-014
RCPTR_40	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.3154E-011	1.3156E-011
RCPTR_40	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	6.2170E-015	6.2170E-015
RCPTR_40	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	4.7543E-014	4.7544E-014
RCPTR_40	farmer_child	TOCDFLIC	Trichloroethylene	7.7277E-015	7.7277E-015
RCPTR_40	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.0156E-015	1.0156E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	1.4782E-009	1.5031E-009
RCPTR_40	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	2.9978E-010	3.0085E-010
RCPTR_40	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	1.7595E-013	1.7596E-013
RCPTR_40	farmer_child	TOCDFLIC	Vinyl Chloride	2.7060E-018	2.7060E-018
RCPTR_40	farmer_child	TOCDFLIC	Xylene, m-	1.0201E-013	1.0201E-013
RCPTR_40	farmer_child	TOCDFLIC	Xylene, o-	6.7429E-014	6.7429E-014
RCPTR_40	farmer_child	TOCDFLIC	Xylene, p-	1.3642E-013	1.3642E-013
RCPTR_40	farmer_child	TOCDFLIC	Zinc	1.4279E-007	1.5047E-007
RCPTR_40	farmer_child	TOCDFMPF	Acenaphthene	1.4742E-009	1.4794E-009
RCPTR_40	farmer_child	TOCDFMPF	Acetone	4.5912E-015	4.5912E-015
RCPTR_40	farmer_child	TOCDFMPF	Acetophenone	7.8029E-012	7.8046E-012
RCPTR_40	farmer_child	TOCDFMPF	Aniline	4.6997E-013	4.6998E-013
RCPTR_40	farmer_child	TOCDFMPF	Anthracene	2.5247E-008	2.6097E-008
RCPTR_40	farmer_child	TOCDFMPF	Antimony	1.4778E-008	1.5256E-008
RCPTR_40	farmer_child	TOCDFMPF	Arsenic	3.1262E-008	3.1408E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFMPF	Barium	4.6941E-009	4.8011E-009
RCPTR_40	farmer_child	TOCDFMPF	Benzene	4.0887E-015	4.0887E-015
RCPTR_40	farmer_child	TOCDFMPF	Benzo(a)anthracene	2.4670E-006	2.9071E-006
RCPTR_40	farmer_child	TOCDFMPF	Benzo(a)pyrene	1.7068E-005	1.7439E-005
RCPTR_40	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	1.1335E-005	1.2398E-005
RCPTR_40	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	2.6461E-005	2.7885E-005
RCPTR_40	farmer_child	TOCDFMPF	Benzoic acid	5.3350E-011	5.3356E-011
RCPTR_40	farmer_child	TOCDFMPF	Benzyl alcohol	1.0658E-011	1.0663E-011
RCPTR_40	farmer_child	TOCDFMPF	Beryllium	6.9364E-009	8.1867E-009
RCPTR_40	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.0668E-011	1.0672E-011
RCPTR_40	farmer_child	TOCDFMPF	Bromodichloromethane	3.6444E-014	3.6444E-014
RCPTR_40	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.3750E-012	1.3751E-012
RCPTR_40	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	4.1445E-007	5.7337E-007
RCPTR_40	farmer_child	TOCDFMPF	Butylbenzylphthalate	1.1450E-008	1.1459E-008
RCPTR_40	farmer_child	TOCDFMPF	Cadmium	8.3756E-009	9.1251E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFMPF	Carbon disulfide	7.1518E-015	7.1518E-015
RCPTR_40	farmer_child	TOCDFMPF	Carbon tetrachloride	1.1317E-014	1.1317E-014
RCPTR_40	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	8.6548E-010	8.6970E-010
RCPTR_40	farmer_child	TOCDFMPF	Chloroaniline, p-	4.9502E-011	4.9556E-011
RCPTR_40	farmer_child	TOCDFMPF	Chlorobenzene	6.6200E-014	6.6200E-014
RCPTR_40	farmer_child	TOCDFMPF	Chloroethane	1.8580E-016	1.8580E-016
RCPTR_40	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	9.6430E-015	9.6430E-015
RCPTR_40	farmer_child	TOCDFMPF	Chloronaphthalene,2-	3.8345E-009	3.8659E-009
RCPTR_40	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.3733E-010	1.3764E-010
RCPTR_40	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	4.8115E-009	4.8283E-009
RCPTR_40	farmer_child	TOCDFMPF	Chromium	2.0093E-007	2.4679E-007
RCPTR_40	farmer_child	TOCDFMPF	Chromium, hexavalent	1.5956E-007	1.5980E-007
RCPTR_40	farmer_child	TOCDFMPF	Chrysene	5.7537E-006	6.4780E-006
RCPTR_40	farmer_child	TOCDFMPF	Di-n-butyl phthalate	4.5263E-008	4.5348E-008
RCPTR_40	farmer_child	TOCDFMPF	Di-n-octylphthalate	1.9060E+002	1.9060E+002

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	3.5972E-004	3.6534E-004
RCPTR_40	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	6.2371E-012	6.2372E-012
RCPTR_40	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	7.5524E-012	7.5526E-012
RCPTR_40	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	7.2730E-012	7.2733E-012
RCPTR_40	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.9657E-008	2.9823E-008
RCPTR_40	farmer_child	TOCDFMPF	Dichlorodifluoromethane	1.4851E-017	1.4851E-017
RCPTR_40	farmer_child	TOCDFMPF	Dichloroethane 1,1-	3.7406E-015	3.7406E-015
RCPTR_40	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	4.6471E-015	4.6471E-015
RCPTR_40	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.4160E-015	1.4160E-015
RCPTR_40	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.2762E-015	2.2762E-015
RCPTR_40	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	5.9456E-010	5.9647E-010
RCPTR_40	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.2806E-014	1.2807E-014
RCPTR_40	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	4.2263E-015	4.2263E-015
RCPTR_40	farmer_child	TOCDFMPF	Diethyl phthalate	2.4770E-008	2.4773E-008
RCPTR_40	farmer_child	TOCDFMPF	Dimethyl phthalate	3.1793E-011	3.1821E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	9.3667E-011	9.3786E-011
RCPTR_40	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	4.5114E-011	4.5121E-011
RCPTR_40	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	8.5782E-011	8.5922E-011
RCPTR_40	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	6.6210E-011	6.6304E-011
RCPTR_40	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.9976E-012	1.9982E-012
RCPTR_40	farmer_child	TOCDFMPF	Ethylbenzene	4.0388E-014	4.0388E-014
RCPTR_40	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	9.6040E-009	9.6301E-009
RCPTR_40	farmer_child	TOCDFMPF	Fluoranthene	3.0533E-007	3.5883E-007
RCPTR_40	farmer_child	TOCDFMPF	Fluorene	5.7411E-009	5.8032E-009
RCPTR_40	farmer_child	TOCDFMPF	GB	1.1161E-014	1.1164E-014
RCPTR_40	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.6624E-013	1.8331E-013
RCPTR_40	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	6.3697E-012	6.8915E-012
RCPTR_40	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.0481E-012	1.1526E-012
RCPTR_40	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.2986E-012	2.4953E-012
RCPTR_40	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.2371E-012	1.3731E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.1485E-012	1.2935E-012
RCPTR_40	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.6859E-011	5.3473E-011
RCPTR_40	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.1438E-011	1.3047E-011
RCPTR_40	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.9894E-012	2.2666E-012
RCPTR_40	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.4196E-012	1.6183E-012
RCPTR_40	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.2143E-010	1.2144E-010
RCPTR_40	farmer_child	TOCDFMPF	Hexachlorobenzene	2.3312E-007	2.4780E-007
RCPTR_40	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	3.2213E-010	3.2220E-010
RCPTR_40	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	7.5029E-011	7.5043E-011
RCPTR_40	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_40	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.6058E-003	2.6150E-003
RCPTR_40	farmer_child	TOCDFMPF	Isophorone	1.4281E-011	1.4287E-011
RCPTR_40	farmer_child	TOCDFMPF	Lead	2.3005E-009	2.9260E-009
RCPTR_40	farmer_child	TOCDFMPF	Mercuric chloride	7.6335E-008	1.4135E-007
RCPTR_40	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	2.1956E-016	2.1956E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	7.8533E-018	7.8533E-018
RCPTR_40	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	5.1428E-014	5.1429E-014
RCPTR_40	farmer_child	TOCDFMPF	Methyl mercury	6.6667E-010	8.5814E-010
RCPTR_40	farmer_child	TOCDFMPF	Methylene chloride	1.2856E-015	1.2856E-015
RCPTR_40	farmer_child	TOCDFMPF	Naphthalene	6.0248E-011	6.0265E-011
RCPTR_40	farmer_child	TOCDFMPF	Nickel	3.4346E-007	3.5069E-007
RCPTR_40	farmer_child	TOCDFMPF	Nitroaniline, 2-	2.4289E-010	2.4316E-010
RCPTR_40	farmer_child	TOCDFMPF	Nitroaniline, 3-	5.7860E-011	5.7884E-011
RCPTR_40	farmer_child	TOCDFMPF	Nitroaniline, 4-	7.4743E-011	7.4783E-011
RCPTR_40	farmer_child	TOCDFMPF	Nitrobenzene	2.4103E-011	2.4116E-011
RCPTR_40	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.0976E-011	1.0979E-011
RCPTR_40	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.5654E-010	1.5659E-010
RCPTR_40	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.3595E-011	1.3597E-011
RCPTR_40	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.3358E-011	1.3360E-011
RCPTR_40	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.1972E-012	1.1973E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	4.0600E-013	4.6023E-013
RCPTR_40	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	5.6413E-013	6.3816E-013
RCPTR_40	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	8.2775E-012	9.1039E-012
RCPTR_40	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	6.2755E-012	7.2931E-012
RCPTR_40	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.0116E-011	2.3336E-011
RCPTR_40	farmer_child	TOCDFMPF	Pentachlorobenzene	9.0924E-010	9.0962E-010
RCPTR_40	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	3.5803E-010	3.5805E-010
RCPTR_40	farmer_child	TOCDFMPF	Pentachlorophenol	1.5921E-007	1.5963E-007
RCPTR_40	farmer_child	TOCDFMPF	Phenanthrene	1.8396E-011	1.8397E-011
RCPTR_40	farmer_child	TOCDFMPF	Phenol	1.9088E-011	1.9100E-011
RCPTR_40	farmer_child	TOCDFMPF	Pronamide	1.8065E-009	1.8198E-009
RCPTR_40	farmer_child	TOCDFMPF	Pyrene	5.0266E-007	7.4554E-007
RCPTR_40	farmer_child	TOCDFMPF	Selenium	2.5843E-008	2.5846E-008
RCPTR_40	farmer_child	TOCDFMPF	Silver	1.3371E-007	1.3413E-007
RCPTR_40	farmer_child	TOCDFMPF	Styrene	1.7450E-012	1.7450E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.1001E-012	2.5383E-012
RCPTR_40	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	4.1565E-012	5.2748E-012
RCPTR_40	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.4658E-009	1.4679E-009
RCPTR_40	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.5365E-011	1.5365E-011
RCPTR_40	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.0159E-014	3.0159E-014
RCPTR_40	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	9.9655E-009	9.9848E-009
RCPTR_40	farmer_child	TOCDFMPF	Thallium (I)	2.4552E-007	2.4992E-007
RCPTR_40	farmer_child	TOCDFMPF	Toluene	2.0964E-014	2.0964E-014
RCPTR_40	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	5.6352E-011	5.6359E-011
RCPTR_40	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	8.7944E-015	8.7944E-015
RCPTR_40	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	6.7254E-014	6.7254E-014
RCPTR_40	farmer_child	TOCDFMPF	Trichloroethylene	1.0931E-014	1.0931E-014
RCPTR_40	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.4367E-015	1.4367E-015
RCPTR_40	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	6.3326E-009	6.4394E-009
RCPTR_40	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.2843E-009	1.2889E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	2.4890E-013	2.4890E-013
RCPTR_40	farmer_child	TOCDFMPF	Vinyl Chloride	3.5525E-018	3.5525E-018
RCPTR_40	farmer_child	TOCDFMPF	Xylene, m-	8.0899E-014	8.0899E-014
RCPTR_40	farmer_child	TOCDFMPF	Xylene, o-	8.4055E-014	8.4055E-014
RCPTR_40	farmer_child	TOCDFMPF	Xylene, p-	1.0820E-013	1.0820E-013
RCPTR_40	farmer_child	TOCDFMPF	Zinc	8.7731E-008	9.2448E-008
RCPTR_40	farmer_child	TOCDHVAC	GB	6.5300E-014	6.5317E-014
RCPTR_40	farmer_child	TOCDLIC2	Acenaphthene	7.1012E-010	7.1264E-010
RCPTR_40	farmer_child	TOCDLIC2	Acetone	9.0226E-015	9.0226E-015
RCPTR_40	farmer_child	TOCDLIC2	Acetophenone	3.7587E-012	3.7595E-012
RCPTR_40	farmer_child	TOCDLIC2	Aniline	2.2639E-013	2.2639E-013
RCPTR_40	farmer_child	TOCDLIC2	Anthracene	1.2162E-008	1.2571E-008
RCPTR_40	farmer_child	TOCDLIC2	Antimony	6.5813E-008	6.7943E-008
RCPTR_40	farmer_child	TOCDLIC2	Arsenic	1.3272E-007	1.3334E-007
RCPTR_40	farmer_child	TOCDLIC2	Barium	4.8074E-008	4.9170E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDLIC2	Benzene	6.0198E-015	6.0198E-015
RCPTR_40	farmer_child	TOCDLIC2	Benzo(a)anthracene	1.1885E-006	1.4005E-006
RCPTR_40	farmer_child	TOCDLIC2	Benzo(a)pyrene	8.2241E-006	8.4029E-006
RCPTR_40	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	5.4608E-006	5.9728E-006
RCPTR_40	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	1.2750E-005	1.3436E-005
RCPTR_40	farmer_child	TOCDLIC2	Benzoic acid	2.5699E-011	2.5702E-011
RCPTR_40	farmer_child	TOCDLIC2	Benzyl alcohol	5.1338E-012	5.1364E-012
RCPTR_40	farmer_child	TOCDLIC2	Beryllium	2.4196E-008	2.8558E-008
RCPTR_40	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	5.1386E-012	5.1408E-012
RCPTR_40	farmer_child	TOCDLIC2	Bromodichloromethane	6.8201E-014	6.8202E-014
RCPTR_40	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.7787E-012	1.7789E-012
RCPTR_40	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	1.9964E-007	2.7620E-007
RCPTR_40	farmer_child	TOCDLIC2	Butylbenzylphthalate	5.5174E-009	5.5217E-009
RCPTR_40	farmer_child	TOCDLIC2	Cadmium	2.1672E-009	2.3612E-009
RCPTR_40	farmer_child	TOCDLIC2	Carbon disulfide	7.6816E-015	7.6816E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDLIC2	Carbon tetrachloride	1.2176E-014	1.2176E-014
RCPTR_40	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	4.1691E-010	4.1894E-010
RCPTR_40	farmer_child	TOCDLIC2	Chloroaniline, p-	2.3845E-011	2.3872E-011
RCPTR_40	farmer_child	TOCDLIC2	Chlorobenzene	7.1225E-014	7.1225E-014
RCPTR_40	farmer_child	TOCDLIC2	Chloroethane	1.9990E-016	1.9990E-016
RCPTR_40	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	2.1880E-014	2.1880E-014
RCPTR_40	farmer_child	TOCDLIC2	Chloronaphthalene,2-	1.8471E-009	1.8622E-009
RCPTR_40	farmer_child	TOCDLIC2	Chlorophenol, 2-	6.6152E-011	6.6303E-011
RCPTR_40	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	2.3177E-009	2.3259E-009
RCPTR_40	farmer_child	TOCDLIC2	Chromium	1.0347E-006	1.2708E-006
RCPTR_40	farmer_child	TOCDLIC2	Chromium, hexavalent	8.2165E-007	8.2290E-007
RCPTR_40	farmer_child	TOCDLIC2	Chrysene	2.7719E-006	3.1208E-006
RCPTR_40	farmer_child	TOCDLIC2	Di-n-butyl phthalate	2.1804E-008	2.1845E-008
RCPTR_40	farmer_child	TOCDLIC2	Di-n-octylphthalate	9.1811E+001	9.1811E+001
RCPTR_40	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	1.7331E-004	1.7602E-004

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	3.0044E-012	3.0045E-012
RCPTR_40	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	3.6380E-012	3.6381E-012
RCPTR_40	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	3.5035E-012	3.5036E-012
RCPTR_40	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.2728E-008	1.2799E-008
RCPTR_40	farmer_child	TOCDLIC2	Dichlorodifluoromethane	1.5979E-017	1.5979E-017
RCPTR_40	farmer_child	TOCDLIC2	Dichloroethane 1,1-	4.0246E-015	4.0246E-015
RCPTR_40	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	4.9998E-015	4.9998E-015
RCPTR_40	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	1.5235E-015	1.5235E-015
RCPTR_40	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	2.4490E-015	2.4490E-015
RCPTR_40	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	2.8640E-010	2.8732E-010
RCPTR_40	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	1.3779E-014	1.3779E-014
RCPTR_40	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	4.5472E-015	4.5472E-015
RCPTR_40	farmer_child	TOCDLIC2	Diethyl phthalate	1.1931E-008	1.1933E-008
RCPTR_40	farmer_child	TOCDLIC2	Dimethyl phthalate	1.0660E-010	1.0669E-010
RCPTR_40	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	4.5120E-011	4.5177E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	2.1828E-011	2.1831E-011
RCPTR_40	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	4.1322E-011	4.1390E-011
RCPTR_40	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	3.1894E-011	3.1939E-011
RCPTR_40	farmer_child	TOCDLIC2	Ethyl methanesulfonate	9.6228E-013	9.6253E-013
RCPTR_40	farmer_child	TOCDLIC2	Ethylbenzene	4.9282E-014	4.9282E-014
RCPTR_40	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	5.7843E-009	5.8000E-009
RCPTR_40	farmer_child	TOCDLIC2	Fluoranthene	1.4708E-007	1.7285E-007
RCPTR_40	farmer_child	TOCDLIC2	Fluorene	2.7655E-009	2.7954E-009
RCPTR_40	farmer_child	TOCDLIC2	GB	8.1167E-015	8.1188E-015
RCPTR_40	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	5.5215E-013	6.0886E-013
RCPTR_40	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	5.1649E-013	5.5882E-013
RCPTR_40	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.9132E-013	5.4036E-013
RCPTR_40	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.5045E-012	1.6333E-012
RCPTR_40	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.0698E-012	1.1874E-012
RCPTR_40	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.0291E-012	1.1590E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.0017E-012	1.1431E-012
RCPTR_40	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	6.0417E-013	6.8917E-013
RCPTR_40	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.3994E-013	6.1519E-013
RCPTR_40	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	6.1797E-013	7.0446E-013
RCPTR_40	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	5.8494E-011	5.8500E-011
RCPTR_40	farmer_child	TOCDLIC2	Hexachlorobenzene	1.1230E-007	1.1937E-007
RCPTR_40	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.5517E-010	1.5521E-010
RCPTR_40	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	3.6142E-011	3.6148E-011
RCPTR_40	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_40	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.2553E-003	1.2597E-003
RCPTR_40	farmer_child	TOCDLIC2	Isophorone	6.8794E-012	6.8820E-012
RCPTR_40	farmer_child	TOCDLIC2	Lead	2.0958E-007	2.6657E-007
RCPTR_40	farmer_child	TOCDLIC2	Mercuric chloride	6.7116E-006	1.2427E-005
RCPTR_40	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	2.3826E-016	2.3826E-016
RCPTR_40	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	9.4967E-018	9.4967E-018

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	5.3450E-014	5.3450E-014
RCPTR_40	farmer_child	TOCDLIC2	Methyl mercury	5.8643E-008	7.5475E-008
RCPTR_40	farmer_child	TOCDLIC2	Methylene chloride	4.1955E-015	4.1955E-015
RCPTR_40	farmer_child	TOCDLIC2	Naphthalene	2.9022E-011	2.9030E-011
RCPTR_40	farmer_child	TOCDLIC2	Nickel	1.5167E-007	1.5486E-007
RCPTR_40	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.1752E-010	1.1765E-010
RCPTR_40	farmer_child	TOCDLIC2	Nitroaniline, 3-	2.7994E-011	2.8006E-011
RCPTR_40	farmer_child	TOCDLIC2	Nitroaniline, 4-	3.6163E-011	3.6182E-011
RCPTR_40	farmer_child	TOCDLIC2	Nitrobenzene	1.1610E-011	1.1617E-011
RCPTR_40	farmer_child	TOCDLIC2	Nitrophenol, 2-	5.2872E-012	5.2886E-012
RCPTR_40	farmer_child	TOCDLIC2	Nitrophenol, 4-	7.5738E-011	7.5760E-011
RCPTR_40	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	6.5487E-012	6.5499E-012
RCPTR_40	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	6.4349E-012	6.4354E-012
RCPTR_40	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	5.7670E-013	5.7673E-013
RCPTR_40	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	9.1492E-013	1.0371E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.0247E-013	3.4217E-013
RCPTR_40	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.9030E-012	4.2927E-012
RCPTR_40	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.1872E-012	1.3797E-012
RCPTR_40	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.2798E-012	3.8049E-012
RCPTR_40	farmer_child	TOCDLIC2	Pentachlorobenzene	4.3800E-010	4.3818E-010
RCPTR_40	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.7323E-010	1.7324E-010
RCPTR_40	farmer_child	TOCDLIC2	Pentachlorophenol	7.7029E-008	7.7232E-008
RCPTR_40	farmer_child	TOCDLIC2	Phenanthrene	8.8617E-012	8.8618E-012
RCPTR_40	farmer_child	TOCDLIC2	Phenol	9.7215E-012	9.7276E-012
RCPTR_40	farmer_child	TOCDLIC2	Pronamide	8.7022E-010	8.7660E-010
RCPTR_40	farmer_child	TOCDLIC2	Pyrene	2.4213E-007	3.5913E-007
RCPTR_40	farmer_child	TOCDLIC2	Selenium	8.8008E-008	8.8019E-008
RCPTR_40	farmer_child	TOCDLIC2	Silver	3.3286E-008	3.3393E-008
RCPTR_40	farmer_child	TOCDLIC2	Styrene	1.3604E-012	1.3605E-012
RCPTR_40	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	2.1366E-012	2.5824E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.8095E-012	2.2964E-012
RCPTR_40	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	7.0610E-010	7.0710E-010
RCPTR_40	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.6531E-011	1.6531E-011
RCPTR_40	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.4642E-014	1.4642E-014
RCPTR_40	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	4.8216E-009	4.8309E-009
RCPTR_40	farmer_child	TOCDLIC2	Thallium (I)	8.2896E-007	8.4385E-007
RCPTR_40	farmer_child	TOCDLIC2	Toluene	7.8409E-014	7.8410E-014
RCPTR_40	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	2.7145E-011	2.7148E-011
RCPTR_40	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	9.4620E-015	9.4620E-015
RCPTR_40	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	7.2359E-014	7.2360E-014
RCPTR_40	farmer_child	TOCDLIC2	Trichloroethylene	1.1761E-014	1.1761E-014
RCPTR_40	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.5458E-015	1.5458E-015
RCPTR_40	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	3.0504E-009	3.1019E-009
RCPTR_40	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	6.1863E-010	6.2085E-010
RCPTR_40	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	2.6779E-013	2.6780E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_40	farmer_child	TOCDLIC2	Vinyl Chloride	4.5166E-018	4.5166E-018
RCPTR_40	farmer_child	TOCDLIC2	Xylene, m-	1.1842E-013	1.1842E-013
RCPTR_40	farmer_child	TOCDLIC2	Xylene, o-	9.0468E-014	9.0468E-014
RCPTR_40	farmer_child	TOCDLIC2	Xylene, p-	1.5836E-013	1.5837E-013
RCPTR_40	farmer_child	TOCDLIC2	Zinc	1.7049E-007	1.7966E-007
RCPTR_41	farmer_adult	TOCDFBRA	Antimony	4.0042E-007	5.0593E-007
RCPTR_41	farmer_adult	TOCDFBRA	Arsenic	6.5125E-007	6.8390E-007
RCPTR_41	farmer_adult	TOCDFBRA	Barium	5.4808E-008	6.5442E-008
RCPTR_41	farmer_adult	TOCDFBRA	Beryllium	2.0033E-007	2.4437E-007
RCPTR_41	farmer_adult	TOCDFBRA	Cadmium	3.1546E-008	4.7738E-008
RCPTR_41	farmer_adult	TOCDFBRA	Chromium	5.8777E-006	6.0953E-006
RCPTR_41	farmer_adult	TOCDFBRA	Chromium, hexavalent	3.8566E-006	3.9507E-006
RCPTR_41	farmer_adult	TOCDFBRA	Lead	2.2696E-006	2.9700E-006
RCPTR_41	farmer_adult	TOCDFBRA	Mercuric chloride	6.9962E-004	7.7497E-004
RCPTR_41	farmer_adult	TOCDFBRA	Methyl mercury	4.5734E-006	4.9668E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFBRA	Nickel	2.1460E-006	2.3753E-006
RCPTR_41	farmer_adult	TOCDFBRA	Selenium	7.3000E-007	7.3517E-007
RCPTR_41	farmer_adult	TOCDFBRA	Silver	2.4887E-007	2.8073E-007
RCPTR_41	farmer_adult	TOCDFBRA	Thallium (I)	6.6741E-006	7.2257E-006
RCPTR_41	farmer_adult	TOCDFBRA	Zinc	1.1531E-006	1.5369E-006
RCPTR_41	farmer_adult	TOCDFDFS	Acenaphthene	1.1749E-010	5.9870E-010
RCPTR_41	farmer_adult	TOCDFDFS	Acetone	1.4366E-015	7.4917E-015
RCPTR_41	farmer_adult	TOCDFDFS	Acetophenone	6.3663E-013	3.3160E-012
RCPTR_41	farmer_adult	TOCDFDFS	Aniline	3.6608E-014	1.9018E-013
RCPTR_41	farmer_adult	TOCDFDFS	Anthracene	2.0775E-009	1.0562E-008
RCPTR_41	farmer_adult	TOCDFDFS	Antimony	2.6225E-006	3.3127E-006
RCPTR_41	farmer_adult	TOCDFDFS	Aroclor 1254	3.2101E-011	6.1453E-011
RCPTR_41	farmer_adult	TOCDFDFS	Arsenic	2.4117E-007	2.5324E-007
RCPTR_41	farmer_adult	TOCDFDFS	Barium	7.1368E-009	8.5197E-009
RCPTR_41	farmer_adult	TOCDFDFS	Benzene	1.1942E-015	6.1954E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFDFS	Benzo(a)anthracene	6.8048E-007	1.1947E-006
RCPTR_41	farmer_adult	TOCDFDFS	Benzo(a)pyrene	6.8323E-006	7.3590E-006
RCPTR_41	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	3.8050E-006	5.1046E-006
RCPTR_41	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	1.0735E-005	1.1776E-005
RCPTR_41	farmer_adult	TOCDFDFS	Benzoic acid	4.7990E-012	2.1592E-011
RCPTR_41	farmer_adult	TOCDFDFS	Benzyl alcohol	8.2883E-013	4.3147E-012
RCPTR_41	farmer_adult	TOCDFDFS	Beryllium	7.1794E-008	8.7561E-008
RCPTR_41	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	8.2813E-013	4.3184E-012
RCPTR_41	farmer_adult	TOCDFDFS	Bromodichloromethane	9.3792E-015	4.8864E-014
RCPTR_41	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	3.7266E-013	1.9421E-012
RCPTR_41	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	4.6708E-008	2.3203E-007
RCPTR_41	farmer_adult	TOCDFDFS	Butylbenzylphthalate	4.0523E-009	4.8845E-009
RCPTR_41	farmer_adult	TOCDFDFS	Cadmium	5.6914E-008	8.6093E-008
RCPTR_41	farmer_adult	TOCDFDFS	Carbon disulfide	6.2306E-016	3.2385E-015
RCPTR_41	farmer_adult	TOCDFDFS	Carbon tetrachloride	3.1168E-015	1.6162E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	8.5522E-011	3.5193E-010
RCPTR_41	farmer_adult	TOCDFDFS	Chloroaniline, p-	3.8634E-012	2.0053E-011
RCPTR_41	farmer_adult	TOCDFDFS	Chlorobenzene	1.8295E-014	9.4544E-014
RCPTR_41	farmer_adult	TOCDFDFS	Chloroethane	5.2522E-017	2.6535E-016
RCPTR_41	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	2.8098E-015	1.4634E-014
RCPTR_41	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	3.0545E-010	1.5644E-009
RCPTR_41	farmer_adult	TOCDFDFS	Chlorophenol, 2-	1.0685E-011	5.5697E-011
RCPTR_41	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	4.7866E-010	1.9564E-009
RCPTR_41	farmer_adult	TOCDFDFS	Chromium	1.1317E-006	1.1735E-006
RCPTR_41	farmer_adult	TOCDFDFS	Chromium, hexavalent	7.4285E-007	7.6096E-007
RCPTR_41	farmer_adult	TOCDFDFS	Chrysene	1.9805E-006	2.6659E-006
RCPTR_41	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.5298E-008	1.8498E-008
RCPTR_41	farmer_adult	TOCDFDFS	Di-n-octylphthalate	7.7130E+001	7.7130E+001
RCPTR_41	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.4854E-004	1.5485E-004
RCPTR_41	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	5.0287E-013	2.5241E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	6.0081E-013	3.0563E-012
RCPTR_41	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	5.7648E-013	2.9433E-012
RCPTR_41	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.4038E-008	1.8299E-008
RCPTR_41	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	4.0877E-018	2.1211E-017
RCPTR_41	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	1.0254E-015	5.3421E-015
RCPTR_41	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	1.2736E-015	6.6366E-015
RCPTR_41	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	3.8892E-016	2.0223E-015
RCPTR_41	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	6.2535E-016	3.2508E-015
RCPTR_41	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	6.8531E-011	2.4138E-010
RCPTR_41	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	3.5264E-015	1.8290E-014
RCPTR_41	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	1.1594E-015	6.0358E-015
RCPTR_41	farmer_adult	TOCDFDFS	Diethyl phthalate	9.4794E-009	1.0027E-008
RCPTR_41	farmer_adult	TOCDFDFS	Dimethyl phthalate	1.6590E-011	8.3717E-011
RCPTR_41	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	7.3426E-012	3.7950E-011
RCPTR_41	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	7.5836E-012	1.8099E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	7.0495E-012	3.4793E-011
RCPTR_41	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	5.3511E-012	2.6837E-011
RCPTR_41	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.5508E-013	8.0856E-013
RCPTR_41	farmer_adult	TOCDFDFS	Ethylbenzene	1.1520E-014	5.7685E-014
RCPTR_41	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.1365E-010	5.0211E-010
RCPTR_41	farmer_adult	TOCDFDFS	Fluoranthene	3.8830E-008	1.4550E-007
RCPTR_41	farmer_adult	TOCDFDFS	Fluorene	4.6792E-010	2.3486E-009
RCPTR_41	farmer_adult	TOCDFDFS	GB	4.1768E-015	2.1748E-014
RCPTR_41	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.3450E-013	1.5318E-013
RCPTR_41	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.9205E-014	7.6990E-014
RCPTR_41	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.3613E-013	2.6814E-013
RCPTR_41	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.3183E-012	1.4719E-012
RCPTR_41	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	7.1719E-013	8.2395E-013
RCPTR_41	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	6.2580E-013	7.3165E-013
RCPTR_41	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.9197E-013	5.8401E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.3765E-013	5.1913E-013
RCPTR_41	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.8644E-013	6.9476E-013
RCPTR_41	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.0372E-013	4.7858E-013
RCPTR_41	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.0314E-011	4.9178E-011
RCPTR_41	farmer_adult	TOCDFDFS	Hexachlorobenzene	2.0604E-008	1.0030E-007
RCPTR_41	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	1.3831E-010	6.4601E-010
RCPTR_41	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	5.9570E-012	3.0366E-011
RCPTR_41	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_41	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.0621E-003	1.0739E-003
RCPTR_41	farmer_adult	TOCDFDFS	Isophorone	1.1100E-012	5.7811E-012
RCPTR_41	farmer_adult	TOCDFDFS	Lead	8.8017E-006	1.1515E-005
RCPTR_41	farmer_adult	TOCDFDFS	Mercuric chloride	1.3482E-007	1.4933E-007
RCPTR_41	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.0850E-016	5.6556E-016
RCPTR_41	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.8379E-017	9.5743E-017
RCPTR_41	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	9.6418E-015	5.0276E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFDFS	Methyl mercury	8.8201E-010	9.5780E-010
RCPTR_41	farmer_adult	TOCDFDFS	Methylene chloride	2.7890E-016	1.4532E-015
RCPTR_41	farmer_adult	TOCDFDFS	Naphthalene	4.7351E-012	2.4387E-011
RCPTR_41	farmer_adult	TOCDFDFS	Nickel	8.2671E-007	9.1492E-007
RCPTR_41	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.8768E-011	9.7411E-011
RCPTR_41	farmer_adult	TOCDFDFS	Nitroaniline, 3-	4.4533E-012	2.3189E-011
RCPTR_41	farmer_adult	TOCDFDFS	Nitroaniline, 4-	5.7602E-012	2.9960E-011
RCPTR_41	farmer_adult	TOCDFDFS	Nitrobenzene	1.8722E-012	9.7585E-012
RCPTR_41	farmer_adult	TOCDFDFS	Nitrophenol, 2-	8.5296E-013	4.4426E-012
RCPTR_41	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.9013E-011	6.2736E-011
RCPTR_41	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.0600E-012	5.5021E-012
RCPTR_41	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	1.0439E-012	5.4060E-012
RCPTR_41	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	9.6100E-014	4.8508E-013
RCPTR_41	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	3.4797E-013	4.0958E-013
RCPTR_41	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.1941E-013	1.4012E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.2750E-012	3.7163E-012
RCPTR_41	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.7324E-013	3.3219E-013
RCPTR_41	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.1007E-012	1.3339E-012
RCPTR_41	farmer_adult	TOCDFDFS	Pentachlorobenzene	8.2646E-011	3.6965E-010
RCPTR_41	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	3.3210E-011	1.4416E-010
RCPTR_41	farmer_adult	TOCDFDFS	Pentachlorophenol	4.3177E-008	6.3953E-008
RCPTR_41	farmer_adult	TOCDFDFS	Phenanthrene	1.4692E-012	7.4450E-012
RCPTR_41	farmer_adult	TOCDFDFS	Phenol	1.4874E-012	7.7289E-012
RCPTR_41	farmer_adult	TOCDFDFS	Pronamide	2.9408E-010	1.4728E-009
RCPTR_41	farmer_adult	TOCDFDFS	Pyrene	7.3767E-008	3.0189E-007
RCPTR_41	farmer_adult	TOCDFDFS	Selenium	2.7033E-007	2.7224E-007
RCPTR_41	farmer_adult	TOCDFDFS	Silver	9.3622E-008	1.0559E-007
RCPTR_41	farmer_adult	TOCDFDFS	Styrene	3.0390E-013	1.5776E-012
RCPTR_41	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.4900E-012	1.9110E-012
RCPTR_41	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	4.7374E-013	6.4997E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.2351E-010	5.9406E-010
RCPTR_41	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.6404E-011	2.1944E-011
RCPTR_41	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	3.7438E-015	1.9436E-014
RCPTR_41	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.4735E-009	4.0008E-009
RCPTR_41	farmer_adult	TOCDFDFS	Thallium (I)	2.3924E-006	2.5899E-006
RCPTR_41	farmer_adult	TOCDFDFS	Toluene	5.0846E-015	2.6166E-014
RCPTR_41	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	4.5790E-012	2.2809E-011
RCPTR_41	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	2.4151E-015	1.2560E-014
RCPTR_41	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	1.8443E-014	9.6048E-014
RCPTR_41	farmer_adult	TOCDFDFS	Trichloroethylene	3.0062E-015	1.5612E-014
RCPTR_41	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	3.9498E-016	2.0518E-015
RCPTR_41	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	5.4934E-010	2.6057E-009
RCPTR_41	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	1.3253E-010	5.2156E-010
RCPTR_41	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	6.8309E-014	3.5547E-013
RCPTR_41	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	8.3274E-013	4.1507E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFDFS	Vinyl Chloride	9.7499E-019	5.0737E-018
RCPTR_41	farmer_adult	TOCDFDFS	Xylene, m-	6.1493E-014	1.2282E-013
RCPTR_41	farmer_adult	TOCDFDFS	Xylene, o-	5.6312E-014	1.2623E-013
RCPTR_41	farmer_adult	TOCDFDFS	Xylene, p-	6.6195E-014	1.6131E-013
RCPTR_41	farmer_adult	TOCDFDFS	Zinc	4.9907E-007	6.6498E-007
RCPTR_41	farmer_adult	TOCDFLIC	Acenaphthene	6.9594E-011	3.5469E-010
RCPTR_41	farmer_adult	TOCDFLIC	Acetone	1.7956E-015	9.3637E-015
RCPTR_41	farmer_adult	TOCDFLIC	Acetophenone	6.4656E-013	3.3678E-012
RCPTR_41	farmer_adult	TOCDFLIC	Aniline	2.1688E-014	1.1267E-013
RCPTR_41	farmer_adult	TOCDFLIC	Anthracene	1.2305E-009	6.2570E-009
RCPTR_41	farmer_adult	TOCDFLIC	Antimony	4.6885E-008	5.9219E-008
RCPTR_41	farmer_adult	TOCDFLIC	Arsenic	1.4738E-007	1.5476E-007
RCPTR_41	farmer_adult	TOCDFLIC	Barium	4.9581E-009	5.9184E-009
RCPTR_41	farmer_adult	TOCDFLIC	Benzene	1.6559E-014	8.5910E-014
RCPTR_41	farmer_adult	TOCDFLIC	Benzo(a)anthracene	4.0039E-007	7.0441E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.9965E-006	4.3009E-006
RCPTR_41	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	2.2417E-006	3.0093E-006
RCPTR_41	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	6.2848E-006	6.8799E-006
RCPTR_41	farmer_adult	TOCDFLIC	Benzoic acid	3.0508E-012	1.3723E-011
RCPTR_41	farmer_adult	TOCDFLIC	Benzyl alcohol	4.9103E-013	2.5562E-012
RCPTR_41	farmer_adult	TOCDFLIC	Beryllium	2.7145E-008	3.3104E-008
RCPTR_41	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	4.9062E-013	2.5584E-012
RCPTR_41	farmer_adult	TOCDFLIC	Bromodichloromethane	4.3909E-015	2.2876E-014
RCPTR_41	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.5120E-013	7.8796E-013
RCPTR_41	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	2.7670E-008	1.3746E-007
RCPTR_41	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.3503E-009	2.8431E-009
RCPTR_41	farmer_adult	TOCDFLIC	Cadmium	1.5920E-008	2.4078E-008
RCPTR_41	farmer_adult	TOCDFLIC	Carbon disulfide	1.0015E-015	5.2057E-015
RCPTR_41	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.5845E-015	8.2164E-015
RCPTR_41	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	5.0696E-011	2.0853E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFLIC	Chloroaniline, p-	2.2888E-012	1.1880E-011
RCPTR_41	farmer_adult	TOCDFLIC	Chlorobenzene	9.3006E-015	4.8063E-014
RCPTR_41	farmer_adult	TOCDFLIC	Chloroethane	2.6703E-017	1.3490E-016
RCPTR_41	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	1.3974E-015	7.2780E-015
RCPTR_41	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	1.8095E-010	9.2681E-010
RCPTR_41	farmer_adult	TOCDFLIC	Chlorophenol, 2-	6.3302E-012	3.2997E-011
RCPTR_41	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	2.8318E-010	1.1586E-009
RCPTR_41	farmer_adult	TOCDFLIC	Chromium	1.4204E-006	1.4729E-006
RCPTR_41	farmer_adult	TOCDFLIC	Chromium, hexavalent	9.3252E-007	9.5524E-007
RCPTR_41	farmer_adult	TOCDFLIC	Chrysene	1.1676E-006	1.5719E-006
RCPTR_41	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	9.0508E-009	1.0946E-008
RCPTR_41	farmer_adult	TOCDFLIC	Di-n-octylphthalate	4.5806E+001	4.5806E+001
RCPTR_41	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	8.6867E-005	9.0372E-005
RCPTR_41	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	2.9790E-013	1.4954E-012
RCPTR_41	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	3.5593E-013	1.8107E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	3.4151E-013	1.7437E-012
RCPTR_41	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	4.2624E-009	5.5659E-009
RCPTR_41	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	2.0778E-018	1.0783E-017
RCPTR_41	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	5.2130E-016	2.7158E-015
RCPTR_41	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	6.4747E-016	3.3739E-015
RCPTR_41	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.9772E-016	1.0281E-015
RCPTR_41	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	3.1791E-016	1.6526E-015
RCPTR_41	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	4.0636E-011	1.4304E-010
RCPTR_41	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	1.7927E-015	9.2978E-015
RCPTR_41	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	5.8941E-016	3.0684E-015
RCPTR_41	farmer_adult	TOCDFLIC	Diethyl phthalate	5.6290E-009	5.9533E-009
RCPTR_41	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.7726E-011	8.9477E-011
RCPTR_41	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	4.3502E-012	2.2483E-011
RCPTR_41	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	4.5486E-012	1.0853E-011
RCPTR_41	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	4.1716E-012	2.0608E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	3.1691E-012	1.5898E-011
RCPTR_41	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	9.1877E-014	4.7902E-013
RCPTR_41	farmer_adult	TOCDFLIC	Ethylbenzene	7.8075E-015	3.9100E-014
RCPTR_41	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	7.5741E-009	9.2302E-009
RCPTR_41	farmer_adult	TOCDFLIC	Fluoranthene	2.2964E-008	8.6150E-008
RCPTR_41	farmer_adult	TOCDFLIC	Fluorene	2.7716E-010	1.3914E-009
RCPTR_41	farmer_adult	TOCDFLIC	GB	1.5404E-015	8.0204E-015
RCPTR_41	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	8.4496E-014	9.6020E-014
RCPTR_41	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.0025E-013	1.1125E-013
RCPTR_41	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.4109E-013	2.7315E-013
RCPTR_41	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.0584E-012	1.1790E-012
RCPTR_41	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	6.0694E-013	6.9586E-013
RCPTR_41	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	5.2178E-013	6.0910E-013
RCPTR_41	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.3444E-013	3.9671E-013
RCPTR_41	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.2752E-013	3.8819E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.7886E-013	4.4846E-013
RCPTR_41	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.7650E-013	3.2750E-013
RCPTR_41	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	6.1039E-012	2.9128E-011
RCPTR_41	farmer_adult	TOCDFLIC	Hexachlorobenzene	1.2203E-008	5.9418E-008
RCPTR_41	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	1.6530E-011	7.7293E-011
RCPTR_41	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	3.5294E-012	1.7990E-011
RCPTR_41	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_41	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.2767E-004	6.3423E-004
RCPTR_41	farmer_adult	TOCDFLIC	Isophorone	6.5761E-013	3.4249E-012
RCPTR_41	farmer_adult	TOCDFLIC	Lead	3.2743E-006	4.2834E-006
RCPTR_41	farmer_adult	TOCDFLIC	Mercuric chloride	1.1636E-005	1.2894E-005
RCPTR_41	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	3.5890E-017	1.8708E-016
RCPTR_41	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	2.9412E-018	1.5322E-017
RCPTR_41	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.0681E-014	5.5694E-014
RCPTR_41	farmer_adult	TOCDFLIC	Methyl mercury	7.4552E-008	8.1119E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFLIC	Methylene chloride	2.2733E-016	1.1845E-015
RCPTR_41	farmer_adult	TOCDFLIC	Naphthalene	2.8052E-012	1.4448E-011
RCPTR_41	farmer_adult	TOCDFLIC	Nickel	4.6712E-007	5.1694E-007
RCPTR_41	farmer_adult	TOCDFLIC	Nitroaniline, 2-	1.1251E-011	5.8399E-011
RCPTR_41	farmer_adult	TOCDFLIC	Nitroaniline, 3-	2.6698E-012	1.3902E-011
RCPTR_41	farmer_adult	TOCDFLIC	Nitroaniline, 4-	3.4530E-012	1.7961E-011
RCPTR_41	farmer_adult	TOCDFLIC	Nitrobenzene	1.1092E-012	5.7813E-012
RCPTR_41	farmer_adult	TOCDFLIC	Nitrophenol, 2-	5.0532E-013	2.6320E-012
RCPTR_41	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.7423E-011	3.7640E-011
RCPTR_41	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	6.2798E-013	3.2597E-012
RCPTR_41	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	6.1844E-013	3.2027E-012
RCPTR_41	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	5.6805E-014	2.8725E-013
RCPTR_41	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.9751E-013	3.4980E-013
RCPTR_41	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	9.7777E-014	1.1461E-013
RCPTR_41	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.1528E-012	2.4393E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	5.6958E-013	6.9231E-013
RCPTR_41	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.2672E-012	1.5355E-012
RCPTR_41	farmer_adult	TOCDFLIC	Pentachlorobenzene	4.8627E-011	2.1866E-010
RCPTR_41	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.9753E-011	8.6269E-011
RCPTR_41	farmer_adult	TOCDFLIC	Pentachlorophenol	2.5940E-008	3.8395E-008
RCPTR_41	farmer_adult	TOCDFLIC	Phenanthrene	8.7032E-013	4.4106E-012
RCPTR_41	farmer_adult	TOCDFLIC	Phenol	8.8122E-013	4.5789E-012
RCPTR_41	farmer_adult	TOCDFLIC	Pronamide	8.7110E-011	4.3629E-010
RCPTR_41	farmer_adult	TOCDFLIC	Pyrene	4.3682E-008	1.7882E-007
RCPTR_41	farmer_adult	TOCDFLIC	Selenium	1.0147E-007	1.0218E-007
RCPTR_41	farmer_adult	TOCDFLIC	Silver	3.4354E-008	3.8743E-008
RCPTR_41	farmer_adult	TOCDFLIC	Styrene	3.2129E-013	1.6678E-012
RCPTR_41	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	7.3294E-013	9.4049E-013
RCPTR_41	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	9.7667E-013	1.3412E-012
RCPTR_41	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	7.3172E-011	3.5194E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	8.3578E-012	1.1174E-011
RCPTR_41	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.9031E-015	9.8805E-015
RCPTR_41	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	8.8443E-010	2.3996E-009
RCPTR_41	farmer_adult	TOCDFLIC	Thallium (I)	9.0463E-007	9.7926E-007
RCPTR_41	farmer_adult	TOCDFLIC	Toluene	1.4866E-014	7.6503E-014
RCPTR_41	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	2.7123E-012	1.3513E-011
RCPTR_41	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	1.2278E-015	6.3849E-015
RCPTR_41	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	9.3760E-015	4.8828E-014
RCPTR_41	farmer_adult	TOCDFLIC	Trichloroethylene	1.5282E-015	7.9365E-015
RCPTR_41	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.0079E-016	1.0431E-015
RCPTR_41	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	3.2553E-010	1.5438E-009
RCPTR_41	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	7.8567E-011	3.0904E-010
RCPTR_41	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	3.4726E-014	1.8071E-013
RCPTR_41	farmer_adult	TOCDFLIC	Vinyl Chloride	5.3403E-019	2.7792E-018
RCPTR_41	farmer_adult	TOCDFLIC	Xylene, m-	5.3308E-014	1.0890E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFLIC	Xylene, o-	3.1161E-014	7.1480E-014
RCPTR_41	farmer_adult	TOCDFLIC	Xylene, p-	5.7738E-014	1.4395E-013
RCPTR_41	farmer_adult	TOCDFLIC	Zinc	1.3093E-007	1.7444E-007
RCPTR_41	farmer_adult	TOCDFMPF	Acenaphthene	2.9618E-010	1.5095E-009
RCPTR_41	farmer_adult	TOCDFMPF	Acetone	8.9824E-016	4.6841E-015
RCPTR_41	farmer_adult	TOCDFMPF	Acetophenone	1.5287E-012	7.9626E-012
RCPTR_41	farmer_adult	TOCDFMPF	Aniline	9.2299E-014	4.7950E-013
RCPTR_41	farmer_adult	TOCDFMPF	Anthracene	5.2368E-009	2.6629E-008
RCPTR_41	farmer_adult	TOCDFMPF	Antimony	1.3981E-008	1.7659E-008
RCPTR_41	farmer_adult	TOCDFMPF	Arsenic	3.4652E-008	3.6386E-008
RCPTR_41	farmer_adult	TOCDFMPF	Barium	4.6565E-009	5.5585E-009
RCPTR_41	farmer_adult	TOCDFMPF	Benzene	8.0408E-016	4.1716E-015
RCPTR_41	farmer_adult	TOCDFMPF	Benzo(a)anthracene	1.7047E-006	2.9987E-006
RCPTR_41	farmer_adult	TOCDFMPF	Benzo(a)pyrene	1.7021E-005	1.8318E-005
RCPTR_41	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	9.5435E-006	1.2811E-005

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	2.6765E-005	2.9303E-005
RCPTR_41	farmer_adult	TOCDFMPF	Benzoic acid	1.2103E-011	5.4443E-011
RCPTR_41	farmer_adult	TOCDFMPF	Benzyl alcohol	2.0897E-012	1.0879E-011
RCPTR_41	farmer_adult	TOCDFMPF	Beryllium	7.7674E-009	9.4726E-009
RCPTR_41	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	2.0880E-012	1.0888E-011
RCPTR_41	farmer_adult	TOCDFMPF	Bromodichloromethane	7.1369E-015	3.7182E-014
RCPTR_41	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	2.6921E-013	1.4030E-012
RCPTR_41	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.1776E-007	5.8500E-007
RCPTR_41	farmer_adult	TOCDFMPF	Butylbenzylphthalate	1.0015E-008	1.2112E-008
RCPTR_41	farmer_adult	TOCDFMPF	Cadmium	6.9780E-009	1.0554E-008
RCPTR_41	farmer_adult	TOCDFMPF	Carbon disulfide	1.4038E-015	7.2966E-015
RCPTR_41	farmer_adult	TOCDFMPF	Carbon tetrachloride	2.2266E-015	1.1546E-014
RCPTR_41	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	2.1575E-010	8.8745E-010
RCPTR_41	farmer_adult	TOCDFMPF	Chloroaniline, p-	9.7409E-012	5.0560E-011
RCPTR_41	farmer_adult	TOCDFMPF	Chlorobenzene	1.3070E-014	6.7541E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFMPF	Chloroethane	3.7525E-017	1.8956E-016
RCPTR_41	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.8889E-015	9.8382E-015
RCPTR_41	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	7.7010E-010	3.9443E-009
RCPTR_41	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.6940E-011	1.4043E-010
RCPTR_41	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.2053E-009	4.9310E-009
RCPTR_41	farmer_adult	TOCDFMPF	Chromium	2.7532E-007	2.8550E-007
RCPTR_41	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.8075E-007	1.8516E-007
RCPTR_41	farmer_adult	TOCDFMPF	Chrysene	4.9706E-006	6.6915E-006
RCPTR_41	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	3.8522E-008	4.6590E-008
RCPTR_41	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.9492E+002	1.9492E+002
RCPTR_41	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	3.6997E-004	3.8494E-004
RCPTR_41	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.2678E-012	6.3640E-012
RCPTR_41	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.5148E-012	7.7059E-012
RCPTR_41	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.4534E-012	7.4208E-012
RCPTR_41	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.3743E-008	3.1001E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	2.9199E-018	1.5153E-017
RCPTR_41	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	7.3256E-016	3.8164E-015
RCPTR_41	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	9.0987E-016	4.7412E-015
RCPTR_41	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.7784E-016	1.4447E-015
RCPTR_41	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	4.4674E-016	2.3223E-015
RCPTR_41	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.7293E-010	6.0873E-010
RCPTR_41	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.5192E-015	1.3066E-014
RCPTR_41	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	8.2827E-016	4.3119E-015
RCPTR_41	farmer_adult	TOCDFMPF	Diethyl phthalate	2.3953E-008	2.5333E-008
RCPTR_41	farmer_adult	TOCDFMPF	Dimethyl phthalate	6.4329E-012	3.2471E-011
RCPTR_41	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.8513E-011	9.5685E-011
RCPTR_41	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.9322E-011	4.6103E-011
RCPTR_41	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.7755E-011	8.7705E-011
RCPTR_41	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.3487E-011	6.7659E-011
RCPTR_41	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	3.9101E-013	2.0386E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFMPF	Ethylbenzene	8.2287E-015	4.1209E-014
RCPTR_41	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	8.3792E-009	1.0209E-008
RCPTR_41	farmer_adult	TOCDFMPF	Fluoranthene	9.7742E-008	3.6665E-007
RCPTR_41	farmer_adult	TOCDFMPF	Fluorene	1.1796E-009	5.9213E-009
RCPTR_41	farmer_adult	TOCDFMPF	GB	2.1875E-015	1.1390E-014
RCPTR_41	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.7793E-013	2.0223E-013
RCPTR_41	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	6.7237E-012	7.4628E-012
RCPTR_41	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.1184E-012	1.2673E-012
RCPTR_41	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.4168E-012	2.6925E-012
RCPTR_41	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.3192E-012	1.5126E-012
RCPTR_41	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.2380E-012	1.4453E-012
RCPTR_41	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	5.0193E-011	5.9541E-011
RCPTR_41	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.2241E-011	1.4509E-011
RCPTR_41	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	2.1238E-012	2.5141E-012
RCPTR_41	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.5172E-012	1.7972E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.5979E-011	1.2397E-010
RCPTR_41	farmer_adult	TOCDFMPF	Hexachlorobenzene	5.1934E-008	2.5287E-007
RCPTR_41	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	7.0353E-011	3.2895E-010
RCPTR_41	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.5020E-011	7.6563E-011
RCPTR_41	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_41	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.6717E-003	2.6997E-003
RCPTR_41	farmer_adult	TOCDFMPF	Isophorone	2.7987E-012	1.4576E-011
RCPTR_41	farmer_adult	TOCDFMPF	Lead	2.5865E-009	3.3837E-009
RCPTR_41	farmer_adult	TOCDFMPF	Mercuric chloride	1.3154E-007	1.4576E-007
RCPTR_41	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	4.2975E-017	2.2401E-016
RCPTR_41	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	1.5380E-018	8.0123E-018
RCPTR_41	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.0063E-014	5.2470E-014
RCPTR_41	farmer_adult	TOCDFMPF	Methyl mercury	8.4382E-010	9.1803E-010
RCPTR_41	farmer_adult	TOCDFMPF	Methylene chloride	2.5172E-016	1.3116E-015
RCPTR_41	farmer_adult	TOCDFMPF	Naphthalene	1.1938E-011	6.1486E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFMPF	Nickel	3.6702E-007	4.0616E-007
RCPTR_41	farmer_adult	TOCDFMPF	Nitroaniline, 2-	4.7797E-011	2.4808E-010
RCPTR_41	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.1341E-011	5.9056E-011
RCPTR_41	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.4669E-011	7.6300E-011
RCPTR_41	farmer_adult	TOCDFMPF	Nitrobenzene	4.7204E-012	2.4604E-011
RCPTR_41	farmer_adult	TOCDFMPF	Nitrophenol, 2-	2.1506E-012	1.1201E-011
RCPTR_41	farmer_adult	TOCDFMPF	Nitrophenol, 4-	7.4008E-011	1.5989E-010
RCPTR_41	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.6725E-012	1.3873E-011
RCPTR_41	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.6320E-012	1.3630E-011
RCPTR_41	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.4178E-013	1.2225E-012
RCPTR_41	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	4.4224E-013	5.1999E-013
RCPTR_41	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	6.1536E-013	7.2137E-013
RCPTR_41	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	8.4920E-012	9.6228E-012
RCPTR_41	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	6.3376E-012	7.7033E-012
RCPTR_41	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.0587E-011	2.4945E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFMPF	Pentachlorobenzene	2.0703E-010	9.3065E-010
RCPTR_41	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	8.3952E-011	3.6651E-010
RCPTR_41	farmer_adult	TOCDFMPF	Pentachlorophenol	1.1018E-007	1.6309E-007
RCPTR_41	farmer_adult	TOCDFMPF	Phenanthrene	3.7040E-012	1.8771E-011
RCPTR_41	farmer_adult	TOCDFMPF	Phenol	3.7503E-012	1.9487E-011
RCPTR_41	farmer_adult	TOCDFMPF	Pronamide	3.7073E-010	1.8567E-009
RCPTR_41	farmer_adult	TOCDFMPF	Pyrene	1.8591E-007	7.6102E-007
RCPTR_41	farmer_adult	TOCDFMPF	Selenium	2.9739E-008	2.9949E-008
RCPTR_41	farmer_adult	TOCDFMPF	Silver	1.3774E-007	1.5534E-007
RCPTR_41	farmer_adult	TOCDFMPF	Styrene	3.4296E-013	1.7803E-012
RCPTR_41	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	2.0771E-012	2.6651E-012
RCPTR_41	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	3.9951E-012	5.4859E-012
RCPTR_41	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.1141E-010	1.4978E-009
RCPTR_41	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.1744E-011	1.5702E-011
RCPTR_41	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	5.9266E-015	3.0770E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	3.7569E-009	1.0194E-008
RCPTR_41	farmer_adult	TOCDFMPF	Thallium (I)	2.6743E-007	2.8949E-007
RCPTR_41	farmer_adult	TOCDFMPF	Toluene	4.1563E-015	2.1389E-014
RCPTR_41	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.1543E-011	5.7507E-011
RCPTR_41	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.7253E-015	8.9725E-015
RCPTR_41	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.3176E-014	6.8616E-014
RCPTR_41	farmer_adult	TOCDFMPF	Trichloroethylene	2.1476E-015	1.1153E-014
RCPTR_41	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	2.8217E-016	1.4658E-015
RCPTR_41	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.3854E-009	6.5702E-009
RCPTR_41	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	3.3435E-010	1.3152E-009
RCPTR_41	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	4.8799E-014	2.5394E-013
RCPTR_41	farmer_adult	TOCDFMPF	Vinyl Chloride	6.9646E-019	3.6246E-018
RCPTR_41	farmer_adult	TOCDFMPF	Xylene, m-	4.2124E-014	8.5937E-014
RCPTR_41	farmer_adult	TOCDFMPF	Xylene, o-	3.8695E-014	8.8643E-014
RCPTR_41	farmer_adult	TOCDFMPF	Xylene, p-	4.5608E-014	1.1356E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDFMPF	Zinc	8.0297E-008	1.0698E-007
RCPTR_41	farmer_adult	TOCDHVAC	GB	1.2824E-014	6.6772E-014
RCPTR_41	farmer_adult	TOCDLIC2	Acenaphthene	1.4362E-010	7.3194E-010
RCPTR_41	farmer_adult	TOCDLIC2	Acetone	1.7769E-015	9.2663E-015
RCPTR_41	farmer_adult	TOCDLIC2	Acetophenone	7.4126E-013	3.8611E-012
RCPTR_41	farmer_adult	TOCDLIC2	Aniline	4.4756E-014	2.3251E-013
RCPTR_41	farmer_adult	TOCDLIC2	Anthracene	2.5393E-009	1.2912E-008
RCPTR_41	farmer_adult	TOCDLIC2	Antimony	6.2377E-008	7.8787E-008
RCPTR_41	farmer_adult	TOCDLIC2	Arsenic	1.4738E-007	1.5476E-007
RCPTR_41	farmer_adult	TOCDLIC2	Barium	4.7778E-008	5.7032E-008
RCPTR_41	farmer_adult	TOCDLIC2	Benzene	1.1917E-015	6.1825E-015
RCPTR_41	farmer_adult	TOCDLIC2	Benzo(a)anthracene	8.2625E-007	1.4537E-006
RCPTR_41	farmer_adult	TOCDLIC2	Benzo(a)pyrene	8.2473E-006	8.8754E-006
RCPTR_41	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	4.6261E-006	6.2101E-006
RCPTR_41	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.2970E-005	1.4198E-005

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDLIC2	Benzoic acid	5.8689E-012	2.6399E-011
RCPTR_41	farmer_adult	TOCDLIC2	Benzyl alcohol	1.0133E-012	5.2751E-012
RCPTR_41	farmer_adult	TOCDLIC2	Beryllium	2.7145E-008	3.3104E-008
RCPTR_41	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.0125E-012	5.2796E-012
RCPTR_41	farmer_adult	TOCDLIC2	Bromodichloromethane	1.3445E-014	7.0044E-014
RCPTR_41	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	3.5057E-013	1.8270E-012
RCPTR_41	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	5.7100E-008	2.8367E-007
RCPTR_41	farmer_adult	TOCDLIC2	Butylbenzylphthalate	4.8502E-009	5.8671E-009
RCPTR_41	farmer_adult	TOCDLIC2	Cadmium	1.8089E-009	2.7360E-009
RCPTR_41	farmer_adult	TOCDLIC2	Carbon disulfide	1.5178E-015	7.8891E-015
RCPTR_41	farmer_adult	TOCDLIC2	Carbon tetrachloride	2.4115E-015	1.2505E-014
RCPTR_41	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.0462E-010	4.3033E-010
RCPTR_41	farmer_adult	TOCDLIC2	Chloroaniline, p-	4.7233E-012	2.4516E-011
RCPTR_41	farmer_adult	TOCDLIC2	Chlorobenzene	1.4155E-014	7.3150E-014
RCPTR_41	farmer_adult	TOCDLIC2	Chloroethane	4.0641E-017	2.0531E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	4.3145E-015	2.2471E-014
RCPTR_41	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	3.7342E-010	1.9126E-009
RCPTR_41	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.3063E-011	6.8094E-011
RCPTR_41	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	5.8438E-010	2.3910E-009
RCPTR_41	farmer_adult	TOCDLIC2	Chromium	1.4204E-006	1.4729E-006
RCPTR_41	farmer_adult	TOCDLIC2	Chromium, hexavalent	9.3252E-007	9.5524E-007
RCPTR_41	farmer_adult	TOCDLIC2	Chrysene	2.4095E-006	3.2438E-006
RCPTR_41	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.8678E-008	2.2590E-008
RCPTR_41	farmer_adult	TOCDLIC2	Di-n-octylphthalate	9.4527E+001	9.4527E+001
RCPTR_41	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	1.7926E-004	1.8650E-004
RCPTR_41	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	6.1475E-013	3.0859E-012
RCPTR_41	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	7.3451E-013	3.7366E-012
RCPTR_41	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	7.0476E-013	3.5984E-012
RCPTR_41	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.0250E-008	1.3385E-008
RCPTR_41	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	3.1623E-018	1.6411E-017

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	7.9340E-016	4.1333E-015
RCPTR_41	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	9.8542E-016	5.1349E-015
RCPTR_41	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	3.0092E-016	1.5647E-015
RCPTR_41	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	4.8384E-016	2.5152E-015
RCPTR_41	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	8.3859E-011	2.9517E-010
RCPTR_41	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	2.7284E-015	1.4151E-014
RCPTR_41	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	8.9706E-016	4.6700E-015
RCPTR_41	farmer_adult	TOCDLIC2	Diethyl phthalate	1.1616E-008	1.2286E-008
RCPTR_41	farmer_adult	TOCDLIC2	Dimethyl phthalate	2.1711E-011	1.0959E-010
RCPTR_41	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	8.9772E-012	4.6398E-011
RCPTR_41	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	9.4108E-012	2.2454E-011
RCPTR_41	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	8.6087E-012	4.2527E-011
RCPTR_41	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	6.5399E-012	3.2807E-011
RCPTR_41	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.8960E-013	9.8853E-013
RCPTR_41	farmer_adult	TOCDLIC2	Ethylbenzene	1.0107E-014	5.0617E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	5.0712E-009	6.1800E-009
RCPTR_41	farmer_adult	TOCDLIC2	Fluoranthene	4.7390E-008	1.7778E-007
RCPTR_41	farmer_adult	TOCDLIC2	Fluorene	5.7197E-010	2.8712E-009
RCPTR_41	farmer_adult	TOCDLIC2	GB	1.6014E-015	8.3380E-015
RCPTR_41	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	5.9306E-013	6.7395E-013
RCPTR_41	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	5.4757E-013	6.0767E-013
RCPTR_41	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.2619E-013	5.9618E-013
RCPTR_41	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.5890E-012	1.7700E-012
RCPTR_41	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.1448E-012	1.3126E-012
RCPTR_41	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.1125E-012	1.2987E-012
RCPTR_41	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.0762E-012	1.2766E-012
RCPTR_41	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	6.4856E-013	7.6869E-013
RCPTR_41	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.7825E-013	6.8449E-013
RCPTR_41	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	6.6250E-013	7.8470E-013
RCPTR_41	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.2596E-011	6.0110E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDLIC2	Hexachlorobenzene	2.5182E-008	1.2262E-007
RCPTR_41	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	3.4111E-011	1.5951E-010
RCPTR_41	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	7.2834E-012	3.7125E-011
RCPTR_41	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_41	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.2953E-003	1.3088E-003
RCPTR_41	farmer_adult	TOCDLIC2	Isophorone	1.3571E-012	7.0678E-012
RCPTR_41	farmer_adult	TOCDLIC2	Lead	2.3607E-007	3.0883E-007
RCPTR_41	farmer_adult	TOCDLIC2	Mercuric chloride	1.1636E-005	1.2894E-005
RCPTR_41	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	4.6944E-017	2.4470E-016
RCPTR_41	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.8722E-018	9.7532E-018
RCPTR_41	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.0527E-014	5.4894E-014
RCPTR_41	farmer_adult	TOCDLIC2	Methyl mercury	7.4552E-008	8.1119E-008
RCPTR_41	farmer_adult	TOCDLIC2	Methylene chloride	8.2693E-016	4.3088E-015
RCPTR_41	farmer_adult	TOCDLIC2	Naphthalene	5.7888E-012	2.9815E-011
RCPTR_41	farmer_adult	TOCDLIC2	Nickel	1.6237E-007	1.7969E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.3279E-011	1.2083E-010
RCPTR_41	farmer_adult	TOCDLIC2	Nitroaniline, 3-	5.5237E-012	2.8763E-011
RCPTR_41	farmer_adult	TOCDLIC2	Nitroaniline, 4-	7.1440E-012	3.7160E-011
RCPTR_41	farmer_adult	TOCDLIC2	Nitrobenzene	2.2889E-012	1.1931E-011
RCPTR_41	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.0428E-012	5.4314E-012
RCPTR_41	farmer_adult	TOCDLIC2	Nitrophenol, 4-	3.6047E-011	7.7876E-011
RCPTR_41	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.2959E-012	6.7268E-012
RCPTR_41	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.2762E-012	6.6093E-012
RCPTR_41	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.1722E-013	5.9278E-013
RCPTR_41	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	9.9896E-013	1.1745E-012
RCPTR_41	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.3072E-013	3.8767E-013
RCPTR_41	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	4.0256E-012	4.5612E-012
RCPTR_41	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.2052E-012	1.4649E-012
RCPTR_41	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.3724E-012	4.0863E-012
RCPTR_41	farmer_adult	TOCDLIC2	Pentachlorobenzene	1.0035E-010	4.5123E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	4.0869E-011	1.7849E-010
RCPTR_41	farmer_adult	TOCDLIC2	Pentachlorophenol	5.3669E-008	7.9439E-008
RCPTR_41	farmer_adult	TOCDLIC2	Phenanthrene	1.7960E-012	9.1019E-012
RCPTR_41	farmer_adult	TOCDLIC2	Phenol	1.9227E-012	9.9903E-012
RCPTR_41	farmer_adult	TOCDLIC2	Pronamide	1.7976E-010	9.0033E-010
RCPTR_41	farmer_adult	TOCDLIC2	Pyrene	9.0143E-008	3.6901E-007
RCPTR_41	farmer_adult	TOCDLIC2	Selenium	1.0147E-007	1.0218E-007
RCPTR_41	farmer_adult	TOCDLIC2	Silver	3.4354E-008	3.8743E-008
RCPTR_41	farmer_adult	TOCDLIC2	Styrene	2.6915E-013	1.3972E-012
RCPTR_41	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	2.1247E-012	2.7264E-012
RCPTR_41	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.7494E-012	2.4024E-012
RCPTR_41	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.5100E-010	7.2628E-010
RCPTR_41	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.2720E-011	1.7007E-011
RCPTR_41	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.8964E-015	1.5038E-014
RCPTR_41	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.8299E-009	4.9647E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_adult	TOCDLIC2	Thallium (I)	9.0463E-007	9.7926E-007
RCPTR_41	farmer_adult	TOCDLIC2	Toluene	1.5648E-014	8.0529E-014
RCPTR_41	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	5.5973E-012	2.7885E-011
RCPTR_41	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.8686E-015	9.7176E-015
RCPTR_41	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.4270E-014	7.4314E-014
RCPTR_41	farmer_adult	TOCDLIC2	Trichloroethylene	2.3259E-015	1.2079E-014
RCPTR_41	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	3.0560E-016	1.5875E-015
RCPTR_41	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	6.7178E-010	3.1859E-009
RCPTR_41	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.6213E-010	6.3775E-010
RCPTR_41	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	5.2852E-014	2.7503E-013
RCPTR_41	farmer_adult	TOCDLIC2	Vinyl Chloride	8.9132E-019	4.6387E-018
RCPTR_41	farmer_adult	TOCDLIC2	Xylene, m-	6.1883E-014	1.2641E-013
RCPTR_41	farmer_adult	TOCDLIC2	Xylene, o-	4.1809E-014	9.5904E-014
RCPTR_41	farmer_adult	TOCDLIC2	Xylene, p-	6.7026E-014	1.6710E-013
RCPTR_41	farmer_adult	TOCDLIC2	Zinc	1.5633E-007	2.0828E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFBRA	Antimony	4.9011E-007	5.0593E-007
RCPTR_41	farmer_child	TOCDFBRA	Arsenic	6.8073E-007	6.8390E-007
RCPTR_41	farmer_child	TOCDFBRA	Barium	6.3986E-008	6.5442E-008
RCPTR_41	farmer_child	TOCDFBRA	Beryllium	2.0712E-007	2.4437E-007
RCPTR_41	farmer_child	TOCDFBRA	Cadmium	4.3823E-008	4.7738E-008
RCPTR_41	farmer_child	TOCDFBRA	Chromium	4.9648E-006	6.0953E-006
RCPTR_41	farmer_child	TOCDFBRA	Chromium, hexavalent	3.9447E-006	3.9507E-006
RCPTR_41	farmer_child	TOCDFBRA	Lead	2.3360E-006	2.9700E-006
RCPTR_41	farmer_child	TOCDFBRA	Mercuric chloride	4.2187E-004	7.7497E-004
RCPTR_41	farmer_child	TOCDFBRA	Methyl mercury	3.9269E-006	4.9668E-006
RCPTR_41	farmer_child	TOCDFBRA	Nickel	2.3265E-006	2.3753E-006
RCPTR_41	farmer_child	TOCDFBRA	Selenium	7.3508E-007	7.3517E-007
RCPTR_41	farmer_child	TOCDFBRA	Silver	2.7983E-007	2.8073E-007
RCPTR_41	farmer_child	TOCDFBRA	Thallium (I)	7.0985E-006	7.2257E-006
RCPTR_41	farmer_child	TOCDFBRA	Zinc	1.4587E-006	1.5369E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFDFS	Acenaphthene	5.9659E-010	5.9870E-010
RCPTR_41	farmer_child	TOCDFDFS	Acetone	7.4917E-015	7.4917E-015
RCPTR_41	farmer_child	TOCDFDFS	Acetophenone	3.3153E-012	3.3160E-012
RCPTR_41	farmer_child	TOCDFDFS	Aniline	1.9017E-013	1.9018E-013
RCPTR_41	farmer_child	TOCDFDFS	Anthracene	1.0218E-008	1.0562E-008
RCPTR_41	farmer_child	TOCDFDFS	Antimony	3.2092E-006	3.3127E-006
RCPTR_41	farmer_child	TOCDFDFS	Aroclor 1254	6.1038E-011	6.1453E-011
RCPTR_41	farmer_child	TOCDFDFS	Arsenic	2.5207E-007	2.5324E-007
RCPTR_41	farmer_child	TOCDFDFS	Barium	8.3305E-009	8.5197E-009
RCPTR_41	farmer_child	TOCDFDFS	Benzene	6.1954E-015	6.1954E-015
RCPTR_41	farmer_child	TOCDFDFS	Benzo(a)anthracene	1.0157E-006	1.1947E-006
RCPTR_41	farmer_child	TOCDFDFS	Benzo(a)pyrene	7.1985E-006	7.3590E-006
RCPTR_41	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	4.6710E-006	5.1046E-006
RCPTR_41	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	1.1142E-005	1.1776E-005
RCPTR_41	farmer_child	TOCDFDFS	Benzoic acid	2.1590E-011	2.1592E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFDFS	Benzyl alcohol	4.3126E-012	4.3147E-012
RCPTR_41	farmer_child	TOCDFDFS	Beryllium	7.4225E-008	8.7561E-008
RCPTR_41	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	4.3166E-012	4.3184E-012
RCPTR_41	farmer_child	TOCDFDFS	Bromodichloromethane	4.8863E-014	4.8864E-014
RCPTR_41	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.9419E-012	1.9421E-012
RCPTR_41	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.6772E-007	2.3203E-007
RCPTR_41	farmer_child	TOCDFDFS	Butylbenzylphthalate	4.8808E-009	4.8845E-009
RCPTR_41	farmer_child	TOCDFDFS	Cadmium	7.9038E-008	8.6093E-008
RCPTR_41	farmer_child	TOCDFDFS	Carbon disulfide	3.2385E-015	3.2385E-015
RCPTR_41	farmer_child	TOCDFDFS	Carbon tetrachloride	1.6162E-014	1.6162E-014
RCPTR_41	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	3.5023E-010	3.5193E-010
RCPTR_41	farmer_child	TOCDFDFS	Chloroaniline, p-	2.0031E-011	2.0053E-011
RCPTR_41	farmer_child	TOCDFDFS	Chlorobenzene	9.4544E-014	9.4544E-014
RCPTR_41	farmer_child	TOCDFDFS	Chloroethane	2.6535E-016	2.6535E-016
RCPTR_41	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	1.4634E-014	1.4634E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.5517E-009	1.5644E-009
RCPTR_41	farmer_child	TOCDFDFS	Chlorophenol, 2-	5.5570E-011	5.5697E-011
RCPTR_41	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.9495E-009	1.9564E-009
RCPTR_41	farmer_child	TOCDFDFS	Chromium	9.5604E-007	1.1735E-006
RCPTR_41	farmer_child	TOCDFDFS	Chromium, hexavalent	7.5980E-007	7.6096E-007
RCPTR_41	farmer_child	TOCDFDFS	Chrysene	2.3694E-006	2.6659E-006
RCPTR_41	farmer_child	TOCDFDFS	Di-n-butyl phthalate	1.8464E-008	1.8498E-008
RCPTR_41	farmer_child	TOCDFDFS	Di-n-octylphthalate	7.7130E+001	7.7130E+001
RCPTR_41	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.5212E-004	1.5485E-004
RCPTR_41	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	2.5241E-012	2.5241E-012
RCPTR_41	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	3.0562E-012	3.0563E-012
RCPTR_41	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.9432E-012	2.9433E-012
RCPTR_41	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.8199E-008	1.8299E-008
RCPTR_41	farmer_child	TOCDFDFS	Dichlorodifluoromethane	2.1211E-017	2.1211E-017
RCPTR_41	farmer_child	TOCDFDFS	Dichloroethane 1,1-	5.3421E-015	5.3421E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	6.6366E-015	6.6366E-015
RCPTR_41	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	2.0223E-015	2.0223E-015
RCPTR_41	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	3.2508E-015	3.2508E-015
RCPTR_41	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.4061E-010	2.4138E-010
RCPTR_41	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	1.8289E-014	1.8290E-014
RCPTR_41	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	6.0358E-015	6.0358E-015
RCPTR_41	farmer_child	TOCDFDFS	Diethyl phthalate	1.0025E-008	1.0027E-008
RCPTR_41	farmer_child	TOCDFDFS	Dimethyl phthalate	8.3644E-011	8.3717E-011
RCPTR_41	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	3.7902E-011	3.7950E-011
RCPTR_41	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.8097E-011	1.8099E-011
RCPTR_41	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	3.4736E-011	3.4793E-011
RCPTR_41	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	2.6799E-011	2.6837E-011
RCPTR_41	farmer_child	TOCDFDFS	Ethyl methanesulfonate	8.0835E-013	8.0856E-013
RCPTR_41	farmer_child	TOCDFDFS	Ethylbenzene	5.7685E-014	5.7685E-014
RCPTR_41	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	5.0082E-010	5.0211E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFDFS	Fluoranthene	1.2384E-007	1.4550E-007
RCPTR_41	farmer_child	TOCDFDFS	Fluorene	2.3235E-009	2.3486E-009
RCPTR_41	farmer_child	TOCDFDFS	GB	2.1742E-014	2.1748E-014
RCPTR_41	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.3833E-013	1.5318E-013
RCPTR_41	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	7.0818E-014	7.6990E-014
RCPTR_41	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.4276E-013	2.6814E-013
RCPTR_41	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.3500E-012	1.4719E-012
RCPTR_41	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	7.3947E-013	8.2395E-013
RCPTR_41	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	6.4790E-013	7.3165E-013
RCPTR_41	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	5.1127E-013	5.8401E-013
RCPTR_41	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.5462E-013	5.1913E-013
RCPTR_41	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	6.0908E-013	6.9476E-013
RCPTR_41	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.1937E-013	4.7858E-013
RCPTR_41	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	4.9173E-011	4.9178E-011
RCPTR_41	farmer_child	TOCDFDFS	Hexachlorobenzene	9.4361E-008	1.0030E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	6.4588E-010	6.4601E-010
RCPTR_41	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.0361E-011	3.0366E-011
RCPTR_41	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_41	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.0695E-003	1.0739E-003
RCPTR_41	farmer_child	TOCDFDFS	Isophorone	5.7789E-012	5.7811E-012
RCPTR_41	farmer_child	TOCDFDFS	Lead	9.0591E-006	1.1515E-005
RCPTR_41	farmer_child	TOCDFDFS	Mercuric chloride	8.1302E-008	1.4933E-007
RCPTR_41	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	5.6556E-016	5.6556E-016
RCPTR_41	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	9.5743E-017	9.5743E-017
RCPTR_41	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	5.0276E-014	5.0276E-014
RCPTR_41	farmer_child	TOCDFDFS	Methyl mercury	7.5743E-010	9.5780E-010
RCPTR_41	farmer_child	TOCDFDFS	Methylene chloride	1.4532E-015	1.4532E-015
RCPTR_41	farmer_child	TOCDFDFS	Naphthalene	2.4380E-011	2.4387E-011
RCPTR_41	farmer_child	TOCDFDFS	Nickel	8.9613E-007	9.1492E-007
RCPTR_41	farmer_child	TOCDFDFS	Nitroaniline, 2-	9.7304E-011	9.7411E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFDFS	Nitroaniline, 3-	2.3179E-011	2.3189E-011
RCPTR_41	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.9944E-011	2.9960E-011
RCPTR_41	farmer_child	TOCDFDFS	Nitrobenzene	9.7531E-012	9.7585E-012
RCPTR_41	farmer_child	TOCDFDFS	Nitrophenol, 2-	4.4414E-012	4.4426E-012
RCPTR_41	farmer_child	TOCDFDFS	Nitrophenol, 4-	6.2718E-011	6.2736E-011
RCPTR_41	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	5.5011E-012	5.5021E-012
RCPTR_41	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	5.4055E-012	5.4060E-012
RCPTR_41	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	4.8506E-013	4.8508E-013
RCPTR_41	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	3.6066E-013	4.0958E-013
RCPTR_41	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.2365E-013	1.4012E-013
RCPTR_41	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.3703E-012	3.7163E-012
RCPTR_41	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.8591E-013	3.3219E-013
RCPTR_41	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.1502E-012	1.3339E-012
RCPTR_41	farmer_child	TOCDFDFS	Pentachlorobenzene	3.6949E-010	3.6965E-010
RCPTR_41	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.4415E-010	1.4416E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFDFS	Pentachlorophenol	6.3785E-008	6.3953E-008
RCPTR_41	farmer_child	TOCDFDFS	Phenanthrene	7.4449E-012	7.4450E-012
RCPTR_41	farmer_child	TOCDFDFS	Phenol	7.7241E-012	7.7289E-012
RCPTR_41	farmer_child	TOCDFDFS	Pronamide	1.4621E-009	1.4728E-009
RCPTR_41	farmer_child	TOCDFDFS	Pyrene	2.0358E-007	3.0189E-007
RCPTR_41	farmer_child	TOCDFDFS	Selenium	2.7221E-007	2.7224E-007
RCPTR_41	farmer_child	TOCDFDFS	Silver	1.0525E-007	1.0559E-007
RCPTR_41	farmer_child	TOCDFDFS	Styrene	1.5775E-012	1.5776E-012
RCPTR_41	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.5840E-012	1.9110E-012
RCPTR_41	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	5.1350E-013	6.4997E-013
RCPTR_41	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	5.9322E-010	5.9406E-010
RCPTR_41	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	2.1944E-011	2.1944E-011
RCPTR_41	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.9436E-014	1.9436E-014
RCPTR_41	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	3.9931E-009	4.0008E-009
RCPTR_41	farmer_child	TOCDFDFS	Thallium (I)	2.5443E-006	2.5899E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFDFS	Toluene	2.6166E-014	2.6166E-014
RCPTR_41	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.2806E-011	2.2809E-011
RCPTR_41	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	1.2560E-014	1.2560E-014
RCPTR_41	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	9.6047E-014	9.6048E-014
RCPTR_41	farmer_child	TOCDFDFS	Trichloroethylene	1.5612E-014	1.5612E-014
RCPTR_41	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	2.0518E-015	2.0518E-015
RCPTR_41	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	2.5625E-009	2.6057E-009
RCPTR_41	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	5.1970E-010	5.2156E-010
RCPTR_41	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	3.5546E-013	3.5547E-013
RCPTR_41	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	4.1468E-012	4.1507E-012
RCPTR_41	farmer_child	TOCDFDFS	Vinyl Chloride	5.0737E-018	5.0737E-018
RCPTR_41	farmer_child	TOCDFDFS	Xylene, m-	1.2282E-013	1.2282E-013
RCPTR_41	farmer_child	TOCDFDFS	Xylene, o-	1.2623E-013	1.2623E-013
RCPTR_41	farmer_child	TOCDFDFS	Xylene, p-	1.6131E-013	1.6131E-013
RCPTR_41	farmer_child	TOCDFDFS	Zinc	6.3115E-007	6.6498E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFLIC	Acenaphthene	3.5343E-010	3.5469E-010
RCPTR_41	farmer_child	TOCDFLIC	Acetone	9.3637E-015	9.3637E-015
RCPTR_41	farmer_child	TOCDFLIC	Acetophenone	3.3671E-012	3.3678E-012
RCPTR_41	farmer_child	TOCDFLIC	Aniline	1.1267E-013	1.1267E-013
RCPTR_41	farmer_child	TOCDFLIC	Anthracene	6.0532E-009	6.2570E-009
RCPTR_41	farmer_child	TOCDFLIC	Antimony	5.7369E-008	5.9219E-008
RCPTR_41	farmer_child	TOCDFLIC	Arsenic	1.5404E-007	1.5476E-007
RCPTR_41	farmer_child	TOCDFLIC	Barium	5.7870E-009	5.9184E-009
RCPTR_41	farmer_child	TOCDFLIC	Benzene	8.5910E-014	8.5910E-014
RCPTR_41	farmer_child	TOCDFLIC	Benzo(a)anthracene	5.9857E-007	7.0441E-007
RCPTR_41	farmer_child	TOCDFLIC	Benzo(a)pyrene	4.2081E-006	4.3009E-006
RCPTR_41	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.7532E-006	3.0093E-006
RCPTR_41	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	6.5170E-006	6.8799E-006
RCPTR_41	farmer_child	TOCDFLIC	Benzoic acid	1.3722E-011	1.3723E-011
RCPTR_41	farmer_child	TOCDFLIC	Benzyl alcohol	2.5549E-012	2.5562E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFLIC	Beryllium	2.8064E-008	3.3104E-008
RCPTR_41	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	2.5573E-012	2.5584E-012
RCPTR_41	farmer_child	TOCDFLIC	Bromodichloromethane	2.2875E-014	2.2876E-014
RCPTR_41	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	7.8789E-013	7.8796E-013
RCPTR_41	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	9.9359E-008	1.3746E-007
RCPTR_41	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.8409E-009	2.8431E-009
RCPTR_41	farmer_child	TOCDFLIC	Cadmium	2.2106E-008	2.4078E-008
RCPTR_41	farmer_child	TOCDFLIC	Carbon disulfide	5.2057E-015	5.2057E-015
RCPTR_41	farmer_child	TOCDFLIC	Carbon tetrachloride	8.2164E-015	8.2164E-015
RCPTR_41	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	2.0752E-010	2.0853E-010
RCPTR_41	farmer_child	TOCDFLIC	Chloroaniline, p-	1.1867E-011	1.1880E-011
RCPTR_41	farmer_child	TOCDFLIC	Chlorobenzene	4.8063E-014	4.8063E-014
RCPTR_41	farmer_child	TOCDFLIC	Chloroethane	1.3490E-016	1.3490E-016
RCPTR_41	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	7.2780E-015	7.2780E-015
RCPTR_41	farmer_child	TOCDFLIC	Chloronaphthalene,2-	9.1927E-010	9.2681E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFLIC	Chlorophenol, 2-	3.2922E-011	3.2997E-011
RCPTR_41	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.1546E-009	1.1586E-009
RCPTR_41	farmer_child	TOCDFLIC	Chromium	1.2000E-006	1.4729E-006
RCPTR_41	farmer_child	TOCDFLIC	Chromium, hexavalent	9.5379E-007	9.5524E-007
RCPTR_41	farmer_child	TOCDFLIC	Chrysene	1.3970E-006	1.5719E-006
RCPTR_41	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.0926E-008	1.0946E-008
RCPTR_41	farmer_child	TOCDFLIC	Di-n-octylphthalate	4.5806E+001	4.5806E+001
RCPTR_41	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	8.8857E-005	9.0372E-005
RCPTR_41	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	1.4953E-012	1.4954E-012
RCPTR_41	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	1.8106E-012	1.8107E-012
RCPTR_41	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	1.7436E-012	1.7437E-012
RCPTR_41	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	5.5354E-009	5.5659E-009
RCPTR_41	farmer_child	TOCDFLIC	Dichlorodifluoromethane	1.0783E-017	1.0783E-017
RCPTR_41	farmer_child	TOCDFLIC	Dichloroethane 1,1-	2.7158E-015	2.7158E-015
RCPTR_41	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	3.3739E-015	3.3739E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	1.0281E-015	1.0281E-015
RCPTR_41	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.6526E-015	1.6526E-015
RCPTR_41	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	1.4258E-010	1.4304E-010
RCPTR_41	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	9.2978E-015	9.2978E-015
RCPTR_41	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	3.0684E-015	3.0684E-015
RCPTR_41	farmer_child	TOCDFLIC	Diethyl phthalate	5.9524E-009	5.9533E-009
RCPTR_41	farmer_child	TOCDFLIC	Dimethyl phthalate	8.9398E-011	8.9477E-011
RCPTR_41	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	2.2455E-011	2.2483E-011
RCPTR_41	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	1.0851E-011	1.0853E-011
RCPTR_41	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	2.0574E-011	2.0608E-011
RCPTR_41	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	1.5875E-011	1.5898E-011
RCPTR_41	farmer_child	TOCDFLIC	Ethyl methanesulfonate	4.7890E-013	4.7902E-013
RCPTR_41	farmer_child	TOCDFLIC	Ethylbenzene	3.9100E-014	3.9100E-014
RCPTR_41	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	9.2061E-009	9.2302E-009
RCPTR_41	farmer_child	TOCDFLIC	Fluoranthene	7.3323E-008	8.6150E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFLIC	Fluorene	1.3765E-009	1.3914E-009
RCPTR_41	farmer_child	TOCDFLIC	GB	8.0184E-015	8.0204E-015
RCPTR_41	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	8.6860E-014	9.6020E-014
RCPTR_41	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.0253E-013	1.1125E-013
RCPTR_41	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.4773E-013	2.7315E-013
RCPTR_41	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.0833E-012	1.1790E-012
RCPTR_41	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	6.2550E-013	6.9586E-013
RCPTR_41	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	5.4001E-013	6.0910E-013
RCPTR_41	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.4750E-013	3.9671E-013
RCPTR_41	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.4016E-013	3.8819E-013
RCPTR_41	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.9340E-013	4.4846E-013
RCPTR_41	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.8716E-013	3.2750E-013
RCPTR_41	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.9125E-011	2.9128E-011
RCPTR_41	farmer_child	TOCDFLIC	Hexachlorobenzene	5.5899E-008	5.9418E-008
RCPTR_41	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	7.7278E-011	7.7293E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.7987E-011	1.7990E-011
RCPTR_41	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_41	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.3175E-004	6.3423E-004
RCPTR_41	farmer_child	TOCDFLIC	Isophorone	3.4237E-012	3.4249E-012
RCPTR_41	farmer_child	TOCDFLIC	Lead	3.3700E-006	4.2834E-006
RCPTR_41	farmer_child	TOCDFLIC	Mercuric chloride	6.9995E-006	1.2894E-005
RCPTR_41	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	1.8708E-016	1.8708E-016
RCPTR_41	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.5322E-017	1.5322E-017
RCPTR_41	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	5.5694E-014	5.5694E-014
RCPTR_41	farmer_child	TOCDFLIC	Methyl mercury	6.3760E-008	8.1119E-008
RCPTR_41	farmer_child	TOCDFLIC	Methylene chloride	1.1845E-015	1.1845E-015
RCPTR_41	farmer_child	TOCDFLIC	Naphthalene	1.4444E-011	1.4448E-011
RCPTR_41	farmer_child	TOCDFLIC	Nickel	5.0633E-007	5.1694E-007
RCPTR_41	farmer_child	TOCDFLIC	Nitroaniline, 2-	5.8335E-011	5.8399E-011
RCPTR_41	farmer_child	TOCDFLIC	Nitroaniline, 3-	1.3896E-011	1.3902E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFLIC	Nitroaniline, 4-	1.7951E-011	1.7961E-011
RCPTR_41	farmer_child	TOCDFLIC	Nitrobenzene	5.7781E-012	5.7813E-012
RCPTR_41	farmer_child	TOCDFLIC	Nitrophenol, 2-	2.6313E-012	2.6320E-012
RCPTR_41	farmer_child	TOCDFLIC	Nitrophenol, 4-	3.7629E-011	3.7640E-011
RCPTR_41	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	3.2591E-012	3.2597E-012
RCPTR_41	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	3.2024E-012	3.2027E-012
RCPTR_41	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	2.8724E-013	2.8725E-013
RCPTR_41	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.0828E-013	3.4980E-013
RCPTR_41	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.0123E-013	1.1461E-013
RCPTR_41	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.2147E-012	2.4393E-012
RCPTR_41	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	5.9597E-013	6.9231E-013
RCPTR_41	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.3242E-012	1.5355E-012
RCPTR_41	farmer_child	TOCDFLIC	Pentachlorobenzene	2.1857E-010	2.1866E-010
RCPTR_41	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	8.6263E-011	8.6269E-011
RCPTR_41	farmer_child	TOCDFLIC	Pentachlorophenol	3.8295E-008	3.8395E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFLIC	Phenanthrene	4.4105E-012	4.4106E-012
RCPTR_41	farmer_child	TOCDFLIC	Phenol	4.5761E-012	4.5789E-012
RCPTR_41	farmer_child	TOCDFLIC	Pronamide	4.3311E-010	4.3629E-010
RCPTR_41	farmer_child	TOCDFLIC	Pyrene	1.2058E-007	1.7882E-007
RCPTR_41	farmer_child	TOCDFLIC	Selenium	1.0217E-007	1.0218E-007
RCPTR_41	farmer_child	TOCDFLIC	Silver	3.8620E-008	3.8743E-008
RCPTR_41	farmer_child	TOCDFLIC	Styrene	1.6678E-012	1.6678E-012
RCPTR_41	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	7.7924E-013	9.4049E-013
RCPTR_41	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	1.0589E-012	1.3412E-012
RCPTR_41	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	3.5145E-010	3.5194E-010
RCPTR_41	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	1.1174E-011	1.1174E-011
RCPTR_41	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	9.8805E-015	9.8805E-015
RCPTR_41	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	2.3950E-009	2.3996E-009
RCPTR_41	farmer_child	TOCDFLIC	Thallium (I)	9.6206E-007	9.7926E-007
RCPTR_41	farmer_child	TOCDFLIC	Toluene	7.6503E-014	7.6503E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.3511E-011	1.3513E-011
RCPTR_41	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	6.3849E-015	6.3849E-015
RCPTR_41	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	4.8827E-014	4.8828E-014
RCPTR_41	farmer_child	TOCDFLIC	Trichloroethylene	7.9364E-015	7.9365E-015
RCPTR_41	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.0431E-015	1.0431E-015
RCPTR_41	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	1.5182E-009	1.5438E-009
RCPTR_41	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	3.0794E-010	3.0904E-010
RCPTR_41	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	1.8070E-013	1.8071E-013
RCPTR_41	farmer_child	TOCDFLIC	Vinyl Chloride	2.7792E-018	2.7792E-018
RCPTR_41	farmer_child	TOCDFLIC	Xylene, m-	1.0889E-013	1.0890E-013
RCPTR_41	farmer_child	TOCDFLIC	Xylene, o-	7.1480E-014	7.1480E-014
RCPTR_41	farmer_child	TOCDFLIC	Xylene, p-	1.4395E-013	1.4395E-013
RCPTR_41	farmer_child	TOCDFLIC	Zinc	1.6557E-007	1.7444E-007
RCPTR_41	farmer_child	TOCDFMPF	Acenaphthene	1.5041E-009	1.5095E-009
RCPTR_41	farmer_child	TOCDFMPF	Acetone	4.6841E-015	4.6841E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFMPF	Acetophenone	7.9609E-012	7.9626E-012
RCPTR_41	farmer_child	TOCDFMPF	Aniline	4.7949E-013	4.7950E-013
RCPTR_41	farmer_child	TOCDFMPF	Anthracene	2.5762E-008	2.6629E-008
RCPTR_41	farmer_child	TOCDFMPF	Antimony	1.7107E-008	1.7659E-008
RCPTR_41	farmer_child	TOCDFMPF	Arsenic	3.6218E-008	3.6386E-008
RCPTR_41	farmer_child	TOCDFMPF	Barium	5.4350E-009	5.5585E-009
RCPTR_41	farmer_child	TOCDFMPF	Benzene	4.1715E-015	4.1716E-015
RCPTR_41	farmer_child	TOCDFMPF	Benzo(a)anthracene	2.5482E-006	2.9987E-006
RCPTR_41	farmer_child	TOCDFMPF	Benzo(a)pyrene	1.7923E-005	1.8318E-005
RCPTR_41	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	1.1721E-005	1.2811E-005
RCPTR_41	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	2.7755E-005	2.9303E-005
RCPTR_41	farmer_child	TOCDFMPF	Benzoic acid	5.4437E-011	5.4443E-011
RCPTR_41	farmer_child	TOCDFMPF	Benzyl alcohol	1.0873E-011	1.0879E-011
RCPTR_41	farmer_child	TOCDFMPF	Beryllium	8.0303E-009	9.4726E-009
RCPTR_41	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.0884E-011	1.0888E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFMPF	Bromodichloromethane	3.7182E-014	3.7182E-014
RCPTR_41	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.4029E-012	1.4030E-012
RCPTR_41	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	4.2286E-007	5.8500E-007
RCPTR_41	farmer_child	TOCDFMPF	Butylbenzylphthalate	1.2103E-008	1.2112E-008
RCPTR_41	farmer_child	TOCDFMPF	Cadmium	9.6895E-009	1.0554E-008
RCPTR_41	farmer_child	TOCDFMPF	Carbon disulfide	7.2966E-015	7.2966E-015
RCPTR_41	farmer_child	TOCDFMPF	Carbon tetrachloride	1.1546E-014	1.1546E-014
RCPTR_41	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	8.8315E-010	8.8745E-010
RCPTR_41	farmer_child	TOCDFMPF	Chloroaniline, p-	5.0504E-011	5.0560E-011
RCPTR_41	farmer_child	TOCDFMPF	Chlorobenzene	6.7541E-014	6.7541E-014
RCPTR_41	farmer_child	TOCDFMPF	Chloroethane	1.8956E-016	1.8956E-016
RCPTR_41	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	9.8382E-015	9.8382E-015
RCPTR_41	farmer_child	TOCDFMPF	Chloronaphthalene,2-	3.9122E-009	3.9443E-009
RCPTR_41	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.4011E-010	1.4043E-010
RCPTR_41	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	4.9138E-009	4.9310E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFMPF	Chromium	2.3260E-007	2.8550E-007
RCPTR_41	farmer_child	TOCDFMPF	Chromium, hexavalent	1.8488E-007	1.8516E-007
RCPTR_41	farmer_child	TOCDFMPF	Chrysene	5.9468E-006	6.6915E-006
RCPTR_41	farmer_child	TOCDFMPF	Di-n-butyl phthalate	4.6502E-008	4.6590E-008
RCPTR_41	farmer_child	TOCDFMPF	Di-n-octylphthalate	1.9492E+002	1.9492E+002
RCPTR_41	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	3.7847E-004	3.8494E-004
RCPTR_41	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	6.3638E-012	6.3640E-012
RCPTR_41	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	7.7057E-012	7.7059E-012
RCPTR_41	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	7.4206E-012	7.4208E-012
RCPTR_41	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	3.0832E-008	3.1001E-008
RCPTR_41	farmer_child	TOCDFMPF	Dichlorodifluoromethane	1.5153E-017	1.5153E-017
RCPTR_41	farmer_child	TOCDFMPF	Dichloroethane 1,1-	3.8164E-015	3.8164E-015
RCPTR_41	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	4.7412E-015	4.7412E-015
RCPTR_41	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.4447E-015	1.4447E-015
RCPTR_41	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.3223E-015	2.3223E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	6.0679E-010	6.0873E-010
RCPTR_41	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.3066E-014	1.3066E-014
RCPTR_41	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	4.3119E-015	4.3119E-015
RCPTR_41	farmer_child	TOCDFMPF	Diethyl phthalate	2.5330E-008	2.5333E-008
RCPTR_41	farmer_child	TOCDFMPF	Dimethyl phthalate	3.2443E-011	3.2471E-011
RCPTR_41	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	9.5563E-011	9.5685E-011
RCPTR_41	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	4.6096E-011	4.6103E-011
RCPTR_41	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	8.7561E-011	8.7705E-011
RCPTR_41	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	6.7563E-011	6.7659E-011
RCPTR_41	farmer_child	TOCDFMPF	Ethyl methanesulfonate	2.0381E-012	2.0386E-012
RCPTR_41	farmer_child	TOCDFMPF	Ethylbenzene	4.1209E-014	4.1209E-014
RCPTR_41	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.0182E-008	1.0209E-008
RCPTR_41	farmer_child	TOCDFMPF	Fluoranthene	3.1206E-007	3.6665E-007
RCPTR_41	farmer_child	TOCDFMPF	Fluorene	5.8580E-009	5.9213E-009
RCPTR_41	farmer_child	TOCDFMPF	GB	1.1387E-014	1.1390E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.8292E-013	2.0223E-013
RCPTR_41	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	6.8769E-012	7.4628E-012
RCPTR_41	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.1492E-012	1.2673E-012
RCPTR_41	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.4736E-012	2.6925E-012
RCPTR_41	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.3595E-012	1.5126E-012
RCPTR_41	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.2813E-012	1.4453E-012
RCPTR_41	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	5.2153E-011	5.9541E-011
RCPTR_41	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.2713E-011	1.4509E-011
RCPTR_41	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	2.2054E-012	2.5141E-012
RCPTR_41	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.5757E-012	1.7972E-012
RCPTR_41	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.2395E-010	1.2397E-010
RCPTR_41	farmer_child	TOCDFMPF	Hexachlorobenzene	2.3790E-007	2.5287E-007
RCPTR_41	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	3.2888E-010	3.2895E-010
RCPTR_41	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	7.6549E-011	7.6563E-011
RCPTR_41	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.6891E-003	2.6997E-003
RCPTR_41	farmer_child	TOCDFMPF	Isophorone	1.4570E-011	1.4576E-011
RCPTR_41	farmer_child	TOCDFMPF	Lead	2.6621E-009	3.3837E-009
RCPTR_41	farmer_child	TOCDFMPF	Mercuric chloride	7.9139E-008	1.4576E-007
RCPTR_41	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	2.2401E-016	2.2401E-016
RCPTR_41	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	8.0123E-018	8.0123E-018
RCPTR_41	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	5.2470E-014	5.2470E-014
RCPTR_41	farmer_child	TOCDFMPF	Methyl mercury	7.2184E-010	9.1803E-010
RCPTR_41	farmer_child	TOCDFMPF	Methylene chloride	1.3116E-015	1.3116E-015
RCPTR_41	farmer_child	TOCDFMPF	Naphthalene	6.1469E-011	6.1486E-011
RCPTR_41	farmer_child	TOCDFMPF	Nickel	3.9783E-007	4.0616E-007
RCPTR_41	farmer_child	TOCDFMPF	Nitroaniline, 2-	2.4781E-010	2.4808E-010
RCPTR_41	farmer_child	TOCDFMPF	Nitroaniline, 3-	5.9032E-011	5.9056E-011
RCPTR_41	farmer_child	TOCDFMPF	Nitroaniline, 4-	7.6259E-011	7.6300E-011
RCPTR_41	farmer_child	TOCDFMPF	Nitrobenzene	2.4591E-011	2.4604E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.1198E-011	1.1201E-011
RCPTR_41	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.5985E-010	1.5989E-010
RCPTR_41	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.3870E-011	1.3873E-011
RCPTR_41	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.3629E-011	1.3630E-011
RCPTR_41	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.2225E-012	1.2225E-012
RCPTR_41	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	4.5825E-013	5.1999E-013
RCPTR_41	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	6.3707E-013	7.2137E-013
RCPTR_41	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	8.7363E-012	9.6228E-012
RCPTR_41	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	6.6313E-012	7.7033E-012
RCPTR_41	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.1512E-011	2.4945E-011
RCPTR_41	farmer_child	TOCDFMPF	Pentachlorobenzene	9.3025E-010	9.3065E-010
RCPTR_41	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	3.6649E-010	3.6651E-010
RCPTR_41	farmer_child	TOCDFMPF	Pentachlorophenol	1.6267E-007	1.6309E-007
RCPTR_41	farmer_child	TOCDFMPF	Phenanthrene	1.8770E-011	1.8771E-011
RCPTR_41	farmer_child	TOCDFMPF	Phenol	1.9475E-011	1.9487E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFMPF	Pronamide	1.8432E-009	1.8567E-009
RCPTR_41	farmer_child	TOCDFMPF	Pyrene	5.1319E-007	7.6102E-007
RCPTR_41	farmer_child	TOCDFMPF	Selenium	2.9946E-008	2.9949E-008
RCPTR_41	farmer_child	TOCDFMPF	Silver	1.5484E-007	1.5534E-007
RCPTR_41	farmer_child	TOCDFMPF	Styrene	1.7803E-012	1.7803E-012
RCPTR_41	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.2083E-012	2.6651E-012
RCPTR_41	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	4.3315E-012	5.4859E-012
RCPTR_41	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.4957E-009	1.4978E-009
RCPTR_41	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.5701E-011	1.5702E-011
RCPTR_41	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.0770E-014	3.0770E-014
RCPTR_41	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.0174E-008	1.0194E-008
RCPTR_41	farmer_child	TOCDFMPF	Thallium (I)	2.8441E-007	2.8949E-007
RCPTR_41	farmer_child	TOCDFMPF	Toluene	2.1389E-014	2.1389E-014
RCPTR_41	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	5.7500E-011	5.7507E-011
RCPTR_41	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	8.9725E-015	8.9725E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	6.8615E-014	6.8616E-014
RCPTR_41	farmer_child	TOCDFMPF	Trichloroethylene	1.1153E-014	1.1153E-014
RCPTR_41	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.4658E-015	1.4658E-015
RCPTR_41	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	6.4612E-009	6.5702E-009
RCPTR_41	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.3105E-009	1.3152E-009
RCPTR_41	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	2.5394E-013	2.5394E-013
RCPTR_41	farmer_child	TOCDFMPF	Vinyl Chloride	3.6246E-018	3.6246E-018
RCPTR_41	farmer_child	TOCDFMPF	Xylene, m-	8.5937E-014	8.5937E-014
RCPTR_41	farmer_child	TOCDFMPF	Xylene, o-	8.8643E-014	8.8643E-014
RCPTR_41	farmer_child	TOCDFMPF	Xylene, p-	1.1356E-013	1.1356E-013
RCPTR_41	farmer_child	TOCDFMPF	Zinc	1.0154E-007	1.0698E-007
RCPTR_41	farmer_child	TOCDHVAC	GB	6.6755E-014	6.6772E-014
RCPTR_41	farmer_child	TOCDLIC2	Acenaphthene	7.2936E-010	7.3194E-010
RCPTR_41	farmer_child	TOCDLIC2	Acetone	9.2663E-015	9.2663E-015
RCPTR_41	farmer_child	TOCDLIC2	Acetophenone	3.8602E-012	3.8611E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDLIC2	Aniline	2.3250E-013	2.3251E-013
RCPTR_41	farmer_child	TOCDLIC2	Anthracene	1.2492E-008	1.2912E-008
RCPTR_41	farmer_child	TOCDLIC2	Antimony	7.6325E-008	7.8787E-008
RCPTR_41	farmer_child	TOCDLIC2	Arsenic	1.5404E-007	1.5476E-007
RCPTR_41	farmer_child	TOCDLIC2	Barium	5.5765E-008	5.7032E-008
RCPTR_41	farmer_child	TOCDLIC2	Benzene	6.1825E-015	6.1825E-015
RCPTR_41	farmer_child	TOCDLIC2	Benzo(a)anthracene	1.2352E-006	1.4537E-006
RCPTR_41	farmer_child	TOCDLIC2	Benzo(a)pyrene	8.6840E-006	8.8754E-006
RCPTR_41	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	5.6816E-006	6.2101E-006
RCPTR_41	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	1.3449E-005	1.4198E-005
RCPTR_41	farmer_child	TOCDLIC2	Benzoic acid	2.6397E-011	2.6399E-011
RCPTR_41	farmer_child	TOCDLIC2	Benzyl alcohol	5.2725E-012	5.2751E-012
RCPTR_41	farmer_child	TOCDLIC2	Beryllium	2.8064E-008	3.3104E-008
RCPTR_41	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	5.2774E-012	5.2796E-012
RCPTR_41	farmer_child	TOCDLIC2	Bromodichloromethane	7.0043E-014	7.0044E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.8268E-012	1.8270E-012
RCPTR_41	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	2.0504E-007	2.8367E-007
RCPTR_41	farmer_child	TOCDLIC2	Butylbenzylphthalate	5.8626E-009	5.8671E-009
RCPTR_41	farmer_child	TOCDLIC2	Cadmium	2.5118E-009	2.7360E-009
RCPTR_41	farmer_child	TOCDLIC2	Carbon disulfide	7.8891E-015	7.8891E-015
RCPTR_41	farmer_child	TOCDLIC2	Carbon tetrachloride	1.2505E-014	1.2505E-014
RCPTR_41	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	4.2824E-010	4.3033E-010
RCPTR_41	farmer_child	TOCDLIC2	Chloroaniline, p-	2.4490E-011	2.4516E-011
RCPTR_41	farmer_child	TOCDLIC2	Chlorobenzene	7.3150E-014	7.3150E-014
RCPTR_41	farmer_child	TOCDLIC2	Chloroethane	2.0531E-016	2.0531E-016
RCPTR_41	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	2.2471E-014	2.2471E-014
RCPTR_41	farmer_child	TOCDLIC2	Chloronaphthalene,2-	1.8970E-009	1.9126E-009
RCPTR_41	farmer_child	TOCDLIC2	Chlorophenol, 2-	6.7939E-011	6.8094E-011
RCPTR_41	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	2.3826E-009	2.3910E-009
RCPTR_41	farmer_child	TOCDLIC2	Chromium	1.2000E-006	1.4729E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDLIC2	Chromium, hexavalent	9.5379E-007	9.5524E-007
RCPTR_41	farmer_child	TOCDLIC2	Chrysene	2.8828E-006	3.2438E-006
RCPTR_41	farmer_child	TOCDLIC2	Di-n-butyl phthalate	2.2547E-008	2.2590E-008
RCPTR_41	farmer_child	TOCDLIC2	Di-n-octylphthalate	9.4527E+001	9.4527E+001
RCPTR_41	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	1.8337E-004	1.8650E-004
RCPTR_41	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	3.0858E-012	3.0859E-012
RCPTR_41	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	3.7365E-012	3.7366E-012
RCPTR_41	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	3.5982E-012	3.5984E-012
RCPTR_41	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.3311E-008	1.3385E-008
RCPTR_41	farmer_child	TOCDLIC2	Dichlorodifluoromethane	1.6411E-017	1.6411E-017
RCPTR_41	farmer_child	TOCDLIC2	Dichloroethane 1,1-	4.1333E-015	4.1333E-015
RCPTR_41	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	5.1349E-015	5.1349E-015
RCPTR_41	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	1.5647E-015	1.5647E-015
RCPTR_41	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	2.5152E-015	2.5152E-015
RCPTR_41	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	2.9423E-010	2.9517E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	1.4151E-014	1.4151E-014
RCPTR_41	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	4.6700E-015	4.6700E-015
RCPTR_41	farmer_child	TOCDLIC2	Diethyl phthalate	1.2284E-008	1.2286E-008
RCPTR_41	farmer_child	TOCDLIC2	Dimethyl phthalate	1.0950E-010	1.0959E-010
RCPTR_41	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	4.6339E-011	4.6398E-011
RCPTR_41	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	2.2451E-011	2.2454E-011
RCPTR_41	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	4.2458E-011	4.2527E-011
RCPTR_41	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	3.2761E-011	3.2807E-011
RCPTR_41	farmer_child	TOCDLIC2	Ethyl methanesulfonate	9.8827E-013	9.8853E-013
RCPTR_41	farmer_child	TOCDLIC2	Ethylbenzene	5.0617E-014	5.0617E-014
RCPTR_41	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	6.1639E-009	6.1800E-009
RCPTR_41	farmer_child	TOCDLIC2	Fluoranthene	1.5131E-007	1.7778E-007
RCPTR_41	farmer_child	TOCDLIC2	Fluorene	2.8405E-009	2.8712E-009
RCPTR_41	farmer_child	TOCDLIC2	GB	8.3359E-015	8.3380E-015
RCPTR_41	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	6.0966E-013	6.7395E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	5.6002E-013	6.0767E-013
RCPTR_41	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.4069E-013	5.9618E-013
RCPTR_41	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.6262E-012	1.7700E-012
RCPTR_41	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.1798E-012	1.3126E-012
RCPTR_41	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.1514E-012	1.2987E-012
RCPTR_41	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.1182E-012	1.2766E-012
RCPTR_41	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	6.7358E-013	7.6869E-013
RCPTR_41	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	6.0045E-013	6.8449E-013
RCPTR_41	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	6.8804E-013	7.8470E-013
RCPTR_41	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	6.0104E-011	6.0110E-011
RCPTR_41	farmer_child	TOCDLIC2	Hexachlorobenzene	1.1536E-007	1.2262E-007
RCPTR_41	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.5947E-010	1.5951E-010
RCPTR_41	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	3.7119E-011	3.7125E-011
RCPTR_41	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_41	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.3037E-003	1.3088E-003

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDLIC2	Isophorone	7.0652E-012	7.0678E-012
RCPTR_41	farmer_child	TOCDLIC2	Lead	2.4297E-007	3.0883E-007
RCPTR_41	farmer_child	TOCDLIC2	Mercuric chloride	6.9995E-006	1.2894E-005
RCPTR_41	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	2.4470E-016	2.4470E-016
RCPTR_41	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	9.7532E-018	9.7532E-018
RCPTR_41	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	5.4894E-014	5.4894E-014
RCPTR_41	farmer_child	TOCDLIC2	Methyl mercury	6.3760E-008	8.1119E-008
RCPTR_41	farmer_child	TOCDLIC2	Methylene chloride	4.3088E-015	4.3088E-015
RCPTR_41	farmer_child	TOCDLIC2	Naphthalene	2.9806E-011	2.9815E-011
RCPTR_41	farmer_child	TOCDLIC2	Nickel	1.7600E-007	1.7969E-007
RCPTR_41	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.2069E-010	1.2083E-010
RCPTR_41	farmer_child	TOCDLIC2	Nitroaniline, 3-	2.8750E-011	2.8763E-011
RCPTR_41	farmer_child	TOCDLIC2	Nitroaniline, 4-	3.7141E-011	3.7160E-011
RCPTR_41	farmer_child	TOCDLIC2	Nitrobenzene	1.1924E-011	1.1931E-011
RCPTR_41	farmer_child	TOCDLIC2	Nitrophenol, 2-	5.4300E-012	5.4314E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDLIC2	Nitrophenol, 4-	7.7853E-011	7.7876E-011
RCPTR_41	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	6.7256E-012	6.7268E-012
RCPTR_41	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	6.6087E-012	6.6093E-012
RCPTR_41	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	5.9276E-013	5.9278E-013
RCPTR_41	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.0351E-012	1.1745E-012
RCPTR_41	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.4238E-013	3.8767E-013
RCPTR_41	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	4.1413E-012	4.5612E-012
RCPTR_41	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.2611E-012	1.4649E-012
RCPTR_41	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.5241E-012	4.0863E-012
RCPTR_41	farmer_child	TOCDLIC2	Pentachlorobenzene	4.5104E-010	4.5123E-010
RCPTR_41	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.7848E-010	1.7849E-010
RCPTR_41	farmer_child	TOCDLIC2	Pentachlorophenol	7.9230E-008	7.9439E-008
RCPTR_41	farmer_child	TOCDLIC2	Phenanthrene	9.1017E-012	9.1019E-012
RCPTR_41	farmer_child	TOCDLIC2	Phenol	9.9841E-012	9.9903E-012
RCPTR_41	farmer_child	TOCDLIC2	Pronamide	8.9378E-010	9.0033E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDLIC2	Pyrene	2.4884E-007	3.6901E-007
RCPTR_41	farmer_child	TOCDLIC2	Selenium	1.0217E-007	1.0218E-007
RCPTR_41	farmer_child	TOCDLIC2	Silver	3.8620E-008	3.8743E-008
RCPTR_41	farmer_child	TOCDLIC2	Styrene	1.3972E-012	1.3972E-012
RCPTR_41	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	2.2589E-012	2.7264E-012
RCPTR_41	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.8967E-012	2.4024E-012
RCPTR_41	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	7.2526E-010	7.2628E-010
RCPTR_41	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.7007E-011	1.7007E-011
RCPTR_41	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.5038E-014	1.5038E-014
RCPTR_41	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	4.9551E-009	4.9647E-009
RCPTR_41	farmer_child	TOCDLIC2	Thallium (I)	9.6206E-007	9.7926E-007
RCPTR_41	farmer_child	TOCDLIC2	Toluene	8.0529E-014	8.0529E-014
RCPTR_41	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	2.7881E-011	2.7885E-011
RCPTR_41	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	9.7176E-015	9.7176E-015
RCPTR_41	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	7.4313E-014	7.4314E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_41	farmer_child	TOCDLIC2	Trichloroethylene	1.2079E-014	1.2079E-014
RCPTR_41	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.5875E-015	1.5875E-015
RCPTR_41	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	3.1330E-009	3.1859E-009
RCPTR_41	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	6.3548E-010	6.3775E-010
RCPTR_41	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	2.7502E-013	2.7503E-013
RCPTR_41	farmer_child	TOCDLIC2	Vinyl Chloride	4.6387E-018	4.6387E-018
RCPTR_41	farmer_child	TOCDLIC2	Xylene, m-	1.2641E-013	1.2641E-013
RCPTR_41	farmer_child	TOCDLIC2	Xylene, o-	9.5904E-014	9.5904E-014
RCPTR_41	farmer_child	TOCDLIC2	Xylene, p-	1.6710E-013	1.6710E-013
RCPTR_41	farmer_child	TOCDLIC2	Zinc	1.9769E-007	2.0828E-007
RCPTR_42	farmer_adult	TOCDFBRA	Antimony	2.9106E-007	3.6757E-007
RCPTR_42	farmer_adult	TOCDFBRA	Arsenic	4.7345E-007	4.9712E-007
RCPTR_42	farmer_adult	TOCDFBRA	Barium	3.9841E-008	4.7551E-008
RCPTR_42	farmer_adult	TOCDFBRA	Beryllium	1.4557E-007	1.7750E-007
RCPTR_42	farmer_adult	TOCDFBRA	Cadmium	2.2927E-008	3.4667E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFBRA	Chromium	4.2692E-006	4.4270E-006
RCPTR_42	farmer_adult	TOCDFBRA	Chromium, hexavalent	2.8037E-006	2.8719E-006
RCPTR_42	farmer_adult	TOCDFBRA	Lead	1.6488E-006	2.1566E-006
RCPTR_42	farmer_adult	TOCDFBRA	Mercuric chloride	4.5212E-004	5.0040E-004
RCPTR_42	farmer_adult	TOCDFBRA	Methyl mercury	3.0944E-006	3.3465E-006
RCPTR_42	farmer_adult	TOCDFBRA	Nickel	1.5601E-006	1.7263E-006
RCPTR_42	farmer_adult	TOCDFBRA	Selenium	5.3071E-007	5.3446E-007
RCPTR_42	farmer_adult	TOCDFBRA	Silver	1.8092E-007	2.0401E-007
RCPTR_42	farmer_adult	TOCDFBRA	Thallium (I)	4.8518E-006	5.2518E-006
RCPTR_42	farmer_adult	TOCDFBRA	Zinc	8.3815E-007	1.1164E-006
RCPTR_42	farmer_adult	TOCDFDFS	Acenaphthene	9.9620E-011	5.0738E-010
RCPTR_42	farmer_adult	TOCDFDFS	Acetone	1.2173E-015	6.3482E-015
RCPTR_42	farmer_adult	TOCDFDFS	Acetophenone	5.3947E-013	2.8099E-012
RCPTR_42	farmer_adult	TOCDFDFS	Aniline	3.1022E-014	1.6115E-013
RCPTR_42	farmer_adult	TOCDFDFS	Anthracene	1.7624E-009	8.9519E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFDFS	Antimony	2.7850E-006	3.5168E-006
RCPTR_42	farmer_adult	TOCDFDFS	Aroclor 1254	2.9025E-011	5.3907E-011
RCPTR_42	farmer_adult	TOCDFDFS	Arsenic	2.5614E-007	2.6894E-007
RCPTR_42	farmer_adult	TOCDFDFS	Barium	7.5793E-009	9.0456E-009
RCPTR_42	farmer_adult	TOCDFDFS	Benzene	1.0120E-015	5.2498E-015
RCPTR_42	farmer_adult	TOCDFDFS	Benzo(a)anthracene	5.9502E-007	1.0341E-006
RCPTR_42	farmer_adult	TOCDFDFS	Benzo(a)pyrene	6.1088E-006	6.5970E-006
RCPTR_42	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	3.3139E-006	4.4282E-006
RCPTR_42	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	9.5687E-006	1.0569E-005
RCPTR_42	farmer_adult	TOCDFDFS	Benzoic acid	4.0672E-012	1.8297E-011
RCPTR_42	farmer_adult	TOCDFDFS	Benzyl alcohol	7.0233E-013	3.6562E-012
RCPTR_42	farmer_adult	TOCDFDFS	Beryllium	7.6227E-008	9.2944E-008
RCPTR_42	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	7.0173E-013	3.6593E-012
RCPTR_42	farmer_adult	TOCDFDFS	Bromodichloromethane	7.9477E-015	4.1405E-014
RCPTR_42	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	3.1578E-013	1.6456E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	3.9590E-008	1.9662E-007
RCPTR_42	farmer_adult	TOCDFDFS	Butylbenzylphthalate	3.7307E-009	4.4374E-009
RCPTR_42	farmer_adult	TOCDFDFS	Cadmium	6.0435E-008	9.1372E-008
RCPTR_42	farmer_adult	TOCDFDFS	Carbon disulfide	5.2798E-016	2.7442E-015
RCPTR_42	farmer_adult	TOCDFDFS	Carbon tetrachloride	2.6413E-015	1.3696E-014
RCPTR_42	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	7.2449E-011	2.9820E-010
RCPTR_42	farmer_adult	TOCDFDFS	Chloroaniline, p-	3.2738E-012	1.6992E-011
RCPTR_42	farmer_adult	TOCDFDFS	Chlorobenzene	1.5506E-014	8.0116E-014
RCPTR_42	farmer_adult	TOCDFDFS	Chloroethane	4.4503E-017	2.2484E-016
RCPTR_42	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	2.3809E-015	1.2401E-014
RCPTR_42	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	2.5892E-010	1.3257E-009
RCPTR_42	farmer_adult	TOCDFDFS	Chlorophenol, 2-	9.0540E-012	4.7195E-011
RCPTR_42	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	4.0858E-010	1.6607E-009
RCPTR_42	farmer_adult	TOCDFDFS	Chromium	1.2012E-006	1.2456E-006
RCPTR_42	farmer_adult	TOCDFDFS	Chromium, hexavalent	7.8896E-007	8.0816E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFDFS	Chrysene	1.7206E-006	2.3112E-006
RCPTR_42	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.3122E-008	1.5836E-008
RCPTR_42	farmer_adult	TOCDFDFS	Di-n-octylphthalate	6.5252E+001	6.5252E+001
RCPTR_42	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.3324E-004	1.3992E-004
RCPTR_42	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	4.2638E-013	2.1391E-012
RCPTR_42	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	5.0929E-013	2.5900E-012
RCPTR_42	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	4.8865E-013	2.4942E-012
RCPTR_42	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.2429E-008	1.6076E-008
RCPTR_42	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	3.4655E-018	1.7975E-017
RCPTR_42	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	8.6893E-016	4.5267E-015
RCPTR_42	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0792E-015	5.6237E-015
RCPTR_42	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	3.2957E-016	1.7136E-015
RCPTR_42	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	5.2991E-016	2.7546E-015
RCPTR_42	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	5.8051E-011	2.0451E-010
RCPTR_42	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	2.9883E-015	1.5498E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	9.8256E-016	5.1146E-015
RCPTR_42	farmer_adult	TOCDFDFS	Diethyl phthalate	8.0222E-009	8.4861E-009
RCPTR_42	farmer_adult	TOCDFDFS	Dimethyl phthalate	1.4082E-011	7.0964E-011
RCPTR_42	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	6.2217E-012	3.2158E-011
RCPTR_42	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	6.4475E-012	1.5358E-011
RCPTR_42	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	6.0021E-012	2.9512E-011
RCPTR_42	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	4.5418E-012	2.2748E-011
RCPTR_42	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.3141E-013	6.8514E-013
RCPTR_42	farmer_adult	TOCDFDFS	Ethylbenzene	9.7687E-015	4.8888E-014
RCPTR_42	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.8355E-010	4.5880E-010
RCPTR_42	farmer_adult	TOCDFDFS	Fluoranthene	3.3205E-008	1.2363E-007
RCPTR_42	farmer_adult	TOCDFDFS	Fluorene	3.9690E-010	1.9905E-009
RCPTR_42	farmer_adult	TOCDFDFS	GB	3.5392E-015	1.8428E-014
RCPTR_42	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.3121E-013	1.5035E-013
RCPTR_42	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.5278E-014	7.3167E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.2896E-013	2.6169E-013
RCPTR_42	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.2364E-012	1.3899E-012
RCPTR_42	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	6.9828E-013	8.0684E-013
RCPTR_42	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	6.2485E-013	7.3340E-013
RCPTR_42	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.8968E-013	5.8220E-013
RCPTR_42	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.3469E-013	5.1646E-013
RCPTR_42	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.7994E-013	6.8829E-013
RCPTR_42	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.0005E-013	4.7506E-013
RCPTR_42	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	8.7826E-012	4.1714E-011
RCPTR_42	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.7492E-008	8.5025E-008
RCPTR_42	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	1.1797E-010	5.4817E-010
RCPTR_42	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	5.0476E-012	2.5731E-011
RCPTR_42	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_42	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	9.1608E-004	9.2857E-004
RCPTR_42	farmer_adult	TOCDFDFS	Isophorone	9.4057E-013	4.8987E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFDFS	Lead	9.3435E-006	1.2221E-005
RCPTR_42	farmer_adult	TOCDFDFS	Mercuric chloride	1.1707E-007	1.2949E-007
RCPTR_42	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	9.1941E-017	4.7924E-016
RCPTR_42	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.5574E-017	8.1130E-017
RCPTR_42	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	8.1701E-015	4.2602E-014
RCPTR_42	farmer_adult	TOCDFDFS	Methyl mercury	8.2676E-010	8.9162E-010
RCPTR_42	farmer_adult	TOCDFDFS	Methylene chloride	2.3633E-016	1.2314E-015
RCPTR_42	farmer_adult	TOCDFDFS	Naphthalene	4.0133E-012	2.0665E-011
RCPTR_42	farmer_adult	TOCDFDFS	Nickel	8.7800E-007	9.7152E-007
RCPTR_42	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.5905E-011	8.2545E-011
RCPTR_42	farmer_adult	TOCDFDFS	Nitroaniline, 3-	3.7738E-012	1.9650E-011
RCPTR_42	farmer_adult	TOCDFDFS	Nitroaniline, 4-	4.8832E-012	2.5389E-011
RCPTR_42	farmer_adult	TOCDFDFS	Nitrobenzene	1.5865E-012	8.2690E-012
RCPTR_42	farmer_adult	TOCDFDFS	Nitrophenol, 2-	7.2279E-013	3.7645E-012
RCPTR_42	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.4564E-011	5.3140E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	8.9817E-013	4.6623E-012
RCPTR_42	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	8.8452E-013	4.5808E-012
RCPTR_42	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	8.2174E-014	4.1178E-013
RCPTR_42	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	3.5400E-013	4.1777E-013
RCPTR_42	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.2158E-013	1.4302E-013
RCPTR_42	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.9615E-012	3.3756E-012
RCPTR_42	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.4806E-013	3.0149E-013
RCPTR_42	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.0226E-012	1.2387E-012
RCPTR_42	farmer_adult	TOCDFDFS	Pentachlorobenzene	7.1935E-011	3.1513E-010
RCPTR_42	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.9018E-011	1.2303E-010
RCPTR_42	farmer_adult	TOCDFDFS	Pentachlorophenol	3.6538E-008	5.4143E-008
RCPTR_42	farmer_adult	TOCDFDFS	Phenanthrene	1.2458E-012	6.3095E-012
RCPTR_42	farmer_adult	TOCDFDFS	Phenol	1.2604E-012	6.5491E-012
RCPTR_42	farmer_adult	TOCDFDFS	Pronamide	2.4929E-010	1.2481E-009
RCPTR_42	farmer_adult	TOCDFDFS	Pyrene	6.2684E-008	2.5604E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFDFS	Selenium	2.8712E-007	2.8914E-007
RCPTR_42	farmer_adult	TOCDFDFS	Silver	9.9429E-008	1.1212E-007
RCPTR_42	farmer_adult	TOCDFDFS	Styrene	2.5754E-013	1.3368E-012
RCPTR_42	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.3410E-012	1.7147E-012
RCPTR_42	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	4.1899E-013	5.7221E-013
RCPTR_42	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.0473E-010	5.0345E-010
RCPTR_42	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.3880E-011	1.8575E-011
RCPTR_42	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	3.1734E-015	1.6470E-014
RCPTR_42	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.2484E-009	3.3900E-009
RCPTR_42	farmer_adult	TOCDFDFS	Thallium (I)	2.5408E-006	2.7502E-006
RCPTR_42	farmer_adult	TOCDFDFS	Toluene	4.3094E-015	2.2173E-014
RCPTR_42	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.8839E-012	1.9331E-011
RCPTR_42	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	2.0466E-015	1.0643E-014
RCPTR_42	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	1.5628E-014	8.1387E-014
RCPTR_42	farmer_adult	TOCDFDFS	Trichloroethylene	2.5475E-015	1.3229E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	3.3471E-016	1.7387E-015
RCPTR_42	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	4.6543E-010	2.2079E-009
RCPTR_42	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	1.1227E-010	4.4191E-010
RCPTR_42	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	5.7885E-014	3.0121E-013
RCPTR_42	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	7.1358E-013	3.5254E-012
RCPTR_42	farmer_adult	TOCDFDFS	Vinyl Chloride	8.2646E-019	4.2995E-018
RCPTR_42	farmer_adult	TOCDFDFS	Xylene, m-	6.0981E-014	1.1295E-013
RCPTR_42	farmer_adult	TOCDFDFS	Xylene, o-	5.5251E-014	1.1450E-013
RCPTR_42	farmer_adult	TOCDFDFS	Xylene, p-	6.4351E-014	1.4495E-013
RCPTR_42	farmer_adult	TOCDFDFS	Zinc	5.2998E-007	7.0589E-007
RCPTR_42	farmer_adult	TOCDFLIC	Acenaphthene	6.3788E-011	3.2496E-010
RCPTR_42	farmer_adult	TOCDFLIC	Acetone	1.6450E-015	8.5781E-015
RCPTR_42	farmer_adult	TOCDFLIC	Acetophenone	5.9233E-013	3.0853E-012
RCPTR_42	farmer_adult	TOCDFLIC	Aniline	1.9869E-014	1.0322E-013
RCPTR_42	farmer_adult	TOCDFLIC	Anthracene	1.1282E-009	5.7330E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFLIC	Antimony	5.1188E-008	6.4625E-008
RCPTR_42	farmer_adult	TOCDFLIC	Arsenic	1.6093E-007	1.6896E-007
RCPTR_42	farmer_adult	TOCDFLIC	Barium	5.4134E-009	6.4595E-009
RCPTR_42	farmer_adult	TOCDFLIC	Benzene	1.5171E-014	7.8704E-014
RCPTR_42	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.7528E-007	6.5522E-007
RCPTR_42	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.8054E-006	4.1022E-006
RCPTR_42	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	2.0958E-006	2.8046E-006
RCPTR_42	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	5.9711E-006	6.5668E-006
RCPTR_42	farmer_adult	TOCDFLIC	Benzoic acid	2.7961E-012	1.2573E-011
RCPTR_42	farmer_adult	TOCDFLIC	Benzyl alcohol	4.4984E-013	2.3418E-012
RCPTR_42	farmer_adult	TOCDFLIC	Beryllium	2.9628E-008	3.6120E-008
RCPTR_42	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	4.4945E-013	2.3438E-012
RCPTR_42	farmer_adult	TOCDFLIC	Bromodichloromethane	4.0225E-015	2.0956E-014
RCPTR_42	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.3851E-013	7.2185E-013
RCPTR_42	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	2.5353E-008	1.2593E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.2847E-009	2.7368E-009
RCPTR_42	farmer_adult	TOCDFLIC	Cadmium	1.7379E-008	2.6266E-008
RCPTR_42	farmer_adult	TOCDFLIC	Carbon disulfide	9.1754E-016	4.7690E-015
RCPTR_42	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.4517E-015	7.5271E-015
RCPTR_42	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	4.6458E-011	1.9105E-010
RCPTR_42	farmer_adult	TOCDFLIC	Chloroaniline, p-	2.0969E-012	1.0884E-011
RCPTR_42	farmer_adult	TOCDFLIC	Chlorobenzene	8.5215E-015	4.4032E-014
RCPTR_42	farmer_adult	TOCDFLIC	Chloroethane	2.4464E-017	1.2358E-016
RCPTR_42	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	1.2802E-015	6.6674E-015
RCPTR_42	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	1.6582E-010	8.4910E-010
RCPTR_42	farmer_adult	TOCDFLIC	Chlorophenol, 2-	5.7991E-012	3.0229E-011
RCPTR_42	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	2.6083E-010	1.0628E-009
RCPTR_42	farmer_adult	TOCDFLIC	Chromium	1.5497E-006	1.6069E-006
RCPTR_42	farmer_adult	TOCDFLIC	Chromium, hexavalent	1.0182E-006	1.0430E-006
RCPTR_42	farmer_adult	TOCDFLIC	Chrysene	1.0897E-006	1.4643E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	8.3753E-009	1.0113E-008
RCPTR_42	farmer_adult	TOCDFLIC	Di-n-octylphthalate	4.1999E+001	4.1999E+001
RCPTR_42	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	8.3048E-005	8.6862E-005
RCPTR_42	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	2.7304E-013	1.3701E-012
RCPTR_42	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	3.2617E-013	1.6589E-012
RCPTR_42	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	3.1295E-013	1.5975E-012
RCPTR_42	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	4.0307E-009	5.2328E-009
RCPTR_42	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	1.9041E-018	9.8788E-018
RCPTR_42	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	4.7757E-016	2.4879E-015
RCPTR_42	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	5.9316E-016	3.0908E-015
RCPTR_42	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.8113E-016	9.4181E-016
RCPTR_42	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	2.9124E-016	1.5139E-015
RCPTR_42	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	3.7248E-011	1.3106E-010
RCPTR_42	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	1.6424E-015	8.5178E-015
RCPTR_42	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	5.4000E-016	2.8110E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFLIC	Diethyl phthalate	5.1622E-009	5.4593E-009
RCPTR_42	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.6259E-011	8.1990E-011
RCPTR_42	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	3.9852E-012	2.0597E-011
RCPTR_42	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	4.1817E-012	9.9570E-012
RCPTR_42	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	3.8344E-012	1.8892E-011
RCPTR_42	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	2.9067E-012	1.4568E-011
RCPTR_42	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	8.4168E-014	4.3883E-013
RCPTR_42	farmer_adult	TOCDFLIC	Ethylbenzene	7.1568E-015	3.5824E-014
RCPTR_42	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	7.4005E-009	8.9217E-009
RCPTR_42	farmer_adult	TOCDFLIC	Fluoranthene	2.1182E-008	7.9084E-008
RCPTR_42	farmer_adult	TOCDFLIC	Fluorene	2.5411E-010	1.2748E-009
RCPTR_42	farmer_adult	TOCDFLIC	GB	1.4111E-015	7.3475E-015
RCPTR_42	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	8.5707E-014	9.7837E-014
RCPTR_42	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	9.9175E-014	1.1065E-013
RCPTR_42	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.4343E-013	2.7712E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.0427E-012	1.1672E-012
RCPTR_42	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	6.1474E-013	7.0775E-013
RCPTR_42	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	5.3873E-013	6.3068E-013
RCPTR_42	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.4446E-013	4.0901E-013
RCPTR_42	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.3678E-013	3.9959E-013
RCPTR_42	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.8827E-013	4.6014E-013
RCPTR_42	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.8381E-013	3.3654E-013
RCPTR_42	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	5.6113E-012	2.6704E-011
RCPTR_42	farmer_adult	TOCDFLIC	Hexachlorobenzene	1.1195E-008	5.4449E-008
RCPTR_42	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	1.5213E-011	7.0879E-011
RCPTR_42	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	3.2334E-012	1.6481E-011
RCPTR_42	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_42	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.8337E-004	5.9050E-004
RCPTR_42	farmer_adult	TOCDFLIC	Isophorone	6.0244E-013	3.1376E-012
RCPTR_42	farmer_adult	TOCDFLIC	Lead	3.5729E-006	4.6722E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFLIC	Mercuric chloride	1.0840E-005	1.2000E-005
RCPTR_42	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	3.2879E-017	1.7138E-016
RCPTR_42	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	2.6946E-018	1.4037E-017
RCPTR_42	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	9.7847E-015	5.1021E-014
RCPTR_42	farmer_adult	TOCDFLIC	Methyl mercury	7.3380E-008	7.9435E-008
RCPTR_42	farmer_adult	TOCDFLIC	Methylene chloride	2.0826E-016	1.0851E-015
RCPTR_42	farmer_adult	TOCDFLIC	Naphthalene	2.5703E-012	1.3236E-011
RCPTR_42	farmer_adult	TOCDFLIC	Nickel	5.1003E-007	5.6431E-007
RCPTR_42	farmer_adult	TOCDFLIC	Nitroaniline, 2-	1.0308E-011	5.3500E-011
RCPTR_42	farmer_adult	TOCDFLIC	Nitroaniline, 3-	2.4459E-012	1.2736E-011
RCPTR_42	farmer_adult	TOCDFLIC	Nitroaniline, 4-	3.1642E-012	1.6455E-011
RCPTR_42	farmer_adult	TOCDFLIC	Nitrobenzene	1.0161E-012	5.2963E-012
RCPTR_42	farmer_adult	TOCDFLIC	Nitrophenol, 2-	4.6294E-013	2.4112E-012
RCPTR_42	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.5975E-011	3.4496E-011
RCPTR_42	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	5.7529E-013	2.9862E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	5.6656E-013	2.9340E-012
RCPTR_42	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	5.2366E-014	2.6348E-013
RCPTR_42	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.1167E-013	3.6713E-013
RCPTR_42	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.0250E-013	1.2036E-013
RCPTR_42	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.0659E-012	2.3478E-012
RCPTR_42	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	5.4808E-013	6.6586E-013
RCPTR_42	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.2397E-012	1.5013E-012
RCPTR_42	farmer_adult	TOCDFLIC	Pentachlorobenzene	4.5380E-011	2.0115E-010
RCPTR_42	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.8485E-011	7.9419E-011
RCPTR_42	farmer_adult	TOCDFLIC	Pentachlorophenol	2.3784E-008	3.5194E-008
RCPTR_42	farmer_adult	TOCDFLIC	Phenanthrene	7.9774E-013	4.0410E-012
RCPTR_42	farmer_adult	TOCDFLIC	Phenol	8.0729E-013	4.1947E-012
RCPTR_42	farmer_adult	TOCDFLIC	Pronamide	7.9831E-011	3.9971E-010
RCPTR_42	farmer_adult	TOCDFLIC	Pyrene	4.0103E-008	1.6393E-007
RCPTR_42	farmer_adult	TOCDFLIC	Selenium	1.1079E-007	1.1158E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFLIC	Silver	3.7510E-008	4.2291E-008
RCPTR_42	farmer_adult	TOCDFLIC	Styrene	2.9435E-013	1.5279E-012
RCPTR_42	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	7.0089E-013	8.9717E-013
RCPTR_42	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	9.2254E-013	1.2623E-012
RCPTR_42	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	6.7077E-011	3.2246E-010
RCPTR_42	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	7.6629E-012	1.0243E-011
RCPTR_42	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.7438E-015	9.0519E-015
RCPTR_42	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	8.1110E-010	2.1992E-009
RCPTR_42	farmer_adult	TOCDFLIC	Thallium (I)	9.8775E-007	1.0691E-006
RCPTR_42	farmer_adult	TOCDFLIC	Toluene	1.3621E-014	7.0087E-014
RCPTR_42	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	2.4867E-012	1.2381E-011
RCPTR_42	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	1.1248E-015	5.8493E-015
RCPTR_42	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	8.5895E-015	4.4731E-014
RCPTR_42	farmer_adult	TOCDFLIC	Trichloroethylene	1.4001E-015	7.2707E-015
RCPTR_42	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.8396E-016	9.5558E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	2.9826E-010	1.4143E-009
RCPTR_42	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	7.2004E-011	2.8314E-010
RCPTR_42	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	3.1814E-014	1.6555E-013
RCPTR_42	farmer_adult	TOCDFLIC	Vinyl Chloride	4.8934E-019	2.5462E-018
RCPTR_42	farmer_adult	TOCDFLIC	Xylene, m-	5.4740E-014	1.0566E-013
RCPTR_42	farmer_adult	TOCDFLIC	Xylene, o-	3.1737E-014	6.8673E-014
RCPTR_42	farmer_adult	TOCDFLIC	Xylene, p-	5.8390E-014	1.3737E-013
RCPTR_42	farmer_adult	TOCDFLIC	Zinc	1.4294E-007	1.9034E-007
RCPTR_42	farmer_adult	TOCDFMPF	Acenaphthene	2.6983E-010	1.3746E-009
RCPTR_42	farmer_adult	TOCDFMPF	Acetone	8.1790E-016	4.2651E-015
RCPTR_42	farmer_adult	TOCDFMPF	Acetophenone	1.3920E-012	7.2504E-012
RCPTR_42	farmer_adult	TOCDFMPF	Aniline	8.4047E-014	4.3661E-013
RCPTR_42	farmer_adult	TOCDFMPF	Anthracene	4.7725E-009	2.4251E-008
RCPTR_42	farmer_adult	TOCDFMPF	Antimony	1.5234E-008	1.9233E-008
RCPTR_42	farmer_adult	TOCDFMPF	Arsenic	3.7763E-008	3.9649E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFMPF	Barium	5.0742E-009	6.0549E-009
RCPTR_42	farmer_adult	TOCDFMPF	Benzene	7.3221E-016	3.7985E-015
RCPTR_42	farmer_adult	TOCDFMPF	Benzo(a)anthracene	1.5891E-006	2.7737E-006
RCPTR_42	farmer_adult	TOCDFMPF	Benzo(a)pyrene	1.6128E-005	1.7388E-005
RCPTR_42	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	8.8732E-006	1.1873E-005
RCPTR_42	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	2.5303E-005	2.7836E-005
RCPTR_42	farmer_adult	TOCDFMPF	Benzoic acid	1.1025E-011	4.9578E-011
RCPTR_42	farmer_adult	TOCDFMPF	Benzyl alcohol	1.9029E-012	9.9057E-012
RCPTR_42	farmer_adult	TOCDFMPF	Beryllium	8.4614E-009	1.0316E-008
RCPTR_42	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.9012E-012	9.9141E-012
RCPTR_42	farmer_adult	TOCDFMPF	Bromodichloromethane	6.4986E-015	3.3856E-014
RCPTR_42	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	2.4514E-013	1.2775E-012
RCPTR_42	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.0725E-007	5.3270E-007
RCPTR_42	farmer_adult	TOCDFMPF	Butylbenzylphthalate	9.6942E-009	1.1607E-008
RCPTR_42	farmer_adult	TOCDFMPF	Cadmium	7.6026E-009	1.1491E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFMPF	Carbon disulfide	1.2783E-015	6.6440E-015
RCPTR_42	farmer_adult	TOCDFMPF	Carbon tetrachloride	2.0276E-015	1.0514E-014
RCPTR_42	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.9651E-010	8.0813E-010
RCPTR_42	farmer_adult	TOCDFMPF	Chloroaniline, p-	8.8699E-012	4.6038E-011
RCPTR_42	farmer_adult	TOCDFMPF	Chlorobenzene	1.1902E-014	6.1502E-014
RCPTR_42	farmer_adult	TOCDFMPF	Chloroethane	3.4169E-017	1.7261E-016
RCPTR_42	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.7200E-015	8.9583E-015
RCPTR_42	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	7.0141E-010	3.5917E-009
RCPTR_42	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.4530E-011	1.2787E-010
RCPTR_42	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.1036E-009	4.4961E-009
RCPTR_42	farmer_adult	TOCDFMPF	Chromium	2.9981E-007	3.1087E-007
RCPTR_42	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.9698E-007	2.0177E-007
RCPTR_42	farmer_adult	TOCDFMPF	Chrysene	4.6132E-006	6.1986E-006
RCPTR_42	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	3.5437E-008	4.2786E-008
RCPTR_42	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.7760E+002	1.7760E+002

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	3.5193E-004	3.6819E-004
RCPTR_42	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.1550E-012	5.7954E-012
RCPTR_42	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.3797E-012	7.0171E-012
RCPTR_42	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.3238E-012	6.7574E-012
RCPTR_42	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.2338E-008	2.8992E-008
RCPTR_42	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	2.6597E-018	1.3798E-017
RCPTR_42	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	6.6705E-016	3.4750E-015
RCPTR_42	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	8.2849E-016	4.3171E-015
RCPTR_42	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.5300E-016	1.3155E-015
RCPTR_42	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	4.0679E-016	2.1146E-015
RCPTR_42	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.5754E-010	5.5436E-010
RCPTR_42	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.2940E-015	1.1897E-014
RCPTR_42	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	7.5425E-016	3.9263E-015
RCPTR_42	farmer_adult	TOCDFMPF	Diethyl phthalate	2.1830E-008	2.3087E-008
RCPTR_42	farmer_adult	TOCDFMPF	Dimethyl phthalate	5.8649E-012	2.9574E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.6858E-011	8.7126E-011
RCPTR_42	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.7656E-011	4.2042E-011
RCPTR_42	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.6223E-011	7.9918E-011
RCPTR_42	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.2296E-011	6.1623E-011
RCPTR_42	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	3.5604E-013	1.8563E-012
RCPTR_42	farmer_adult	TOCDFMPF	Ethylbenzene	7.4973E-015	3.7528E-014
RCPTR_42	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	8.1541E-009	9.8248E-009
RCPTR_42	farmer_adult	TOCDFMPF	Fluoranthene	8.9625E-008	3.3456E-007
RCPTR_42	farmer_adult	TOCDFMPF	Fluorene	1.0749E-009	5.3926E-009
RCPTR_42	farmer_adult	TOCDFMPF	GB	1.9918E-015	1.0371E-014
RCPTR_42	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.7997E-013	2.0549E-013
RCPTR_42	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	6.6276E-012	7.3970E-012
RCPTR_42	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.1258E-012	1.2820E-012
RCPTR_42	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.3720E-012	2.6558E-012
RCPTR_42	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.3322E-012	1.5342E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.2752E-012	1.4931E-012
RCPTR_42	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	5.1571E-011	6.1240E-011
RCPTR_42	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.2556E-011	1.4899E-011
RCPTR_42	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	2.1710E-012	2.5731E-012
RCPTR_42	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.5534E-012	1.8422E-012
RCPTR_42	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.3740E-011	1.1296E-010
RCPTR_42	farmer_adult	TOCDFMPF	Hexachlorobenzene	4.7357E-008	2.3032E-007
RCPTR_42	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	6.4368E-011	2.9984E-010
RCPTR_42	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.3677E-011	6.9715E-011
RCPTR_42	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_42	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.4686E-003	2.4990E-003
RCPTR_42	farmer_adult	TOCDFMPF	Isophorone	2.5483E-012	1.3272E-011
RCPTR_42	farmer_adult	TOCDFMPF	Lead	2.8169E-009	3.6837E-009
RCPTR_42	farmer_adult	TOCDFMPF	Mercuric chloride	1.2187E-007	1.3490E-007
RCPTR_42	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	3.9131E-017	2.0397E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	1.4005E-018	7.2957E-018
RCPTR_42	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	9.1625E-015	4.7776E-014
RCPTR_42	farmer_adult	TOCDFMPF	Methyl mercury	8.2745E-010	8.9549E-010
RCPTR_42	farmer_adult	TOCDFMPF	Methylene chloride	2.2921E-016	1.1943E-015
RCPTR_42	farmer_adult	TOCDFMPF	Naphthalene	1.0873E-011	5.5989E-011
RCPTR_42	farmer_adult	TOCDFMPF	Nickel	3.9996E-007	4.4252E-007
RCPTR_42	farmer_adult	TOCDFMPF	Nitroaniline, 2-	4.3526E-011	2.2590E-010
RCPTR_42	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.0328E-011	5.3775E-011
RCPTR_42	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.3361E-011	6.9479E-011
RCPTR_42	farmer_adult	TOCDFMPF	Nitrobenzene	4.2982E-012	2.2404E-011
RCPTR_42	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.9582E-012	1.0199E-011
RCPTR_42	farmer_adult	TOCDFMPF	Nitrophenol, 4-	6.7437E-011	1.4564E-010
RCPTR_42	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.4335E-012	1.2632E-011
RCPTR_42	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.3966E-012	1.2411E-011
RCPTR_42	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.2158E-013	1.1146E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	4.6237E-013	5.4472E-013
RCPTR_42	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	6.4381E-013	7.5609E-013
RCPTR_42	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	8.1119E-012	9.2205E-012
RCPTR_42	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	6.0709E-012	7.3758E-012
RCPTR_42	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.0060E-011	2.4294E-011
RCPTR_42	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.9216E-010	8.5105E-010
RCPTR_42	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	7.8140E-011	3.3543E-010
RCPTR_42	farmer_adult	TOCDFMPF	Pentachlorophenol	1.0040E-007	1.4858E-007
RCPTR_42	farmer_adult	TOCDFMPF	Phenanthrene	3.3745E-012	1.7094E-011
RCPTR_42	farmer_adult	TOCDFMPF	Phenol	3.4149E-012	1.7744E-011
RCPTR_42	farmer_adult	TOCDFMPF	Pronamide	3.3769E-010	1.6908E-009
RCPTR_42	farmer_adult	TOCDFMPF	Pyrene	1.6965E-007	6.9344E-007
RCPTR_42	farmer_adult	TOCDFMPF	Selenium	3.2410E-008	3.2638E-008
RCPTR_42	farmer_adult	TOCDFMPF	Silver	1.5010E-007	1.6923E-007
RCPTR_42	farmer_adult	TOCDFMPF	Styrene	3.1231E-013	1.6211E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.9769E-012	2.5303E-012
RCPTR_42	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	3.7544E-012	5.1365E-012
RCPTR_42	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.8374E-010	1.3640E-009
RCPTR_42	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.0700E-011	1.4304E-011
RCPTR_42	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	5.3978E-015	2.8019E-014
RCPTR_42	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	3.4242E-009	9.2851E-009
RCPTR_42	farmer_adult	TOCDFMPF	Thallium (I)	2.9143E-007	3.1542E-007
RCPTR_42	farmer_adult	TOCDFMPF	Toluene	3.7852E-015	1.9477E-014
RCPTR_42	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.0519E-011	5.2372E-011
RCPTR_42	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.5711E-015	8.1700E-015
RCPTR_42	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.1997E-014	6.2479E-014
RCPTR_42	farmer_adult	TOCDFMPF	Trichloroethylene	1.9556E-015	1.0155E-014
RCPTR_42	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	2.5694E-016	1.3347E-015
RCPTR_42	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.2616E-009	5.9826E-009
RCPTR_42	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	3.0455E-010	1.1977E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	4.4436E-014	2.3123E-013
RCPTR_42	farmer_adult	TOCDFMPF	Vinyl Chloride	6.3433E-019	3.3005E-018
RCPTR_42	farmer_adult	TOCDFMPF	Xylene, m-	4.3147E-014	8.3041E-014
RCPTR_42	farmer_adult	TOCDFMPF	Xylene, o-	3.9302E-014	8.4782E-014
RCPTR_42	farmer_adult	TOCDFMPF	Xylene, p-	4.5988E-014	1.0786E-013
RCPTR_42	farmer_adult	TOCDFMPF	Zinc	8.7492E-008	1.1650E-007
RCPTR_42	farmer_adult	TOCDHVAC	GB	1.0987E-014	5.7210E-014
RCPTR_42	farmer_adult	TOCDLIC2	Acenaphthene	1.3164E-010	6.7060E-010
RCPTR_42	farmer_adult	TOCDLIC2	Acetone	1.6279E-015	8.4889E-015
RCPTR_42	farmer_adult	TOCDLIC2	Acetophenone	6.7909E-013	3.5371E-012
RCPTR_42	farmer_adult	TOCDLIC2	Aniline	4.1003E-014	2.1300E-013
RCPTR_42	farmer_adult	TOCDLIC2	Anthracene	2.3282E-009	1.1831E-008
RCPTR_42	farmer_adult	TOCDLIC2	Antimony	6.8102E-008	8.5979E-008
RCPTR_42	farmer_adult	TOCDLIC2	Arsenic	1.6093E-007	1.6896E-007
RCPTR_42	farmer_adult	TOCDLIC2	Barium	5.2165E-008	6.2246E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDLIC2	Benzene	1.0918E-015	5.6639E-015
RCPTR_42	farmer_adult	TOCDLIC2	Benzo(a)anthracene	7.7444E-007	1.3521E-006
RCPTR_42	farmer_adult	TOCDLIC2	Benzo(a)pyrene	7.8530E-006	8.4655E-006
RCPTR_42	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	4.3250E-006	5.7877E-006
RCPTR_42	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.2322E-005	1.3551E-005
RCPTR_42	farmer_adult	TOCDLIC2	Benzoic acid	5.3789E-012	2.4187E-011
RCPTR_42	farmer_adult	TOCDLIC2	Benzyl alcohol	9.2831E-013	4.8325E-012
RCPTR_42	farmer_adult	TOCDLIC2	Beryllium	2.9628E-008	3.6120E-008
RCPTR_42	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	9.2751E-013	4.8366E-012
RCPTR_42	farmer_adult	TOCDLIC2	Bromodichloromethane	1.2317E-014	6.4167E-014
RCPTR_42	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	3.2116E-013	1.6737E-012
RCPTR_42	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	5.2320E-008	2.5988E-007
RCPTR_42	farmer_adult	TOCDLIC2	Butylbenzylphthalate	4.7147E-009	5.6477E-009
RCPTR_42	farmer_adult	TOCDLIC2	Cadmium	1.9747E-009	2.9846E-009
RCPTR_42	farmer_adult	TOCDLIC2	Carbon disulfide	1.3905E-015	7.2273E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDLIC2	Carbon tetrachloride	2.2094E-015	1.1456E-014
RCPTR_42	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	9.5873E-011	3.9426E-010
RCPTR_42	farmer_adult	TOCDLIC2	Chloroaniline, p-	4.3272E-012	2.2460E-011
RCPTR_42	farmer_adult	TOCDLIC2	Chlorobenzene	1.2969E-014	6.7015E-014
RCPTR_42	farmer_adult	TOCDLIC2	Chloroethane	3.7233E-017	1.8808E-016
RCPTR_42	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	3.9525E-015	2.0586E-014
RCPTR_42	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	3.4218E-010	1.7522E-009
RCPTR_42	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.1967E-011	6.2381E-011
RCPTR_42	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	5.3827E-010	2.1933E-009
RCPTR_42	farmer_adult	TOCDLIC2	Chromium	1.5497E-006	1.6069E-006
RCPTR_42	farmer_adult	TOCDLIC2	Chromium, hexavalent	1.0182E-006	1.0430E-006
RCPTR_42	farmer_adult	TOCDLIC2	Chrysene	2.2488E-006	3.0217E-006
RCPTR_42	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.7284E-008	2.0869E-008
RCPTR_42	farmer_adult	TOCDLIC2	Di-n-octylphthalate	8.6671E+001	8.6671E+001
RCPTR_42	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	1.7138E-004	1.7925E-004

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	5.6346E-013	2.8273E-012
RCPTR_42	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	6.7309E-013	3.4233E-012
RCPTR_42	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	6.4581E-013	3.2966E-012
RCPTR_42	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	9.6929E-009	1.2584E-008
RCPTR_42	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	2.8980E-018	1.5035E-017
RCPTR_42	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	7.2684E-016	3.7865E-015
RCPTR_42	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	9.0276E-016	4.7041E-015
RCPTR_42	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	2.7568E-016	1.4334E-015
RCPTR_42	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	4.4326E-016	2.3042E-015
RCPTR_42	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	7.6866E-011	2.7045E-010
RCPTR_42	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	2.4996E-015	1.2964E-014
RCPTR_42	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	8.2185E-016	4.2783E-015
RCPTR_42	farmer_adult	TOCDLIC2	Diethyl phthalate	1.0653E-008	1.1266E-008
RCPTR_42	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.9914E-011	1.0042E-010
RCPTR_42	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	8.2241E-012	4.2505E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	8.6518E-012	2.0601E-011
RCPTR_42	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	7.9129E-012	3.8987E-011
RCPTR_42	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	5.9984E-012	3.0062E-011
RCPTR_42	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.7369E-013	9.0559E-013
RCPTR_42	farmer_adult	TOCDLIC2	Ethylbenzene	9.2650E-015	4.6376E-014
RCPTR_42	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	4.9549E-009	5.9734E-009
RCPTR_42	farmer_adult	TOCDLIC2	Fluoranthene	4.3711E-008	1.6320E-007
RCPTR_42	farmer_adult	TOCDLIC2	Fluorene	5.2439E-010	2.6308E-009
RCPTR_42	farmer_adult	TOCDLIC2	GB	1.4670E-015	7.6385E-015
RCPTR_42	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	6.0157E-013	6.8670E-013
RCPTR_42	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	5.4171E-013	6.0440E-013
RCPTR_42	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.3131E-013	6.0483E-013
RCPTR_42	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.5654E-012	1.7522E-012
RCPTR_42	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.1596E-012	1.3350E-012
RCPTR_42	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.1486E-012	1.3447E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.1084E-012	1.3161E-012
RCPTR_42	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	6.6690E-013	7.9126E-013
RCPTR_42	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.9263E-013	7.0232E-013
RCPTR_42	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	6.8002E-013	8.0636E-013
RCPTR_42	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.1580E-011	5.5107E-011
RCPTR_42	farmer_adult	TOCDLIC2	Hexachlorobenzene	2.3102E-008	1.1236E-007
RCPTR_42	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	3.1395E-011	1.4627E-010
RCPTR_42	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	6.6726E-012	3.4011E-011
RCPTR_42	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_42	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.2039E-003	1.2186E-003
RCPTR_42	farmer_adult	TOCDLIC2	Isophorone	1.2432E-012	6.4748E-012
RCPTR_42	farmer_adult	TOCDLIC2	Lead	2.5760E-007	3.3686E-007
RCPTR_42	farmer_adult	TOCDLIC2	Mercuric chloride	1.0840E-005	1.2000E-005
RCPTR_42	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	4.3006E-017	2.2417E-016
RCPTR_42	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.7152E-018	8.9350E-018

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	9.6442E-015	5.0288E-014
RCPTR_42	farmer_adult	TOCDLIC2	Methyl mercury	7.3380E-008	7.9435E-008
RCPTR_42	farmer_adult	TOCDLIC2	Methylene chloride	7.5756E-016	3.9473E-015
RCPTR_42	farmer_adult	TOCDLIC2	Naphthalene	5.3042E-012	2.7314E-011
RCPTR_42	farmer_adult	TOCDLIC2	Nickel	1.7729E-007	1.9616E-007
RCPTR_42	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.1328E-011	1.1069E-010
RCPTR_42	farmer_adult	TOCDLIC2	Nitroaniline, 3-	5.0605E-012	2.6350E-011
RCPTR_42	farmer_adult	TOCDLIC2	Nitroaniline, 4-	6.5467E-012	3.4045E-011
RCPTR_42	farmer_adult	TOCDLIC2	Nitrobenzene	2.0969E-012	1.0930E-011
RCPTR_42	farmer_adult	TOCDLIC2	Nitrophenol, 2-	9.5534E-013	4.9758E-012
RCPTR_42	farmer_adult	TOCDLIC2	Nitrophenol, 4-	3.3051E-011	7.1371E-011
RCPTR_42	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.1872E-012	6.1624E-012
RCPTR_42	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.1692E-012	6.0548E-012
RCPTR_42	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.0806E-013	5.4372E-013
RCPTR_42	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.0465E-012	1.2327E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.4669E-013	4.0710E-013
RCPTR_42	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.8632E-012	4.3902E-012
RCPTR_42	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.1597E-012	1.4090E-012
RCPTR_42	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.2992E-012	3.9955E-012
RCPTR_42	farmer_adult	TOCDLIC2	Pentachlorobenzene	9.3649E-011	4.1509E-010
RCPTR_42	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	3.8244E-011	1.6432E-010
RCPTR_42	farmer_adult	TOCDLIC2	Pentachlorophenol	4.9207E-008	7.2815E-008
RCPTR_42	farmer_adult	TOCDLIC2	Phenanthrene	1.6462E-012	8.3392E-012
RCPTR_42	farmer_adult	TOCDLIC2	Phenol	1.7614E-012	9.1522E-012
RCPTR_42	farmer_adult	TOCDLIC2	Pronamide	1.6474E-010	8.2486E-010
RCPTR_42	farmer_adult	TOCDLIC2	Pyrene	8.2758E-008	3.3829E-007
RCPTR_42	farmer_adult	TOCDLIC2	Selenium	1.1079E-007	1.1158E-007
RCPTR_42	farmer_adult	TOCDLIC2	Silver	3.7510E-008	4.2291E-008
RCPTR_42	farmer_adult	TOCDLIC2	Styrene	2.4659E-013	1.2800E-012
RCPTR_42	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	2.0318E-012	2.6008E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.6525E-012	2.2611E-012
RCPTR_42	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.3842E-010	6.6544E-010
RCPTR_42	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.1663E-011	1.5590E-011
RCPTR_42	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.6540E-015	1.3777E-014
RCPTR_42	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.6781E-009	4.5500E-009
RCPTR_42	farmer_adult	TOCDLIC2	Thallium (I)	9.8775E-007	1.0691E-006
RCPTR_42	farmer_adult	TOCDLIC2	Toluene	1.4338E-014	7.3775E-014
RCPTR_42	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	5.1317E-012	2.5549E-011
RCPTR_42	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.7119E-015	8.9024E-015
RCPTR_42	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.3073E-014	6.8079E-014
RCPTR_42	farmer_adult	TOCDLIC2	Trichloroethylene	2.1309E-015	1.1066E-014
RCPTR_42	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.7997E-016	1.4544E-015
RCPTR_42	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	6.1551E-010	2.9187E-009
RCPTR_42	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.4859E-010	5.8431E-010
RCPTR_42	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	4.8419E-014	2.5196E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_adult	TOCDLIC2	Vinyl Chloride	8.1674E-019	4.2497E-018
RCPTR_42	farmer_adult	TOCDLIC2	Xylene, m-	6.3546E-014	1.2266E-013
RCPTR_42	farmer_adult	TOCDLIC2	Xylene, o-	4.2580E-014	9.2138E-014
RCPTR_42	farmer_adult	TOCDLIC2	Xylene, p-	6.7783E-014	1.5947E-013
RCPTR_42	farmer_adult	TOCDLIC2	Zinc	1.7068E-007	2.2727E-007
RCPTR_42	farmer_child	TOCDFBRA	Antimony	3.5609E-007	3.6757E-007
RCPTR_42	farmer_child	TOCDFBRA	Arsenic	4.9482E-007	4.9712E-007
RCPTR_42	farmer_child	TOCDFBRA	Barium	4.6496E-008	4.7551E-008
RCPTR_42	farmer_child	TOCDFBRA	Beryllium	1.5049E-007	1.7750E-007
RCPTR_42	farmer_child	TOCDFBRA	Cadmium	3.1829E-008	3.4667E-008
RCPTR_42	farmer_child	TOCDFBRA	Chromium	3.6073E-006	4.4270E-006
RCPTR_42	farmer_child	TOCDFBRA	Chromium, hexavalent	2.8676E-006	2.8719E-006
RCPTR_42	farmer_child	TOCDFBRA	Lead	1.6969E-006	2.1566E-006
RCPTR_42	farmer_child	TOCDFBRA	Mercuric chloride	2.7418E-004	5.0040E-004
RCPTR_42	farmer_child	TOCDFBRA	Methyl mercury	2.6802E-006	3.3465E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFBRA	Nickel	1.6909E-006	1.7263E-006
RCPTR_42	farmer_child	TOCDFBRA	Selenium	5.3439E-007	5.3446E-007
RCPTR_42	farmer_child	TOCDFBRA	Silver	2.0336E-007	2.0401E-007
RCPTR_42	farmer_child	TOCDFBRA	Thallium (I)	5.1596E-006	5.2518E-006
RCPTR_42	farmer_child	TOCDFBRA	Zinc	1.0597E-006	1.1164E-006
RCPTR_42	farmer_child	TOCDFDFS	Acenaphthene	5.0559E-010	5.0738E-010
RCPTR_42	farmer_child	TOCDFDFS	Acetone	6.3482E-015	6.3482E-015
RCPTR_42	farmer_child	TOCDFDFS	Acetophenone	2.8093E-012	2.8099E-012
RCPTR_42	farmer_child	TOCDFDFS	Aniline	1.6115E-013	1.6115E-013
RCPTR_42	farmer_child	TOCDFDFS	Anthracene	8.6604E-009	8.9519E-009
RCPTR_42	farmer_child	TOCDFDFS	Antimony	3.4070E-006	3.5168E-006
RCPTR_42	farmer_child	TOCDFDFS	Aroclor 1254	5.3555E-011	5.3907E-011
RCPTR_42	farmer_child	TOCDFDFS	Arsenic	2.6770E-007	2.6894E-007
RCPTR_42	farmer_child	TOCDFDFS	Barium	8.8449E-009	9.0456E-009
RCPTR_42	farmer_child	TOCDFDFS	Benzene	5.2498E-015	5.2498E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFDFS	Benzo(a)anthracene	8.8121E-007	1.0341E-006
RCPTR_42	farmer_child	TOCDFDFS	Benzo(a)pyrene	6.4482E-006	6.5970E-006
RCPTR_42	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	4.0564E-006	4.4282E-006
RCPTR_42	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	9.9588E-006	1.0569E-005
RCPTR_42	farmer_child	TOCDFDFS	Benzoic acid	1.8295E-011	1.8297E-011
RCPTR_42	farmer_child	TOCDFDFS	Benzyl alcohol	3.6543E-012	3.6562E-012
RCPTR_42	farmer_child	TOCDFDFS	Beryllium	7.8805E-008	9.2944E-008
RCPTR_42	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	3.6577E-012	3.6593E-012
RCPTR_42	farmer_child	TOCDFDFS	Bromodichloromethane	4.1405E-014	4.1405E-014
RCPTR_42	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.6455E-012	1.6456E-012
RCPTR_42	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.4213E-007	1.9662E-007
RCPTR_42	farmer_child	TOCDFDFS	Butylbenzylphthalate	4.4343E-009	4.4374E-009
RCPTR_42	farmer_child	TOCDFDFS	Cadmium	8.3893E-008	9.1372E-008
RCPTR_42	farmer_child	TOCDFDFS	Carbon disulfide	2.7442E-015	2.7442E-015
RCPTR_42	farmer_child	TOCDFDFS	Carbon tetrachloride	1.3696E-014	1.3696E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	2.9675E-010	2.9820E-010
RCPTR_42	farmer_child	TOCDFDFS	Chloroaniline, p-	1.6974E-011	1.6992E-011
RCPTR_42	farmer_child	TOCDFDFS	Chlorobenzene	8.0116E-014	8.0116E-014
RCPTR_42	farmer_child	TOCDFDFS	Chloroethane	2.2484E-016	2.2484E-016
RCPTR_42	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	1.2401E-014	1.2401E-014
RCPTR_42	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.3149E-009	1.3257E-009
RCPTR_42	farmer_child	TOCDFDFS	Chlorophenol, 2-	4.7088E-011	4.7195E-011
RCPTR_42	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.6549E-009	1.6607E-009
RCPTR_42	farmer_child	TOCDFDFS	Chromium	1.0150E-006	1.2456E-006
RCPTR_42	farmer_child	TOCDFDFS	Chromium, hexavalent	8.0694E-007	8.0816E-007
RCPTR_42	farmer_child	TOCDFDFS	Chrysene	2.0556E-006	2.3112E-006
RCPTR_42	farmer_child	TOCDFDFS	Di-n-butyl phthalate	1.5807E-008	1.5836E-008
RCPTR_42	farmer_child	TOCDFDFS	Di-n-octylphthalate	6.5252E+001	6.5252E+001
RCPTR_42	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.3703E-004	1.3992E-004
RCPTR_42	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	2.1391E-012	2.1391E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.5899E-012	2.5900E-012
RCPTR_42	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.4941E-012	2.4942E-012
RCPTR_42	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.5991E-008	1.6076E-008
RCPTR_42	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.7975E-017	1.7975E-017
RCPTR_42	farmer_child	TOCDFDFS	Dichloroethane 1,1-	4.5267E-015	4.5267E-015
RCPTR_42	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	5.6236E-015	5.6237E-015
RCPTR_42	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.7136E-015	1.7136E-015
RCPTR_42	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.7546E-015	2.7546E-015
RCPTR_42	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.0386E-010	2.0451E-010
RCPTR_42	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	1.5498E-014	1.5498E-014
RCPTR_42	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	5.1146E-015	5.1146E-015
RCPTR_42	farmer_child	TOCDFDFS	Diethyl phthalate	8.4848E-009	8.4861E-009
RCPTR_42	farmer_child	TOCDFDFS	Dimethyl phthalate	7.0901E-011	7.0964E-011
RCPTR_42	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	3.2117E-011	3.2158E-011
RCPTR_42	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.5356E-011	1.5358E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.9464E-011	2.9512E-011
RCPTR_42	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	2.2716E-011	2.2748E-011
RCPTR_42	farmer_child	TOCDFDFS	Ethyl methanesulfonate	6.8496E-013	6.8514E-013
RCPTR_42	farmer_child	TOCDFDFS	Ethylbenzene	4.8888E-014	4.8888E-014
RCPTR_42	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.5770E-010	4.5880E-010
RCPTR_42	farmer_child	TOCDFDFS	Fluoranthene	1.0528E-007	1.2363E-007
RCPTR_42	farmer_child	TOCDFDFS	Fluorene	1.9692E-009	1.9905E-009
RCPTR_42	farmer_child	TOCDFDFS	GB	1.8424E-014	1.8428E-014
RCPTR_42	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.3514E-013	1.5035E-013
RCPTR_42	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.6913E-014	7.3167E-014
RCPTR_42	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.3574E-013	2.6169E-013
RCPTR_42	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.2680E-012	1.3899E-012
RCPTR_42	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	7.2094E-013	8.0684E-013
RCPTR_42	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	6.4751E-013	7.3340E-013
RCPTR_42	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	5.0908E-013	5.8220E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.5172E-013	5.1646E-013
RCPTR_42	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	6.0258E-013	6.8829E-013
RCPTR_42	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.1573E-013	4.7506E-013
RCPTR_42	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	4.1710E-011	4.1714E-011
RCPTR_42	farmer_child	TOCDFDFS	Hexachlorobenzene	7.9992E-008	8.5025E-008
RCPTR_42	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	5.4806E-010	5.4817E-010
RCPTR_42	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.5726E-011	2.5731E-011
RCPTR_42	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_42	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	9.2385E-004	9.2857E-004
RCPTR_42	farmer_child	TOCDFDFS	Isophorone	4.8968E-012	4.8987E-012
RCPTR_42	farmer_child	TOCDFDFS	Lead	9.6164E-006	1.2221E-005
RCPTR_42	farmer_child	TOCDFDFS	Mercuric chloride	7.1276E-008	1.2949E-007
RCPTR_42	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	4.7924E-016	4.7924E-016
RCPTR_42	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	8.1130E-017	8.1130E-017
RCPTR_42	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.2602E-014	4.2602E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFDFS	Methyl mercury	7.2017E-010	8.9162E-010
RCPTR_42	farmer_child	TOCDFDFS	Methylene chloride	1.2314E-015	1.2314E-015
RCPTR_42	farmer_child	TOCDFDFS	Naphthalene	2.0660E-011	2.0665E-011
RCPTR_42	farmer_child	TOCDFDFS	Nickel	9.5161E-007	9.7152E-007
RCPTR_42	farmer_child	TOCDFDFS	Nitroaniline, 2-	8.2454E-011	8.2545E-011
RCPTR_42	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.9641E-011	1.9650E-011
RCPTR_42	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.5376E-011	2.5389E-011
RCPTR_42	farmer_child	TOCDFDFS	Nitrobenzene	8.2645E-012	8.2690E-012
RCPTR_42	farmer_child	TOCDFDFS	Nitrophenol, 2-	3.7635E-012	3.7645E-012
RCPTR_42	farmer_child	TOCDFDFS	Nitrophenol, 4-	5.3124E-011	5.3140E-011
RCPTR_42	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	4.6614E-012	4.6623E-012
RCPTR_42	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	4.5804E-012	4.5808E-012
RCPTR_42	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	4.1176E-013	4.1178E-013
RCPTR_42	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	3.6713E-013	4.1777E-013
RCPTR_42	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.2598E-013	1.4302E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.0509E-012	3.3756E-012
RCPTR_42	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.5955E-013	3.0149E-013
RCPTR_42	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.0685E-012	1.2387E-012
RCPTR_42	farmer_child	TOCDFDFS	Pentachlorobenzene	3.1500E-010	3.1513E-010
RCPTR_42	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.2302E-010	1.2303E-010
RCPTR_42	farmer_child	TOCDFDFS	Pentachlorophenol	5.4000E-008	5.4143E-008
RCPTR_42	farmer_child	TOCDFDFS	Phenanthrene	6.3094E-012	6.3095E-012
RCPTR_42	farmer_child	TOCDFDFS	Phenol	6.5451E-012	6.5491E-012
RCPTR_42	farmer_child	TOCDFDFS	Pronamide	1.2390E-009	1.2481E-009
RCPTR_42	farmer_child	TOCDFDFS	Pyrene	1.7272E-007	2.5604E-007
RCPTR_42	farmer_child	TOCDFDFS	Selenium	2.8911E-007	2.8914E-007
RCPTR_42	farmer_child	TOCDFDFS	Silver	1.1176E-007	1.1212E-007
RCPTR_42	farmer_child	TOCDFDFS	Styrene	1.3368E-012	1.3368E-012
RCPTR_42	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.4244E-012	1.7147E-012
RCPTR_42	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	4.5356E-013	5.7221E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	5.0275E-010	5.0345E-010
RCPTR_42	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.8574E-011	1.8575E-011
RCPTR_42	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.6470E-014	1.6470E-014
RCPTR_42	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	3.3834E-009	3.3900E-009
RCPTR_42	farmer_child	TOCDFDFS	Thallium (I)	2.7019E-006	2.7502E-006
RCPTR_42	farmer_child	TOCDFDFS	Toluene	2.2173E-014	2.2173E-014
RCPTR_42	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.9329E-011	1.9331E-011
RCPTR_42	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	1.0643E-014	1.0643E-014
RCPTR_42	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	8.1387E-014	8.1387E-014
RCPTR_42	farmer_child	TOCDFDFS	Trichloroethylene	1.3229E-014	1.3229E-014
RCPTR_42	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.7387E-015	1.7387E-015
RCPTR_42	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	2.1713E-009	2.2079E-009
RCPTR_42	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	4.4034E-010	4.4191E-010
RCPTR_42	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	3.0120E-013	3.0121E-013
RCPTR_42	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	3.5221E-012	3.5254E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFDFS	Vinyl Chloride	4.2995E-018	4.2995E-018
RCPTR_42	farmer_child	TOCDFDFS	Xylene, m-	1.1295E-013	1.1295E-013
RCPTR_42	farmer_child	TOCDFDFS	Xylene, o-	1.1450E-013	1.1450E-013
RCPTR_42	farmer_child	TOCDFDFS	Xylene, p-	1.4495E-013	1.4495E-013
RCPTR_42	farmer_child	TOCDFDFS	Zinc	6.7002E-007	7.0589E-007
RCPTR_42	farmer_child	TOCDFLIC	Acenaphthene	3.2381E-010	3.2496E-010
RCPTR_42	farmer_child	TOCDFLIC	Acetone	8.5781E-015	8.5781E-015
RCPTR_42	farmer_child	TOCDFLIC	Acetophenone	3.0846E-012	3.0853E-012
RCPTR_42	farmer_child	TOCDFLIC	Aniline	1.0321E-013	1.0322E-013
RCPTR_42	farmer_child	TOCDFLIC	Anthracene	5.5464E-009	5.7330E-009
RCPTR_42	farmer_child	TOCDFLIC	Antimony	6.2609E-008	6.4625E-008
RCPTR_42	farmer_child	TOCDFLIC	Arsenic	1.6819E-007	1.6896E-007
RCPTR_42	farmer_child	TOCDFLIC	Barium	6.3164E-009	6.4595E-009
RCPTR_42	farmer_child	TOCDFLIC	Benzene	7.8704E-014	7.8704E-014
RCPTR_42	farmer_child	TOCDFLIC	Benzo(a)anthracene	5.5777E-007	6.5522E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFLIC	Benzo(a)pyrene	4.0118E-006	4.1022E-006
RCPTR_42	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.5681E-006	2.8046E-006
RCPTR_42	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	6.2035E-006	6.5668E-006
RCPTR_42	farmer_child	TOCDFLIC	Benzoic acid	1.2572E-011	1.2573E-011
RCPTR_42	farmer_child	TOCDFLIC	Benzyl alcohol	2.3406E-012	2.3418E-012
RCPTR_42	farmer_child	TOCDFLIC	Beryllium	3.0629E-008	3.6120E-008
RCPTR_42	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	2.3428E-012	2.3438E-012
RCPTR_42	farmer_child	TOCDFLIC	Bromodichloromethane	2.0956E-014	2.0956E-014
RCPTR_42	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	7.2179E-013	7.2185E-013
RCPTR_42	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	9.1029E-008	1.2593E-007
RCPTR_42	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.7348E-009	2.7368E-009
RCPTR_42	farmer_child	TOCDFLIC	Cadmium	2.4117E-008	2.6266E-008
RCPTR_42	farmer_child	TOCDFLIC	Carbon disulfide	4.7690E-015	4.7690E-015
RCPTR_42	farmer_child	TOCDFLIC	Carbon tetrachloride	7.5271E-015	7.5271E-015
RCPTR_42	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	1.9012E-010	1.9105E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFLIC	Chloroaniline, p-	1.0872E-011	1.0884E-011
RCPTR_42	farmer_child	TOCDFLIC	Chlorobenzene	4.4032E-014	4.4032E-014
RCPTR_42	farmer_child	TOCDFLIC	Chloroethane	1.2358E-016	1.2358E-016
RCPTR_42	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	6.6674E-015	6.6674E-015
RCPTR_42	farmer_child	TOCDFLIC	Chloronaphthalene,2-	8.4219E-010	8.4910E-010
RCPTR_42	farmer_child	TOCDFLIC	Chlorophenol, 2-	3.0160E-011	3.0229E-011
RCPTR_42	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.0591E-009	1.0628E-009
RCPTR_42	farmer_child	TOCDFLIC	Chromium	1.3097E-006	1.6069E-006
RCPTR_42	farmer_child	TOCDFLIC	Chromium, hexavalent	1.0414E-006	1.0430E-006
RCPTR_42	farmer_child	TOCDFLIC	Chrysene	1.3022E-006	1.4643E-006
RCPTR_42	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.0094E-008	1.0113E-008
RCPTR_42	farmer_child	TOCDFLIC	Di-n-octylphthalate	4.1999E+001	4.1999E+001
RCPTR_42	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	8.5213E-005	8.6862E-005
RCPTR_42	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	1.3700E-012	1.3701E-012
RCPTR_42	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	1.6588E-012	1.6589E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	1.5974E-012	1.5975E-012
RCPTR_42	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	5.2047E-009	5.2328E-009
RCPTR_42	farmer_child	TOCDFLIC	Dichlorodifluoromethane	9.8788E-018	9.8788E-018
RCPTR_42	farmer_child	TOCDFLIC	Dichloroethane 1,1-	2.4879E-015	2.4879E-015
RCPTR_42	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	3.0908E-015	3.0908E-015
RCPTR_42	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	9.4181E-016	9.4181E-016
RCPTR_42	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.5139E-015	1.5139E-015
RCPTR_42	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	1.3064E-010	1.3106E-010
RCPTR_42	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	8.5178E-015	8.5178E-015
RCPTR_42	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	2.8110E-015	2.8110E-015
RCPTR_42	farmer_child	TOCDFLIC	Diethyl phthalate	5.4585E-009	5.4593E-009
RCPTR_42	farmer_child	TOCDFLIC	Dimethyl phthalate	8.1918E-011	8.1990E-011
RCPTR_42	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	2.0571E-011	2.0597E-011
RCPTR_42	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	9.9556E-012	9.9570E-012
RCPTR_42	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	1.8861E-011	1.8892E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	1.4547E-011	1.4568E-011
RCPTR_42	farmer_child	TOCDFLIC	Ethyl methanesulfonate	4.3872E-013	4.3883E-013
RCPTR_42	farmer_child	TOCDFLIC	Ethylbenzene	3.5824E-014	3.5824E-014
RCPTR_42	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	8.8995E-009	8.9217E-009
RCPTR_42	farmer_child	TOCDFLIC	Fluoranthene	6.7330E-008	7.9084E-008
RCPTR_42	farmer_child	TOCDFLIC	Fluorene	1.2612E-009	1.2748E-009
RCPTR_42	farmer_child	TOCDFLIC	GB	7.3456E-015	7.3475E-015
RCPTR_42	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	8.8196E-014	9.7837E-014
RCPTR_42	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.0155E-013	1.1065E-013
RCPTR_42	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.5041E-013	2.7712E-013
RCPTR_42	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.0684E-012	1.1672E-012
RCPTR_42	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	6.3416E-013	7.0775E-013
RCPTR_42	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	5.5792E-013	6.3068E-013
RCPTR_42	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.5800E-013	4.0901E-013
RCPTR_42	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.4987E-013	3.9959E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	4.0329E-013	4.6014E-013
RCPTR_42	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.9483E-013	3.3654E-013
RCPTR_42	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.6701E-011	2.6704E-011
RCPTR_42	farmer_child	TOCDFLIC	Hexachlorobenzene	5.1225E-008	5.4449E-008
RCPTR_42	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	7.0865E-011	7.0879E-011
RCPTR_42	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.6478E-011	1.6481E-011
RCPTR_42	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_42	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.8780E-004	5.9050E-004
RCPTR_42	farmer_child	TOCDFLIC	Isophorone	3.1364E-012	3.1376E-012
RCPTR_42	farmer_child	TOCDFLIC	Lead	3.6772E-006	4.6722E-006
RCPTR_42	farmer_child	TOCDFLIC	Mercuric chloride	6.5644E-006	1.2000E-005
RCPTR_42	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	1.7138E-016	1.7138E-016
RCPTR_42	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.4037E-017	1.4037E-017
RCPTR_42	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	5.1021E-014	5.1021E-014
RCPTR_42	farmer_child	TOCDFLIC	Methyl mercury	6.3428E-008	7.9435E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFLIC	Methylene chloride	1.0851E-015	1.0851E-015
RCPTR_42	farmer_child	TOCDFLIC	Naphthalene	1.3232E-011	1.3236E-011
RCPTR_42	farmer_child	TOCDFLIC	Nickel	5.5275E-007	5.6431E-007
RCPTR_42	farmer_child	TOCDFLIC	Nitroaniline, 2-	5.3442E-011	5.3500E-011
RCPTR_42	farmer_child	TOCDFLIC	Nitroaniline, 3-	1.2730E-011	1.2736E-011
RCPTR_42	farmer_child	TOCDFLIC	Nitroaniline, 4-	1.6446E-011	1.6455E-011
RCPTR_42	farmer_child	TOCDFLIC	Nitrobenzene	5.2934E-012	5.2963E-012
RCPTR_42	farmer_child	TOCDFLIC	Nitrophenol, 2-	2.4105E-012	2.4112E-012
RCPTR_42	farmer_child	TOCDFLIC	Nitrophenol, 4-	3.4486E-011	3.4496E-011
RCPTR_42	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.9857E-012	2.9862E-012
RCPTR_42	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	2.9338E-012	2.9340E-012
RCPTR_42	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	2.6347E-013	2.6348E-013
RCPTR_42	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.2309E-013	3.6713E-013
RCPTR_42	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.0616E-013	1.2036E-013
RCPTR_42	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.1268E-012	2.3478E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	5.7340E-013	6.6586E-013
RCPTR_42	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.2953E-012	1.5013E-012
RCPTR_42	farmer_child	TOCDFLIC	Pentachlorobenzene	2.0106E-010	2.0115E-010
RCPTR_42	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	7.9414E-011	7.9419E-011
RCPTR_42	farmer_child	TOCDFLIC	Pentachlorophenol	3.5102E-008	3.5194E-008
RCPTR_42	farmer_child	TOCDFLIC	Phenanthrene	4.0409E-012	4.0410E-012
RCPTR_42	farmer_child	TOCDFLIC	Phenol	4.1921E-012	4.1947E-012
RCPTR_42	farmer_child	TOCDFLIC	Pronamide	3.9680E-010	3.9971E-010
RCPTR_42	farmer_child	TOCDFLIC	Pyrene	1.1057E-007	1.6393E-007
RCPTR_42	farmer_child	TOCDFLIC	Selenium	1.1156E-007	1.1158E-007
RCPTR_42	farmer_child	TOCDFLIC	Silver	4.2157E-008	4.2291E-008
RCPTR_42	farmer_child	TOCDFLIC	Styrene	1.5279E-012	1.5279E-012
RCPTR_42	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	7.4469E-013	8.9717E-013
RCPTR_42	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	9.9920E-013	1.2623E-012
RCPTR_42	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	3.2201E-010	3.2246E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	1.0243E-011	1.0243E-011
RCPTR_42	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	9.0519E-015	9.0519E-015
RCPTR_42	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	2.1949E-009	2.1992E-009
RCPTR_42	farmer_child	TOCDFLIC	Thallium (I)	1.0503E-006	1.0691E-006
RCPTR_42	farmer_child	TOCDFLIC	Toluene	7.0087E-014	7.0087E-014
RCPTR_42	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.2379E-011	1.2381E-011
RCPTR_42	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	5.8493E-015	5.8493E-015
RCPTR_42	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	4.4731E-014	4.4731E-014
RCPTR_42	farmer_child	TOCDFLIC	Trichloroethylene	7.2707E-015	7.2707E-015
RCPTR_42	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	9.5558E-016	9.5558E-016
RCPTR_42	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	1.3909E-009	1.4143E-009
RCPTR_42	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	2.8213E-010	2.8314E-010
RCPTR_42	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	1.6554E-013	1.6555E-013
RCPTR_42	farmer_child	TOCDFLIC	Vinyl Chloride	2.5462E-018	2.5462E-018
RCPTR_42	farmer_child	TOCDFLIC	Xylene, m-	1.0566E-013	1.0566E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFLIC	Xylene, o-	6.8673E-014	6.8673E-014
RCPTR_42	farmer_child	TOCDFLIC	Xylene, p-	1.3737E-013	1.3737E-013
RCPTR_42	farmer_child	TOCDFLIC	Zinc	1.8068E-007	1.9034E-007
RCPTR_42	farmer_child	TOCDFMPF	Acenaphthene	1.3697E-009	1.3746E-009
RCPTR_42	farmer_child	TOCDFMPF	Acetone	4.2651E-015	4.2651E-015
RCPTR_42	farmer_child	TOCDFMPF	Acetophenone	7.2488E-012	7.2504E-012
RCPTR_42	farmer_child	TOCDFMPF	Aniline	4.3660E-013	4.3661E-013
RCPTR_42	farmer_child	TOCDFMPF	Anthracene	2.3461E-008	2.4251E-008
RCPTR_42	farmer_child	TOCDFMPF	Antimony	1.8633E-008	1.9233E-008
RCPTR_42	farmer_child	TOCDFMPF	Arsenic	3.9466E-008	3.9649E-008
RCPTR_42	farmer_child	TOCDFMPF	Barium	5.9207E-009	6.0549E-009
RCPTR_42	farmer_child	TOCDFMPF	Benzene	3.7985E-015	3.7985E-015
RCPTR_42	farmer_child	TOCDFMPF	Benzo(a)anthracene	2.3613E-006	2.7737E-006
RCPTR_42	farmer_child	TOCDFMPF	Benzo(a)pyrene	1.7004E-005	1.7388E-005
RCPTR_42	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	1.0872E-005	1.1873E-005

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	2.6291E-005	2.7836E-005
RCPTR_42	farmer_child	TOCDFMPF	Benzoic acid	4.9573E-011	4.9578E-011
RCPTR_42	farmer_child	TOCDFMPF	Benzyl alcohol	9.9008E-012	9.9057E-012
RCPTR_42	farmer_child	TOCDFMPF	Beryllium	8.7473E-009	1.0316E-008
RCPTR_42	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	9.9100E-012	9.9141E-012
RCPTR_42	farmer_child	TOCDFMPF	Bromodichloromethane	3.3856E-014	3.3856E-014
RCPTR_42	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.2774E-012	1.2775E-012
RCPTR_42	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	3.8506E-007	5.3270E-007
RCPTR_42	farmer_child	TOCDFMPF	Butylbenzylphthalate	1.1598E-008	1.1607E-008
RCPTR_42	farmer_child	TOCDFMPF	Cadmium	1.0551E-008	1.1491E-008
RCPTR_42	farmer_child	TOCDFMPF	Carbon disulfide	6.6440E-015	6.6440E-015
RCPTR_42	farmer_child	TOCDFMPF	Carbon tetrachloride	1.0514E-014	1.0514E-014
RCPTR_42	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	8.0421E-010	8.0813E-010
RCPTR_42	farmer_child	TOCDFMPF	Chloroaniline, p-	4.5987E-011	4.6038E-011
RCPTR_42	farmer_child	TOCDFMPF	Chlorobenzene	6.1501E-014	6.1502E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFMPF	Chloroethane	1.7261E-016	1.7261E-016
RCPTR_42	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	8.9582E-015	8.9583E-015
RCPTR_42	farmer_child	TOCDFMPF	Chloronaphthalene,2-	3.5625E-009	3.5917E-009
RCPTR_42	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.2758E-010	1.2787E-010
RCPTR_42	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	4.4804E-009	4.4961E-009
RCPTR_42	farmer_child	TOCDFMPF	Chromium	2.5336E-007	3.1087E-007
RCPTR_42	farmer_child	TOCDFMPF	Chromium, hexavalent	2.0147E-007	2.0177E-007
RCPTR_42	farmer_child	TOCDFMPF	Chrysene	5.5126E-006	6.1986E-006
RCPTR_42	farmer_child	TOCDFMPF	Di-n-butyl phthalate	4.2707E-008	4.2786E-008
RCPTR_42	farmer_child	TOCDFMPF	Di-n-octylphthalate	1.7760E+002	1.7760E+002
RCPTR_42	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	3.6116E-004	3.6819E-004
RCPTR_42	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	5.7952E-012	5.7954E-012
RCPTR_42	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	7.0169E-012	7.0171E-012
RCPTR_42	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	6.7572E-012	6.7574E-012
RCPTR_42	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.8837E-008	2.8992E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFMPF	Dichlorodifluoromethane	1.3798E-017	1.3798E-017
RCPTR_42	farmer_child	TOCDFMPF	Dichloroethane 1,1-	3.4750E-015	3.4750E-015
RCPTR_42	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	4.3171E-015	4.3171E-015
RCPTR_42	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.3155E-015	1.3155E-015
RCPTR_42	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.1146E-015	2.1146E-015
RCPTR_42	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	5.5259E-010	5.5436E-010
RCPTR_42	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.1897E-014	1.1897E-014
RCPTR_42	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	3.9263E-015	3.9263E-015
RCPTR_42	farmer_child	TOCDFMPF	Diethyl phthalate	2.3083E-008	2.3087E-008
RCPTR_42	farmer_child	TOCDFMPF	Dimethyl phthalate	2.9548E-011	2.9574E-011
RCPTR_42	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	8.7016E-011	8.7126E-011
RCPTR_42	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	4.2036E-011	4.2042E-011
RCPTR_42	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	7.9787E-011	7.9918E-011
RCPTR_42	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	6.1535E-011	6.1623E-011
RCPTR_42	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.8558E-012	1.8563E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFMPF	Ethylbenzene	3.7528E-014	3.7528E-014
RCPTR_42	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	9.8004E-009	9.8248E-009
RCPTR_42	farmer_child	TOCDFMPF	Fluoranthene	2.8484E-007	3.3456E-007
RCPTR_42	farmer_child	TOCDFMPF	Fluorene	5.3349E-009	5.3926E-009
RCPTR_42	farmer_child	TOCDFMPF	GB	1.0368E-014	1.0371E-014
RCPTR_42	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.8520E-013	2.0549E-013
RCPTR_42	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	6.7870E-012	7.3970E-012
RCPTR_42	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.1582E-012	1.2820E-012
RCPTR_42	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.4304E-012	2.6558E-012
RCPTR_42	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.3744E-012	1.5342E-012
RCPTR_42	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.3207E-012	1.4931E-012
RCPTR_42	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	5.3598E-011	6.1240E-011
RCPTR_42	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.3044E-011	1.4899E-011
RCPTR_42	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	2.2550E-012	2.5731E-012
RCPTR_42	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.6138E-012	1.8422E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.1295E-010	1.1296E-010
RCPTR_42	farmer_child	TOCDFMPF	Hexachlorobenzene	2.1669E-007	2.3032E-007
RCPTR_42	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	2.9977E-010	2.9984E-010
RCPTR_42	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	6.9703E-011	6.9715E-011
RCPTR_42	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_42	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.4875E-003	2.4990E-003
RCPTR_42	farmer_child	TOCDFMPF	Isophorone	1.3267E-011	1.3272E-011
RCPTR_42	farmer_child	TOCDFMPF	Lead	2.8992E-009	3.6837E-009
RCPTR_42	farmer_child	TOCDFMPF	Mercuric chloride	7.3831E-008	1.3490E-007
RCPTR_42	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	2.0397E-016	2.0397E-016
RCPTR_42	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	7.2957E-018	7.2957E-018
RCPTR_42	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	4.7776E-014	4.7776E-014
RCPTR_42	farmer_child	TOCDFMPF	Methyl mercury	7.1562E-010	8.9549E-010
RCPTR_42	farmer_child	TOCDFMPF	Methylene chloride	1.1943E-015	1.1943E-015
RCPTR_42	farmer_child	TOCDFMPF	Naphthalene	5.5973E-011	5.5989E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFMPF	Nickel	4.3346E-007	4.4252E-007
RCPTR_42	farmer_child	TOCDFMPF	Nitroaniline, 2-	2.2565E-010	2.2590E-010
RCPTR_42	farmer_child	TOCDFMPF	Nitroaniline, 3-	5.3752E-011	5.3775E-011
RCPTR_42	farmer_child	TOCDFMPF	Nitroaniline, 4-	6.9442E-011	6.9479E-011
RCPTR_42	farmer_child	TOCDFMPF	Nitrobenzene	2.2391E-011	2.2404E-011
RCPTR_42	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.0197E-011	1.0199E-011
RCPTR_42	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.4560E-010	1.4564E-010
RCPTR_42	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.2629E-011	1.2632E-011
RCPTR_42	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.2410E-011	1.2411E-011
RCPTR_42	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.1146E-012	1.1146E-012
RCPTR_42	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	4.7933E-013	5.4472E-013
RCPTR_42	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	6.6681E-013	7.5609E-013
RCPTR_42	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	8.3514E-012	9.2205E-012
RCPTR_42	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	6.3515E-012	7.3758E-012
RCPTR_42	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.0959E-011	2.4294E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFMPF	Pentachlorobenzene	8.5069E-010	8.5105E-010
RCPTR_42	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	3.3541E-010	3.3543E-010
RCPTR_42	farmer_child	TOCDFMPF	Pentachlorophenol	1.4819E-007	1.4858E-007
RCPTR_42	farmer_child	TOCDFMPF	Phenanthrene	1.7093E-011	1.7094E-011
RCPTR_42	farmer_child	TOCDFMPF	Phenol	1.7733E-011	1.7744E-011
RCPTR_42	farmer_child	TOCDFMPF	Pronamide	1.6785E-009	1.6908E-009
RCPTR_42	farmer_child	TOCDFMPF	Pyrene	4.6772E-007	6.9344E-007
RCPTR_42	farmer_child	TOCDFMPF	Selenium	3.2634E-008	3.2638E-008
RCPTR_42	farmer_child	TOCDFMPF	Silver	1.6870E-007	1.6923E-007
RCPTR_42	farmer_child	TOCDFMPF	Styrene	1.6211E-012	1.6211E-012
RCPTR_42	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.1004E-012	2.5303E-012
RCPTR_42	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	4.0662E-012	5.1365E-012
RCPTR_42	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.3621E-009	1.3640E-009
RCPTR_42	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.4304E-011	1.4304E-011
RCPTR_42	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.8019E-014	2.8019E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	9.2672E-009	9.2851E-009
RCPTR_42	farmer_child	TOCDFMPF	Thallium (I)	3.0989E-007	3.1542E-007
RCPTR_42	farmer_child	TOCDFMPF	Toluene	1.9477E-014	1.9477E-014
RCPTR_42	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	5.2365E-011	5.2372E-011
RCPTR_42	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	8.1700E-015	8.1700E-015
RCPTR_42	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	6.2478E-014	6.2479E-014
RCPTR_42	farmer_child	TOCDFMPF	Trichloroethylene	1.0155E-014	1.0155E-014
RCPTR_42	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.3347E-015	1.3347E-015
RCPTR_42	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	5.8834E-009	5.9826E-009
RCPTR_42	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.1934E-009	1.1977E-009
RCPTR_42	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	2.3122E-013	2.3123E-013
RCPTR_42	farmer_child	TOCDFMPF	Vinyl Chloride	3.3005E-018	3.3005E-018
RCPTR_42	farmer_child	TOCDFMPF	Xylene, m-	8.3041E-014	8.3041E-014
RCPTR_42	farmer_child	TOCDFMPF	Xylene, o-	8.4782E-014	8.4782E-014
RCPTR_42	farmer_child	TOCDFMPF	Xylene, p-	1.0786E-013	1.0786E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDFMPF	Zinc	1.1059E-007	1.1650E-007
RCPTR_42	farmer_child	TOCDHVAC	GB	5.7196E-014	5.7210E-014
RCPTR_42	farmer_child	TOCDLIC2	Acenaphthene	6.6823E-010	6.7060E-010
RCPTR_42	farmer_child	TOCDLIC2	Acetone	8.4889E-015	8.4889E-015
RCPTR_42	farmer_child	TOCDLIC2	Acetophenone	3.5364E-012	3.5371E-012
RCPTR_42	farmer_child	TOCDLIC2	Aniline	2.1300E-013	2.1300E-013
RCPTR_42	farmer_child	TOCDLIC2	Anthracene	1.1446E-008	1.1831E-008
RCPTR_42	farmer_child	TOCDLIC2	Antimony	8.3297E-008	8.5979E-008
RCPTR_42	farmer_child	TOCDLIC2	Arsenic	1.6819E-007	1.6896E-007
RCPTR_42	farmer_child	TOCDLIC2	Barium	6.0867E-008	6.2246E-008
RCPTR_42	farmer_child	TOCDLIC2	Benzene	5.6639E-015	5.6639E-015
RCPTR_42	farmer_child	TOCDLIC2	Benzo(a)anthracene	1.1510E-006	1.3521E-006
RCPTR_42	farmer_child	TOCDLIC2	Benzo(a)pyrene	8.2788E-006	8.4655E-006
RCPTR_42	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	5.2997E-006	5.7877E-006
RCPTR_42	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	1.2802E-005	1.3551E-005

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDLIC2	Benzoic acid	2.4184E-011	2.4187E-011
RCPTR_42	farmer_child	TOCDLIC2	Benzyl alcohol	4.8301E-012	4.8325E-012
RCPTR_42	farmer_child	TOCDLIC2	Beryllium	3.0629E-008	3.6120E-008
RCPTR_42	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	4.8346E-012	4.8366E-012
RCPTR_42	farmer_child	TOCDLIC2	Bromodichloromethane	6.4167E-014	6.4167E-014
RCPTR_42	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.6735E-012	1.6737E-012
RCPTR_42	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	1.8785E-007	2.5988E-007
RCPTR_42	farmer_child	TOCDLIC2	Butylbenzylphthalate	5.6436E-009	5.6477E-009
RCPTR_42	farmer_child	TOCDLIC2	Cadmium	2.7404E-009	2.9846E-009
RCPTR_42	farmer_child	TOCDLIC2	Carbon disulfide	7.2273E-015	7.2273E-015
RCPTR_42	farmer_child	TOCDLIC2	Carbon tetrachloride	1.1456E-014	1.1456E-014
RCPTR_42	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	3.9234E-010	3.9426E-010
RCPTR_42	farmer_child	TOCDLIC2	Chloroaniline, p-	2.2435E-011	2.2460E-011
RCPTR_42	farmer_child	TOCDLIC2	Chlorobenzene	6.7015E-014	6.7015E-014
RCPTR_42	farmer_child	TOCDLIC2	Chloroethane	1.8808E-016	1.8808E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	2.0586E-014	2.0586E-014
RCPTR_42	farmer_child	TOCDLIC2	Chloronaphthalene,2-	1.7380E-009	1.7522E-009
RCPTR_42	farmer_child	TOCDLIC2	Chlorophenol, 2-	6.2239E-011	6.2381E-011
RCPTR_42	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	2.1857E-009	2.1933E-009
RCPTR_42	farmer_child	TOCDLIC2	Chromium	1.3097E-006	1.6069E-006
RCPTR_42	farmer_child	TOCDLIC2	Chromium, hexavalent	1.0414E-006	1.0430E-006
RCPTR_42	farmer_child	TOCDLIC2	Chrysene	2.6873E-006	3.0217E-006
RCPTR_42	farmer_child	TOCDLIC2	Di-n-butyl phthalate	2.0830E-008	2.0869E-008
RCPTR_42	farmer_child	TOCDLIC2	Di-n-octylphthalate	8.6671E+001	8.6671E+001
RCPTR_42	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	1.7585E-004	1.7925E-004
RCPTR_42	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	2.8272E-012	2.8273E-012
RCPTR_42	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	3.4232E-012	3.4233E-012
RCPTR_42	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	3.2965E-012	3.2966E-012
RCPTR_42	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.2516E-008	1.2584E-008
RCPTR_42	farmer_child	TOCDLIC2	Dichlorodifluoromethane	1.5035E-017	1.5035E-017

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDLIC2	Dichloroethane 1,1-	3.7865E-015	3.7865E-015
RCPTR_42	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	4.7041E-015	4.7041E-015
RCPTR_42	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	1.4334E-015	1.4334E-015
RCPTR_42	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	2.3042E-015	2.3042E-015
RCPTR_42	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	2.6959E-010	2.7045E-010
RCPTR_42	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	1.2964E-014	1.2964E-014
RCPTR_42	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	4.2783E-015	4.2783E-015
RCPTR_42	farmer_child	TOCDLIC2	Diethyl phthalate	1.1264E-008	1.1266E-008
RCPTR_42	farmer_child	TOCDLIC2	Dimethyl phthalate	1.0033E-010	1.0042E-010
RCPTR_42	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	4.2451E-011	4.2505E-011
RCPTR_42	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	2.0598E-011	2.0601E-011
RCPTR_42	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	3.8923E-011	3.8987E-011
RCPTR_42	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	3.0020E-011	3.0062E-011
RCPTR_42	farmer_child	TOCDLIC2	Ethyl methanesulfonate	9.0535E-013	9.0559E-013
RCPTR_42	farmer_child	TOCDLIC2	Ethylbenzene	4.6376E-014	4.6376E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	5.9586E-009	5.9734E-009
RCPTR_42	farmer_child	TOCDLIC2	Fluoranthene	1.3894E-007	1.6320E-007
RCPTR_42	farmer_child	TOCDLIC2	Fluorene	2.6026E-009	2.6308E-009
RCPTR_42	farmer_child	TOCDLIC2	GB	7.6366E-015	7.6385E-015
RCPTR_42	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	6.1903E-013	6.8670E-013
RCPTR_42	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	5.5470E-013	6.0440E-013
RCPTR_42	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.4654E-013	6.0483E-013
RCPTR_42	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.6039E-012	1.7522E-012
RCPTR_42	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.1962E-012	1.3350E-012
RCPTR_42	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.1896E-012	1.3447E-012
RCPTR_42	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.1520E-012	1.3161E-012
RCPTR_42	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	6.9280E-013	7.9126E-013
RCPTR_42	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	6.1555E-013	7.0232E-013
RCPTR_42	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	7.0643E-013	8.0636E-013
RCPTR_42	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	5.5102E-011	5.5107E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDLIC2	Hexachlorobenzene	1.0571E-007	1.1236E-007
RCPTR_42	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.4624E-010	1.4627E-010
RCPTR_42	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	3.4005E-011	3.4011E-011
RCPTR_42	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_42	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.2130E-003	1.2186E-003
RCPTR_42	farmer_child	TOCDLIC2	Isophorone	6.4724E-012	6.4748E-012
RCPTR_42	farmer_child	TOCDLIC2	Lead	2.6512E-007	3.3686E-007
RCPTR_42	farmer_child	TOCDLIC2	Mercuric chloride	6.5644E-006	1.2000E-005
RCPTR_42	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	2.2417E-016	2.2417E-016
RCPTR_42	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	8.9350E-018	8.9350E-018
RCPTR_42	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	5.0288E-014	5.0288E-014
RCPTR_42	farmer_child	TOCDLIC2	Methyl mercury	6.3428E-008	7.9435E-008
RCPTR_42	farmer_child	TOCDLIC2	Methylene chloride	3.9473E-015	3.9473E-015
RCPTR_42	farmer_child	TOCDLIC2	Naphthalene	2.7307E-011	2.7314E-011
RCPTR_42	farmer_child	TOCDLIC2	Nickel	1.9214E-007	1.9616E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.1057E-010	1.1069E-010
RCPTR_42	farmer_child	TOCDLIC2	Nitroaniline, 3-	2.6339E-011	2.6350E-011
RCPTR_42	farmer_child	TOCDLIC2	Nitroaniline, 4-	3.4027E-011	3.4045E-011
RCPTR_42	farmer_child	TOCDLIC2	Nitrobenzene	1.0924E-011	1.0930E-011
RCPTR_42	farmer_child	TOCDLIC2	Nitrophenol, 2-	4.9744E-012	4.9758E-012
RCPTR_42	farmer_child	TOCDLIC2	Nitrophenol, 4-	7.1349E-011	7.1371E-011
RCPTR_42	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	6.1613E-012	6.1624E-012
RCPTR_42	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	6.0542E-012	6.0548E-012
RCPTR_42	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	5.4370E-013	5.4372E-013
RCPTR_42	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.0848E-012	1.2327E-012
RCPTR_42	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.5907E-013	4.0710E-013
RCPTR_42	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.9770E-012	4.3902E-012
RCPTR_42	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.2133E-012	1.4090E-012
RCPTR_42	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.4471E-012	3.9955E-012
RCPTR_42	farmer_child	TOCDLIC2	Pentachlorobenzene	4.1492E-010	4.1509E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.6431E-010	1.6432E-010
RCPTR_42	farmer_child	TOCDLIC2	Pentachlorophenol	7.2624E-008	7.2815E-008
RCPTR_42	farmer_child	TOCDLIC2	Phenanthrene	8.3390E-012	8.3392E-012
RCPTR_42	farmer_child	TOCDLIC2	Phenol	9.1465E-012	9.1522E-012
RCPTR_42	farmer_child	TOCDLIC2	Pronamide	8.1885E-010	8.2486E-010
RCPTR_42	farmer_child	TOCDLIC2	Pyrene	2.2817E-007	3.3829E-007
RCPTR_42	farmer_child	TOCDLIC2	Selenium	1.1156E-007	1.1158E-007
RCPTR_42	farmer_child	TOCDLIC2	Silver	4.2157E-008	4.2291E-008
RCPTR_42	farmer_child	TOCDLIC2	Styrene	1.2800E-012	1.2800E-012
RCPTR_42	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	2.1588E-012	2.6008E-012
RCPTR_42	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.7898E-012	2.2611E-012
RCPTR_42	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	6.6451E-010	6.6544E-010
RCPTR_42	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.5589E-011	1.5590E-011
RCPTR_42	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.3777E-014	1.3777E-014
RCPTR_42	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	4.5412E-009	4.5500E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_42	farmer_child	TOCDLIC2	Thallium (I)	1.0503E-006	1.0691E-006
RCPTR_42	farmer_child	TOCDLIC2	Toluene	7.3775E-014	7.3775E-014
RCPTR_42	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	2.5546E-011	2.5549E-011
RCPTR_42	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	8.9024E-015	8.9024E-015
RCPTR_42	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	6.8079E-014	6.8079E-014
RCPTR_42	farmer_child	TOCDLIC2	Trichloroethylene	1.1066E-014	1.1066E-014
RCPTR_42	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.4544E-015	1.4544E-015
RCPTR_42	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	2.8703E-009	2.9187E-009
RCPTR_42	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	5.8222E-010	5.8431E-010
RCPTR_42	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	2.5195E-013	2.5196E-013
RCPTR_42	farmer_child	TOCDLIC2	Vinyl Chloride	4.2497E-018	4.2497E-018
RCPTR_42	farmer_child	TOCDLIC2	Xylene, m-	1.2266E-013	1.2266E-013
RCPTR_42	farmer_child	TOCDLIC2	Xylene, o-	9.2137E-014	9.2138E-014
RCPTR_42	farmer_child	TOCDLIC2	Xylene, p-	1.5946E-013	1.5947E-013
RCPTR_42	farmer_child	TOCDLIC2	Zinc	2.1573E-007	2.2727E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFBRA	Antimony	2.5036E-007	3.1654E-007
RCPTR_43	farmer_adult	TOCDFBRA	Arsenic	4.0712E-007	4.2759E-007
RCPTR_43	farmer_adult	TOCDFBRA	Barium	3.4266E-008	4.0936E-008
RCPTR_43	farmer_adult	TOCDFBRA	Beryllium	1.2530E-007	1.5293E-007
RCPTR_43	farmer_adult	TOCDFBRA	Cadmium	1.9728E-008	2.9884E-008
RCPTR_43	farmer_adult	TOCDFBRA	Chromium	3.6786E-006	3.8150E-006
RCPTR_43	farmer_adult	TOCDFBRA	Chromium, hexavalent	2.4108E-006	2.4698E-006
RCPTR_43	farmer_adult	TOCDFBRA	Lead	1.4202E-006	1.8594E-006
RCPTR_43	farmer_adult	TOCDFBRA	Mercuric chloride	3.8558E-004	4.2684E-004
RCPTR_43	farmer_adult	TOCDFBRA	Methyl mercury	2.6112E-006	2.8266E-006
RCPTR_43	farmer_adult	TOCDFBRA	Nickel	1.3416E-006	1.4854E-006
RCPTR_43	farmer_adult	TOCDFBRA	Selenium	4.5633E-007	4.5957E-007
RCPTR_43	farmer_adult	TOCDFBRA	Silver	1.5559E-007	1.7557E-007
RCPTR_43	farmer_adult	TOCDFBRA	Thallium (I)	4.1723E-006	4.5182E-006
RCPTR_43	farmer_adult	TOCDFBRA	Zinc	7.2102E-007	9.6176E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFDFS	Acenaphthene	8.8788E-011	4.5240E-010
RCPTR_43	farmer_adult	TOCDFDFS	Acetone	1.0855E-015	5.6607E-015
RCPTR_43	farmer_adult	TOCDFDFS	Acetophenone	4.8104E-013	2.5056E-012
RCPTR_43	farmer_adult	TOCDFDFS	Aniline	2.7661E-014	1.4370E-013
RCPTR_43	farmer_adult	TOCDFDFS	Anthracene	1.5705E-009	7.9814E-009
RCPTR_43	farmer_adult	TOCDFDFS	Antimony	2.3775E-006	3.0056E-006
RCPTR_43	farmer_adult	TOCDFDFS	Aroclor 1254	2.5155E-011	4.7339E-011
RCPTR_43	farmer_adult	TOCDFDFS	Arsenic	2.1860E-007	2.2958E-007
RCPTR_43	farmer_adult	TOCDFDFS	Barium	6.4697E-009	7.7281E-009
RCPTR_43	farmer_adult	TOCDFDFS	Benzene	9.0232E-016	4.6812E-015
RCPTR_43	farmer_adult	TOCDFDFS	Benzo(a)anthracene	5.2106E-007	9.1154E-007
RCPTR_43	farmer_adult	TOCDFDFS	Benzo(a)pyrene	5.3030E-006	5.7256E-006
RCPTR_43	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	2.9028E-006	3.8925E-006
RCPTR_43	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	8.3164E-006	9.1721E-006
RCPTR_43	farmer_adult	TOCDFDFS	Benzoic acid	3.6206E-012	1.6309E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFDFS	Benzyl alcohol	6.2626E-013	3.2602E-012
RCPTR_43	farmer_adult	TOCDFDFS	Beryllium	6.5118E-008	7.9465E-008
RCPTR_43	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	6.2574E-013	3.2630E-012
RCPTR_43	farmer_adult	TOCDFDFS	Bromodichloromethane	7.0869E-015	3.6921E-014
RCPTR_43	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.8158E-013	1.4674E-012
RCPTR_43	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	3.5299E-008	1.7533E-007
RCPTR_43	farmer_adult	TOCDFDFS	Butylbenzylphthalate	3.2101E-009	3.8398E-009
RCPTR_43	farmer_adult	TOCDFDFS	Cadmium	5.1610E-008	7.8161E-008
RCPTR_43	farmer_adult	TOCDFDFS	Carbon disulfide	4.7078E-016	2.4470E-015
RCPTR_43	farmer_adult	TOCDFDFS	Carbon tetrachloride	2.3551E-015	1.2212E-014
RCPTR_43	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	6.4445E-011	2.6575E-010
RCPTR_43	farmer_adult	TOCDFDFS	Chloroaniline, p-	2.9191E-012	1.5152E-011
RCPTR_43	farmer_adult	TOCDFDFS	Chlorobenzene	1.3824E-014	7.1438E-014
RCPTR_43	farmer_adult	TOCDFDFS	Chloroethane	3.9669E-017	2.0048E-016
RCPTR_43	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	2.1230E-015	1.1058E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	2.3080E-010	1.1821E-009
RCPTR_43	farmer_adult	TOCDFDFS	Chlorophenol, 2-	8.0735E-012	4.2085E-011
RCPTR_43	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.6251E-010	1.4791E-009
RCPTR_43	farmer_adult	TOCDFDFS	Chromium	1.0271E-006	1.0652E-006
RCPTR_43	farmer_adult	TOCDFDFS	Chromium, hexavalent	6.7331E-007	6.8979E-007
RCPTR_43	farmer_adult	TOCDFDFS	Chrysene	1.5085E-006	2.0322E-006
RCPTR_43	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.1547E-008	1.3966E-008
RCPTR_43	farmer_adult	TOCDFDFS	Di-n-octylphthalate	5.7651E+001	5.7651E+001
RCPTR_43	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.1669E-004	1.2242E-004
RCPTR_43	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	3.7995E-013	1.9072E-012
RCPTR_43	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	4.5395E-013	2.3094E-012
RCPTR_43	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	4.3557E-013	2.2239E-012
RCPTR_43	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.0829E-008	1.4070E-008
RCPTR_43	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	3.0895E-018	1.6028E-017
RCPTR_43	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	7.7482E-016	4.0365E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	9.6235E-016	5.0147E-015
RCPTR_43	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	2.9387E-016	1.5280E-015
RCPTR_43	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	4.7250E-016	2.4563E-015
RCPTR_43	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	5.1569E-011	1.8217E-010
RCPTR_43	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	2.6644E-015	1.3819E-014
RCPTR_43	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	8.7611E-016	4.5607E-015
RCPTR_43	farmer_adult	TOCDFDFS	Diethyl phthalate	7.0879E-009	7.5016E-009
RCPTR_43	farmer_adult	TOCDFDFS	Dimethyl phthalate	1.2545E-011	6.3267E-011
RCPTR_43	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	5.5474E-012	2.8675E-011
RCPTR_43	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	5.7056E-012	1.3651E-011
RCPTR_43	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	5.3402E-012	2.6304E-011
RCPTR_43	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	4.0459E-012	2.0281E-011
RCPTR_43	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.1718E-013	6.1095E-013
RCPTR_43	farmer_adult	TOCDFDFS	Ethylbenzene	8.7045E-015	4.3587E-014
RCPTR_43	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.2930E-010	3.9631E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFDFS	Fluoranthene	2.9421E-008	1.1004E-007
RCPTR_43	farmer_adult	TOCDFDFS	Fluorene	3.5364E-010	1.7747E-009
RCPTR_43	farmer_adult	TOCDFDFS	GB	3.1559E-015	1.6433E-014
RCPTR_43	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.1097E-013	1.2703E-013
RCPTR_43	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.5763E-014	6.2403E-014
RCPTR_43	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.9399E-013	2.2147E-013
RCPTR_43	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.0581E-012	1.1878E-012
RCPTR_43	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	5.9094E-013	6.8223E-013
RCPTR_43	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	5.2493E-013	6.1599E-013
RCPTR_43	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.1180E-013	4.8988E-013
RCPTR_43	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.6579E-013	4.3483E-013
RCPTR_43	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	4.8863E-013	5.8021E-013
RCPTR_43	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.3687E-013	4.0023E-013
RCPTR_43	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	7.8108E-012	3.7176E-011
RCPTR_43	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.5575E-008	7.5795E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	1.0484E-010	4.8845E-010
RCPTR_43	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.4998E-012	2.2943E-011
RCPTR_43	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_43	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	8.0699E-004	8.1771E-004
RCPTR_43	farmer_adult	TOCDFDFS	Isophorone	8.3870E-013	4.3682E-012
RCPTR_43	farmer_adult	TOCDFDFS	Lead	7.9867E-006	1.0456E-005
RCPTR_43	farmer_adult	TOCDFDFS	Mercuric chloride	1.0344E-007	1.1448E-007
RCPTR_43	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	8.1984E-017	4.2734E-016
RCPTR_43	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.3887E-017	7.2344E-017
RCPTR_43	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	7.2853E-015	3.7988E-014
RCPTR_43	farmer_adult	TOCDFDFS	Methyl mercury	7.0954E-010	7.6718E-010
RCPTR_43	farmer_adult	TOCDFDFS	Methylene chloride	2.1074E-016	1.0981E-015
RCPTR_43	farmer_adult	TOCDFDFS	Naphthalene	3.5779E-012	1.8427E-011
RCPTR_43	farmer_adult	TOCDFDFS	Nickel	7.4937E-007	8.2964E-007
RCPTR_43	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.4182E-011	7.3604E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFDFS	Nitroaniline, 3-	3.3650E-012	1.7522E-011
RCPTR_43	farmer_adult	TOCDFDFS	Nitroaniline, 4-	4.3536E-012	2.2639E-011
RCPTR_43	farmer_adult	TOCDFDFS	Nitrobenzene	1.4147E-012	7.3736E-012
RCPTR_43	farmer_adult	TOCDFDFS	Nitrophenol, 2-	6.4450E-013	3.3568E-012
RCPTR_43	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.1756E-011	4.7237E-011
RCPTR_43	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	8.0087E-013	4.1573E-012
RCPTR_43	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	7.8867E-013	4.0847E-012
RCPTR_43	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	7.3003E-014	3.6692E-013
RCPTR_43	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	2.9579E-013	3.4913E-013
RCPTR_43	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.0157E-013	1.1950E-013
RCPTR_43	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.5634E-012	2.9205E-012
RCPTR_43	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.1457E-013	2.6116E-013
RCPTR_43	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	8.7816E-013	1.0653E-012
RCPTR_43	farmer_adult	TOCDFDFS	Pentachlorobenzene	6.3472E-011	2.8033E-010
RCPTR_43	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.5564E-011	1.0940E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFDFS	Pentachlorophenol	3.2315E-008	4.8013E-008
RCPTR_43	farmer_adult	TOCDFDFS	Phenanthrene	1.1103E-012	5.6256E-012
RCPTR_43	farmer_adult	TOCDFDFS	Phenol	1.1238E-012	5.8399E-012
RCPTR_43	farmer_adult	TOCDFDFS	Pronamide	2.2216E-010	1.1128E-009
RCPTR_43	farmer_adult	TOCDFDFS	Pyrene	5.5770E-008	2.2817E-007
RCPTR_43	farmer_adult	TOCDFDFS	Selenium	2.4502E-007	2.4676E-007
RCPTR_43	farmer_adult	TOCDFDFS	Silver	8.4866E-008	9.5755E-008
RCPTR_43	farmer_adult	TOCDFDFS	Styrene	2.2963E-013	1.1920E-012
RCPTR_43	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.1637E-012	1.4917E-012
RCPTR_43	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	3.6581E-013	5.0125E-013
RCPTR_43	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	9.3280E-011	4.4883E-010
RCPTR_43	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.2272E-011	1.6458E-011
RCPTR_43	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	2.8293E-015	1.4686E-014
RCPTR_43	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.1068E-009	3.0165E-009
RCPTR_43	farmer_adult	TOCDFDFS	Thallium (I)	2.1685E-006	2.3482E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFDFS	Toluene	3.8418E-015	1.9771E-014
RCPTR_43	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.4603E-012	1.7235E-011
RCPTR_43	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.8249E-015	9.4901E-015
RCPTR_43	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	1.3936E-014	7.2574E-014
RCPTR_43	farmer_adult	TOCDFDFS	Trichloroethylene	2.2715E-015	1.1796E-014
RCPTR_43	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	2.9844E-016	1.5504E-015
RCPTR_43	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	4.1460E-010	1.9684E-009
RCPTR_43	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	9.9822E-011	3.9377E-010
RCPTR_43	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	5.1615E-014	2.6859E-013
RCPTR_43	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	6.3361E-013	3.1409E-012
RCPTR_43	farmer_adult	TOCDFDFS	Vinyl Chloride	7.3686E-019	3.8338E-018
RCPTR_43	farmer_adult	TOCDFDFS	Xylene, m-	5.1393E-014	9.7732E-014
RCPTR_43	farmer_adult	TOCDFDFS	Xylene, o-	4.6735E-014	9.9564E-014
RCPTR_43	farmer_adult	TOCDFDFS	Xylene, p-	5.4605E-014	1.2647E-013
RCPTR_43	farmer_adult	TOCDFDFS	Zinc	4.5248E-007	6.0345E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFLIC	Acenaphthene	5.6567E-011	2.8826E-010
RCPTR_43	farmer_adult	TOCDFLIC	Acetone	1.4593E-015	7.6100E-015
RCPTR_43	farmer_adult	TOCDFLIC	Acetophenone	5.2547E-013	2.7371E-012
RCPTR_43	farmer_adult	TOCDFLIC	Aniline	1.7626E-014	9.1568E-014
RCPTR_43	farmer_adult	TOCDFLIC	Anthracene	1.0003E-009	5.0855E-009
RCPTR_43	farmer_adult	TOCDFLIC	Antimony	4.4230E-008	5.5896E-008
RCPTR_43	farmer_adult	TOCDFLIC	Arsenic	1.3902E-007	1.4600E-007
RCPTR_43	farmer_adult	TOCDFLIC	Barium	4.6771E-009	5.5854E-009
RCPTR_43	farmer_adult	TOCDFLIC	Benzene	1.3458E-014	6.9820E-014
RCPTR_43	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.2826E-007	5.7617E-007
RCPTR_43	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.3067E-006	3.5644E-006
RCPTR_43	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.8333E-006	2.4603E-006
RCPTR_43	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	5.1933E-006	5.7059E-006
RCPTR_43	farmer_adult	TOCDFLIC	Benzoic acid	2.4769E-012	1.1150E-011
RCPTR_43	farmer_adult	TOCDFLIC	Benzyl alcohol	3.9907E-013	2.0775E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFLIC	Beryllium	2.5617E-008	3.1253E-008
RCPTR_43	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	3.9873E-013	2.0792E-012
RCPTR_43	farmer_adult	TOCDFLIC	Bromodichloromethane	3.5685E-015	1.8591E-014
RCPTR_43	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.2288E-013	6.4038E-013
RCPTR_43	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	2.2490E-008	1.1172E-007
RCPTR_43	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.9723E-009	2.3731E-009
RCPTR_43	farmer_adult	TOCDFLIC	Cadmium	1.5021E-008	2.2737E-008
RCPTR_43	farmer_adult	TOCDFLIC	Carbon disulfide	8.1395E-016	4.2308E-015
RCPTR_43	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.2877E-015	6.6775E-015
RCPTR_43	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	4.1126E-011	1.6940E-010
RCPTR_43	farmer_adult	TOCDFLIC	Chloroaniline, p-	1.8601E-012	9.6552E-012
RCPTR_43	farmer_adult	TOCDFLIC	Chlorobenzene	7.5587E-015	3.9062E-014
RCPTR_43	farmer_adult	TOCDFLIC	Chloroethane	2.1696E-017	1.0963E-016
RCPTR_43	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	1.1357E-015	5.9150E-015
RCPTR_43	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	1.4706E-010	7.5323E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFLIC	Chlorophenol, 2-	5.1446E-012	2.6817E-011
RCPTR_43	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	2.3048E-010	9.4198E-010
RCPTR_43	farmer_adult	TOCDFLIC	Chromium	1.3410E-006	1.3907E-006
RCPTR_43	farmer_adult	TOCDFLIC	Chromium, hexavalent	8.7958E-007	9.0107E-007
RCPTR_43	farmer_adult	TOCDFLIC	Chrysene	9.5388E-007	1.2848E-006
RCPTR_43	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	7.3497E-009	8.8907E-009
RCPTR_43	farmer_adult	TOCDFLIC	Di-n-octylphthalate	3.6957E+001	3.6957E+001
RCPTR_43	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	7.2783E-005	7.6094E-005
RCPTR_43	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	2.4210E-013	1.2153E-012
RCPTR_43	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	2.8926E-013	1.4716E-012
RCPTR_43	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	2.7755E-013	1.4171E-012
RCPTR_43	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.5120E-009	4.5760E-009
RCPTR_43	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	1.6890E-018	8.7637E-018
RCPTR_43	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	4.2367E-016	2.2071E-015
RCPTR_43	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	5.2621E-016	2.7420E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.6068E-016	8.3551E-016
RCPTR_43	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	2.5836E-016	1.3431E-015
RCPTR_43	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	3.2934E-011	1.1616E-010
RCPTR_43	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	1.4569E-015	7.5564E-015
RCPTR_43	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	4.7903E-016	2.4938E-015
RCPTR_43	farmer_adult	TOCDFLIC	Diethyl phthalate	4.5426E-009	4.8062E-009
RCPTR_43	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.4413E-011	7.2726E-011
RCPTR_43	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	3.5351E-012	1.8272E-011
RCPTR_43	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.6858E-012	8.8093E-012
RCPTR_43	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	3.3960E-012	1.6754E-011
RCPTR_43	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	2.5767E-012	1.2922E-011
RCPTR_43	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	7.4669E-014	3.8931E-013
RCPTR_43	farmer_adult	TOCDFLIC	Ethylbenzene	6.3453E-015	3.1777E-014
RCPTR_43	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	6.3780E-009	7.7262E-009
RCPTR_43	farmer_adult	TOCDFLIC	Fluoranthene	1.8697E-008	7.0058E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFLIC	Fluorene	2.2529E-010	1.1308E-009
RCPTR_43	farmer_adult	TOCDFLIC	GB	1.2519E-015	6.5183E-015
RCPTR_43	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	7.2998E-014	8.3266E-014
RCPTR_43	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	8.5139E-014	9.4882E-014
RCPTR_43	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.0763E-013	2.3617E-013
RCPTR_43	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	8.9640E-013	1.0024E-012
RCPTR_43	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	5.2385E-013	6.0274E-013
RCPTR_43	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.5634E-013	5.3416E-013
RCPTR_43	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.9204E-013	3.4694E-013
RCPTR_43	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.8567E-013	3.3912E-013
RCPTR_43	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.2969E-013	3.9091E-013
RCPTR_43	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.4087E-013	2.8577E-013
RCPTR_43	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	4.9680E-012	2.3680E-011
RCPTR_43	farmer_adult	TOCDFLIC	Hexachlorobenzene	9.9202E-009	4.8293E-008
RCPTR_43	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	1.3461E-011	6.2845E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	2.8678E-012	1.4620E-011
RCPTR_43	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_43	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.1265E-004	5.1884E-004
RCPTR_43	farmer_adult	TOCDFLIC	Isophorone	5.3444E-013	2.7835E-012
RCPTR_43	farmer_adult	TOCDFLIC	Lead	3.0908E-006	4.0453E-006
RCPTR_43	farmer_adult	TOCDFLIC	Mercuric chloride	9.5537E-006	1.0580E-005
RCPTR_43	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	2.9168E-017	1.5204E-016
RCPTR_43	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	2.3904E-018	1.2453E-017
RCPTR_43	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	8.6804E-015	4.5263E-014
RCPTR_43	farmer_adult	TOCDFLIC	Methyl mercury	6.3246E-008	6.8605E-008
RCPTR_43	farmer_adult	TOCDFLIC	Methylene chloride	1.8475E-016	9.6267E-016
RCPTR_43	farmer_adult	TOCDFLIC	Naphthalene	2.2798E-012	1.1742E-011
RCPTR_43	farmer_adult	TOCDFLIC	Nickel	4.4062E-007	4.8774E-007
RCPTR_43	farmer_adult	TOCDFLIC	Nitroaniline, 2-	9.1443E-012	4.7462E-011
RCPTR_43	farmer_adult	TOCDFLIC	Nitroaniline, 3-	2.1698E-012	1.1298E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFLIC	Nitroaniline, 4-	2.8067E-012	1.4598E-011
RCPTR_43	farmer_adult	TOCDFLIC	Nitrobenzene	9.0144E-013	4.6986E-012
RCPTR_43	farmer_adult	TOCDFLIC	Nitrophenol, 2-	4.1068E-013	2.1390E-012
RCPTR_43	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.4087E-011	3.0518E-011
RCPTR_43	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	5.1034E-013	2.6492E-012
RCPTR_43	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	5.0258E-013	2.6029E-012
RCPTR_43	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	4.6330E-014	2.3362E-013
RCPTR_43	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.6282E-013	3.0964E-013
RCPTR_43	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	8.6413E-014	1.0149E-013
RCPTR_43	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.7916E-012	2.0355E-012
RCPTR_43	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	4.7508E-013	5.7789E-013
RCPTR_43	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.0687E-012	1.2959E-012
RCPTR_43	farmer_adult	TOCDFLIC	Pentachlorobenzene	3.9951E-011	1.7814E-010
RCPTR_43	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.6254E-011	7.0312E-011
RCPTR_43	farmer_adult	TOCDFLIC	Pentachlorophenol	2.0947E-008	3.1070E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFLIC	Phenanthrene	7.0738E-013	3.5846E-012
RCPTR_43	farmer_adult	TOCDFLIC	Phenol	7.1615E-013	3.7213E-012
RCPTR_43	farmer_adult	TOCDFLIC	Pronamide	7.0786E-011	3.5457E-010
RCPTR_43	farmer_adult	TOCDFLIC	Pyrene	3.5513E-008	1.4535E-007
RCPTR_43	farmer_adult	TOCDFLIC	Selenium	9.5705E-008	9.6383E-008
RCPTR_43	farmer_adult	TOCDFLIC	Silver	3.2406E-008	3.6557E-008
RCPTR_43	farmer_adult	TOCDFLIC	Styrene	2.6112E-013	1.3555E-012
RCPTR_43	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	6.0901E-013	7.8121E-013
RCPTR_43	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	8.0529E-013	1.1049E-012
RCPTR_43	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	5.9449E-011	2.8601E-010
RCPTR_43	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	6.7472E-012	9.0362E-012
RCPTR_43	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.5468E-015	8.0302E-015
RCPTR_43	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	7.1595E-010	1.9474E-009
RCPTR_43	farmer_adult	TOCDFLIC	Thallium (I)	8.5330E-007	9.2390E-007
RCPTR_43	farmer_adult	TOCDFLIC	Toluene	1.2081E-014	6.2175E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	2.2045E-012	1.0982E-011
RCPTR_43	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	9.9783E-016	5.1891E-015
RCPTR_43	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	7.6199E-015	3.9683E-014
RCPTR_43	farmer_adult	TOCDFLIC	Trichloroethylene	1.2420E-015	6.4501E-015
RCPTR_43	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.6319E-016	8.4773E-016
RCPTR_43	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	2.6436E-010	1.2545E-009
RCPTR_43	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	6.3717E-011	2.5103E-010
RCPTR_43	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	2.8222E-014	1.4686E-013
RCPTR_43	farmer_adult	TOCDFLIC	Vinyl Chloride	4.3407E-019	2.2588E-018
RCPTR_43	farmer_adult	TOCDFLIC	Xylene, m-	4.6496E-014	9.1673E-014
RCPTR_43	farmer_adult	TOCDFLIC	Xylene, o-	2.7039E-014	5.9807E-014
RCPTR_43	farmer_adult	TOCDFLIC	Xylene, p-	4.9877E-014	1.1994E-013
RCPTR_43	farmer_adult	TOCDFLIC	Zinc	1.2352E-007	1.6467E-007
RCPTR_43	farmer_adult	TOCDFMPF	Acenaphthene	2.3933E-010	1.2196E-009
RCPTR_43	farmer_adult	TOCDFMPF	Acetone	7.2573E-016	3.7845E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFMPF	Acetophenone	1.2351E-012	6.4333E-012
RCPTR_43	farmer_adult	TOCDFMPF	Aniline	7.4572E-014	3.8741E-013
RCPTR_43	farmer_adult	TOCDFMPF	Anthracene	4.2324E-009	2.1516E-008
RCPTR_43	farmer_adult	TOCDFMPF	Antimony	1.3154E-008	1.6623E-008
RCPTR_43	farmer_adult	TOCDFMPF	Arsenic	3.2598E-008	3.4234E-008
RCPTR_43	farmer_adult	TOCDFMPF	Barium	4.3809E-009	5.2318E-009
RCPTR_43	farmer_adult	TOCDFMPF	Benzene	6.4964E-016	3.3704E-015
RCPTR_43	farmer_adult	TOCDFMPF	Benzo(a)anthracene	1.3899E-006	2.4390E-006
RCPTR_43	farmer_adult	TOCDFMPF	Benzo(a)pyrene	1.4012E-005	1.5105E-005
RCPTR_43	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	7.7614E-006	1.0415E-005
RCPTR_43	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	2.2003E-005	2.4181E-005
RCPTR_43	farmer_adult	TOCDFMPF	Benzoic acid	9.7682E-012	4.3976E-011
RCPTR_43	farmer_adult	TOCDFMPF	Benzyl alcohol	1.6884E-012	8.7894E-012
RCPTR_43	farmer_adult	TOCDFMPF	Beryllium	7.3105E-009	8.9191E-009
RCPTR_43	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.6870E-012	8.7969E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFMPF	Bromodichloromethane	5.7662E-015	3.0041E-014
RCPTR_43	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	2.1751E-013	1.1335E-012
RCPTR_43	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	9.5153E-008	4.7266E-007
RCPTR_43	farmer_adult	TOCDFMPF	Butylbenzylphthalate	8.3658E-009	1.0062E-008
RCPTR_43	farmer_adult	TOCDFMPF	Cadmium	6.5664E-009	9.9399E-009
RCPTR_43	farmer_adult	TOCDFMPF	Carbon disulfide	1.1342E-015	5.8952E-015
RCPTR_43	farmer_adult	TOCDFMPF	Carbon tetrachloride	1.7990E-015	9.3286E-015
RCPTR_43	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.7398E-010	7.1668E-010
RCPTR_43	farmer_adult	TOCDFMPF	Chloroaniline, p-	7.8699E-012	4.0849E-011
RCPTR_43	farmer_adult	TOCDFMPF	Chlorobenzene	1.0560E-014	5.4570E-014
RCPTR_43	farmer_adult	TOCDFMPF	Chloroethane	3.0309E-017	1.5315E-016
RCPTR_43	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.5261E-015	7.9487E-015
RCPTR_43	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	6.2220E-010	3.1868E-009
RCPTR_43	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.1766E-011	1.1346E-010
RCPTR_43	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	9.7529E-010	3.9855E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFMPF	Chromium	2.5924E-007	2.6885E-007
RCPTR_43	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.7003E-007	1.7419E-007
RCPTR_43	farmer_adult	TOCDFMPF	Chrysene	4.0379E-006	5.4389E-006
RCPTR_43	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	3.1099E-008	3.7619E-008
RCPTR_43	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.5630E+002	1.5630E+002
RCPTR_43	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	3.0839E-004	3.2250E-004
RCPTR_43	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.0243E-012	5.1417E-012
RCPTR_43	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.2238E-012	6.2259E-012
RCPTR_43	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.1743E-012	5.9956E-012
RCPTR_43	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.9461E-008	2.5351E-008
RCPTR_43	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	2.3595E-018	1.2243E-017
RCPTR_43	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	5.9187E-016	3.0834E-015
RCPTR_43	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	7.3512E-016	3.8306E-015
RCPTR_43	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.2448E-016	1.1672E-015
RCPTR_43	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.6094E-016	1.8763E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.3932E-010	4.9141E-010
RCPTR_43	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.0353E-015	1.0556E-014
RCPTR_43	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	6.6922E-016	3.4838E-015
RCPTR_43	farmer_adult	TOCDFMPF	Diethyl phthalate	1.9212E-008	2.0327E-008
RCPTR_43	farmer_adult	TOCDFMPF	Dimethyl phthalate	5.2001E-012	2.6237E-011
RCPTR_43	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.4957E-011	7.7306E-011
RCPTR_43	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.5564E-011	3.7201E-011
RCPTR_43	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.4370E-011	7.0887E-011
RCPTR_43	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.0902E-011	5.4669E-011
RCPTR_43	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	3.1591E-013	1.6471E-012
RCPTR_43	farmer_adult	TOCDFMPF	Ethylbenzene	6.6484E-015	3.3295E-014
RCPTR_43	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	7.0248E-009	8.5058E-009
RCPTR_43	farmer_adult	TOCDFMPF	Fluoranthene	7.9117E-008	2.9642E-007
RCPTR_43	farmer_adult	TOCDFMPF	Fluorene	9.5317E-010	4.7842E-009
RCPTR_43	farmer_adult	TOCDFMPF	GB	1.7673E-015	9.2022E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.5319E-013	1.7478E-013
RCPTR_43	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	5.6870E-012	6.3397E-012
RCPTR_43	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	9.5972E-013	1.0919E-012
RCPTR_43	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.0382E-012	2.2799E-012
RCPTR_43	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.1346E-012	1.3057E-012
RCPTR_43	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.0794E-012	1.2637E-012
RCPTR_43	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.3692E-011	5.1912E-011
RCPTR_43	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.0643E-011	1.2636E-011
RCPTR_43	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.8423E-012	2.1845E-012
RCPTR_43	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.3175E-012	1.5632E-012
RCPTR_43	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.1021E-011	1.0019E-010
RCPTR_43	farmer_adult	TOCDFMPF	Hexachlorobenzene	4.1972E-008	2.0432E-007
RCPTR_43	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	5.6963E-011	2.6590E-010
RCPTR_43	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.2133E-011	6.1856E-011
RCPTR_43	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.1694E-003	2.1958E-003
RCPTR_43	farmer_adult	TOCDFMPF	Isophorone	2.2611E-012	1.1776E-011
RCPTR_43	farmer_adult	TOCDFMPF	Lead	2.4351E-009	3.1871E-009
RCPTR_43	farmer_adult	TOCDFMPF	Mercuric chloride	1.0741E-007	1.1895E-007
RCPTR_43	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	3.4721E-017	1.8098E-016
RCPTR_43	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	1.2427E-018	6.4735E-018
RCPTR_43	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	8.1299E-015	4.2392E-014
RCPTR_43	farmer_adult	TOCDFMPF	Methyl mercury	7.1288E-010	7.7310E-010
RCPTR_43	farmer_adult	TOCDFMPF	Methylene chloride	2.0338E-016	1.0597E-015
RCPTR_43	farmer_adult	TOCDFMPF	Naphthalene	9.6455E-012	4.9678E-011
RCPTR_43	farmer_adult	TOCDFMPF	Nickel	3.4528E-007	3.8220E-007
RCPTR_43	farmer_adult	TOCDFMPF	Nitroaniline, 2-	3.8618E-011	2.0044E-010
RCPTR_43	farmer_adult	TOCDFMPF	Nitroaniline, 3-	9.1634E-012	4.7714E-011
RCPTR_43	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.1853E-011	6.1648E-011
RCPTR_43	farmer_adult	TOCDFMPF	Nitrobenzene	3.8138E-012	1.9879E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.7375E-012	9.0499E-012
RCPTR_43	farmer_adult	TOCDFMPF	Nitrophenol, 4-	5.9477E-011	1.2887E-010
RCPTR_43	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.1592E-012	1.1208E-011
RCPTR_43	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.1263E-012	1.1012E-011
RCPTR_43	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.9607E-013	9.8845E-013
RCPTR_43	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.8960E-013	4.5908E-013
RCPTR_43	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	5.4236E-013	6.3709E-013
RCPTR_43	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	7.0327E-012	7.9918E-012
RCPTR_43	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	5.2609E-012	6.3996E-012
RCPTR_43	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.7287E-011	2.0961E-011
RCPTR_43	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.6917E-010	7.5381E-010
RCPTR_43	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	6.8710E-011	2.9700E-010
RCPTR_43	farmer_adult	TOCDFMPF	Pentachlorophenol	8.8434E-008	1.3118E-007
RCPTR_43	farmer_adult	TOCDFMPF	Phenanthrene	2.9928E-012	1.5166E-011
RCPTR_43	farmer_adult	TOCDFMPF	Phenol	3.0299E-012	1.5744E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFMPF	Pronamide	2.9948E-010	1.5001E-009
RCPTR_43	farmer_adult	TOCDFMPF	Pyrene	1.5026E-007	6.1498E-007
RCPTR_43	farmer_adult	TOCDFMPF	Selenium	2.7975E-008	2.8174E-008
RCPTR_43	farmer_adult	TOCDFMPF	Silver	1.2958E-007	1.4618E-007
RCPTR_43	farmer_adult	TOCDFMPF	Styrene	2.7709E-013	1.4384E-012
RCPTR_43	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.7174E-012	2.2028E-012
RCPTR_43	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	3.2768E-012	4.4955E-012
RCPTR_43	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.5151E-010	1.2101E-009
RCPTR_43	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	9.4227E-012	1.2620E-011
RCPTR_43	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	4.7889E-015	2.4861E-014
RCPTR_43	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	3.0230E-009	8.2234E-009
RCPTR_43	farmer_adult	TOCDFMPF	Thallium (I)	2.5158E-007	2.7239E-007
RCPTR_43	farmer_adult	TOCDFMPF	Toluene	3.3580E-015	1.7281E-014
RCPTR_43	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	9.3270E-012	4.6463E-011
RCPTR_43	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.3940E-015	7.2493E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.0645E-014	5.5437E-014
RCPTR_43	farmer_adult	TOCDFMPF	Trichloroethylene	1.7351E-015	9.0108E-015
RCPTR_43	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	2.2797E-016	1.1843E-015
RCPTR_43	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.1184E-009	5.3074E-009
RCPTR_43	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	2.6955E-010	1.0620E-009
RCPTR_43	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	3.9427E-014	2.0517E-013
RCPTR_43	farmer_adult	TOCDFMPF	Vinyl Chloride	5.6278E-019	2.9285E-018
RCPTR_43	farmer_adult	TOCDFMPF	Xylene, m-	3.6625E-014	7.2023E-014
RCPTR_43	farmer_adult	TOCDFMPF	Xylene, o-	3.3464E-014	7.3819E-014
RCPTR_43	farmer_adult	TOCDFMPF	Xylene, p-	3.9261E-014	9.4160E-014
RCPTR_43	farmer_adult	TOCDFMPF	Zinc	7.5551E-008	1.0072E-007
RCPTR_43	farmer_adult	TOCDHVAC	GB	9.3177E-015	4.8517E-014
RCPTR_43	farmer_adult	TOCDLIC2	Acenaphthene	1.1673E-010	5.9487E-010
RCPTR_43	farmer_adult	TOCDLIC2	Acetone	1.4441E-015	7.5308E-015
RCPTR_43	farmer_adult	TOCDLIC2	Acetophenone	6.0244E-013	3.1379E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDLIC2	Aniline	3.6373E-014	1.8896E-013
RCPTR_43	farmer_adult	TOCDLIC2	Anthracene	2.0643E-009	1.0495E-008
RCPTR_43	farmer_adult	TOCDLIC2	Antimony	5.8845E-008	7.4366E-008
RCPTR_43	farmer_adult	TOCDLIC2	Arsenic	1.3902E-007	1.4600E-007
RCPTR_43	farmer_adult	TOCDLIC2	Barium	4.5071E-008	5.3823E-008
RCPTR_43	farmer_adult	TOCDLIC2	Benzene	9.6850E-016	5.0246E-015
RCPTR_43	farmer_adult	TOCDLIC2	Benzo(a)anthracene	6.7742E-007	1.1890E-006
RCPTR_43	farmer_adult	TOCDLIC2	Benzo(a)pyrene	6.8239E-006	7.3557E-006
RCPTR_43	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	3.7833E-006	5.0772E-006
RCPTR_43	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.0717E-005	1.1775E-005
RCPTR_43	farmer_adult	TOCDLIC2	Benzoic acid	4.7648E-012	2.1450E-011
RCPTR_43	farmer_adult	TOCDLIC2	Benzyl alcohol	8.2353E-013	4.2871E-012
RCPTR_43	farmer_adult	TOCDLIC2	Beryllium	2.5617E-008	3.1253E-008
RCPTR_43	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	8.2283E-013	4.2908E-012
RCPTR_43	farmer_adult	TOCDLIC2	Bromodichloromethane	1.0927E-014	5.6925E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.8491E-013	1.4848E-012
RCPTR_43	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	4.6411E-008	2.3055E-007
RCPTR_43	farmer_adult	TOCDLIC2	Butylbenzylphthalate	4.0701E-009	4.8973E-009
RCPTR_43	farmer_adult	TOCDLIC2	Cadmium	1.7068E-009	2.5836E-009
RCPTR_43	farmer_adult	TOCDLIC2	Carbon disulfide	1.2335E-015	6.4116E-015
RCPTR_43	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.9599E-015	1.0163E-014
RCPTR_43	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	8.4870E-011	3.4958E-010
RCPTR_43	farmer_adult	TOCDLIC2	Chloroaniline, p-	3.8386E-012	1.9925E-011
RCPTR_43	farmer_adult	TOCDLIC2	Chlorobenzene	1.1504E-014	5.9450E-014
RCPTR_43	farmer_adult	TOCDLIC2	Chloroethane	3.3020E-017	1.6685E-016
RCPTR_43	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	3.5064E-015	1.8263E-014
RCPTR_43	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	3.0349E-010	1.5544E-009
RCPTR_43	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.0617E-011	5.5341E-011
RCPTR_43	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	4.7563E-010	1.9439E-009
RCPTR_43	farmer_adult	TOCDLIC2	Chromium	1.3410E-006	1.3907E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDLIC2	Chromium, hexavalent	8.7958E-007	9.0107E-007
RCPTR_43	farmer_adult	TOCDLIC2	Chrysene	1.9685E-006	2.6514E-006
RCPTR_43	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.5167E-008	1.8347E-008
RCPTR_43	farmer_adult	TOCDLIC2	Di-n-octylphthalate	7.6266E+001	7.6266E+001
RCPTR_43	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	1.5020E-004	1.5703E-004
RCPTR_43	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	4.9960E-013	2.5079E-012
RCPTR_43	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	5.9692E-013	3.0368E-012
RCPTR_43	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	5.7276E-013	2.9244E-012
RCPTR_43	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	8.4456E-009	1.1004E-008
RCPTR_43	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	2.5705E-018	1.3338E-017
RCPTR_43	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	6.4480E-016	3.3592E-015
RCPTR_43	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	8.0087E-016	4.1732E-015
RCPTR_43	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	2.4456E-016	1.2716E-015
RCPTR_43	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	3.9322E-016	2.0441E-015
RCPTR_43	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	6.7964E-011	2.3970E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	2.2174E-015	1.1501E-014
RCPTR_43	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	7.2907E-016	3.7954E-015
RCPTR_43	farmer_adult	TOCDLIC2	Diethyl phthalate	9.3743E-009	9.9183E-009
RCPTR_43	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.7653E-011	8.9075E-011
RCPTR_43	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	7.2953E-012	3.7707E-011
RCPTR_43	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	7.6258E-012	1.8226E-011
RCPTR_43	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	7.0082E-012	3.4575E-011
RCPTR_43	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	5.3173E-012	2.6665E-011
RCPTR_43	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.5409E-013	8.0339E-013
RCPTR_43	farmer_adult	TOCDLIC2	Ethylbenzene	8.2145E-015	4.1138E-014
RCPTR_43	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	4.2703E-009	5.1730E-009
RCPTR_43	farmer_adult	TOCDLIC2	Fluoranthene	3.8583E-008	1.4458E-007
RCPTR_43	farmer_adult	TOCDLIC2	Fluorene	4.6491E-010	2.3336E-009
RCPTR_43	farmer_adult	TOCDLIC2	GB	1.3014E-015	6.7764E-015
RCPTR_43	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	5.1236E-013	5.8443E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	4.6505E-013	5.1827E-013
RCPTR_43	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.5317E-013	5.1545E-013
RCPTR_43	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.3457E-012	1.5049E-012
RCPTR_43	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	9.8811E-013	1.1369E-012
RCPTR_43	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	9.7297E-013	1.1389E-012
RCPTR_43	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	9.3974E-013	1.1164E-012
RCPTR_43	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.6569E-013	6.7153E-013
RCPTR_43	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.0322E-013	5.9665E-013
RCPTR_43	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	5.7714E-013	6.8471E-013
RCPTR_43	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.0252E-011	4.8867E-011
RCPTR_43	farmer_adult	TOCDLIC2	Hexachlorobenzene	2.0472E-008	9.9659E-008
RCPTR_43	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	2.7779E-011	1.2969E-010
RCPTR_43	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	5.9182E-012	3.0171E-011
RCPTR_43	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_43	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.0579E-003	1.0707E-003

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDLIC2	Isophorone	1.1029E-012	5.7441E-012
RCPTR_43	farmer_adult	TOCDLIC2	Lead	2.2285E-007	2.9166E-007
RCPTR_43	farmer_adult	TOCDLIC2	Mercuric chloride	9.5537E-006	1.0580E-005
RCPTR_43	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	3.8152E-017	1.9887E-016
RCPTR_43	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.5216E-018	7.9266E-018
RCPTR_43	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	8.5557E-015	4.4613E-014
RCPTR_43	farmer_adult	TOCDLIC2	Methyl mercury	6.3246E-008	6.8605E-008
RCPTR_43	farmer_adult	TOCDLIC2	Methylene chloride	6.7205E-016	3.5018E-015
RCPTR_43	farmer_adult	TOCDLIC2	Naphthalene	4.7047E-012	2.4231E-011
RCPTR_43	farmer_adult	TOCDLIC2	Nickel	1.5316E-007	1.6954E-007
RCPTR_43	farmer_adult	TOCDLIC2	Nitroaniline, 2-	1.8919E-011	9.8197E-011
RCPTR_43	farmer_adult	TOCDLIC2	Nitroaniline, 3-	4.4892E-012	2.3376E-011
RCPTR_43	farmer_adult	TOCDLIC2	Nitroaniline, 4-	5.8071E-012	3.0202E-011
RCPTR_43	farmer_adult	TOCDLIC2	Nitrobenzene	1.8602E-012	9.6961E-012
RCPTR_43	farmer_adult	TOCDLIC2	Nitrophenol, 2-	8.4750E-013	4.4142E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDLIC2	Nitrophenol, 4-	2.9146E-011	6.3141E-011
RCPTR_43	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.0532E-012	5.4669E-012
RCPTR_43	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.0371E-012	5.3714E-012
RCPTR_43	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	9.5609E-014	4.8210E-013
RCPTR_43	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	8.8246E-013	1.0397E-012
RCPTR_43	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.9228E-013	3.4329E-013
RCPTR_43	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.3501E-012	3.8063E-012
RCPTR_43	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.0053E-012	1.2228E-012
RCPTR_43	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.8442E-012	3.4486E-012
RCPTR_43	farmer_adult	TOCDLIC2	Pentachlorobenzene	8.2444E-011	3.6761E-010
RCPTR_43	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	3.3629E-011	1.4547E-010
RCPTR_43	farmer_adult	TOCDLIC2	Pentachlorophenol	4.3339E-008	6.4282E-008
RCPTR_43	farmer_adult	TOCDLIC2	Phenanthrene	1.4598E-012	7.3974E-012
RCPTR_43	farmer_adult	TOCDLIC2	Phenol	1.5625E-012	8.1192E-012
RCPTR_43	farmer_adult	TOCDLIC2	Pronamide	1.4608E-010	7.3169E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDLIC2	Pyrene	7.3286E-008	2.9996E-007
RCPTR_43	farmer_adult	TOCDLIC2	Selenium	9.5705E-008	9.6383E-008
RCPTR_43	farmer_adult	TOCDLIC2	Silver	3.2406E-008	3.6557E-008
RCPTR_43	farmer_adult	TOCDLIC2	Styrene	2.1875E-013	1.1355E-012
RCPTR_43	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.7654E-012	2.2646E-012
RCPTR_43	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.4425E-012	1.9791E-012
RCPTR_43	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.2268E-010	5.9022E-010
RCPTR_43	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.0269E-011	1.3753E-011
RCPTR_43	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.3542E-015	1.2222E-014
RCPTR_43	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.4813E-009	4.0290E-009
RCPTR_43	farmer_adult	TOCDLIC2	Thallium (I)	8.5330E-007	9.2390E-007
RCPTR_43	farmer_adult	TOCDLIC2	Toluene	1.2717E-014	6.5447E-014
RCPTR_43	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	4.5493E-012	2.2663E-011
RCPTR_43	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.5187E-015	7.8976E-015
RCPTR_43	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.1597E-014	6.0396E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_adult	TOCDLIC2	Trichloroethylene	1.8903E-015	9.8168E-015
RCPTR_43	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.4836E-016	1.2902E-015
RCPTR_43	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	5.4554E-010	2.5888E-009
RCPTR_43	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.3149E-010	5.1803E-010
RCPTR_43	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	4.2953E-014	2.2352E-013
RCPTR_43	farmer_adult	TOCDLIC2	Vinyl Chloride	7.2449E-019	3.7700E-018
RCPTR_43	farmer_adult	TOCDLIC2	Xylene, m-	5.3976E-014	1.0642E-013
RCPTR_43	farmer_adult	TOCDLIC2	Xylene, o-	3.6278E-014	8.0242E-014
RCPTR_43	farmer_adult	TOCDLIC2	Xylene, p-	5.7901E-014	1.3924E-013
RCPTR_43	farmer_adult	TOCDLIC2	Zinc	1.4749E-007	1.9662E-007
RCPTR_43	farmer_child	TOCDFBRA	Antimony	3.0661E-007	3.1654E-007
RCPTR_43	farmer_child	TOCDFBRA	Arsenic	4.2561E-007	4.2759E-007
RCPTR_43	farmer_child	TOCDFBRA	Barium	4.0023E-008	4.0936E-008
RCPTR_43	farmer_child	TOCDFBRA	Beryllium	1.2956E-007	1.5293E-007
RCPTR_43	farmer_child	TOCDFBRA	Cadmium	2.7429E-008	2.9884E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFBRA	Chromium	3.1059E-006	3.8150E-006
RCPTR_43	farmer_child	TOCDFBRA	Chromium, hexavalent	2.4661E-006	2.4698E-006
RCPTR_43	farmer_child	TOCDFBRA	Lead	1.4618E-006	1.8594E-006
RCPTR_43	farmer_child	TOCDFBRA	Mercuric chloride	2.3352E-004	4.2684E-004
RCPTR_43	farmer_child	TOCDFBRA	Methyl mercury	2.2572E-006	2.8266E-006
RCPTR_43	farmer_child	TOCDFBRA	Nickel	1.4548E-006	1.4854E-006
RCPTR_43	farmer_child	TOCDFBRA	Selenium	4.5951E-007	4.5957E-007
RCPTR_43	farmer_child	TOCDFBRA	Silver	1.7501E-007	1.7557E-007
RCPTR_43	farmer_child	TOCDFBRA	Thallium (I)	4.4385E-006	4.5182E-006
RCPTR_43	farmer_child	TOCDFBRA	Zinc	9.1266E-007	9.6176E-007
RCPTR_43	farmer_child	TOCDFDFS	Acenaphthene	4.5080E-010	4.5240E-010
RCPTR_43	farmer_child	TOCDFDFS	Acetone	5.6607E-015	5.6607E-015
RCPTR_43	farmer_child	TOCDFDFS	Acetophenone	2.5051E-012	2.5056E-012
RCPTR_43	farmer_child	TOCDFDFS	Aniline	1.4370E-013	1.4370E-013
RCPTR_43	farmer_child	TOCDFDFS	Anthracene	7.7215E-009	7.9814E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFDFS	Antimony	2.9114E-006	3.0056E-006
RCPTR_43	farmer_child	TOCDFDFS	Aroclor 1254	4.7026E-011	4.7339E-011
RCPTR_43	farmer_child	TOCDFDFS	Arsenic	2.2852E-007	2.2958E-007
RCPTR_43	farmer_child	TOCDFDFS	Barium	7.5559E-009	7.7281E-009
RCPTR_43	farmer_child	TOCDFDFS	Benzene	4.6812E-015	4.6812E-015
RCPTR_43	farmer_child	TOCDFDFS	Benzo(a)anthracene	7.7561E-007	9.1154E-007
RCPTR_43	farmer_child	TOCDFDFS	Benzo(a)pyrene	5.5968E-006	5.7256E-006
RCPTR_43	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	3.5622E-006	3.8925E-006
RCPTR_43	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	8.6502E-006	9.1721E-006
RCPTR_43	farmer_child	TOCDFDFS	Benzoic acid	1.6307E-011	1.6309E-011
RCPTR_43	farmer_child	TOCDFDFS	Benzyl alcohol	3.2586E-012	3.2602E-012
RCPTR_43	farmer_child	TOCDFDFS	Beryllium	6.7331E-008	7.9465E-008
RCPTR_43	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	3.2616E-012	3.2630E-012
RCPTR_43	farmer_child	TOCDFDFS	Bromodichloromethane	3.6921E-014	3.6921E-014
RCPTR_43	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.4673E-012	1.4674E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.2673E-007	1.7533E-007
RCPTR_43	farmer_child	TOCDFDFS	Butylbenzylphthalate	3.8370E-009	3.8398E-009
RCPTR_43	farmer_child	TOCDFDFS	Cadmium	7.1742E-008	7.8161E-008
RCPTR_43	farmer_child	TOCDFDFS	Carbon disulfide	2.4470E-015	2.4470E-015
RCPTR_43	farmer_child	TOCDFDFS	Carbon tetrachloride	1.2212E-014	1.2212E-014
RCPTR_43	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	2.6446E-010	2.6575E-010
RCPTR_43	farmer_child	TOCDFDFS	Chloroaniline, p-	1.5135E-011	1.5152E-011
RCPTR_43	farmer_child	TOCDFDFS	Chlorobenzene	7.1438E-014	7.1438E-014
RCPTR_43	farmer_child	TOCDFDFS	Chloroethane	2.0048E-016	2.0048E-016
RCPTR_43	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	1.1058E-014	1.1058E-014
RCPTR_43	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.1725E-009	1.1821E-009
RCPTR_43	farmer_child	TOCDFDFS	Chlorophenol, 2-	4.1989E-011	4.2085E-011
RCPTR_43	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.4739E-009	1.4791E-009
RCPTR_43	farmer_child	TOCDFDFS	Chromium	8.6730E-007	1.0652E-006
RCPTR_43	farmer_child	TOCDFDFS	Chromium, hexavalent	6.8874E-007	6.8979E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFDFS	Chrysene	1.8056E-006	2.0322E-006
RCPTR_43	farmer_child	TOCDFDFS	Di-n-butyl phthalate	1.3940E-008	1.3966E-008
RCPTR_43	farmer_child	TOCDFDFS	Di-n-octylphthalate	5.7651E+001	5.7651E+001
RCPTR_43	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.1994E-004	1.2242E-004
RCPTR_43	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.9072E-012	1.9072E-012
RCPTR_43	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.3093E-012	2.3094E-012
RCPTR_43	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.2239E-012	2.2239E-012
RCPTR_43	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.3994E-008	1.4070E-008
RCPTR_43	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.6028E-017	1.6028E-017
RCPTR_43	farmer_child	TOCDFDFS	Dichloroethane 1,1-	4.0365E-015	4.0365E-015
RCPTR_43	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	5.0146E-015	5.0147E-015
RCPTR_43	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.5280E-015	1.5280E-015
RCPTR_43	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.4563E-015	2.4563E-015
RCPTR_43	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	1.8159E-010	1.8217E-010
RCPTR_43	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	1.3819E-014	1.3819E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	4.5607E-015	4.5607E-015
RCPTR_43	farmer_child	TOCDFDFS	Diethyl phthalate	7.5005E-009	7.5016E-009
RCPTR_43	farmer_child	TOCDFDFS	Dimethyl phthalate	6.3211E-011	6.3267E-011
RCPTR_43	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	2.8638E-011	2.8675E-011
RCPTR_43	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.3649E-011	1.3651E-011
RCPTR_43	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.6261E-011	2.6304E-011
RCPTR_43	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	2.0252E-011	2.0281E-011
RCPTR_43	farmer_child	TOCDFDFS	Ethyl methanesulfonate	6.1079E-013	6.1095E-013
RCPTR_43	farmer_child	TOCDFDFS	Ethylbenzene	4.3587E-014	4.3587E-014
RCPTR_43	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.9534E-010	3.9631E-010
RCPTR_43	farmer_child	TOCDFDFS	Fluoranthene	9.3676E-008	1.1004E-007
RCPTR_43	farmer_child	TOCDFDFS	Fluorene	1.7557E-009	1.7747E-009
RCPTR_43	farmer_child	TOCDFDFS	GB	1.6428E-014	1.6433E-014
RCPTR_43	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.1426E-013	1.2703E-013
RCPTR_43	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.7139E-014	6.2403E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.9968E-013	2.2147E-013
RCPTR_43	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.0848E-012	1.1878E-012
RCPTR_43	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	6.1000E-013	6.8223E-013
RCPTR_43	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	5.4394E-013	6.1599E-013
RCPTR_43	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.2817E-013	4.8988E-013
RCPTR_43	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.8017E-013	4.3483E-013
RCPTR_43	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.0777E-013	5.8021E-013
RCPTR_43	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.5011E-013	4.0023E-013
RCPTR_43	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	3.7172E-011	3.7176E-011
RCPTR_43	farmer_child	TOCDFDFS	Hexachlorobenzene	7.1307E-008	7.5795E-008
RCPTR_43	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	4.8835E-010	4.8845E-010
RCPTR_43	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.2939E-011	2.2943E-011
RCPTR_43	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_43	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	8.1366E-004	8.1771E-004
RCPTR_43	farmer_child	TOCDFDFS	Isophorone	4.3665E-012	4.3682E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFDFS	Lead	8.2209E-006	1.0456E-005
RCPTR_43	farmer_child	TOCDFDFS	Mercuric chloride	6.2748E-008	1.1448E-007
RCPTR_43	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	4.2734E-016	4.2734E-016
RCPTR_43	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	7.2344E-017	7.2344E-017
RCPTR_43	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	3.7988E-014	3.7988E-014
RCPTR_43	farmer_child	TOCDFDFS	Methyl mercury	6.1480E-010	7.6718E-010
RCPTR_43	farmer_child	TOCDFDFS	Methylene chloride	1.0981E-015	1.0981E-015
RCPTR_43	farmer_child	TOCDFDFS	Naphthalene	1.8422E-011	1.8427E-011
RCPTR_43	farmer_child	TOCDFDFS	Nickel	8.1255E-007	8.2964E-007
RCPTR_43	farmer_child	TOCDFDFS	Nitroaniline, 2-	7.3524E-011	7.3604E-011
RCPTR_43	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.7514E-011	1.7522E-011
RCPTR_43	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.2627E-011	2.2639E-011
RCPTR_43	farmer_child	TOCDFDFS	Nitrobenzene	7.3695E-012	7.3736E-012
RCPTR_43	farmer_child	TOCDFDFS	Nitrophenol, 2-	3.3560E-012	3.3568E-012
RCPTR_43	farmer_child	TOCDFDFS	Nitrophenol, 4-	4.7223E-011	4.7237E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	4.1566E-012	4.1573E-012
RCPTR_43	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	4.0843E-012	4.0847E-012
RCPTR_43	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	3.6690E-013	3.6692E-013
RCPTR_43	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	3.0677E-013	3.4913E-013
RCPTR_43	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.0524E-013	1.1950E-013
RCPTR_43	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.6406E-012	2.9205E-012
RCPTR_43	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.2459E-013	2.6116E-013
RCPTR_43	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	9.1791E-013	1.0653E-012
RCPTR_43	farmer_child	TOCDFDFS	Pentachlorobenzene	2.8021E-010	2.8033E-010
RCPTR_43	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.0939E-010	1.0940E-010
RCPTR_43	farmer_child	TOCDFDFS	Pentachlorophenol	4.7886E-008	4.8013E-008
RCPTR_43	farmer_child	TOCDFDFS	Phenanthrene	5.6255E-012	5.6256E-012
RCPTR_43	farmer_child	TOCDFDFS	Phenol	5.8363E-012	5.8399E-012
RCPTR_43	farmer_child	TOCDFDFS	Pronamide	1.1047E-009	1.1128E-009
RCPTR_43	farmer_child	TOCDFDFS	Pyrene	1.5388E-007	2.2817E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFDFS	Selenium	2.4673E-007	2.4676E-007
RCPTR_43	farmer_child	TOCDFDFS	Silver	9.5450E-008	9.5755E-008
RCPTR_43	farmer_child	TOCDFDFS	Styrene	1.1920E-012	1.1920E-012
RCPTR_43	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.2369E-012	1.4917E-012
RCPTR_43	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	3.9637E-013	5.0125E-013
RCPTR_43	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	4.4820E-010	4.4883E-010
RCPTR_43	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.6458E-011	1.6458E-011
RCPTR_43	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.4686E-014	1.4686E-014
RCPTR_43	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	3.0107E-009	3.0165E-009
RCPTR_43	farmer_child	TOCDFDFS	Thallium (I)	2.3068E-006	2.3482E-006
RCPTR_43	farmer_child	TOCDFDFS	Toluene	1.9771E-014	1.9771E-014
RCPTR_43	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.7233E-011	1.7235E-011
RCPTR_43	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	9.4901E-015	9.4901E-015
RCPTR_43	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	7.2573E-014	7.2574E-014
RCPTR_43	farmer_child	TOCDFDFS	Trichloroethylene	1.1796E-014	1.1796E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.5504E-015	1.5504E-015
RCPTR_43	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	1.9357E-009	1.9684E-009
RCPTR_43	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	3.9237E-010	3.9377E-010
RCPTR_43	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	2.6858E-013	2.6859E-013
RCPTR_43	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	3.1379E-012	3.1409E-012
RCPTR_43	farmer_child	TOCDFDFS	Vinyl Chloride	3.8338E-018	3.8338E-018
RCPTR_43	farmer_child	TOCDFDFS	Xylene, m-	9.7732E-014	9.7732E-014
RCPTR_43	farmer_child	TOCDFDFS	Xylene, o-	9.9564E-014	9.9564E-014
RCPTR_43	farmer_child	TOCDFDFS	Xylene, p-	1.2647E-013	1.2647E-013
RCPTR_43	farmer_child	TOCDFDFS	Zinc	5.7266E-007	6.0345E-007
RCPTR_43	farmer_child	TOCDFLIC	Acenaphthene	2.8725E-010	2.8826E-010
RCPTR_43	farmer_child	TOCDFLIC	Acetone	7.6100E-015	7.6100E-015
RCPTR_43	farmer_child	TOCDFLIC	Acetophenone	2.7365E-012	2.7371E-012
RCPTR_43	farmer_child	TOCDFLIC	Aniline	9.1565E-014	9.1568E-014
RCPTR_43	farmer_child	TOCDFLIC	Anthracene	4.9199E-009	5.0855E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFLIC	Antimony	5.4146E-008	5.5896E-008
RCPTR_43	farmer_child	TOCDFLIC	Arsenic	1.4532E-007	1.4600E-007
RCPTR_43	farmer_child	TOCDFLIC	Barium	5.4611E-009	5.5854E-009
RCPTR_43	farmer_child	TOCDFLIC	Benzene	6.9820E-014	6.9820E-014
RCPTR_43	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.8986E-007	5.7617E-007
RCPTR_43	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.4859E-006	3.5644E-006
RCPTR_43	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.2511E-006	2.4603E-006
RCPTR_43	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	5.3933E-006	5.7059E-006
RCPTR_43	farmer_child	TOCDFLIC	Benzoic acid	1.1149E-011	1.1150E-011
RCPTR_43	farmer_child	TOCDFLIC	Benzyl alcohol	2.0764E-012	2.0775E-012
RCPTR_43	farmer_child	TOCDFLIC	Beryllium	2.6486E-008	3.1253E-008
RCPTR_43	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	2.0784E-012	2.0792E-012
RCPTR_43	farmer_child	TOCDFLIC	Bromodichloromethane	1.8591E-014	1.8591E-014
RCPTR_43	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	6.4033E-013	6.4038E-013
RCPTR_43	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	8.0754E-008	1.1172E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.3714E-009	2.3731E-009
RCPTR_43	farmer_child	TOCDFLIC	Cadmium	2.0872E-008	2.2737E-008
RCPTR_43	farmer_child	TOCDFLIC	Carbon disulfide	4.2308E-015	4.2308E-015
RCPTR_43	farmer_child	TOCDFLIC	Carbon tetrachloride	6.6775E-015	6.6775E-015
RCPTR_43	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	1.6858E-010	1.6940E-010
RCPTR_43	farmer_child	TOCDFLIC	Chloroaniline, p-	9.6446E-012	9.6552E-012
RCPTR_43	farmer_child	TOCDFLIC	Chlorobenzene	3.9061E-014	3.9062E-014
RCPTR_43	farmer_child	TOCDFLIC	Chloroethane	1.0963E-016	1.0963E-016
RCPTR_43	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	5.9149E-015	5.9150E-015
RCPTR_43	farmer_child	TOCDFLIC	Chloronaphthalene,2-	7.4710E-010	7.5323E-010
RCPTR_43	farmer_child	TOCDFLIC	Chlorophenol, 2-	2.6756E-011	2.6817E-011
RCPTR_43	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	9.3868E-010	9.4198E-010
RCPTR_43	farmer_child	TOCDFLIC	Chromium	1.1326E-006	1.3907E-006
RCPTR_43	farmer_child	TOCDFLIC	Chromium, hexavalent	8.9970E-007	9.0107E-007
RCPTR_43	farmer_child	TOCDFLIC	Chrysene	1.1416E-006	1.2848E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFLIC	Di-n-butyl phthalate	8.8741E-009	8.8907E-009
RCPTR_43	farmer_child	TOCDFLIC	Di-n-octylphthalate	3.6957E+001	3.6957E+001
RCPTR_43	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	7.4662E-005	7.6094E-005
RCPTR_43	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	1.2153E-012	1.2153E-012
RCPTR_43	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	1.4715E-012	1.4716E-012
RCPTR_43	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	1.4171E-012	1.4171E-012
RCPTR_43	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	4.5511E-009	4.5760E-009
RCPTR_43	farmer_child	TOCDFLIC	Dichlorodifluoromethane	8.7637E-018	8.7637E-018
RCPTR_43	farmer_child	TOCDFLIC	Dichloroethane 1,1-	2.2071E-015	2.2071E-015
RCPTR_43	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.7420E-015	2.7420E-015
RCPTR_43	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	8.3551E-016	8.3551E-016
RCPTR_43	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.3431E-015	1.3431E-015
RCPTR_43	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	1.1579E-010	1.1616E-010
RCPTR_43	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	7.5564E-015	7.5564E-015
RCPTR_43	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	2.4938E-015	2.4938E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFLIC	Diethyl phthalate	4.8055E-009	4.8062E-009
RCPTR_43	farmer_child	TOCDFLIC	Dimethyl phthalate	7.2662E-011	7.2726E-011
RCPTR_43	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	1.8249E-011	1.8272E-011
RCPTR_43	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	8.8081E-012	8.8093E-012
RCPTR_43	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	1.6727E-011	1.6754E-011
RCPTR_43	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	1.2903E-011	1.2922E-011
RCPTR_43	farmer_child	TOCDFLIC	Ethyl methanesulfonate	3.8920E-013	3.8931E-013
RCPTR_43	farmer_child	TOCDFLIC	Ethylbenzene	3.1777E-014	3.1777E-014
RCPTR_43	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	7.7066E-009	7.7262E-009
RCPTR_43	farmer_child	TOCDFLIC	Fluoranthene	5.9632E-008	7.0058E-008
RCPTR_43	farmer_child	TOCDFLIC	Fluorene	1.1187E-009	1.1308E-009
RCPTR_43	farmer_child	TOCDFLIC	GB	6.5166E-015	6.5183E-015
RCPTR_43	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	7.5104E-014	8.3266E-014
RCPTR_43	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	8.7158E-014	9.4882E-014
RCPTR_43	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.1354E-013	2.3617E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	9.1823E-013	1.0024E-012
RCPTR_43	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	5.4032E-013	6.0274E-013
RCPTR_43	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.7258E-013	5.3416E-013
RCPTR_43	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.0355E-013	3.4694E-013
RCPTR_43	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.9681E-013	3.3912E-013
RCPTR_43	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.4249E-013	3.9091E-013
RCPTR_43	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.5026E-013	2.8577E-013
RCPTR_43	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.3678E-011	2.3680E-011
RCPTR_43	farmer_child	TOCDFLIC	Hexachlorobenzene	4.5433E-008	4.8293E-008
RCPTR_43	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	6.2832E-011	6.2845E-011
RCPTR_43	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.4618E-011	1.4620E-011
RCPTR_43	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_43	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.1650E-004	5.1884E-004
RCPTR_43	farmer_child	TOCDFLIC	Isophorone	2.7824E-012	2.7835E-012
RCPTR_43	farmer_child	TOCDFLIC	Lead	3.1814E-006	4.0453E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFLIC	Mercuric chloride	5.7697E-006	1.0580E-005
RCPTR_43	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	1.5204E-016	1.5204E-016
RCPTR_43	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.2453E-017	1.2453E-017
RCPTR_43	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	4.5263E-014	4.5263E-014
RCPTR_43	farmer_child	TOCDFLIC	Methyl mercury	5.4437E-008	6.8605E-008
RCPTR_43	farmer_child	TOCDFLIC	Methylene chloride	9.6267E-016	9.6267E-016
RCPTR_43	farmer_child	TOCDFLIC	Naphthalene	1.1738E-011	1.1742E-011
RCPTR_43	farmer_child	TOCDFLIC	Nickel	4.7771E-007	4.8774E-007
RCPTR_43	farmer_child	TOCDFLIC	Nitroaniline, 2-	4.7410E-011	4.7462E-011
RCPTR_43	farmer_child	TOCDFLIC	Nitroaniline, 3-	1.1294E-011	1.1298E-011
RCPTR_43	farmer_child	TOCDFLIC	Nitroaniline, 4-	1.4590E-011	1.4598E-011
RCPTR_43	farmer_child	TOCDFLIC	Nitrobenzene	4.6960E-012	4.6986E-012
RCPTR_43	farmer_child	TOCDFLIC	Nitrophenol, 2-	2.1385E-012	2.1390E-012
RCPTR_43	farmer_child	TOCDFLIC	Nitrophenol, 4-	3.0509E-011	3.0518E-011
RCPTR_43	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.6487E-012	2.6492E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	2.6026E-012	2.6029E-012
RCPTR_43	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	2.3361E-013	2.3362E-013
RCPTR_43	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.7246E-013	3.0964E-013
RCPTR_43	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	8.9502E-014	1.0149E-013
RCPTR_43	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.8443E-012	2.0355E-012
RCPTR_43	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	4.9719E-013	5.7789E-013
RCPTR_43	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.1170E-012	1.2959E-012
RCPTR_43	farmer_child	TOCDFLIC	Pentachlorobenzene	1.7806E-010	1.7814E-010
RCPTR_43	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	7.0307E-011	7.0312E-011
RCPTR_43	farmer_child	TOCDFLIC	Pentachlorophenol	3.0988E-008	3.1070E-008
RCPTR_43	farmer_child	TOCDFLIC	Phenanthrene	3.5846E-012	3.5846E-012
RCPTR_43	farmer_child	TOCDFLIC	Phenol	3.7190E-012	3.7213E-012
RCPTR_43	farmer_child	TOCDFLIC	Pronamide	3.5198E-010	3.5457E-010
RCPTR_43	farmer_child	TOCDFLIC	Pyrene	9.8021E-008	1.4535E-007
RCPTR_43	farmer_child	TOCDFLIC	Selenium	9.6371E-008	9.6383E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFLIC	Silver	3.6441E-008	3.6557E-008
RCPTR_43	farmer_child	TOCDFLIC	Styrene	1.3554E-012	1.3555E-012
RCPTR_43	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	6.4743E-013	7.8121E-013
RCPTR_43	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	8.7289E-013	1.1049E-012
RCPTR_43	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.8561E-010	2.8601E-010
RCPTR_43	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	9.0361E-012	9.0362E-012
RCPTR_43	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	8.0302E-015	8.0302E-015
RCPTR_43	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.9436E-009	1.9474E-009
RCPTR_43	farmer_child	TOCDFLIC	Thallium (I)	9.0762E-007	9.2390E-007
RCPTR_43	farmer_child	TOCDFLIC	Toluene	6.2175E-014	6.2175E-014
RCPTR_43	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.0981E-011	1.0982E-011
RCPTR_43	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	5.1891E-015	5.1891E-015
RCPTR_43	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	3.9682E-014	3.9683E-014
RCPTR_43	farmer_child	TOCDFLIC	Trichloroethylene	6.4501E-015	6.4501E-015
RCPTR_43	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	8.4773E-016	8.4773E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	1.2337E-009	1.2545E-009
RCPTR_43	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	2.5013E-010	2.5103E-010
RCPTR_43	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	1.4686E-013	1.4686E-013
RCPTR_43	farmer_child	TOCDFLIC	Vinyl Chloride	2.2588E-018	2.2588E-018
RCPTR_43	farmer_child	TOCDFLIC	Xylene, m-	9.1672E-014	9.1673E-014
RCPTR_43	farmer_child	TOCDFLIC	Xylene, o-	5.9807E-014	5.9807E-014
RCPTR_43	farmer_child	TOCDFLIC	Xylene, p-	1.1994E-013	1.1994E-013
RCPTR_43	farmer_child	TOCDFLIC	Zinc	1.5628E-007	1.6467E-007
RCPTR_43	farmer_child	TOCDFMPF	Acenaphthene	1.2153E-009	1.2196E-009
RCPTR_43	farmer_child	TOCDFMPF	Acetone	3.7845E-015	3.7845E-015
RCPTR_43	farmer_child	TOCDFMPF	Acetophenone	6.4319E-012	6.4333E-012
RCPTR_43	farmer_child	TOCDFMPF	Aniline	3.8740E-013	3.8741E-013
RCPTR_43	farmer_child	TOCDFMPF	Anthracene	2.0815E-008	2.1516E-008
RCPTR_43	farmer_child	TOCDFMPF	Antimony	1.6103E-008	1.6623E-008
RCPTR_43	farmer_child	TOCDFMPF	Arsenic	3.4075E-008	3.4234E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFMPF	Barium	5.1153E-009	5.2318E-009
RCPTR_43	farmer_child	TOCDFMPF	Benzene	3.3704E-015	3.3704E-015
RCPTR_43	farmer_child	TOCDFMPF	Benzo(a)anthracene	2.0738E-006	2.4390E-006
RCPTR_43	farmer_child	TOCDFMPF	Benzo(a)pyrene	1.4772E-005	1.5105E-005
RCPTR_43	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	9.5298E-006	1.0415E-005
RCPTR_43	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	2.2853E-005	2.4181E-005
RCPTR_43	farmer_child	TOCDFMPF	Benzoic acid	4.3972E-011	4.3976E-011
RCPTR_43	farmer_child	TOCDFMPF	Benzyl alcohol	8.7850E-012	8.7894E-012
RCPTR_43	farmer_child	TOCDFMPF	Beryllium	7.5585E-009	8.9191E-009
RCPTR_43	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	8.7933E-012	8.7969E-012
RCPTR_43	farmer_child	TOCDFMPF	Bromodichloromethane	3.0041E-014	3.0041E-014
RCPTR_43	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.1334E-012	1.1335E-012
RCPTR_43	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	3.4166E-007	4.7266E-007
RCPTR_43	farmer_child	TOCDFMPF	Butylbenzylphthalate	1.0054E-008	1.0062E-008
RCPTR_43	farmer_child	TOCDFMPF	Cadmium	9.1243E-009	9.9399E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFMPF	Carbon disulfide	5.8952E-015	5.8952E-015
RCPTR_43	farmer_child	TOCDFMPF	Carbon tetrachloride	9.3286E-015	9.3286E-015
RCPTR_43	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	7.1320E-010	7.1668E-010
RCPTR_43	farmer_child	TOCDFMPF	Chloroaniline, p-	4.0804E-011	4.0849E-011
RCPTR_43	farmer_child	TOCDFMPF	Chlorobenzene	5.4569E-014	5.4570E-014
RCPTR_43	farmer_child	TOCDFMPF	Chloroethane	1.5315E-016	1.5315E-016
RCPTR_43	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	7.9487E-015	7.9487E-015
RCPTR_43	farmer_child	TOCDFMPF	Chloronaphthalene,2-	3.1609E-009	3.1868E-009
RCPTR_43	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.1320E-010	1.1346E-010
RCPTR_43	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	3.9716E-009	3.9855E-009
RCPTR_43	farmer_child	TOCDFMPF	Chromium	2.1895E-007	2.6885E-007
RCPTR_43	farmer_child	TOCDFMPF	Chromium, hexavalent	1.7392E-007	1.7419E-007
RCPTR_43	farmer_child	TOCDFMPF	Chrysene	4.8327E-006	5.4389E-006
RCPTR_43	farmer_child	TOCDFMPF	Di-n-butyl phthalate	3.7548E-008	3.7619E-008
RCPTR_43	farmer_child	TOCDFMPF	Di-n-octylphthalate	1.5630E+002	1.5630E+002

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	3.1640E-004	3.2250E-004
RCPTR_43	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	5.1416E-012	5.1417E-012
RCPTR_43	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	6.2257E-012	6.2259E-012
RCPTR_43	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	5.9954E-012	5.9956E-012
RCPTR_43	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.5213E-008	2.5351E-008
RCPTR_43	farmer_child	TOCDFMPF	Dichlorodifluoromethane	1.2243E-017	1.2243E-017
RCPTR_43	farmer_child	TOCDFMPF	Dichloroethane 1,1-	3.0834E-015	3.0834E-015
RCPTR_43	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	3.8306E-015	3.8306E-015
RCPTR_43	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.1672E-015	1.1672E-015
RCPTR_43	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.8763E-015	1.8763E-015
RCPTR_43	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	4.8985E-010	4.9141E-010
RCPTR_43	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.0556E-014	1.0556E-014
RCPTR_43	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	3.4838E-015	3.4838E-015
RCPTR_43	farmer_child	TOCDFMPF	Diethyl phthalate	2.0324E-008	2.0327E-008
RCPTR_43	farmer_child	TOCDFMPF	Dimethyl phthalate	2.6214E-011	2.6237E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	7.7208E-011	7.7306E-011
RCPTR_43	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	3.7196E-011	3.7201E-011
RCPTR_43	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	7.0771E-011	7.0887E-011
RCPTR_43	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	5.4592E-011	5.4669E-011
RCPTR_43	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.6467E-012	1.6471E-012
RCPTR_43	farmer_child	TOCDFMPF	Ethylbenzene	3.3295E-014	3.3295E-014
RCPTR_43	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	8.4842E-009	8.5058E-009
RCPTR_43	farmer_child	TOCDFMPF	Fluoranthene	2.5231E-007	2.9642E-007
RCPTR_43	farmer_child	TOCDFMPF	Fluorene	4.7331E-009	4.7842E-009
RCPTR_43	farmer_child	TOCDFMPF	GB	9.1999E-015	9.2022E-015
RCPTR_43	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.5762E-013	1.7478E-013
RCPTR_43	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	5.8222E-012	6.3397E-012
RCPTR_43	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	9.8710E-013	1.0919E-012
RCPTR_43	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.0880E-012	2.2799E-012
RCPTR_43	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.1703E-012	1.3057E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.1179E-012	1.2637E-012
RCPTR_43	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.5416E-011	5.1912E-011
RCPTR_43	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.1058E-011	1.2636E-011
RCPTR_43	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.9138E-012	2.1845E-012
RCPTR_43	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.3689E-012	1.5632E-012
RCPTR_43	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.0018E-010	1.0019E-010
RCPTR_43	farmer_child	TOCDFMPF	Hexachlorobenzene	1.9222E-007	2.0432E-007
RCPTR_43	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	2.6584E-010	2.6590E-010
RCPTR_43	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	6.1845E-011	6.1856E-011
RCPTR_43	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_43	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.1858E-003	2.1958E-003
RCPTR_43	farmer_child	TOCDFMPF	Isophorone	1.1772E-011	1.1776E-011
RCPTR_43	farmer_child	TOCDFMPF	Lead	2.5064E-009	3.1871E-009
RCPTR_43	farmer_child	TOCDFMPF	Mercuric chloride	6.4890E-008	1.1895E-007
RCPTR_43	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	1.8098E-016	1.8098E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	6.4735E-018	6.4735E-018
RCPTR_43	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	4.2392E-014	4.2392E-014
RCPTR_43	farmer_child	TOCDFMPF	Methyl mercury	6.1389E-010	7.7310E-010
RCPTR_43	farmer_child	TOCDFMPF	Methylene chloride	1.0597E-015	1.0597E-015
RCPTR_43	farmer_child	TOCDFMPF	Naphthalene	4.9663E-011	4.9678E-011
RCPTR_43	farmer_child	TOCDFMPF	Nickel	3.7434E-007	3.8220E-007
RCPTR_43	farmer_child	TOCDFMPF	Nitroaniline, 2-	2.0022E-010	2.0044E-010
RCPTR_43	farmer_child	TOCDFMPF	Nitroaniline, 3-	4.7694E-011	4.7714E-011
RCPTR_43	farmer_child	TOCDFMPF	Nitroaniline, 4-	6.1615E-011	6.1648E-011
RCPTR_43	farmer_child	TOCDFMPF	Nitrobenzene	1.9868E-011	1.9879E-011
RCPTR_43	farmer_child	TOCDFMPF	Nitrophenol, 2-	9.0475E-012	9.0499E-012
RCPTR_43	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.2883E-010	1.2887E-010
RCPTR_43	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.1206E-011	1.1208E-011
RCPTR_43	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.1011E-011	1.1012E-011
RCPTR_43	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	9.8841E-013	9.8845E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	4.0391E-013	4.5908E-013
RCPTR_43	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	5.6177E-013	6.3709E-013
RCPTR_43	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	7.2399E-012	7.9918E-012
RCPTR_43	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	5.5057E-012	6.3996E-012
RCPTR_43	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.8067E-011	2.0961E-011
RCPTR_43	farmer_child	TOCDFMPF	Pentachlorobenzene	7.5349E-010	7.5381E-010
RCPTR_43	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	2.9698E-010	2.9700E-010
RCPTR_43	farmer_child	TOCDFMPF	Pentachlorophenol	1.3084E-007	1.3118E-007
RCPTR_43	farmer_child	TOCDFMPF	Phenanthrene	1.5166E-011	1.5166E-011
RCPTR_43	farmer_child	TOCDFMPF	Phenol	1.5734E-011	1.5744E-011
RCPTR_43	farmer_child	TOCDFMPF	Pronamide	1.4892E-009	1.5001E-009
RCPTR_43	farmer_child	TOCDFMPF	Pyrene	4.1472E-007	6.1498E-007
RCPTR_43	farmer_child	TOCDFMPF	Selenium	2.8170E-008	2.8174E-008
RCPTR_43	farmer_child	TOCDFMPF	Silver	1.4572E-007	1.4618E-007
RCPTR_43	farmer_child	TOCDFMPF	Styrene	1.4384E-012	1.4384E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.8257E-012	2.2028E-012
RCPTR_43	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	3.5518E-012	4.4955E-012
RCPTR_43	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.2084E-009	1.2101E-009
RCPTR_43	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.2620E-011	1.2620E-011
RCPTR_43	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.4861E-014	2.4861E-014
RCPTR_43	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	8.2075E-009	8.2234E-009
RCPTR_43	farmer_child	TOCDFMPF	Thallium (I)	2.6760E-007	2.7239E-007
RCPTR_43	farmer_child	TOCDFMPF	Toluene	1.7281E-014	1.7281E-014
RCPTR_43	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	4.6457E-011	4.6463E-011
RCPTR_43	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	7.2493E-015	7.2493E-015
RCPTR_43	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	5.5437E-014	5.5437E-014
RCPTR_43	farmer_child	TOCDFMPF	Trichloroethylene	9.0108E-015	9.0108E-015
RCPTR_43	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.1843E-015	1.1843E-015
RCPTR_43	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	5.2193E-009	5.3074E-009
RCPTR_43	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.0582E-009	1.0620E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	2.0516E-013	2.0517E-013
RCPTR_43	farmer_child	TOCDFMPF	Vinyl Chloride	2.9285E-018	2.9285E-018
RCPTR_43	farmer_child	TOCDFMPF	Xylene, m-	7.2023E-014	7.2023E-014
RCPTR_43	farmer_child	TOCDFMPF	Xylene, o-	7.3819E-014	7.3819E-014
RCPTR_43	farmer_child	TOCDFMPF	Xylene, p-	9.4159E-014	9.4160E-014
RCPTR_43	farmer_child	TOCDFMPF	Zinc	9.5589E-008	1.0072E-007
RCPTR_43	farmer_child	TOCDHVAC	GB	4.8505E-014	4.8517E-014
RCPTR_43	farmer_child	TOCDLIC2	Acenaphthene	5.9277E-010	5.9487E-010
RCPTR_43	farmer_child	TOCDLIC2	Acetone	7.5308E-015	7.5308E-015
RCPTR_43	farmer_child	TOCDLIC2	Acetophenone	3.1373E-012	3.1379E-012
RCPTR_43	farmer_child	TOCDLIC2	Aniline	1.8896E-013	1.8896E-013
RCPTR_43	farmer_child	TOCDLIC2	Anthracene	1.0153E-008	1.0495E-008
RCPTR_43	farmer_child	TOCDLIC2	Antimony	7.2038E-008	7.4366E-008
RCPTR_43	farmer_child	TOCDLIC2	Arsenic	1.4532E-007	1.4600E-007
RCPTR_43	farmer_child	TOCDLIC2	Barium	5.2625E-008	5.3823E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDLIC2	Benzene	5.0246E-015	5.0246E-015
RCPTR_43	farmer_child	TOCDLIC2	Benzo(a)anthracene	1.0109E-006	1.1890E-006
RCPTR_43	farmer_child	TOCDLIC2	Benzo(a)pyrene	7.1936E-006	7.3557E-006
RCPTR_43	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	4.6455E-006	5.0772E-006
RCPTR_43	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	1.1130E-005	1.1775E-005
RCPTR_43	farmer_child	TOCDLIC2	Benzoic acid	2.1448E-011	2.1450E-011
RCPTR_43	farmer_child	TOCDLIC2	Benzyl alcohol	4.2850E-012	4.2871E-012
RCPTR_43	farmer_child	TOCDLIC2	Beryllium	2.6486E-008	3.1253E-008
RCPTR_43	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	4.2890E-012	4.2908E-012
RCPTR_43	farmer_child	TOCDLIC2	Bromodichloromethane	5.6925E-014	5.6925E-014
RCPTR_43	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.4847E-012	1.4848E-012
RCPTR_43	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	1.6665E-007	2.3055E-007
RCPTR_43	farmer_child	TOCDLIC2	Butylbenzylphthalate	4.8936E-009	4.8973E-009
RCPTR_43	farmer_child	TOCDLIC2	Cadmium	2.3716E-009	2.5836E-009
RCPTR_43	farmer_child	TOCDLIC2	Carbon disulfide	6.4116E-015	6.4116E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDLIC2	Carbon tetrachloride	1.0163E-014	1.0163E-014
RCPTR_43	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	3.4788E-010	3.4958E-010
RCPTR_43	farmer_child	TOCDLIC2	Chloroaniline, p-	1.9903E-011	1.9925E-011
RCPTR_43	farmer_child	TOCDLIC2	Chlorobenzene	5.9450E-014	5.9450E-014
RCPTR_43	farmer_child	TOCDLIC2	Chloroethane	1.6685E-016	1.6685E-016
RCPTR_43	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.8263E-014	1.8263E-014
RCPTR_43	farmer_child	TOCDLIC2	Chloronaphthalene,2-	1.5418E-009	1.5544E-009
RCPTR_43	farmer_child	TOCDLIC2	Chlorophenol, 2-	5.5215E-011	5.5341E-011
RCPTR_43	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.9371E-009	1.9439E-009
RCPTR_43	farmer_child	TOCDLIC2	Chromium	1.1326E-006	1.3907E-006
RCPTR_43	farmer_child	TOCDLIC2	Chromium, hexavalent	8.9970E-007	9.0107E-007
RCPTR_43	farmer_child	TOCDLIC2	Chrysene	2.3559E-006	2.6514E-006
RCPTR_43	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.8313E-008	1.8347E-008
RCPTR_43	farmer_child	TOCDLIC2	Di-n-octylphthalate	7.6266E+001	7.6266E+001
RCPTR_43	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	1.5408E-004	1.5703E-004

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	2.5079E-012	2.5079E-012
RCPTR_43	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	3.0367E-012	3.0368E-012
RCPTR_43	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	2.9243E-012	2.9244E-012
RCPTR_43	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.0944E-008	1.1004E-008
RCPTR_43	farmer_child	TOCDLIC2	Dichlorodifluoromethane	1.3338E-017	1.3338E-017
RCPTR_43	farmer_child	TOCDLIC2	Dichloroethane 1,1-	3.3592E-015	3.3592E-015
RCPTR_43	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	4.1732E-015	4.1732E-015
RCPTR_43	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	1.2716E-015	1.2716E-015
RCPTR_43	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	2.0441E-015	2.0441E-015
RCPTR_43	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	2.3894E-010	2.3970E-010
RCPTR_43	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	1.1501E-014	1.1501E-014
RCPTR_43	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	3.7954E-015	3.7954E-015
RCPTR_43	farmer_child	TOCDLIC2	Diethyl phthalate	9.9168E-009	9.9183E-009
RCPTR_43	farmer_child	TOCDLIC2	Dimethyl phthalate	8.8997E-011	8.9075E-011
RCPTR_43	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	3.7659E-011	3.7707E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.8224E-011	1.8226E-011
RCPTR_43	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	3.4518E-011	3.4575E-011
RCPTR_43	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	2.6628E-011	2.6665E-011
RCPTR_43	farmer_child	TOCDLIC2	Ethyl methanesulfonate	8.0318E-013	8.0339E-013
RCPTR_43	farmer_child	TOCDLIC2	Ethylbenzene	4.1137E-014	4.1138E-014
RCPTR_43	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	5.1599E-009	5.1730E-009
RCPTR_43	farmer_child	TOCDLIC2	Fluoranthene	1.2306E-007	1.4458E-007
RCPTR_43	farmer_child	TOCDLIC2	Fluorene	2.3086E-009	2.3336E-009
RCPTR_43	farmer_child	TOCDLIC2	GB	6.7747E-015	6.7764E-015
RCPTR_43	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	5.2715E-013	5.8443E-013
RCPTR_43	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	4.7607E-013	5.1827E-013
RCPTR_43	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.6608E-013	5.1545E-013
RCPTR_43	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.3785E-012	1.5049E-012
RCPTR_43	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.0192E-012	1.1369E-012
RCPTR_43	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.0076E-012	1.1389E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	9.7678E-013	1.1164E-012
RCPTR_43	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.8774E-013	6.7153E-013
RCPTR_43	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.2274E-013	5.9665E-013
RCPTR_43	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	5.9962E-013	6.8471E-013
RCPTR_43	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	4.8862E-011	4.8867E-011
RCPTR_43	farmer_child	TOCDLIC2	Hexachlorobenzene	9.3757E-008	9.9659E-008
RCPTR_43	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.2966E-010	1.2969E-010
RCPTR_43	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	3.0166E-011	3.0171E-011
RCPTR_43	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_43	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.0659E-003	1.0707E-003
RCPTR_43	farmer_child	TOCDLIC2	Isophorone	5.7419E-012	5.7441E-012
RCPTR_43	farmer_child	TOCDLIC2	Lead	2.2937E-007	2.9166E-007
RCPTR_43	farmer_child	TOCDLIC2	Mercuric chloride	5.7697E-006	1.0580E-005
RCPTR_43	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	1.9887E-016	1.9887E-016
RCPTR_43	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	7.9266E-018	7.9266E-018

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	4.4613E-014	4.4613E-014
RCPTR_43	farmer_child	TOCDLIC2	Methyl mercury	5.4437E-008	6.8605E-008
RCPTR_43	farmer_child	TOCDLIC2	Methylene chloride	3.5018E-015	3.5018E-015
RCPTR_43	farmer_child	TOCDLIC2	Naphthalene	2.4224E-011	2.4231E-011
RCPTR_43	farmer_child	TOCDLIC2	Nickel	1.6605E-007	1.6954E-007
RCPTR_43	farmer_child	TOCDLIC2	Nitroaniline, 2-	9.8089E-011	9.8197E-011
RCPTR_43	farmer_child	TOCDLIC2	Nitroaniline, 3-	2.3366E-011	2.3376E-011
RCPTR_43	farmer_child	TOCDLIC2	Nitroaniline, 4-	3.0186E-011	3.0202E-011
RCPTR_43	farmer_child	TOCDLIC2	Nitrobenzene	9.6908E-012	9.6961E-012
RCPTR_43	farmer_child	TOCDLIC2	Nitrophenol, 2-	4.4130E-012	4.4142E-012
RCPTR_43	farmer_child	TOCDLIC2	Nitrophenol, 4-	6.3122E-011	6.3141E-011
RCPTR_43	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	5.4659E-012	5.4669E-012
RCPTR_43	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	5.3709E-012	5.3714E-012
RCPTR_43	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	4.8208E-013	4.8210E-013
RCPTR_43	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	9.1484E-013	1.0397E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.0273E-013	3.4329E-013
RCPTR_43	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.4486E-012	3.8063E-012
RCPTR_43	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.0520E-012	1.2228E-012
RCPTR_43	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.9726E-012	3.4486E-012
RCPTR_43	farmer_child	TOCDLIC2	Pentachlorobenzene	3.6746E-010	3.6761E-010
RCPTR_43	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.4546E-010	1.4547E-010
RCPTR_43	farmer_child	TOCDLIC2	Pentachlorophenol	6.4113E-008	6.4282E-008
RCPTR_43	farmer_child	TOCDLIC2	Phenanthrene	7.3972E-012	7.3974E-012
RCPTR_43	farmer_child	TOCDLIC2	Phenol	8.1142E-012	8.1192E-012
RCPTR_43	farmer_child	TOCDLIC2	Pronamide	7.2636E-010	7.3169E-010
RCPTR_43	farmer_child	TOCDLIC2	Pyrene	2.0228E-007	2.9996E-007
RCPTR_43	farmer_child	TOCDLIC2	Selenium	9.6371E-008	9.6383E-008
RCPTR_43	farmer_child	TOCDLIC2	Silver	3.6441E-008	3.6557E-008
RCPTR_43	farmer_child	TOCDLIC2	Styrene	1.1355E-012	1.1355E-012
RCPTR_43	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.8768E-012	2.2646E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.5635E-012	1.9791E-012
RCPTR_43	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	5.8939E-010	5.9022E-010
RCPTR_43	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.3753E-011	1.3753E-011
RCPTR_43	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.2222E-014	1.2222E-014
RCPTR_43	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	4.0212E-009	4.0290E-009
RCPTR_43	farmer_child	TOCDLIC2	Thallium (I)	9.0762E-007	9.2390E-007
RCPTR_43	farmer_child	TOCDLIC2	Toluene	6.5447E-014	6.5447E-014
RCPTR_43	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	2.2660E-011	2.2663E-011
RCPTR_43	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	7.8976E-015	7.8976E-015
RCPTR_43	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	6.0395E-014	6.0396E-014
RCPTR_43	farmer_child	TOCDLIC2	Trichloroethylene	9.8167E-015	9.8168E-015
RCPTR_43	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.2902E-015	1.2902E-015
RCPTR_43	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	2.5458E-009	2.5888E-009
RCPTR_43	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	5.1618E-010	5.1803E-010
RCPTR_43	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	2.2351E-013	2.2352E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_43	farmer_child	TOCDLIC2	Vinyl Chloride	3.7700E-018	3.7700E-018
RCPTR_43	farmer_child	TOCDLIC2	Xylene, m-	1.0642E-013	1.0642E-013
RCPTR_43	farmer_child	TOCDLIC2	Xylene, o-	8.0242E-014	8.0242E-014
RCPTR_43	farmer_child	TOCDLIC2	Xylene, p-	1.3924E-013	1.3924E-013
RCPTR_43	farmer_child	TOCDLIC2	Zinc	1.8660E-007	1.9662E-007
RCPTR_44	farmer_adult	TOCDFBRA	Antimony	2.2327E-007	2.8246E-007
RCPTR_44	farmer_adult	TOCDFBRA	Arsenic	3.6300E-007	3.8132E-007
RCPTR_44	farmer_adult	TOCDFBRA	Barium	3.0557E-008	3.6522E-008
RCPTR_44	farmer_adult	TOCDFBRA	Beryllium	1.1179E-007	1.3650E-007
RCPTR_44	farmer_adult	TOCDFBRA	Cadmium	1.7597E-008	2.6680E-008
RCPTR_44	farmer_adult	TOCDFBRA	Chromium	3.2835E-006	3.4055E-006
RCPTR_44	farmer_adult	TOCDFBRA	Chromium, hexavalent	2.1495E-006	2.2024E-006
RCPTR_44	farmer_adult	TOCDFBRA	Lead	1.2674E-006	1.6603E-006
RCPTR_44	farmer_adult	TOCDFBRA	Mercuric chloride	3.6345E-004	4.0263E-004
RCPTR_44	farmer_adult	TOCDFBRA	Methyl mercury	2.3646E-006	2.5692E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFBRA	Nickel	1.1963E-006	1.3249E-006
RCPTR_44	farmer_adult	TOCDFBRA	Selenium	4.0687E-007	4.0977E-007
RCPTR_44	farmer_adult	TOCDFBRA	Silver	1.3874E-007	1.5661E-007
RCPTR_44	farmer_adult	TOCDFBRA	Thallium (I)	3.7203E-006	4.0297E-006
RCPTR_44	farmer_adult	TOCDFBRA	Zinc	6.4303E-007	8.5835E-007
RCPTR_44	farmer_adult	TOCDFDFS	Acenaphthene	1.1545E-010	5.8864E-010
RCPTR_44	farmer_adult	TOCDFDFS	Acetone	1.4127E-015	7.3668E-015
RCPTR_44	farmer_adult	TOCDFDFS	Acetophenone	6.2600E-013	3.2607E-012
RCPTR_44	farmer_adult	TOCDFDFS	Aniline	3.5995E-014	1.8701E-013
RCPTR_44	farmer_adult	TOCDFDFS	Anthracene	2.0406E-009	1.0384E-008
RCPTR_44	farmer_adult	TOCDFDFS	Antimony	2.2113E-006	2.7963E-006
RCPTR_44	farmer_adult	TOCDFDFS	Aroclor 1254	2.9648E-011	5.8500E-011
RCPTR_44	farmer_adult	TOCDFDFS	Arsenic	2.0330E-007	2.1353E-007
RCPTR_44	farmer_adult	TOCDFDFS	Barium	6.0173E-009	7.1894E-009
RCPTR_44	farmer_adult	TOCDFDFS	Benzene	1.1742E-015	6.0920E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFDFS	Benzo(a)anthracene	6.4854E-007	1.1509E-006
RCPTR_44	farmer_adult	TOCDFDFS	Benzo(a)pyrene	6.3728E-006	6.8490E-006
RCPTR_44	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	3.6379E-006	4.9028E-006
RCPTR_44	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	1.0044E-005	1.0950E-005
RCPTR_44	farmer_adult	TOCDFDFS	Benzoic acid	4.7149E-012	2.1228E-011
RCPTR_44	farmer_adult	TOCDFDFS	Benzyl alcohol	8.1499E-013	4.2428E-012
RCPTR_44	farmer_adult	TOCDFDFS	Beryllium	6.0577E-008	7.3941E-008
RCPTR_44	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	8.1432E-013	4.2464E-012
RCPTR_44	farmer_adult	TOCDFDFS	Bromodichloromethane	9.2227E-015	4.8049E-014
RCPTR_44	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	3.6644E-013	1.9097E-012
RCPTR_44	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	4.5918E-008	2.2814E-007
RCPTR_44	farmer_adult	TOCDFDFS	Butylbenzylphthalate	3.6734E-009	4.4902E-009
RCPTR_44	farmer_adult	TOCDFDFS	Cadmium	4.8006E-008	7.2738E-008
RCPTR_44	farmer_adult	TOCDFDFS	Carbon disulfide	6.1264E-016	3.1845E-015
RCPTR_44	farmer_adult	TOCDFDFS	Carbon tetrachloride	3.0646E-015	1.5893E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	8.4023E-011	3.4599E-010
RCPTR_44	farmer_adult	TOCDFDFS	Chloroaniline, p-	3.7988E-012	1.9719E-011
RCPTR_44	farmer_adult	TOCDFDFS	Chlorobenzene	1.7987E-014	9.2965E-014
RCPTR_44	farmer_adult	TOCDFDFS	Chloroethane	5.1641E-017	2.6092E-016
RCPTR_44	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	2.7629E-015	1.4390E-014
RCPTR_44	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	3.0024E-010	1.5382E-009
RCPTR_44	farmer_adult	TOCDFDFS	Chlorophenol, 2-	1.0507E-011	5.4769E-011
RCPTR_44	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	4.6719E-010	1.9203E-009
RCPTR_44	farmer_adult	TOCDFDFS	Chromium	9.5573E-007	9.9121E-007
RCPTR_44	farmer_adult	TOCDFDFS	Chromium, hexavalent	6.2618E-007	6.4153E-007
RCPTR_44	farmer_adult	TOCDFDFS	Chrysene	1.8979E-006	2.5621E-006
RCPTR_44	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.4824E-008	1.7969E-008
RCPTR_44	farmer_adult	TOCDFDFS	Di-n-octylphthalate	7.5629E+001	7.5629E+001
RCPTR_44	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.4089E-004	1.4624E-004
RCPTR_44	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	4.9412E-013	2.4817E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	5.9053E-013	3.0051E-012
RCPTR_44	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	5.6664E-013	2.8940E-012
RCPTR_44	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.3218E-008	1.7372E-008
RCPTR_44	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	4.0177E-018	2.0856E-017
RCPTR_44	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	1.0083E-015	5.2530E-015
RCPTR_44	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	1.2524E-015	6.5260E-015
RCPTR_44	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	3.8242E-016	1.9885E-015
RCPTR_44	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	6.1490E-016	3.1965E-015
RCPTR_44	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	6.7293E-011	2.3726E-010
RCPTR_44	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	3.4673E-015	1.7984E-014
RCPTR_44	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	1.1400E-015	5.9351E-015
RCPTR_44	farmer_adult	TOCDFDFS	Diethyl phthalate	9.2929E-009	9.8313E-009
RCPTR_44	farmer_adult	TOCDFDFS	Dimethyl phthalate	1.6287E-011	8.2294E-011
RCPTR_44	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	7.2200E-012	3.7318E-011
RCPTR_44	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	7.4148E-012	1.7755E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	6.9015E-012	3.4182E-011
RCPTR_44	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	5.2534E-012	2.6380E-011
RCPTR_44	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.5250E-013	7.9508E-013
RCPTR_44	farmer_adult	TOCDFDFS	Ethylbenzene	1.1318E-014	5.6714E-014
RCPTR_44	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.7228E-010	4.5896E-010
RCPTR_44	farmer_adult	TOCDFDFS	Fluoranthene	3.7826E-008	1.4267E-007
RCPTR_44	farmer_adult	TOCDFDFS	Fluorene	4.5963E-010	2.3090E-009
RCPTR_44	farmer_adult	TOCDFDFS	GB	4.1071E-015	2.1385E-014
RCPTR_44	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.1460E-013	1.2965E-013
RCPTR_44	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.1182E-014	6.7544E-014
RCPTR_44	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.0257E-013	2.2844E-013
RCPTR_44	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.1726E-012	1.3002E-012
RCPTR_44	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	6.1243E-013	6.9930E-013
RCPTR_44	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	5.1896E-013	6.0416E-013
RCPTR_44	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.0953E-013	4.8550E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.6524E-013	4.3262E-013
RCPTR_44	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	4.9193E-013	5.8186E-013
RCPTR_44	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.3785E-013	3.9989E-013
RCPTR_44	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.0095E-011	4.8311E-011
RCPTR_44	farmer_adult	TOCDFDFS	Hexachlorobenzene	2.0222E-008	9.8588E-008
RCPTR_44	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	1.3517E-010	6.3441E-010
RCPTR_44	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	5.8572E-012	2.9859E-011
RCPTR_44	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_44	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.0305E-003	1.0405E-003
RCPTR_44	farmer_adult	TOCDFDFS	Isophorone	1.0915E-012	5.6847E-012
RCPTR_44	farmer_adult	TOCDFDFS	Lead	7.4311E-006	9.7310E-006
RCPTR_44	farmer_adult	TOCDFDFS	Mercuric chloride	1.2969E-007	1.4385E-007
RCPTR_44	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.0669E-016	5.5614E-016
RCPTR_44	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.8071E-017	9.4146E-017
RCPTR_44	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	9.4810E-015	4.9438E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFDFS	Methyl mercury	7.8604E-010	8.5994E-010
RCPTR_44	farmer_adult	TOCDFDFS	Methylene chloride	2.7425E-016	1.4290E-015
RCPTR_44	farmer_adult	TOCDFDFS	Naphthalene	4.6549E-012	2.3979E-011
RCPTR_44	farmer_adult	TOCDFDFS	Nickel	6.9694E-007	7.7171E-007
RCPTR_44	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.8453E-011	9.5785E-011
RCPTR_44	farmer_adult	TOCDFDFS	Nitroaniline, 3-	4.3788E-012	2.2802E-011
RCPTR_44	farmer_adult	TOCDFDFS	Nitroaniline, 4-	5.6620E-012	2.9458E-011
RCPTR_44	farmer_adult	TOCDFDFS	Nitrobenzene	1.8410E-012	9.5958E-012
RCPTR_44	farmer_adult	TOCDFDFS	Nitrophenol, 2-	8.3871E-013	4.3685E-012
RCPTR_44	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.8463E-011	6.1624E-011
RCPTR_44	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.0423E-012	5.4104E-012
RCPTR_44	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	1.0264E-012	5.3159E-012
RCPTR_44	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	9.3732E-014	4.7623E-013
RCPTR_44	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	2.8204E-013	3.3106E-013
RCPTR_44	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	9.6681E-014	1.1316E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.0226E-012	3.4164E-012
RCPTR_44	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.5127E-013	3.0575E-013
RCPTR_44	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	9.8897E-013	1.1997E-012
RCPTR_44	farmer_adult	TOCDFDFS	Pentachlorobenzene	7.9314E-011	3.6153E-010
RCPTR_44	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	3.1755E-011	1.4085E-010
RCPTR_44	farmer_adult	TOCDFDFS	Pentachlorophenol	4.2347E-008	6.2776E-008
RCPTR_44	farmer_adult	TOCDFDFS	Phenanthrene	1.4436E-012	7.3198E-012
RCPTR_44	farmer_adult	TOCDFDFS	Phenol	1.4626E-012	7.6000E-012
RCPTR_44	farmer_adult	TOCDFDFS	Pronamide	2.8901E-010	1.4481E-009
RCPTR_44	farmer_adult	TOCDFDFS	Pyrene	7.2320E-008	2.9658E-007
RCPTR_44	farmer_adult	TOCDFDFS	Selenium	2.2787E-007	2.2949E-007
RCPTR_44	farmer_adult	TOCDFDFS	Silver	7.8928E-008	8.9072E-008
RCPTR_44	farmer_adult	TOCDFDFS	Styrene	2.9881E-013	1.5513E-012
RCPTR_44	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.3822E-012	1.7791E-012
RCPTR_44	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	4.4691E-013	6.1632E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.2133E-010	5.8403E-010
RCPTR_44	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.6088E-011	2.1536E-011
RCPTR_44	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	3.6802E-015	1.9111E-014
RCPTR_44	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.4454E-009	3.9307E-009
RCPTR_44	farmer_adult	TOCDFDFS	Thallium (I)	2.0168E-006	2.1842E-006
RCPTR_44	farmer_adult	TOCDFDFS	Toluene	4.9986E-015	2.5729E-014
RCPTR_44	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	4.4977E-012	2.2424E-011
RCPTR_44	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	2.3747E-015	1.2350E-014
RCPTR_44	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	1.8136E-014	9.4447E-014
RCPTR_44	farmer_adult	TOCDFDFS	Trichloroethylene	2.9558E-015	1.5351E-014
RCPTR_44	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	3.8836E-016	2.0176E-015
RCPTR_44	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	5.3999E-010	2.5621E-009
RCPTR_44	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	1.3018E-010	5.1273E-010
RCPTR_44	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	6.7167E-014	3.4954E-013
RCPTR_44	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	8.1077E-013	4.0731E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFDFS	Vinyl Chloride	9.5843E-019	4.9888E-018
RCPTR_44	farmer_adult	TOCDFDFS	Xylene, m-	5.1448E-014	1.1175E-013
RCPTR_44	farmer_adult	TOCDFDFS	Xylene, o-	4.7715E-014	1.1647E-013
RCPTR_44	farmer_adult	TOCDFDFS	Xylene, p-	5.6696E-014	1.5022E-013
RCPTR_44	farmer_adult	TOCDFDFS	Zinc	4.2086E-007	5.6148E-007
RCPTR_44	farmer_adult	TOCDFLIC	Acenaphthene	6.5496E-011	3.3396E-010
RCPTR_44	farmer_adult	TOCDFLIC	Acetone	1.6909E-015	8.8177E-015
RCPTR_44	farmer_adult	TOCDFLIC	Acetophenone	6.0885E-013	3.1714E-012
RCPTR_44	farmer_adult	TOCDFLIC	Aniline	2.0422E-014	1.0610E-013
RCPTR_44	farmer_adult	TOCDFLIC	Anthracene	1.1577E-009	5.8911E-009
RCPTR_44	farmer_adult	TOCDFLIC	Antimony	3.9253E-008	4.9635E-008
RCPTR_44	farmer_adult	TOCDFLIC	Arsenic	1.2336E-007	1.2957E-007
RCPTR_44	farmer_adult	TOCDFLIC	Barium	4.1507E-009	4.9590E-009
RCPTR_44	farmer_adult	TOCDFLIC	Benzene	1.5593E-014	8.0900E-014
RCPTR_44	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.6720E-007	6.5200E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.6011E-006	3.8689E-006
RCPTR_44	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	2.0607E-006	2.7776E-006
RCPTR_44	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	5.6771E-006	6.1846E-006
RCPTR_44	farmer_adult	TOCDFLIC	Benzoic acid	2.8700E-012	1.2920E-011
RCPTR_44	farmer_adult	TOCDFLIC	Benzyl alcohol	4.6239E-013	2.4072E-012
RCPTR_44	farmer_adult	TOCDFLIC	Beryllium	2.2742E-008	2.7759E-008
RCPTR_44	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	4.6201E-013	2.4092E-012
RCPTR_44	farmer_adult	TOCDFLIC	Bromodichloromethane	4.1348E-015	2.1542E-014
RCPTR_44	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.4238E-013	7.4201E-013
RCPTR_44	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	2.6051E-008	1.2944E-007
RCPTR_44	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.0694E-009	2.5327E-009
RCPTR_44	farmer_adult	TOCDFLIC	Cadmium	1.3333E-008	2.0200E-008
RCPTR_44	farmer_adult	TOCDFLIC	Carbon disulfide	9.4309E-016	4.9022E-015
RCPTR_44	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.4919E-015	7.7372E-015
RCPTR_44	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	4.7683E-011	1.9631E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFLIC	Chloroaniline, p-	2.1553E-012	1.1187E-011
RCPTR_44	farmer_adult	TOCDFLIC	Chlorobenzene	8.7567E-015	4.5259E-014
RCPTR_44	farmer_adult	TOCDFLIC	Chloroethane	2.5142E-017	1.2703E-016
RCPTR_44	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	1.3159E-015	6.8537E-015
RCPTR_44	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	1.7034E-010	8.7271E-010
RCPTR_44	farmer_adult	TOCDFLIC	Chlorophenol, 2-	5.9611E-012	3.1073E-011
RCPTR_44	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	2.6496E-010	1.0894E-009
RCPTR_44	farmer_adult	TOCDFLIC	Chromium	1.1911E-006	1.2353E-006
RCPTR_44	farmer_adult	TOCDFLIC	Chromium, hexavalent	7.8047E-007	7.9960E-007
RCPTR_44	farmer_adult	TOCDFLIC	Chrysene	1.0753E-006	1.4516E-006
RCPTR_44	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	8.4089E-009	1.0193E-008
RCPTR_44	farmer_adult	TOCDFLIC	Di-n-octylphthalate	4.2953E+001	4.2953E+001
RCPTR_44	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	7.9534E-005	8.2488E-005
RCPTR_44	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	2.8034E-013	1.4080E-012
RCPTR_44	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	3.3504E-013	1.7050E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	3.2148E-013	1.6419E-012
RCPTR_44	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.8705E-009	5.0896E-009
RCPTR_44	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	1.9559E-018	1.0153E-017
RCPTR_44	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	4.9089E-016	2.5574E-015
RCPTR_44	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	6.0971E-016	3.1771E-015
RCPTR_44	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.8618E-016	9.6810E-016
RCPTR_44	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	2.9936E-016	1.5562E-015
RCPTR_44	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	3.8194E-011	1.3462E-010
RCPTR_44	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	1.6880E-015	8.7555E-015
RCPTR_44	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	5.5499E-016	2.8895E-015
RCPTR_44	farmer_adult	TOCDFLIC	Diethyl phthalate	5.2777E-009	5.5831E-009
RCPTR_44	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.6670E-011	8.4236E-011
RCPTR_44	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	4.0963E-012	2.1172E-011
RCPTR_44	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	4.2584E-012	1.0195E-011
RCPTR_44	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	3.9142E-012	1.9392E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	2.9802E-012	1.4967E-011
RCPTR_44	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	8.6520E-014	4.5109E-013
RCPTR_44	farmer_adult	TOCDFLIC	Ethylbenzene	7.3465E-015	3.6814E-014
RCPTR_44	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	6.6295E-009	8.1848E-009
RCPTR_44	farmer_adult	TOCDFLIC	Fluoranthene	2.1451E-008	8.0933E-008
RCPTR_44	farmer_adult	TOCDFLIC	Fluorene	2.6076E-010	1.3100E-009
RCPTR_44	farmer_adult	TOCDFLIC	GB	1.4505E-015	7.5527E-015
RCPTR_44	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	7.0687E-014	7.9893E-014
RCPTR_44	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	8.6473E-014	9.5372E-014
RCPTR_44	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.0284E-013	2.2853E-013
RCPTR_44	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	9.1756E-013	1.0165E-012
RCPTR_44	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	5.0870E-013	5.8035E-013
RCPTR_44	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.2669E-013	4.9641E-013
RCPTR_44	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.7438E-013	3.2517E-013
RCPTR_44	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.6928E-013	3.1884E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.1283E-013	3.6988E-013
RCPTR_44	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.2786E-013	2.6960E-013
RCPTR_44	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	5.7258E-012	2.7408E-011
RCPTR_44	farmer_adult	TOCDFLIC	Hexachlorobenzene	1.1472E-008	5.5933E-008
RCPTR_44	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	1.5486E-011	7.2707E-011
RCPTR_44	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	3.3232E-012	1.6941E-011
RCPTR_44	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_44	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.8414E-004	5.8966E-004
RCPTR_44	farmer_adult	TOCDFLIC	Isophorone	6.1926E-013	3.2252E-012
RCPTR_44	farmer_adult	TOCDFLIC	Lead	2.7449E-006	3.5943E-006
RCPTR_44	farmer_adult	TOCDFLIC	Mercuric chloride	1.0766E-005	1.1943E-005
RCPTR_44	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	3.3797E-017	1.7617E-016
RCPTR_44	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	2.7696E-018	1.4429E-017
RCPTR_44	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.0058E-014	5.2446E-014
RCPTR_44	farmer_adult	TOCDFLIC	Methyl mercury	6.4772E-008	7.0914E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFLIC	Methylene chloride	2.1407E-016	1.1154E-015
RCPTR_44	farmer_adult	TOCDFLIC	Naphthalene	2.6409E-012	1.3605E-011
RCPTR_44	farmer_adult	TOCDFLIC	Nickel	3.9100E-007	4.3293E-007
RCPTR_44	farmer_adult	TOCDFLIC	Nitroaniline, 2-	1.0594E-011	5.4992E-011
RCPTR_44	farmer_adult	TOCDFLIC	Nitroaniline, 3-	2.5140E-012	1.3091E-011
RCPTR_44	farmer_adult	TOCDFLIC	Nitroaniline, 4-	3.2506E-012	1.6913E-011
RCPTR_44	farmer_adult	TOCDFLIC	Nitrobenzene	1.0445E-012	5.4442E-012
RCPTR_44	farmer_adult	TOCDFLIC	Nitrophenol, 2-	4.7584E-013	2.4785E-012
RCPTR_44	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.6353E-011	3.5392E-011
RCPTR_44	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	5.9135E-013	3.0696E-012
RCPTR_44	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	5.8236E-013	3.0160E-012
RCPTR_44	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	5.3141E-014	2.7015E-013
RCPTR_44	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.3862E-013	2.7994E-013
RCPTR_44	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	7.8348E-014	9.1655E-014
RCPTR_44	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.9235E-012	2.1729E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	5.0749E-013	6.1746E-013
RCPTR_44	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.1079E-012	1.3439E-012
RCPTR_44	farmer_adult	TOCDFLIC	Pentachlorobenzene	4.4899E-011	2.0502E-010
RCPTR_44	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.8185E-011	8.0822E-011
RCPTR_44	farmer_adult	TOCDFLIC	Pentachlorophenol	2.4335E-008	3.6064E-008
RCPTR_44	farmer_adult	TOCDFLIC	Phenanthrene	8.1903E-013	4.1529E-012
RCPTR_44	farmer_adult	TOCDFLIC	Phenol	8.2982E-013	4.3119E-012
RCPTR_44	farmer_adult	TOCDFLIC	Pronamide	8.1987E-011	4.1080E-010
RCPTR_44	farmer_adult	TOCDFLIC	Pyrene	4.1026E-008	1.6826E-007
RCPTR_44	farmer_adult	TOCDFLIC	Selenium	8.4920E-008	8.5524E-008
RCPTR_44	farmer_adult	TOCDFLIC	Silver	2.8757E-008	3.2451E-008
RCPTR_44	farmer_adult	TOCDFLIC	Styrene	3.0253E-013	1.5706E-012
RCPTR_44	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	6.5770E-013	8.4672E-013
RCPTR_44	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	8.8851E-013	1.2256E-012
RCPTR_44	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	6.8838E-011	3.3135E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	7.8398E-012	1.0492E-011
RCPTR_44	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.7916E-015	9.3039E-015
RCPTR_44	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	8.3031E-010	2.2572E-009
RCPTR_44	farmer_adult	TOCDFLIC	Thallium (I)	7.5719E-007	8.2002E-007
RCPTR_44	farmer_adult	TOCDFLIC	Toluene	1.3996E-014	7.2039E-014
RCPTR_44	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	2.5517E-012	1.2722E-011
RCPTR_44	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	1.1561E-015	6.0126E-015
RCPTR_44	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	8.8291E-015	4.5981E-014
RCPTR_44	farmer_adult	TOCDFLIC	Trichloroethylene	1.4390E-015	7.4736E-015
RCPTR_44	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.8907E-016	9.8225E-016
RCPTR_44	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	3.0640E-010	1.4536E-009
RCPTR_44	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	7.3880E-011	2.9092E-010
RCPTR_44	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	3.2700E-014	1.7017E-013
RCPTR_44	farmer_adult	TOCDFLIC	Vinyl Chloride	5.0276E-019	2.6170E-018
RCPTR_44	farmer_adult	TOCDFLIC	Xylene, m-	4.3930E-014	9.6277E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFLIC	Xylene, o-	2.5958E-014	6.3926E-014
RCPTR_44	farmer_adult	TOCDFLIC	Xylene, p-	4.8536E-014	1.2972E-013
RCPTR_44	farmer_adult	TOCDFLIC	Zinc	1.0963E-007	1.4625E-007
RCPTR_44	farmer_adult	TOCDFMPF	Acenaphthene	2.7971E-010	1.4262E-009
RCPTR_44	farmer_adult	TOCDFMPF	Acetone	8.4881E-016	4.4263E-015
RCPTR_44	farmer_adult	TOCDFMPF	Acetophenone	1.4445E-012	7.5244E-012
RCPTR_44	farmer_adult	TOCDFMPF	Aniline	8.7214E-014	4.5311E-013
RCPTR_44	farmer_adult	TOCDFMPF	Anthracene	4.9439E-009	2.5159E-008
RCPTR_44	farmer_adult	TOCDFMPF	Antimony	1.1711E-008	1.4808E-008
RCPTR_44	farmer_adult	TOCDFMPF	Arsenic	2.9018E-008	3.0479E-008
RCPTR_44	farmer_adult	TOCDFMPF	Barium	3.9002E-009	4.6598E-009
RCPTR_44	farmer_adult	TOCDFMPF	Benzene	7.5976E-016	3.9419E-015
RCPTR_44	farmer_adult	TOCDFMPF	Benzo(a)anthracene	1.5683E-006	2.7846E-006
RCPTR_44	farmer_adult	TOCDFMPF	Benzo(a)pyrene	1.5381E-005	1.6525E-005
RCPTR_44	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	8.8012E-006	1.1863E-005

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	2.4248E-005	2.6416E-005
RCPTR_44	farmer_adult	TOCDFMPF	Benzoic acid	1.1426E-011	5.1436E-011
RCPTR_44	farmer_adult	TOCDFMPF	Benzyl alcohol	1.9747E-012	1.0280E-011
RCPTR_44	farmer_adult	TOCDFMPF	Beryllium	6.5109E-009	7.9469E-009
RCPTR_44	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.9731E-012	1.0289E-011
RCPTR_44	farmer_adult	TOCDFMPF	Bromodichloromethane	6.7440E-015	3.5136E-014
RCPTR_44	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	2.5440E-013	1.3258E-012
RCPTR_44	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.1125E-007	5.5278E-007
RCPTR_44	farmer_adult	TOCDFMPF	Butylbenzylphthalate	8.8391E-009	1.0818E-008
RCPTR_44	farmer_adult	TOCDFMPF	Cadmium	5.8472E-009	8.8588E-009
RCPTR_44	farmer_adult	TOCDFMPF	Carbon disulfide	1.3265E-015	6.8950E-015
RCPTR_44	farmer_adult	TOCDFMPF	Carbon tetrachloride	2.1039E-015	1.0911E-014
RCPTR_44	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	2.0364E-010	8.3838E-010
RCPTR_44	farmer_adult	TOCDFMPF	Chloroaniline, p-	9.2043E-012	4.7777E-011
RCPTR_44	farmer_adult	TOCDFMPF	Chlorobenzene	1.2348E-014	6.3822E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFMPF	Chloroethane	3.5454E-017	1.7913E-016
RCPTR_44	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.7850E-015	9.2968E-015
RCPTR_44	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	7.2747E-010	3.7270E-009
RCPTR_44	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.5457E-011	1.3270E-010
RCPTR_44	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.1316E-009	4.6523E-009
RCPTR_44	farmer_adult	TOCDFMPF	Chromium	2.3100E-007	2.3957E-007
RCPTR_44	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.5136E-007	1.5507E-007
RCPTR_44	farmer_adult	TOCDFMPF	Chrysene	4.5926E-006	6.1997E-006
RCPTR_44	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	3.5913E-008	4.3533E-008
RCPTR_44	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.8344E+002	1.8344E+002
RCPTR_44	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	3.3973E-004	3.5235E-004
RCPTR_44	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.1972E-012	6.0130E-012
RCPTR_44	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.4308E-012	7.2813E-012
RCPTR_44	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.3729E-012	7.0120E-012
RCPTR_44	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.1625E-008	2.8436E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	2.7582E-018	1.4318E-017
RCPTR_44	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	6.9224E-016	3.6063E-015
RCPTR_44	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	8.5978E-016	4.4802E-015
RCPTR_44	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.6254E-016	1.3652E-015
RCPTR_44	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	4.2214E-016	2.1945E-015
RCPTR_44	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.6311E-010	5.7493E-010
RCPTR_44	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.3804E-015	1.2347E-014
RCPTR_44	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	7.8263E-016	4.0746E-015
RCPTR_44	farmer_adult	TOCDFMPF	Diethyl phthalate	2.2540E-008	2.3844E-008
RCPTR_44	farmer_adult	TOCDFMPF	Dimethyl phthalate	6.0705E-012	3.0675E-011
RCPTR_44	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.7494E-011	9.0419E-011
RCPTR_44	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.8154E-011	4.3460E-011
RCPTR_44	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.6716E-011	8.2814E-011
RCPTR_44	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.2728E-011	6.3917E-011
RCPTR_44	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	3.6949E-013	1.9264E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFMPF	Ethylbenzene	7.7698E-015	3.8935E-014
RCPTR_44	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	7.3512E-009	9.0756E-009
RCPTR_44	farmer_adult	TOCDFMPF	Fluoranthene	9.1610E-008	3.4564E-007
RCPTR_44	farmer_adult	TOCDFMPF	Fluorene	1.1136E-009	5.5944E-009
RCPTR_44	farmer_adult	TOCDFMPF	GB	2.0671E-015	1.0763E-014
RCPTR_44	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.4908E-013	1.6850E-013
RCPTR_44	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	5.8118E-012	6.4100E-012
RCPTR_44	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	9.4247E-013	1.0619E-012
RCPTR_44	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.0996E-012	2.3261E-012
RCPTR_44	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.1074E-012	1.2634E-012
RCPTR_44	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.0136E-012	1.1792E-012
RCPTR_44	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.1229E-011	4.8860E-011
RCPTR_44	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.0077E-011	1.1931E-011
RCPTR_44	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.7560E-012	2.0763E-012
RCPTR_44	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.2519E-012	1.4813E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.4453E-011	1.1705E-010
RCPTR_44	farmer_adult	TOCDFMPF	Hexachlorobenzene	4.8992E-008	2.3887E-007
RCPTR_44	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	6.6135E-011	3.1050E-010
RCPTR_44	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.4192E-011	7.2348E-011
RCPTR_44	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_44	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.4949E-003	2.5185E-003
RCPTR_44	farmer_adult	TOCDFMPF	Isophorone	2.6446E-012	1.3774E-011
RCPTR_44	farmer_adult	TOCDFMPF	Lead	2.1694E-009	2.8408E-009
RCPTR_44	farmer_adult	TOCDFMPF	Mercuric chloride	1.2209E-007	1.3543E-007
RCPTR_44	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	4.0609E-017	2.1168E-016
RCPTR_44	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	1.4533E-018	7.5714E-018
RCPTR_44	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	9.5087E-015	4.9582E-014
RCPTR_44	farmer_adult	TOCDFMPF	Methyl mercury	7.3467E-010	8.0432E-010
RCPTR_44	farmer_adult	TOCDFMPF	Methylene chloride	2.3787E-016	1.2394E-015
RCPTR_44	farmer_adult	TOCDFMPF	Naphthalene	1.1278E-011	5.8100E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFMPF	Nickel	3.0737E-007	3.4034E-007
RCPTR_44	farmer_adult	TOCDFMPF	Nitroaniline, 2-	4.5161E-011	2.3443E-010
RCPTR_44	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.0717E-011	5.5806E-011
RCPTR_44	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.3857E-011	7.2096E-011
RCPTR_44	farmer_adult	TOCDFMPF	Nitrobenzene	4.4605E-012	2.3250E-011
RCPTR_44	farmer_adult	TOCDFMPF	Nitrophenol, 2-	2.0321E-012	1.0585E-011
RCPTR_44	farmer_adult	TOCDFMPF	Nitrophenol, 4-	6.9714E-011	1.5087E-010
RCPTR_44	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.5254E-012	1.3109E-011
RCPTR_44	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.4870E-012	1.2880E-011
RCPTR_44	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.2695E-013	1.1537E-012
RCPTR_44	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.5499E-013	4.1647E-013
RCPTR_44	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	4.9348E-013	5.7731E-013
RCPTR_44	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	7.6081E-012	8.5946E-012
RCPTR_44	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	5.6617E-012	6.8884E-012
RCPTR_44	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.8040E-011	2.1882E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.9176E-010	8.7555E-010
RCPTR_44	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	7.7525E-011	3.4454E-010
RCPTR_44	farmer_adult	TOCDFMPF	Pentachlorophenol	1.0374E-007	1.5374E-007
RCPTR_44	farmer_adult	TOCDFMPF	Phenanthrene	3.4978E-012	1.7735E-011
RCPTR_44	farmer_adult	TOCDFMPF	Phenol	3.5438E-012	1.8414E-011
RCPTR_44	farmer_adult	TOCDFMPF	Pronamide	3.5014E-010	1.7544E-009
RCPTR_44	farmer_adult	TOCDFMPF	Pyrene	1.7521E-007	7.1856E-007
RCPTR_44	farmer_adult	TOCDFMPF	Selenium	2.4903E-008	2.5080E-008
RCPTR_44	farmer_adult	TOCDFMPF	Silver	1.1536E-007	1.3018E-007
RCPTR_44	farmer_adult	TOCDFMPF	Styrene	3.2406E-013	1.6823E-012
RCPTR_44	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.8690E-012	2.4061E-012
RCPTR_44	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	3.6454E-012	5.0284E-012
RCPTR_44	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.9398E-010	1.4151E-009
RCPTR_44	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.1056E-011	1.4796E-011
RCPTR_44	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	5.5989E-015	2.9075E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	3.5396E-009	9.6220E-009
RCPTR_44	farmer_adult	TOCDFMPF	Thallium (I)	2.2396E-007	2.4254E-007
RCPTR_44	farmer_adult	TOCDFMPF	Toluene	3.9267E-015	2.0211E-014
RCPTR_44	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.0897E-011	5.4332E-011
RCPTR_44	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.6303E-015	8.4787E-015
RCPTR_44	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.2450E-014	6.4840E-014
RCPTR_44	farmer_adult	TOCDFMPF	Trichloroethylene	2.0292E-015	1.0539E-014
RCPTR_44	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	2.6662E-016	1.3851E-015
RCPTR_44	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.3085E-009	6.2080E-009
RCPTR_44	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	3.1552E-010	1.2424E-009
RCPTR_44	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	4.6112E-014	2.3997E-013
RCPTR_44	farmer_adult	TOCDFMPF	Vinyl Chloride	6.5797E-019	3.4249E-018
RCPTR_44	farmer_adult	TOCDFMPF	Xylene, m-	3.4757E-014	7.6159E-014
RCPTR_44	farmer_adult	TOCDFMPF	Xylene, o-	3.2279E-014	7.9478E-014
RCPTR_44	farmer_adult	TOCDFMPF	Xylene, p-	3.8399E-014	1.0261E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDFMPF	Zinc	6.7268E-008	8.9738E-008
RCPTR_44	farmer_adult	TOCDHVAC	GB	8.8898E-015	4.6289E-014
RCPTR_44	farmer_adult	TOCDLIC2	Acenaphthene	1.3516E-010	6.8918E-010
RCPTR_44	farmer_adult	TOCDLIC2	Acetone	1.6733E-015	8.7260E-015
RCPTR_44	farmer_adult	TOCDLIC2	Acetophenone	6.9802E-013	3.6359E-012
RCPTR_44	farmer_adult	TOCDLIC2	Aniline	4.2143E-014	2.1895E-013
RCPTR_44	farmer_adult	TOCDLIC2	Anthracene	2.3890E-009	1.2157E-008
RCPTR_44	farmer_adult	TOCDLIC2	Antimony	5.2224E-008	6.6036E-008
RCPTR_44	farmer_adult	TOCDLIC2	Arsenic	1.2336E-007	1.2957E-007
RCPTR_44	farmer_adult	TOCDLIC2	Barium	3.9997E-008	4.7787E-008
RCPTR_44	farmer_adult	TOCDLIC2	Benzene	1.1221E-015	5.8219E-015
RCPTR_44	farmer_adult	TOCDLIC2	Benzo(a)anthracene	7.5776E-007	1.3455E-006
RCPTR_44	farmer_adult	TOCDLIC2	Benzo(a)pyrene	7.4313E-006	7.9840E-006
RCPTR_44	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	4.2525E-006	5.7319E-006
RCPTR_44	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.1716E-005	1.2763E-005

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDLIC2	Benzoic acid	5.5210E-012	2.4855E-011
RCPTR_44	farmer_adult	TOCDLIC2	Benzyl alcohol	9.5420E-013	4.9675E-012
RCPTR_44	farmer_adult	TOCDLIC2	Beryllium	2.2742E-008	2.7759E-008
RCPTR_44	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	9.5342E-013	4.9718E-012
RCPTR_44	farmer_adult	TOCDLIC2	Bromodichloromethane	1.2660E-014	6.5959E-014
RCPTR_44	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	3.3012E-013	1.7204E-012
RCPTR_44	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	5.3760E-008	2.6711E-007
RCPTR_44	farmer_adult	TOCDLIC2	Butylbenzylphthalate	4.2704E-009	5.2266E-009
RCPTR_44	farmer_adult	TOCDLIC2	Cadmium	1.5150E-009	2.2953E-009
RCPTR_44	farmer_adult	TOCDLIC2	Carbon disulfide	1.4292E-015	7.4290E-015
RCPTR_44	farmer_adult	TOCDLIC2	Carbon tetrachloride	2.2707E-015	1.1776E-014
RCPTR_44	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	9.8400E-011	4.0512E-010
RCPTR_44	farmer_adult	TOCDLIC2	Chloroaniline, p-	4.4477E-012	2.3087E-011
RCPTR_44	farmer_adult	TOCDLIC2	Chlorobenzene	1.3327E-014	6.8883E-014
RCPTR_44	farmer_adult	TOCDLIC2	Chloroethane	3.8265E-017	1.9333E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	4.0629E-015	2.1161E-014
RCPTR_44	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	3.5153E-010	1.8010E-009
RCPTR_44	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.2302E-011	6.4124E-011
RCPTR_44	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	5.4678E-010	2.2480E-009
RCPTR_44	farmer_adult	TOCDLIC2	Chromium	1.1911E-006	1.2353E-006
RCPTR_44	farmer_adult	TOCDLIC2	Chromium, hexavalent	7.8047E-007	7.9960E-007
RCPTR_44	farmer_adult	TOCDLIC2	Chrysene	2.2191E-006	2.9956E-006
RCPTR_44	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.7353E-008	2.1035E-008
RCPTR_44	farmer_adult	TOCDLIC2	Di-n-octylphthalate	8.8640E+001	8.8640E+001
RCPTR_44	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	1.6413E-004	1.7022E-004
RCPTR_44	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	5.7852E-013	2.9056E-012
RCPTR_44	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	6.9139E-013	3.5184E-012
RCPTR_44	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	6.6343E-013	3.3883E-012
RCPTR_44	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	9.3076E-009	1.2239E-008
RCPTR_44	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	2.9768E-018	1.5453E-017

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	7.4712E-016	3.8923E-015
RCPTR_44	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	9.2795E-016	4.8355E-015
RCPTR_44	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	2.8336E-016	1.4734E-015
RCPTR_44	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	4.5561E-016	2.3685E-015
RCPTR_44	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	7.8819E-011	2.7781E-010
RCPTR_44	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	2.5691E-015	1.3326E-014
RCPTR_44	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	8.4468E-016	4.3977E-015
RCPTR_44	farmer_adult	TOCDLIC2	Diethyl phthalate	1.0891E-008	1.1522E-008
RCPTR_44	farmer_adult	TOCDLIC2	Dimethyl phthalate	2.0417E-011	1.0317E-010
RCPTR_44	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	8.4533E-012	4.3692E-011
RCPTR_44	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	8.8105E-012	2.1093E-011
RCPTR_44	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	8.0775E-012	4.0017E-011
RCPTR_44	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	6.1501E-012	3.0886E-011
RCPTR_44	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.7854E-013	9.3089E-013
RCPTR_44	farmer_adult	TOCDLIC2	Ethylbenzene	9.5106E-015	4.7659E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	4.4387E-009	5.4801E-009
RCPTR_44	farmer_adult	TOCDLIC2	Fluoranthene	4.4266E-008	1.6702E-007
RCPTR_44	farmer_adult	TOCDLIC2	Fluorene	5.3811E-010	2.7033E-009
RCPTR_44	farmer_adult	TOCDLIC2	GB	1.5080E-015	7.8519E-015
RCPTR_44	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.9614E-013	5.6076E-013
RCPTR_44	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	4.7233E-013	5.2094E-013
RCPTR_44	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.4271E-013	4.9878E-013
RCPTR_44	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.3775E-012	1.5261E-012
RCPTR_44	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	9.5953E-013	1.0947E-012
RCPTR_44	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	9.0976E-013	1.0584E-012
RCPTR_44	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	8.8293E-013	1.0463E-012
RCPTR_44	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.3323E-013	6.3137E-013
RCPTR_44	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.7748E-013	5.6456E-013
RCPTR_44	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	5.4596E-013	6.4597E-013
RCPTR_44	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.1816E-011	5.6560E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDLIC2	Hexachlorobenzene	2.3674E-008	1.1543E-007
RCPTR_44	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	3.1957E-011	1.5004E-010
RCPTR_44	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	6.8579E-012	3.4960E-011
RCPTR_44	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_44	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.2055E-003	1.2168E-003
RCPTR_44	farmer_adult	TOCDLIC2	Isophorone	1.2779E-012	6.6557E-012
RCPTR_44	farmer_adult	TOCDLIC2	Lead	1.9791E-007	2.5915E-007
RCPTR_44	farmer_adult	TOCDLIC2	Mercuric chloride	1.0766E-005	1.1943E-005
RCPTR_44	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	4.4206E-017	2.3043E-016
RCPTR_44	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.7630E-018	9.1845E-018
RCPTR_44	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	9.9135E-015	5.1693E-014
RCPTR_44	farmer_adult	TOCDLIC2	Methyl mercury	6.4772E-008	7.0914E-008
RCPTR_44	farmer_adult	TOCDLIC2	Methylene chloride	7.7870E-016	4.0575E-015
RCPTR_44	farmer_adult	TOCDLIC2	Naphthalene	5.4499E-012	2.8075E-011
RCPTR_44	farmer_adult	TOCDLIC2	Nickel	1.3591E-007	1.5049E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.1919E-011	1.1378E-010
RCPTR_44	farmer_adult	TOCDLIC2	Nitroaniline, 3-	5.2013E-012	2.7085E-011
RCPTR_44	farmer_adult	TOCDLIC2	Nitroaniline, 4-	6.7253E-012	3.4992E-011
RCPTR_44	farmer_adult	TOCDLIC2	Nitrobenzene	2.1554E-012	1.1235E-011
RCPTR_44	farmer_adult	TOCDLIC2	Nitrophenol, 2-	9.8196E-013	5.1147E-012
RCPTR_44	farmer_adult	TOCDLIC2	Nitrophenol, 4-	3.3835E-011	7.3224E-011
RCPTR_44	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.2203E-012	6.3345E-012
RCPTR_44	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.2018E-012	6.2239E-012
RCPTR_44	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.0966E-013	5.5749E-013
RCPTR_44	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	8.0121E-013	9.3996E-013
RCPTR_44	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.6500E-013	3.1001E-013
RCPTR_44	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.5968E-012	4.0632E-012
RCPTR_44	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.0738E-012	1.3065E-012
RCPTR_44	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.9485E-012	3.5765E-012
RCPTR_44	farmer_adult	TOCDLIC2	Pentachlorobenzene	9.2656E-011	4.2308E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	3.7624E-011	1.6722E-010
RCPTR_44	farmer_adult	TOCDLIC2	Pentachlorophenol	5.0348E-008	7.4615E-008
RCPTR_44	farmer_adult	TOCDLIC2	Phenanthrene	1.6902E-012	8.5701E-012
RCPTR_44	farmer_adult	TOCDLIC2	Phenol	1.8105E-012	9.4078E-012
RCPTR_44	farmer_adult	TOCDLIC2	Pronamide	1.6919E-010	8.4775E-010
RCPTR_44	farmer_adult	TOCDLIC2	Pyrene	8.4663E-008	3.4722E-007
RCPTR_44	farmer_adult	TOCDLIC2	Selenium	8.4920E-008	8.5524E-008
RCPTR_44	farmer_adult	TOCDLIC2	Silver	2.8757E-008	3.2451E-008
RCPTR_44	farmer_adult	TOCDLIC2	Styrene	2.5344E-013	1.3157E-012
RCPTR_44	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.9066E-012	2.4545E-012
RCPTR_44	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.5915E-012	2.1954E-012
RCPTR_44	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.4206E-010	6.8380E-010
RCPTR_44	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.1932E-011	1.5968E-011
RCPTR_44	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.7268E-015	1.4160E-014
RCPTR_44	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.7179E-009	4.6700E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_adult	TOCDLIC2	Thallium (I)	7.5719E-007	8.2002E-007
RCPTR_44	farmer_adult	TOCDLIC2	Toluene	1.4732E-014	7.5831E-014
RCPTR_44	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	5.2658E-012	2.6254E-011
RCPTR_44	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.7596E-015	9.1509E-015
RCPTR_44	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.3438E-014	6.9981E-014
RCPTR_44	farmer_adult	TOCDLIC2	Trichloroethylene	2.1901E-015	1.1375E-014
RCPTR_44	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.8776E-016	1.4950E-015
RCPTR_44	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	6.3229E-010	2.9998E-009
RCPTR_44	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.5246E-010	6.0035E-010
RCPTR_44	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	4.9768E-014	2.5899E-013
RCPTR_44	farmer_adult	TOCDLIC2	Vinyl Chloride	8.3914E-019	4.3680E-018
RCPTR_44	farmer_adult	TOCDLIC2	Xylene, m-	5.0997E-014	1.1176E-013
RCPTR_44	farmer_adult	TOCDLIC2	Xylene, o-	3.4828E-014	8.5769E-014
RCPTR_44	farmer_adult	TOCDLIC2	Xylene, p-	5.6344E-014	1.5059E-013
RCPTR_44	farmer_adult	TOCDLIC2	Zinc	1.3090E-007	1.7463E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFBRA	Antimony	2.7358E-007	2.8246E-007
RCPTR_44	farmer_child	TOCDFBRA	Arsenic	3.7954E-007	3.8132E-007
RCPTR_44	farmer_child	TOCDFBRA	Barium	3.5706E-008	3.6522E-008
RCPTR_44	farmer_child	TOCDFBRA	Beryllium	1.1560E-007	1.3650E-007
RCPTR_44	farmer_child	TOCDFBRA	Cadmium	2.4484E-008	2.6680E-008
RCPTR_44	farmer_child	TOCDFBRA	Chromium	2.7713E-006	3.4055E-006
RCPTR_44	farmer_child	TOCDFBRA	Chromium, hexavalent	2.1990E-006	2.2024E-006
RCPTR_44	farmer_child	TOCDFBRA	Lead	1.3047E-006	1.6603E-006
RCPTR_44	farmer_child	TOCDFBRA	Mercuric chloride	2.1903E-004	4.0263E-004
RCPTR_44	farmer_child	TOCDFBRA	Methyl mercury	2.0285E-006	2.5692E-006
RCPTR_44	farmer_child	TOCDFBRA	Nickel	1.2975E-006	1.3249E-006
RCPTR_44	farmer_child	TOCDFBRA	Selenium	4.0972E-007	4.0977E-007
RCPTR_44	farmer_child	TOCDFBRA	Silver	1.5611E-007	1.5661E-007
RCPTR_44	farmer_child	TOCDFBRA	Thallium (I)	3.9584E-006	4.0297E-006
RCPTR_44	farmer_child	TOCDFBRA	Zinc	8.1444E-007	8.5835E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFDFS	Acenaphthene	5.8656E-010	5.8864E-010
RCPTR_44	farmer_child	TOCDFDFS	Acetone	7.3668E-015	7.3668E-015
RCPTR_44	farmer_child	TOCDFDFS	Acetophenone	3.2600E-012	3.2607E-012
RCPTR_44	farmer_child	TOCDFDFS	Aniline	1.8700E-013	1.8701E-013
RCPTR_44	farmer_child	TOCDFDFS	Anthracene	1.0045E-008	1.0384E-008
RCPTR_44	farmer_child	TOCDFDFS	Antimony	2.7086E-006	2.7963E-006
RCPTR_44	farmer_child	TOCDFDFS	Aroclor 1254	5.8092E-011	5.8500E-011
RCPTR_44	farmer_child	TOCDFDFS	Arsenic	2.1254E-007	2.1353E-007
RCPTR_44	farmer_child	TOCDFDFS	Barium	7.0290E-009	7.1894E-009
RCPTR_44	farmer_child	TOCDFDFS	Benzene	6.0920E-015	6.0920E-015
RCPTR_44	farmer_child	TOCDFDFS	Benzo(a)anthracene	9.7599E-007	1.1509E-006
RCPTR_44	farmer_child	TOCDFDFS	Benzo(a)pyrene	6.7039E-006	6.8490E-006
RCPTR_44	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	4.4808E-006	4.9028E-006
RCPTR_44	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	1.0398E-005	1.0950E-005
RCPTR_44	farmer_child	TOCDFDFS	Benzoic acid	2.1226E-011	2.1228E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFDFS	Benzyl alcohol	4.2407E-012	4.2428E-012
RCPTR_44	farmer_child	TOCDFDFS	Beryllium	6.2638E-008	7.3941E-008
RCPTR_44	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	4.2447E-012	4.2464E-012
RCPTR_44	farmer_child	TOCDFDFS	Bromodichloromethane	4.8049E-014	4.8049E-014
RCPTR_44	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.9095E-012	1.9097E-012
RCPTR_44	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.6491E-007	2.2814E-007
RCPTR_44	farmer_child	TOCDFDFS	Butylbenzylphthalate	4.4866E-009	4.4902E-009
RCPTR_44	farmer_child	TOCDFDFS	Cadmium	6.6759E-008	7.2738E-008
RCPTR_44	farmer_child	TOCDFDFS	Carbon disulfide	3.1845E-015	3.1845E-015
RCPTR_44	farmer_child	TOCDFDFS	Carbon tetrachloride	1.5893E-014	1.5893E-014
RCPTR_44	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	3.4431E-010	3.4599E-010
RCPTR_44	farmer_child	TOCDFDFS	Chloroaniline, p-	1.9697E-011	1.9719E-011
RCPTR_44	farmer_child	TOCDFDFS	Chlorobenzene	9.2964E-014	9.2965E-014
RCPTR_44	farmer_child	TOCDFDFS	Chloroethane	2.6092E-016	2.6092E-016
RCPTR_44	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	1.4390E-014	1.4390E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.5257E-009	1.5382E-009
RCPTR_44	farmer_child	TOCDFDFS	Chlorophenol, 2-	5.4644E-011	5.4769E-011
RCPTR_44	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.9135E-009	1.9203E-009
RCPTR_44	farmer_child	TOCDFDFS	Chromium	8.0688E-007	9.9121E-007
RCPTR_44	farmer_child	TOCDFDFS	Chromium, hexavalent	6.4055E-007	6.4153E-007
RCPTR_44	farmer_child	TOCDFDFS	Chrysene	2.2747E-006	2.5621E-006
RCPTR_44	farmer_child	TOCDFDFS	Di-n-butyl phthalate	1.7935E-008	1.7969E-008
RCPTR_44	farmer_child	TOCDFDFS	Di-n-octylphthalate	7.5629E+001	7.5629E+001
RCPTR_44	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.4393E-004	1.4624E-004
RCPTR_44	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	2.4816E-012	2.4817E-012
RCPTR_44	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	3.0050E-012	3.0051E-012
RCPTR_44	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.8939E-012	2.8940E-012
RCPTR_44	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.7275E-008	1.7372E-008
RCPTR_44	farmer_child	TOCDFDFS	Dichlorodifluoromethane	2.0856E-017	2.0856E-017
RCPTR_44	farmer_child	TOCDFDFS	Dichloroethane 1,1-	5.2530E-015	5.2530E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	6.5260E-015	6.5260E-015
RCPTR_44	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.9885E-015	1.9885E-015
RCPTR_44	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	3.1965E-015	3.1965E-015
RCPTR_44	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.3650E-010	2.3726E-010
RCPTR_44	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	1.7984E-014	1.7984E-014
RCPTR_44	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	5.9351E-015	5.9351E-015
RCPTR_44	farmer_child	TOCDFDFS	Diethyl phthalate	9.8298E-009	9.8313E-009
RCPTR_44	farmer_child	TOCDFDFS	Dimethyl phthalate	8.2222E-011	8.2294E-011
RCPTR_44	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	3.7270E-011	3.7318E-011
RCPTR_44	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.7752E-011	1.7755E-011
RCPTR_44	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	3.4126E-011	3.4182E-011
RCPTR_44	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	2.6343E-011	2.6380E-011
RCPTR_44	farmer_child	TOCDFDFS	Ethyl methanesulfonate	7.9487E-013	7.9508E-013
RCPTR_44	farmer_child	TOCDFDFS	Ethylbenzene	5.6714E-014	5.6714E-014
RCPTR_44	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.5769E-010	4.5896E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFDFS	Fluoranthene	1.2139E-007	1.4267E-007
RCPTR_44	farmer_child	TOCDFDFS	Fluorene	2.2842E-009	2.3090E-009
RCPTR_44	farmer_child	TOCDFDFS	GB	2.1380E-014	2.1385E-014
RCPTR_44	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.1769E-013	1.2965E-013
RCPTR_44	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.2500E-014	6.7544E-014
RCPTR_44	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.0793E-013	2.2844E-013
RCPTR_44	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.1989E-012	1.3002E-012
RCPTR_44	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	6.3056E-013	6.9930E-013
RCPTR_44	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	5.3675E-013	6.0416E-013
RCPTR_44	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.2546E-013	4.8550E-013
RCPTR_44	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.7928E-013	4.3262E-013
RCPTR_44	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.1072E-013	5.8186E-013
RCPTR_44	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.5082E-013	3.9989E-013
RCPTR_44	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	4.8306E-011	4.8311E-011
RCPTR_44	farmer_child	TOCDFDFS	Hexachlorobenzene	9.2748E-008	9.8588E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	6.3428E-010	6.3441E-010
RCPTR_44	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.9854E-011	2.9859E-011
RCPTR_44	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_44	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.0367E-003	1.0405E-003
RCPTR_44	farmer_child	TOCDFDFS	Isophorone	5.6826E-012	5.6847E-012
RCPTR_44	farmer_child	TOCDFDFS	Lead	7.6492E-006	9.7310E-006
RCPTR_44	farmer_child	TOCDFDFS	Mercuric chloride	7.7517E-008	1.4385E-007
RCPTR_44	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	5.5614E-016	5.5614E-016
RCPTR_44	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	9.4146E-017	9.4146E-017
RCPTR_44	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.9438E-014	4.9438E-014
RCPTR_44	farmer_child	TOCDFDFS	Methyl mercury	6.6458E-010	8.5994E-010
RCPTR_44	farmer_child	TOCDFDFS	Methylene chloride	1.4290E-015	1.4290E-015
RCPTR_44	farmer_child	TOCDFDFS	Naphthalene	2.3972E-011	2.3979E-011
RCPTR_44	farmer_child	TOCDFDFS	Nickel	7.5579E-007	7.7171E-007
RCPTR_44	farmer_child	TOCDFDFS	Nitroaniline, 2-	9.5680E-011	9.5785E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFDFS	Nitroaniline, 3-	2.2792E-011	2.2802E-011
RCPTR_44	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.9443E-011	2.9458E-011
RCPTR_44	farmer_child	TOCDFDFS	Nitrobenzene	9.5905E-012	9.5958E-012
RCPTR_44	farmer_child	TOCDFDFS	Nitrophenol, 2-	4.3674E-012	4.3685E-012
RCPTR_44	farmer_child	TOCDFDFS	Nitrophenol, 4-	6.1606E-011	6.1624E-011
RCPTR_44	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	5.4094E-012	5.4104E-012
RCPTR_44	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	5.3154E-012	5.3159E-012
RCPTR_44	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	4.7621E-013	4.7623E-013
RCPTR_44	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	2.9213E-013	3.3106E-013
RCPTR_44	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.0006E-013	1.1316E-013
RCPTR_44	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.1077E-012	3.4164E-012
RCPTR_44	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.6299E-013	3.0575E-013
RCPTR_44	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.0337E-012	1.1997E-012
RCPTR_44	farmer_child	TOCDFDFS	Pentachlorobenzene	3.6138E-010	3.6153E-010
RCPTR_44	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.4085E-010	1.4085E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFDFS	Pentachlorophenol	6.2611E-008	6.2776E-008
RCPTR_44	farmer_child	TOCDFDFS	Phenanthrene	7.3197E-012	7.3198E-012
RCPTR_44	farmer_child	TOCDFDFS	Phenol	7.5953E-012	7.6000E-012
RCPTR_44	farmer_child	TOCDFDFS	Pronamide	1.4376E-009	1.4481E-009
RCPTR_44	farmer_child	TOCDFDFS	Pyrene	1.9994E-007	2.9658E-007
RCPTR_44	farmer_child	TOCDFDFS	Selenium	2.2946E-007	2.2949E-007
RCPTR_44	farmer_child	TOCDFDFS	Silver	8.8787E-008	8.9072E-008
RCPTR_44	farmer_child	TOCDFDFS	Styrene	1.5512E-012	1.5513E-012
RCPTR_44	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.4707E-012	1.7791E-012
RCPTR_44	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	4.8513E-013	6.1632E-013
RCPTR_44	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	5.8321E-010	5.8403E-010
RCPTR_44	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	2.1536E-011	2.1536E-011
RCPTR_44	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.9111E-014	1.9111E-014
RCPTR_44	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	3.9231E-009	3.9307E-009
RCPTR_44	farmer_child	TOCDFDFS	Thallium (I)	2.1456E-006	2.1842E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFDFS	Toluene	2.5729E-014	2.5729E-014
RCPTR_44	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.2421E-011	2.2424E-011
RCPTR_44	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	1.2350E-014	1.2350E-014
RCPTR_44	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	9.4446E-014	9.4447E-014
RCPTR_44	farmer_child	TOCDFDFS	Trichloroethylene	1.5351E-014	1.5351E-014
RCPTR_44	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	2.0176E-015	2.0176E-015
RCPTR_44	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	2.5196E-009	2.5621E-009
RCPTR_44	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	5.1090E-010	5.1273E-010
RCPTR_44	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	3.4953E-013	3.4954E-013
RCPTR_44	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	4.0693E-012	4.0731E-012
RCPTR_44	farmer_child	TOCDFDFS	Vinyl Chloride	4.9888E-018	4.9888E-018
RCPTR_44	farmer_child	TOCDFDFS	Xylene, m-	1.1175E-013	1.1175E-013
RCPTR_44	farmer_child	TOCDFDFS	Xylene, o-	1.1647E-013	1.1647E-013
RCPTR_44	farmer_child	TOCDFDFS	Xylene, p-	1.5022E-013	1.5022E-013
RCPTR_44	farmer_child	TOCDFDFS	Zinc	5.3280E-007	5.6148E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFLIC	Acenaphthene	3.3278E-010	3.3396E-010
RCPTR_44	farmer_child	TOCDFLIC	Acetone	8.8177E-015	8.8177E-015
RCPTR_44	farmer_child	TOCDFLIC	Acetophenone	3.1707E-012	3.1714E-012
RCPTR_44	farmer_child	TOCDFLIC	Aniline	1.0610E-013	1.0610E-013
RCPTR_44	farmer_child	TOCDFLIC	Anthracene	5.6992E-009	5.8911E-009
RCPTR_44	farmer_child	TOCDFLIC	Antimony	4.8078E-008	4.9635E-008
RCPTR_44	farmer_child	TOCDFLIC	Arsenic	1.2896E-007	1.2957E-007
RCPTR_44	farmer_child	TOCDFLIC	Barium	4.8484E-009	4.9590E-009
RCPTR_44	farmer_child	TOCDFLIC	Benzene	8.0900E-014	8.0900E-014
RCPTR_44	farmer_child	TOCDFLIC	Benzo(a)anthracene	5.5285E-007	6.5200E-007
RCPTR_44	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.7873E-006	3.8689E-006
RCPTR_44	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.5384E-006	2.7776E-006
RCPTR_44	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	5.8751E-006	6.1846E-006
RCPTR_44	farmer_child	TOCDFLIC	Benzoic acid	1.2919E-011	1.2920E-011
RCPTR_44	farmer_child	TOCDFLIC	Benzyl alcohol	2.4060E-012	2.4072E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFLIC	Beryllium	2.3516E-008	2.7759E-008
RCPTR_44	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	2.4082E-012	2.4092E-012
RCPTR_44	farmer_child	TOCDFLIC	Bromodichloromethane	2.1542E-014	2.1542E-014
RCPTR_44	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	7.4195E-013	7.4201E-013
RCPTR_44	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	9.3560E-008	1.2944E-007
RCPTR_44	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.5307E-009	2.5327E-009
RCPTR_44	farmer_child	TOCDFLIC	Cadmium	1.8540E-008	2.0200E-008
RCPTR_44	farmer_child	TOCDFLIC	Carbon disulfide	4.9022E-015	4.9022E-015
RCPTR_44	farmer_child	TOCDFLIC	Carbon tetrachloride	7.7371E-015	7.7372E-015
RCPTR_44	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	1.9536E-010	1.9631E-010
RCPTR_44	farmer_child	TOCDFLIC	Chloroaniline, p-	1.1175E-011	1.1187E-011
RCPTR_44	farmer_child	TOCDFLIC	Chlorobenzene	4.5259E-014	4.5259E-014
RCPTR_44	farmer_child	TOCDFLIC	Chloroethane	1.2703E-016	1.2703E-016
RCPTR_44	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	6.8537E-015	6.8537E-015
RCPTR_44	farmer_child	TOCDFLIC	Chloronaphthalene,2-	8.6561E-010	8.7271E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFLIC	Chlorophenol, 2-	3.1002E-011	3.1073E-011
RCPTR_44	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.0855E-009	1.0894E-009
RCPTR_44	farmer_child	TOCDFLIC	Chromium	1.0056E-006	1.2353E-006
RCPTR_44	farmer_child	TOCDFLIC	Chromium, hexavalent	7.9838E-007	7.9960E-007
RCPTR_44	farmer_child	TOCDFLIC	Chrysene	1.2888E-006	1.4516E-006
RCPTR_44	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.0174E-008	1.0193E-008
RCPTR_44	farmer_child	TOCDFLIC	Di-n-octylphthalate	4.2953E+001	4.2953E+001
RCPTR_44	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	8.1211E-005	8.2488E-005
RCPTR_44	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	1.4080E-012	1.4080E-012
RCPTR_44	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	1.7049E-012	1.7050E-012
RCPTR_44	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	1.6419E-012	1.6419E-012
RCPTR_44	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	5.0611E-009	5.0896E-009
RCPTR_44	farmer_child	TOCDFLIC	Dichlorodifluoromethane	1.0153E-017	1.0153E-017
RCPTR_44	farmer_child	TOCDFLIC	Dichloroethane 1,1-	2.5574E-015	2.5574E-015
RCPTR_44	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	3.1771E-015	3.1771E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	9.6810E-016	9.6810E-016
RCPTR_44	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.5562E-015	1.5562E-015
RCPTR_44	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	1.3419E-010	1.3462E-010
RCPTR_44	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	8.7555E-015	8.7555E-015
RCPTR_44	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	2.8895E-015	2.8895E-015
RCPTR_44	farmer_child	TOCDFLIC	Diethyl phthalate	5.5823E-009	5.5831E-009
RCPTR_44	farmer_child	TOCDFLIC	Dimethyl phthalate	8.4162E-011	8.4236E-011
RCPTR_44	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	2.1145E-011	2.1172E-011
RCPTR_44	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	1.0193E-011	1.0195E-011
RCPTR_44	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	1.9360E-011	1.9392E-011
RCPTR_44	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	1.4945E-011	1.4967E-011
RCPTR_44	farmer_child	TOCDFLIC	Ethyl methanesulfonate	4.5097E-013	4.5109E-013
RCPTR_44	farmer_child	TOCDFLIC	Ethylbenzene	3.6814E-014	3.6814E-014
RCPTR_44	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	8.1621E-009	8.1848E-009
RCPTR_44	farmer_child	TOCDFLIC	Fluoranthene	6.8858E-008	8.0933E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFLIC	Fluorene	1.2960E-009	1.3100E-009
RCPTR_44	farmer_child	TOCDFLIC	GB	7.5508E-015	7.5527E-015
RCPTR_44	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	7.2576E-014	7.9893E-014
RCPTR_44	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	8.8316E-014	9.5372E-014
RCPTR_44	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.0816E-013	2.2853E-013
RCPTR_44	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	9.3794E-013	1.0165E-012
RCPTR_44	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	5.2366E-013	5.8035E-013
RCPTR_44	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.4124E-013	4.9641E-013
RCPTR_44	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.8503E-013	3.2517E-013
RCPTR_44	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.7960E-013	3.1884E-013
RCPTR_44	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.2476E-013	3.6988E-013
RCPTR_44	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.3658E-013	2.6960E-013
RCPTR_44	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.7405E-011	2.7408E-011
RCPTR_44	farmer_child	TOCDFLIC	Hexachlorobenzene	5.2620E-008	5.5933E-008
RCPTR_44	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	7.2692E-011	7.2707E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.6938E-011	1.6941E-011
RCPTR_44	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_44	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.8757E-004	5.8966E-004
RCPTR_44	farmer_child	TOCDFLIC	Isophorone	3.2240E-012	3.2252E-012
RCPTR_44	farmer_child	TOCDFLIC	Lead	2.8255E-006	3.5943E-006
RCPTR_44	farmer_child	TOCDFLIC	Mercuric chloride	6.4294E-006	1.1943E-005
RCPTR_44	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	1.7617E-016	1.7617E-016
RCPTR_44	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.4429E-017	1.4429E-017
RCPTR_44	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	5.2446E-014	5.2446E-014
RCPTR_44	farmer_child	TOCDFLIC	Methyl mercury	5.4677E-008	7.0914E-008
RCPTR_44	farmer_child	TOCDFLIC	Methylene chloride	1.1154E-015	1.1154E-015
RCPTR_44	farmer_child	TOCDFLIC	Naphthalene	1.3601E-011	1.3605E-011
RCPTR_44	farmer_child	TOCDFLIC	Nickel	4.2400E-007	4.3293E-007
RCPTR_44	farmer_child	TOCDFLIC	Nitroaniline, 2-	5.4932E-011	5.4992E-011
RCPTR_44	farmer_child	TOCDFLIC	Nitroaniline, 3-	1.3086E-011	1.3091E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFLIC	Nitroaniline, 4-	1.6904E-011	1.6913E-011
RCPTR_44	farmer_child	TOCDFLIC	Nitrobenzene	5.4412E-012	5.4442E-012
RCPTR_44	farmer_child	TOCDFLIC	Nitrophenol, 2-	2.4778E-012	2.4785E-012
RCPTR_44	farmer_child	TOCDFLIC	Nitrophenol, 4-	3.5381E-011	3.5392E-011
RCPTR_44	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	3.0691E-012	3.0696E-012
RCPTR_44	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	3.0157E-012	3.0160E-012
RCPTR_44	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	2.7014E-013	2.7015E-013
RCPTR_44	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.4713E-013	2.7994E-013
RCPTR_44	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	8.1074E-014	9.1655E-014
RCPTR_44	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.9774E-012	2.1729E-012
RCPTR_44	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	5.3114E-013	6.1746E-013
RCPTR_44	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.1581E-012	1.3439E-012
RCPTR_44	farmer_child	TOCDFLIC	Pentachlorobenzene	2.0493E-010	2.0502E-010
RCPTR_44	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	8.0817E-011	8.0822E-011
RCPTR_44	farmer_child	TOCDFLIC	Pentachlorophenol	3.5969E-008	3.6064E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFLIC	Phenanthrene	4.1528E-012	4.1529E-012
RCPTR_44	farmer_child	TOCDFLIC	Phenol	4.3092E-012	4.3119E-012
RCPTR_44	farmer_child	TOCDFLIC	Pronamide	4.0781E-010	4.1080E-010
RCPTR_44	farmer_child	TOCDFLIC	Pyrene	1.1343E-007	1.6826E-007
RCPTR_44	farmer_child	TOCDFLIC	Selenium	8.5514E-008	8.5524E-008
RCPTR_44	farmer_child	TOCDFLIC	Silver	3.2348E-008	3.2451E-008
RCPTR_44	farmer_child	TOCDFLIC	Styrene	1.5705E-012	1.5706E-012
RCPTR_44	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	6.9987E-013	8.4672E-013
RCPTR_44	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	9.6457E-013	1.2256E-012
RCPTR_44	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	3.3089E-010	3.3135E-010
RCPTR_44	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	1.0492E-011	1.0492E-011
RCPTR_44	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	9.3039E-015	9.3039E-015
RCPTR_44	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	2.2528E-009	2.2572E-009
RCPTR_44	farmer_child	TOCDFLIC	Thallium (I)	8.0553E-007	8.2002E-007
RCPTR_44	farmer_child	TOCDFLIC	Toluene	7.2039E-014	7.2039E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.2721E-011	1.2722E-011
RCPTR_44	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	6.0126E-015	6.0126E-015
RCPTR_44	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	4.5980E-014	4.5981E-014
RCPTR_44	farmer_child	TOCDFLIC	Trichloroethylene	7.4736E-015	7.4736E-015
RCPTR_44	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	9.8225E-016	9.8225E-016
RCPTR_44	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	1.4295E-009	1.4536E-009
RCPTR_44	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	2.8988E-010	2.9092E-010
RCPTR_44	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	1.7017E-013	1.7017E-013
RCPTR_44	farmer_child	TOCDFLIC	Vinyl Chloride	2.6170E-018	2.6170E-018
RCPTR_44	farmer_child	TOCDFLIC	Xylene, m-	9.6277E-014	9.6277E-014
RCPTR_44	farmer_child	TOCDFLIC	Xylene, o-	6.3926E-014	6.3926E-014
RCPTR_44	farmer_child	TOCDFLIC	Xylene, p-	1.2972E-013	1.2972E-013
RCPTR_44	farmer_child	TOCDFLIC	Zinc	1.3878E-007	1.4625E-007
RCPTR_44	farmer_child	TOCDFMPF	Acenaphthene	1.4212E-009	1.4262E-009
RCPTR_44	farmer_child	TOCDFMPF	Acetone	4.4263E-015	4.4263E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFMPF	Acetophenone	7.5228E-012	7.5244E-012
RCPTR_44	farmer_child	TOCDFMPF	Aniline	4.5310E-013	4.5311E-013
RCPTR_44	farmer_child	TOCDFMPF	Anthracene	2.4339E-008	2.5159E-008
RCPTR_44	farmer_child	TOCDFMPF	Antimony	1.4344E-008	1.4808E-008
RCPTR_44	farmer_child	TOCDFMPF	Arsenic	3.0337E-008	3.0479E-008
RCPTR_44	farmer_child	TOCDFMPF	Barium	4.5558E-009	4.6598E-009
RCPTR_44	farmer_child	TOCDFMPF	Benzene	3.9419E-015	3.9419E-015
RCPTR_44	farmer_child	TOCDFMPF	Benzo(a)anthracene	2.3612E-006	2.7846E-006
RCPTR_44	farmer_child	TOCDFMPF	Benzo(a)pyrene	1.6176E-005	1.6525E-005
RCPTR_44	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	1.0841E-005	1.1863E-005
RCPTR_44	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	2.5094E-005	2.6416E-005
RCPTR_44	farmer_child	TOCDFMPF	Benzoic acid	5.1430E-011	5.1436E-011
RCPTR_44	farmer_child	TOCDFMPF	Benzyl alcohol	1.0275E-011	1.0280E-011
RCPTR_44	farmer_child	TOCDFMPF	Beryllium	6.7323E-009	7.9469E-009
RCPTR_44	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.0285E-011	1.0289E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFMPF	Bromodichloromethane	3.5135E-014	3.5136E-014
RCPTR_44	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.3257E-012	1.3258E-012
RCPTR_44	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	3.9956E-007	5.5278E-007
RCPTR_44	farmer_child	TOCDFMPF	Butylbenzylphthalate	1.0809E-008	1.0818E-008
RCPTR_44	farmer_child	TOCDFMPF	Cadmium	8.1307E-009	8.8588E-009
RCPTR_44	farmer_child	TOCDFMPF	Carbon disulfide	6.8950E-015	6.8950E-015
RCPTR_44	farmer_child	TOCDFMPF	Carbon tetrachloride	1.0911E-014	1.0911E-014
RCPTR_44	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	8.3431E-010	8.3838E-010
RCPTR_44	farmer_child	TOCDFMPF	Chloroaniline, p-	4.7725E-011	4.7777E-011
RCPTR_44	farmer_child	TOCDFMPF	Chlorobenzene	6.3822E-014	6.3822E-014
RCPTR_44	farmer_child	TOCDFMPF	Chloroethane	1.7913E-016	1.7913E-016
RCPTR_44	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	9.2968E-015	9.2968E-015
RCPTR_44	farmer_child	TOCDFMPF	Chloronaphthalene,2-	3.6967E-009	3.7270E-009
RCPTR_44	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.3240E-010	1.3270E-010
RCPTR_44	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	4.6360E-009	4.6523E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFMPF	Chromium	1.9503E-007	2.3957E-007
RCPTR_44	farmer_child	TOCDFMPF	Chromium, hexavalent	1.5483E-007	1.5507E-007
RCPTR_44	farmer_child	TOCDFMPF	Chrysene	5.5043E-006	6.1997E-006
RCPTR_44	farmer_child	TOCDFMPF	Di-n-butyl phthalate	4.3451E-008	4.3533E-008
RCPTR_44	farmer_child	TOCDFMPF	Di-n-octylphthalate	1.8344E+002	1.8344E+002
RCPTR_44	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	3.4689E-004	3.5235E-004
RCPTR_44	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	6.0128E-012	6.0130E-012
RCPTR_44	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	7.2810E-012	7.2813E-012
RCPTR_44	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	7.0117E-012	7.0120E-012
RCPTR_44	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.8277E-008	2.8436E-008
RCPTR_44	farmer_child	TOCDFMPF	Dichlorodifluoromethane	1.4318E-017	1.4318E-017
RCPTR_44	farmer_child	TOCDFMPF	Dichloroethane 1,1-	3.6063E-015	3.6063E-015
RCPTR_44	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	4.4802E-015	4.4802E-015
RCPTR_44	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.3652E-015	1.3652E-015
RCPTR_44	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.1945E-015	2.1945E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	5.7309E-010	5.7493E-010
RCPTR_44	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.2347E-014	1.2347E-014
RCPTR_44	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	4.0746E-015	4.0746E-015
RCPTR_44	farmer_child	TOCDFMPF	Diethyl phthalate	2.3841E-008	2.3844E-008
RCPTR_44	farmer_child	TOCDFMPF	Dimethyl phthalate	3.0649E-011	3.0675E-011
RCPTR_44	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	9.0304E-011	9.0419E-011
RCPTR_44	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	4.3453E-011	4.3460E-011
RCPTR_44	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	8.2679E-011	8.2814E-011
RCPTR_44	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	6.3826E-011	6.3917E-011
RCPTR_44	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.9259E-012	1.9264E-012
RCPTR_44	farmer_child	TOCDFMPF	Ethylbenzene	3.8935E-014	3.8935E-014
RCPTR_44	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	9.0504E-009	9.0756E-009
RCPTR_44	farmer_child	TOCDFMPF	Fluoranthene	2.9407E-007	3.4564E-007
RCPTR_44	farmer_child	TOCDFMPF	Fluorene	5.5345E-009	5.5944E-009
RCPTR_44	farmer_child	TOCDFMPF	GB	1.0760E-014	1.0763E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.5307E-013	1.6850E-013
RCPTR_44	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	5.9358E-012	6.4100E-012
RCPTR_44	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	9.6721E-013	1.0619E-012
RCPTR_44	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.1463E-012	2.3261E-012
RCPTR_44	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.1399E-012	1.2634E-012
RCPTR_44	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.0481E-012	1.1792E-012
RCPTR_44	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.2829E-011	4.8860E-011
RCPTR_44	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.0463E-011	1.1931E-011
RCPTR_44	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.8229E-012	2.0763E-012
RCPTR_44	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.2998E-012	1.4813E-012
RCPTR_44	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.1704E-010	1.1705E-010
RCPTR_44	farmer_child	TOCDFMPF	Hexachlorobenzene	2.2472E-007	2.3887E-007
RCPTR_44	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	3.1044E-010	3.1050E-010
RCPTR_44	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	7.2335E-011	7.2348E-011
RCPTR_44	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.5095E-003	2.5185E-003
RCPTR_44	farmer_child	TOCDFMPF	Isophorone	1.3769E-011	1.3774E-011
RCPTR_44	farmer_child	TOCDFMPF	Lead	2.2331E-009	2.8408E-009
RCPTR_44	farmer_child	TOCDFMPF	Mercuric chloride	7.2914E-008	1.3543E-007
RCPTR_44	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	2.1168E-016	2.1168E-016
RCPTR_44	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	7.5714E-018	7.5714E-018
RCPTR_44	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	4.9582E-014	4.9582E-014
RCPTR_44	farmer_child	TOCDFMPF	Methyl mercury	6.2019E-010	8.0432E-010
RCPTR_44	farmer_child	TOCDFMPF	Methylene chloride	1.2394E-015	1.2394E-015
RCPTR_44	farmer_child	TOCDFMPF	Naphthalene	5.8083E-011	5.8100E-011
RCPTR_44	farmer_child	TOCDFMPF	Nickel	3.3332E-007	3.4034E-007
RCPTR_44	farmer_child	TOCDFMPF	Nitroaniline, 2-	2.3417E-010	2.3443E-010
RCPTR_44	farmer_child	TOCDFMPF	Nitroaniline, 3-	5.5782E-011	5.5806E-011
RCPTR_44	farmer_child	TOCDFMPF	Nitroaniline, 4-	7.2058E-011	7.2096E-011
RCPTR_44	farmer_child	TOCDFMPF	Nitrobenzene	2.3237E-011	2.3250E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.0582E-011	1.0585E-011
RCPTR_44	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.5083E-010	1.5087E-010
RCPTR_44	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.3107E-011	1.3109E-011
RCPTR_44	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.2879E-011	1.2880E-011
RCPTR_44	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.1537E-012	1.1537E-012
RCPTR_44	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.6765E-013	4.1647E-013
RCPTR_44	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	5.1065E-013	5.7731E-013
RCPTR_44	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	7.8212E-012	8.5946E-012
RCPTR_44	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	5.9254E-012	6.8884E-012
RCPTR_44	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.8856E-011	2.1882E-011
RCPTR_44	farmer_child	TOCDFMPF	Pentachlorobenzene	8.7518E-010	8.7555E-010
RCPTR_44	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	3.4452E-010	3.4454E-010
RCPTR_44	farmer_child	TOCDFMPF	Pentachlorophenol	1.5333E-007	1.5374E-007
RCPTR_44	farmer_child	TOCDFMPF	Phenanthrene	1.7735E-011	1.7735E-011
RCPTR_44	farmer_child	TOCDFMPF	Phenol	1.8403E-011	1.8414E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFMPF	Pronamide	1.7416E-009	1.7544E-009
RCPTR_44	farmer_child	TOCDFMPF	Pyrene	4.8441E-007	7.1856E-007
RCPTR_44	farmer_child	TOCDFMPF	Selenium	2.5077E-008	2.5080E-008
RCPTR_44	farmer_child	TOCDFMPF	Silver	1.2976E-007	1.3018E-007
RCPTR_44	farmer_child	TOCDFMPF	Styrene	1.6823E-012	1.6823E-012
RCPTR_44	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.9888E-012	2.4061E-012
RCPTR_44	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	3.9574E-012	5.0284E-012
RCPTR_44	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.4131E-009	1.4151E-009
RCPTR_44	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.4796E-011	1.4796E-011
RCPTR_44	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.9075E-014	2.9075E-014
RCPTR_44	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	9.6034E-009	9.6220E-009
RCPTR_44	farmer_child	TOCDFMPF	Thallium (I)	2.3826E-007	2.4254E-007
RCPTR_44	farmer_child	TOCDFMPF	Toluene	2.0211E-014	2.0211E-014
RCPTR_44	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	5.4325E-011	5.4332E-011
RCPTR_44	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	8.4787E-015	8.4787E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	6.4839E-014	6.4840E-014
RCPTR_44	farmer_child	TOCDFMPF	Trichloroethylene	1.0539E-014	1.0539E-014
RCPTR_44	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.3851E-015	1.3851E-015
RCPTR_44	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	6.1050E-009	6.2080E-009
RCPTR_44	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.2380E-009	1.2424E-009
RCPTR_44	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	2.3996E-013	2.3997E-013
RCPTR_44	farmer_child	TOCDFMPF	Vinyl Chloride	3.4249E-018	3.4249E-018
RCPTR_44	farmer_child	TOCDFMPF	Xylene, m-	7.6158E-014	7.6159E-014
RCPTR_44	farmer_child	TOCDFMPF	Xylene, o-	7.9478E-014	7.9478E-014
RCPTR_44	farmer_child	TOCDFMPF	Xylene, p-	1.0261E-013	1.0261E-013
RCPTR_44	farmer_child	TOCDFMPF	Zinc	8.5156E-008	8.9738E-008
RCPTR_44	farmer_child	TOCDHVAC	GB	4.6278E-014	4.6289E-014
RCPTR_44	farmer_child	TOCDLIC2	Acenaphthene	6.8675E-010	6.8918E-010
RCPTR_44	farmer_child	TOCDLIC2	Acetone	8.7260E-015	8.7260E-015
RCPTR_44	farmer_child	TOCDLIC2	Acetophenone	3.6351E-012	3.6359E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDLIC2	Aniline	2.1894E-013	2.1895E-013
RCPTR_44	farmer_child	TOCDLIC2	Anthracene	1.1761E-008	1.2157E-008
RCPTR_44	farmer_child	TOCDLIC2	Antimony	6.3964E-008	6.6036E-008
RCPTR_44	farmer_child	TOCDLIC2	Arsenic	1.2896E-007	1.2957E-007
RCPTR_44	farmer_child	TOCDLIC2	Barium	4.6721E-008	4.7787E-008
RCPTR_44	farmer_child	TOCDLIC2	Benzene	5.8219E-015	5.8219E-015
RCPTR_44	farmer_child	TOCDLIC2	Benzo(a)anthracene	1.1409E-006	1.3455E-006
RCPTR_44	farmer_child	TOCDLIC2	Benzo(a)pyrene	7.8156E-006	7.9840E-006
RCPTR_44	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	5.2383E-006	5.7319E-006
RCPTR_44	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	1.2124E-005	1.2763E-005
RCPTR_44	farmer_child	TOCDLIC2	Benzoic acid	2.4852E-011	2.4855E-011
RCPTR_44	farmer_child	TOCDLIC2	Benzyl alcohol	4.9650E-012	4.9675E-012
RCPTR_44	farmer_child	TOCDLIC2	Beryllium	2.3516E-008	2.7759E-008
RCPTR_44	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	4.9697E-012	4.9718E-012
RCPTR_44	farmer_child	TOCDLIC2	Bromodichloromethane	6.5959E-014	6.5959E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.7203E-012	1.7204E-012
RCPTR_44	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	1.9307E-007	2.6711E-007
RCPTR_44	farmer_child	TOCDLIC2	Butylbenzylphthalate	5.2224E-009	5.2266E-009
RCPTR_44	farmer_child	TOCDLIC2	Cadmium	2.1067E-009	2.2953E-009
RCPTR_44	farmer_child	TOCDLIC2	Carbon disulfide	7.4290E-015	7.4290E-015
RCPTR_44	farmer_child	TOCDLIC2	Carbon tetrachloride	1.1776E-014	1.1776E-014
RCPTR_44	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	4.0315E-010	4.0512E-010
RCPTR_44	farmer_child	TOCDLIC2	Chloroaniline, p-	2.3061E-011	2.3087E-011
RCPTR_44	farmer_child	TOCDLIC2	Chlorobenzene	6.8882E-014	6.8883E-014
RCPTR_44	farmer_child	TOCDLIC2	Chloroethane	1.9333E-016	1.9333E-016
RCPTR_44	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	2.1161E-014	2.1161E-014
RCPTR_44	farmer_child	TOCDLIC2	Chloronaphthalene,2-	1.7863E-009	1.8010E-009
RCPTR_44	farmer_child	TOCDLIC2	Chlorophenol, 2-	6.3977E-011	6.4124E-011
RCPTR_44	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	2.2402E-009	2.2480E-009
RCPTR_44	farmer_child	TOCDLIC2	Chromium	1.0056E-006	1.2353E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDLIC2	Chromium, hexavalent	7.9838E-007	7.9960E-007
RCPTR_44	farmer_child	TOCDLIC2	Chrysene	2.6596E-006	2.9956E-006
RCPTR_44	farmer_child	TOCDLIC2	Di-n-butyl phthalate	2.0995E-008	2.1035E-008
RCPTR_44	farmer_child	TOCDLIC2	Di-n-octylphthalate	8.8640E+001	8.8640E+001
RCPTR_44	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	1.6759E-004	1.7022E-004
RCPTR_44	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	2.9055E-012	2.9056E-012
RCPTR_44	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	3.5183E-012	3.5184E-012
RCPTR_44	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	3.3882E-012	3.3883E-012
RCPTR_44	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.2171E-008	1.2239E-008
RCPTR_44	farmer_child	TOCDLIC2	Dichlorodifluoromethane	1.5453E-017	1.5453E-017
RCPTR_44	farmer_child	TOCDLIC2	Dichloroethane 1,1-	3.8923E-015	3.8923E-015
RCPTR_44	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	4.8355E-015	4.8355E-015
RCPTR_44	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	1.4734E-015	1.4734E-015
RCPTR_44	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	2.3685E-015	2.3685E-015
RCPTR_44	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	2.7693E-010	2.7781E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	1.3326E-014	1.3326E-014
RCPTR_44	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	4.3977E-015	4.3977E-015
RCPTR_44	farmer_child	TOCDLIC2	Diethyl phthalate	1.1520E-008	1.1522E-008
RCPTR_44	farmer_child	TOCDLIC2	Dimethyl phthalate	1.0308E-010	1.0317E-010
RCPTR_44	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	4.3636E-011	4.3692E-011
RCPTR_44	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	2.1090E-011	2.1093E-011
RCPTR_44	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	3.9952E-011	4.0017E-011
RCPTR_44	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	3.0842E-011	3.0886E-011
RCPTR_44	farmer_child	TOCDLIC2	Ethyl methanesulfonate	9.3064E-013	9.3089E-013
RCPTR_44	farmer_child	TOCDLIC2	Ethylbenzene	4.7659E-014	4.7659E-014
RCPTR_44	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	5.4649E-009	5.4801E-009
RCPTR_44	farmer_child	TOCDLIC2	Fluoranthene	1.4210E-007	1.6702E-007
RCPTR_44	farmer_child	TOCDLIC2	Fluorene	2.6744E-009	2.7033E-009
RCPTR_44	farmer_child	TOCDLIC2	GB	7.8499E-015	7.8519E-015
RCPTR_44	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	5.0940E-013	5.6076E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	4.8240E-013	5.2094E-013
RCPTR_44	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.5433E-013	4.9878E-013
RCPTR_44	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.4081E-012	1.5261E-012
RCPTR_44	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	9.8774E-013	1.0947E-012
RCPTR_44	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	9.4079E-013	1.0584E-012
RCPTR_44	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	9.1720E-013	1.0463E-012
RCPTR_44	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.5367E-013	6.3137E-013
RCPTR_44	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.9568E-013	5.6456E-013
RCPTR_44	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	5.6686E-013	6.4597E-013
RCPTR_44	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	5.6554E-011	5.6560E-011
RCPTR_44	farmer_child	TOCDLIC2	Hexachlorobenzene	1.0859E-007	1.1543E-007
RCPTR_44	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.5001E-010	1.5004E-010
RCPTR_44	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	3.4954E-011	3.4960E-011
RCPTR_44	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_44	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.2125E-003	1.2168E-003

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDLIC2	Isophorone	6.6532E-012	6.6557E-012
RCPTR_44	farmer_child	TOCDLIC2	Lead	2.0371E-007	2.5915E-007
RCPTR_44	farmer_child	TOCDLIC2	Mercuric chloride	6.4294E-006	1.1943E-005
RCPTR_44	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	2.3043E-016	2.3043E-016
RCPTR_44	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	9.1845E-018	9.1845E-018
RCPTR_44	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	5.1693E-014	5.1693E-014
RCPTR_44	farmer_child	TOCDLIC2	Methyl mercury	5.4677E-008	7.0914E-008
RCPTR_44	farmer_child	TOCDLIC2	Methylene chloride	4.0575E-015	4.0575E-015
RCPTR_44	farmer_child	TOCDLIC2	Naphthalene	2.8067E-011	2.8075E-011
RCPTR_44	farmer_child	TOCDLIC2	Nickel	1.4739E-007	1.5049E-007
RCPTR_44	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.1365E-010	1.1378E-010
RCPTR_44	farmer_child	TOCDLIC2	Nitroaniline, 3-	2.7074E-011	2.7085E-011
RCPTR_44	farmer_child	TOCDLIC2	Nitroaniline, 4-	3.4973E-011	3.4992E-011
RCPTR_44	farmer_child	TOCDLIC2	Nitrobenzene	1.1229E-011	1.1235E-011
RCPTR_44	farmer_child	TOCDLIC2	Nitrophenol, 2-	5.1133E-012	5.1147E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDLIC2	Nitrophenol, 4-	7.3203E-011	7.3224E-011
RCPTR_44	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	6.3334E-012	6.3345E-012
RCPTR_44	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	6.2233E-012	6.2239E-012
RCPTR_44	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	5.5747E-013	5.5749E-013
RCPTR_44	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	8.2978E-013	9.3996E-013
RCPTR_44	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.7422E-013	3.1001E-013
RCPTR_44	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.6976E-012	4.0632E-012
RCPTR_44	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.1239E-012	1.3065E-012
RCPTR_44	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.0819E-012	3.5765E-012
RCPTR_44	farmer_child	TOCDLIC2	Pentachlorobenzene	4.2290E-010	4.2308E-010
RCPTR_44	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.6721E-010	1.6722E-010
RCPTR_44	farmer_child	TOCDLIC2	Pentachlorophenol	7.4418E-008	7.4615E-008
RCPTR_44	farmer_child	TOCDLIC2	Phenanthrene	8.5699E-012	8.5701E-012
RCPTR_44	farmer_child	TOCDLIC2	Phenol	9.4019E-012	9.4078E-012
RCPTR_44	farmer_child	TOCDLIC2	Pronamide	8.4157E-010	8.4775E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDLIC2	Pyrene	2.3408E-007	3.4722E-007
RCPTR_44	farmer_child	TOCDLIC2	Selenium	8.5514E-008	8.5524E-008
RCPTR_44	farmer_child	TOCDLIC2	Silver	3.2348E-008	3.2451E-008
RCPTR_44	farmer_child	TOCDLIC2	Styrene	1.3157E-012	1.3157E-012
RCPTR_44	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	2.0288E-012	2.4545E-012
RCPTR_44	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.7278E-012	2.1954E-012
RCPTR_44	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	6.8284E-010	6.8380E-010
RCPTR_44	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.5968E-011	1.5968E-011
RCPTR_44	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.4160E-014	1.4160E-014
RCPTR_44	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	4.6609E-009	4.6700E-009
RCPTR_44	farmer_child	TOCDLIC2	Thallium (I)	8.0553E-007	8.2002E-007
RCPTR_44	farmer_child	TOCDLIC2	Toluene	7.5830E-014	7.5831E-014
RCPTR_44	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	2.6251E-011	2.6254E-011
RCPTR_44	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	9.1509E-015	9.1509E-015
RCPTR_44	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	6.9980E-014	6.9981E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_44	farmer_child	TOCDLIC2	Trichloroethylene	1.1375E-014	1.1375E-014
RCPTR_44	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.4950E-015	1.4950E-015
RCPTR_44	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	2.9500E-009	2.9998E-009
RCPTR_44	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	5.9821E-010	6.0035E-010
RCPTR_44	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	2.5899E-013	2.5899E-013
RCPTR_44	farmer_child	TOCDLIC2	Vinyl Chloride	4.3680E-018	4.3680E-018
RCPTR_44	farmer_child	TOCDLIC2	Xylene, m-	1.1176E-013	1.1176E-013
RCPTR_44	farmer_child	TOCDLIC2	Xylene, o-	8.5769E-014	8.5769E-014
RCPTR_44	farmer_child	TOCDLIC2	Xylene, p-	1.5059E-013	1.5059E-013
RCPTR_44	farmer_child	TOCDLIC2	Zinc	1.6571E-007	1.7463E-007
RCPTR_45	farmer_adult	TOCDFBRA	Antimony	2.0157E-007	2.5521E-007
RCPTR_45	farmer_adult	TOCDFBRA	Arsenic	3.2766E-007	3.4426E-007
RCPTR_45	farmer_adult	TOCDFBRA	Barium	2.7585E-008	3.2991E-008
RCPTR_45	farmer_adult	TOCDFBRA	Beryllium	1.0097E-007	1.2336E-007
RCPTR_45	farmer_adult	TOCDFBRA	Cadmium	1.5890E-008	2.4122E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFBRA	Chromium	2.9677E-006	3.0783E-006
RCPTR_45	farmer_adult	TOCDFBRA	Chromium, hexavalent	1.9402E-006	1.9881E-006
RCPTR_45	farmer_adult	TOCDFBRA	Lead	1.1453E-006	1.5013E-006
RCPTR_45	farmer_adult	TOCDFBRA	Mercuric chloride	3.2767E-004	3.6299E-004
RCPTR_45	farmer_adult	TOCDFBRA	Methyl mercury	2.1333E-006	2.3176E-006
RCPTR_45	farmer_adult	TOCDFBRA	Nickel	1.0799E-006	1.1964E-006
RCPTR_45	farmer_adult	TOCDFBRA	Selenium	3.6724E-007	3.6987E-007
RCPTR_45	farmer_adult	TOCDFBRA	Silver	1.2524E-007	1.4143E-007
RCPTR_45	farmer_adult	TOCDFBRA	Thallium (I)	3.3582E-006	3.6386E-006
RCPTR_45	farmer_adult	TOCDFBRA	Zinc	5.8058E-007	7.7569E-007
RCPTR_45	farmer_adult	TOCDFDFS	Acenaphthene	1.0597E-010	5.4038E-010
RCPTR_45	farmer_adult	TOCDFDFS	Acetone	1.2969E-015	6.7630E-015
RCPTR_45	farmer_adult	TOCDFDFS	Acetophenone	5.7468E-013	2.9935E-012
RCPTR_45	farmer_adult	TOCDFDFS	Aniline	3.3044E-014	1.7168E-013
RCPTR_45	farmer_adult	TOCDFDFS	Anthracene	1.8731E-009	9.5322E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFDFS	Antimony	2.0211E-006	2.5574E-006
RCPTR_45	farmer_adult	TOCDFDFS	Aroclor 1254	2.7126E-011	5.3613E-011
RCPTR_45	farmer_adult	TOCDFDFS	Arsenic	1.8579E-007	1.9517E-007
RCPTR_45	farmer_adult	TOCDFDFS	Barium	5.4995E-009	6.5739E-009
RCPTR_45	farmer_adult	TOCDFDFS	Benzene	1.0779E-015	5.5926E-015
RCPTR_45	farmer_adult	TOCDFDFS	Benzo(a)anthracene	5.9297E-007	1.0542E-006
RCPTR_45	farmer_adult	TOCDFDFS	Benzo(a)pyrene	5.8229E-006	6.2607E-006
RCPTR_45	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	3.3240E-006	4.4854E-006
RCPTR_45	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	9.1781E-006	1.0012E-005
RCPTR_45	farmer_adult	TOCDFDFS	Benzoic acid	4.3244E-012	1.9484E-011
RCPTR_45	farmer_adult	TOCDFDFS	Benzyl alcohol	7.4818E-013	3.8950E-012
RCPTR_45	farmer_adult	TOCDFDFS	Beryllium	5.5388E-008	6.7638E-008
RCPTR_45	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	7.4758E-013	3.8984E-012
RCPTR_45	farmer_adult	TOCDFDFS	Bromodichloromethane	8.4667E-015	4.4110E-014
RCPTR_45	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	3.3640E-013	1.7532E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	4.2154E-008	2.0944E-007
RCPTR_45	farmer_adult	TOCDFDFS	Butylbenzylphthalate	3.3585E-009	4.1085E-009
RCPTR_45	farmer_adult	TOCDFDFS	Cadmium	4.3886E-008	6.6555E-008
RCPTR_45	farmer_adult	TOCDFDFS	Carbon disulfide	5.6241E-016	2.9234E-015
RCPTR_45	farmer_adult	TOCDFDFS	Carbon tetrachloride	2.8133E-015	1.4590E-014
RCPTR_45	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	7.7024E-011	3.1752E-010
RCPTR_45	farmer_adult	TOCDFDFS	Chloroaniline, p-	3.4873E-012	1.8102E-011
RCPTR_45	farmer_adult	TOCDFDFS	Chlorobenzene	1.6512E-014	8.5344E-014
RCPTR_45	farmer_adult	TOCDFDFS	Chloroethane	4.7398E-017	2.3952E-016
RCPTR_45	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	2.5364E-015	1.3211E-014
RCPTR_45	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	2.7560E-010	1.4121E-009
RCPTR_45	farmer_adult	TOCDFDFS	Chlorophenol, 2-	9.6456E-012	5.0279E-011
RCPTR_45	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	4.2831E-010	1.7623E-009
RCPTR_45	farmer_adult	TOCDFDFS	Chromium	8.7430E-007	9.0682E-007
RCPTR_45	farmer_adult	TOCDFDFS	Chromium, hexavalent	5.7223E-007	5.8630E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFDFS	Chrysene	1.7342E-006	2.3441E-006
RCPTR_45	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.3539E-008	1.6427E-008
RCPTR_45	farmer_adult	TOCDFDFS	Di-n-octylphthalate	6.9044E+001	6.9044E+001
RCPTR_45	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.2869E-004	1.3360E-004
RCPTR_45	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	4.5351E-013	2.2782E-012
RCPTR_45	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	5.4204E-013	2.7587E-012
RCPTR_45	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	5.2012E-013	2.6567E-012
RCPTR_45	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.2080E-008	1.5894E-008
RCPTR_45	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	3.6883E-018	1.9146E-017
RCPTR_45	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	9.2567E-016	4.8225E-015
RCPTR_45	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	1.1497E-015	5.9911E-015
RCPTR_45	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	3.5107E-016	1.8255E-015
RCPTR_45	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	5.6449E-016	2.9345E-015
RCPTR_45	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	6.1640E-011	2.1767E-010
RCPTR_45	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	3.1830E-015	1.6510E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	1.0465E-015	5.4486E-015
RCPTR_45	farmer_adult	TOCDFDFS	Diethyl phthalate	8.4844E-009	8.9787E-009
RCPTR_45	farmer_adult	TOCDFDFS	Dimethyl phthalate	1.4949E-011	7.5546E-011
RCPTR_45	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	6.6278E-012	3.4258E-011
RCPTR_45	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	6.7821E-012	1.6275E-011
RCPTR_45	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	6.3340E-012	3.1378E-011
RCPTR_45	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	4.8217E-012	2.4217E-011
RCPTR_45	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.4000E-013	7.2991E-013
RCPTR_45	farmer_adult	TOCDFDFS	Ethylbenzene	1.0387E-014	5.2063E-014
RCPTR_45	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.4041E-010	4.1999E-010
RCPTR_45	farmer_adult	TOCDFDFS	Fluoranthene	3.4664E-008	1.3092E-007
RCPTR_45	farmer_adult	TOCDFDFS	Fluorene	4.2185E-010	2.1196E-009
RCPTR_45	farmer_adult	TOCDFDFS	GB	3.7704E-015	1.9632E-014
RCPTR_45	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.0492E-013	1.1878E-013
RCPTR_45	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.5971E-014	6.1832E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.8543E-013	2.0927E-013
RCPTR_45	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.0726E-012	1.1902E-012
RCPTR_45	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	5.6069E-013	6.4072E-013
RCPTR_45	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	4.7540E-013	5.5393E-013
RCPTR_45	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	3.7516E-013	4.4514E-013
RCPTR_45	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.3458E-013	3.9664E-013
RCPTR_45	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	4.5058E-013	5.3341E-013
RCPTR_45	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.0947E-013	3.6661E-013
RCPTR_45	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	9.2632E-012	4.4347E-011
RCPTR_45	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.8556E-008	9.0500E-008
RCPTR_45	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	1.2402E-010	5.8233E-010
RCPTR_45	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	5.3763E-012	2.7411E-011
RCPTR_45	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_45	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	9.4091E-004	9.5008E-004
RCPTR_45	farmer_adult	TOCDFDFS	Isophorone	1.0020E-012	5.2187E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFDFS	Lead	6.7967E-006	8.9048E-006
RCPTR_45	farmer_adult	TOCDFDFS	Mercuric chloride	1.1905E-007	1.3205E-007
RCPTR_45	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	9.7946E-017	5.1055E-016
RCPTR_45	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.6590E-017	8.6429E-017
RCPTR_45	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	8.7039E-015	4.5386E-014
RCPTR_45	farmer_adult	TOCDFDFS	Methyl mercury	7.2031E-010	7.8816E-010
RCPTR_45	farmer_adult	TOCDFDFS	Methylene chloride	2.5177E-016	1.3119E-015
RCPTR_45	farmer_adult	TOCDFDFS	Naphthalene	4.2730E-012	2.2013E-011
RCPTR_45	farmer_adult	TOCDFDFS	Nickel	6.3694E-007	7.0547E-007
RCPTR_45	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.6940E-011	8.7933E-011
RCPTR_45	farmer_adult	TOCDFDFS	Nitroaniline, 3-	4.0198E-012	2.0933E-011
RCPTR_45	farmer_adult	TOCDFDFS	Nitroaniline, 4-	5.1978E-012	2.7044E-011
RCPTR_45	farmer_adult	TOCDFDFS	Nitrobenzene	1.6901E-012	8.8093E-012
RCPTR_45	farmer_adult	TOCDFDFS	Nitrophenol, 2-	7.6996E-013	4.0104E-012
RCPTR_45	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.6025E-011	5.6468E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	9.5682E-013	4.9669E-012
RCPTR_45	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	9.4227E-013	4.8801E-012
RCPTR_45	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	8.6026E-014	4.3717E-013
RCPTR_45	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	2.5848E-013	3.0367E-013
RCPTR_45	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	8.8606E-014	1.0380E-013
RCPTR_45	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.7634E-012	3.1256E-012
RCPTR_45	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.2983E-013	2.7990E-013
RCPTR_45	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	9.0489E-013	1.0987E-012
RCPTR_45	farmer_adult	TOCDFDFS	Pentachlorobenzene	7.2775E-011	3.3186E-010
RCPTR_45	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.9134E-011	1.2929E-010
RCPTR_45	farmer_adult	TOCDFDFS	Pentachlorophenol	3.8684E-008	5.7439E-008
RCPTR_45	farmer_adult	TOCDFDFS	Phenanthrene	1.3251E-012	6.7196E-012
RCPTR_45	farmer_adult	TOCDFDFS	Phenol	1.3427E-012	6.9771E-012
RCPTR_45	farmer_adult	TOCDFDFS	Pronamide	2.6525E-010	1.3294E-009
RCPTR_45	farmer_adult	TOCDFDFS	Pyrene	6.6346E-008	2.7222E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFDFS	Selenium	2.0824E-007	2.0972E-007
RCPTR_45	farmer_adult	TOCDFDFS	Silver	7.2134E-008	8.1432E-008
RCPTR_45	farmer_adult	TOCDFDFS	Styrene	2.7431E-013	1.4241E-012
RCPTR_45	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.2644E-012	1.6291E-012
RCPTR_45	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	4.0886E-013	5.6444E-013
RCPTR_45	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.1133E-010	5.3610E-010
RCPTR_45	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.4694E-011	1.9695E-011
RCPTR_45	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	3.3784E-015	1.7544E-014
RCPTR_45	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.3226E-009	3.6041E-009
RCPTR_45	farmer_adult	TOCDFDFS	Thallium (I)	1.8431E-006	1.9965E-006
RCPTR_45	farmer_adult	TOCDFDFS	Toluene	4.5885E-015	2.3620E-014
RCPTR_45	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	4.1279E-012	2.0585E-011
RCPTR_45	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	2.1800E-015	1.1338E-014
RCPTR_45	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	1.6649E-014	8.6705E-014
RCPTR_45	farmer_adult	TOCDFDFS	Trichloroethylene	2.7135E-015	1.4093E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	3.5652E-016	1.8522E-015
RCPTR_45	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	4.9542E-010	2.3518E-009
RCPTR_45	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	1.1931E-010	4.7050E-010
RCPTR_45	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	6.1661E-014	3.2089E-013
RCPTR_45	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	7.4423E-013	3.7392E-012
RCPTR_45	farmer_adult	TOCDFDFS	Vinyl Chloride	8.7986E-019	4.5799E-018
RCPTR_45	farmer_adult	TOCDFDFS	Xylene, m-	4.7160E-014	1.0252E-013
RCPTR_45	farmer_adult	TOCDFDFS	Xylene, o-	4.3744E-014	1.0686E-013
RCPTR_45	farmer_adult	TOCDFDFS	Xylene, p-	5.1983E-014	1.3785E-013
RCPTR_45	farmer_adult	TOCDFDFS	Zinc	3.8469E-007	5.1358E-007
RCPTR_45	farmer_adult	TOCDFLIC	Acenaphthene	6.0287E-011	3.0744E-010
RCPTR_45	farmer_adult	TOCDFLIC	Acetone	1.5567E-015	8.1175E-015
RCPTR_45	farmer_adult	TOCDFLIC	Acetophenone	5.6050E-013	2.9196E-012
RCPTR_45	farmer_adult	TOCDFLIC	Aniline	1.8800E-014	9.7673E-014
RCPTR_45	farmer_adult	TOCDFLIC	Anthracene	1.0656E-009	5.4231E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFLIC	Antimony	3.5962E-008	4.5499E-008
RCPTR_45	farmer_adult	TOCDFLIC	Arsenic	1.1300E-007	1.1870E-007
RCPTR_45	farmer_adult	TOCDFLIC	Barium	3.8024E-009	4.5450E-009
RCPTR_45	farmer_adult	TOCDFLIC	Benzene	1.4354E-014	7.4475E-014
RCPTR_45	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.3671E-007	5.9892E-007
RCPTR_45	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.2997E-006	3.5465E-006
RCPTR_45	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.8885E-006	2.5485E-006
RCPTR_45	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	5.2025E-006	5.6704E-006
RCPTR_45	farmer_adult	TOCDFLIC	Benzoic acid	2.6397E-012	1.1892E-011
RCPTR_45	farmer_adult	TOCDFLIC	Benzyl alcohol	4.2567E-013	2.2160E-012
RCPTR_45	farmer_adult	TOCDFLIC	Beryllium	2.0843E-008	2.5451E-008
RCPTR_45	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	4.2532E-013	2.2179E-012
RCPTR_45	farmer_adult	TOCDFLIC	Bromodichloromethane	3.8064E-015	1.9831E-014
RCPTR_45	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.3107E-013	6.8309E-013
RCPTR_45	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	2.3982E-008	1.1916E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.8970E-009	2.3236E-009
RCPTR_45	farmer_adult	TOCDFLIC	Cadmium	1.2217E-008	1.8526E-008
RCPTR_45	farmer_adult	TOCDFLIC	Carbon disulfide	8.6818E-016	4.5129E-015
RCPTR_45	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.3734E-015	7.1227E-015
RCPTR_45	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	4.3837E-011	1.8066E-010
RCPTR_45	farmer_adult	TOCDFLIC	Chloroaniline, p-	1.9841E-012	1.0299E-011
RCPTR_45	farmer_adult	TOCDFLIC	Chlorobenzene	8.0609E-015	4.1665E-014
RCPTR_45	farmer_adult	TOCDFLIC	Chloroethane	2.3141E-017	1.1694E-016
RCPTR_45	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	1.2114E-015	6.3094E-015
RCPTR_45	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	1.5680E-010	8.0339E-010
RCPTR_45	farmer_adult	TOCDFLIC	Chlorophenol, 2-	5.4877E-012	2.8606E-011
RCPTR_45	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	2.4360E-010	1.0025E-009
RCPTR_45	farmer_adult	TOCDFLIC	Chromium	1.0922E-006	1.1328E-006
RCPTR_45	farmer_adult	TOCDFLIC	Chromium, hexavalent	7.1491E-007	7.3248E-007
RCPTR_45	farmer_adult	TOCDFLIC	Chrysene	9.8548E-007	1.3320E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	7.7036E-009	9.3462E-009
RCPTR_45	farmer_adult	TOCDFLIC	Di-n-octylphthalate	3.9336E+001	3.9336E+001
RCPTR_45	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	7.2863E-005	7.5576E-005
RCPTR_45	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	2.5802E-013	1.2961E-012
RCPTR_45	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	3.0839E-013	1.5695E-012
RCPTR_45	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	2.9592E-013	1.5115E-012
RCPTR_45	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.5473E-009	4.6697E-009
RCPTR_45	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	1.8006E-018	9.3471E-018
RCPTR_45	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	4.5191E-016	2.3543E-015
RCPTR_45	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	5.6129E-016	2.9248E-015
RCPTR_45	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.7139E-016	8.9123E-016
RCPTR_45	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	2.7558E-016	1.4326E-015
RCPTR_45	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	3.5088E-011	1.2386E-010
RCPTR_45	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	1.5539E-015	8.0602E-015
RCPTR_45	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	5.1092E-016	2.6600E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFLIC	Diethyl phthalate	4.8336E-009	5.1148E-009
RCPTR_45	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.5343E-011	7.7544E-011
RCPTR_45	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	3.7708E-012	1.9491E-011
RCPTR_45	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.9067E-012	9.3717E-012
RCPTR_45	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	3.6024E-012	1.7851E-011
RCPTR_45	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	2.7430E-012	1.3778E-011
RCPTR_45	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	7.9649E-014	4.1527E-013
RCPTR_45	farmer_adult	TOCDFLIC	Ethylbenzene	6.7615E-015	3.3889E-014
RCPTR_45	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	6.0778E-009	7.5097E-009
RCPTR_45	farmer_adult	TOCDFLIC	Fluoranthene	1.9714E-008	7.4473E-008
RCPTR_45	farmer_adult	TOCDFLIC	Fluorene	2.4000E-010	1.2059E-009
RCPTR_45	farmer_adult	TOCDFLIC	GB	1.3353E-015	6.9530E-015
RCPTR_45	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	6.4860E-014	7.3358E-014
RCPTR_45	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	7.9304E-014	8.7517E-014
RCPTR_45	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.8610E-013	2.0982E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	8.4146E-013	9.3278E-013
RCPTR_45	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	4.6677E-013	5.3290E-013
RCPTR_45	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	3.9169E-013	4.5604E-013
RCPTR_45	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.5188E-013	2.9874E-013
RCPTR_45	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.4719E-013	2.9292E-013
RCPTR_45	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	2.8715E-013	3.3979E-013
RCPTR_45	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.0916E-013	2.4767E-013
RCPTR_45	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	5.2685E-012	2.5229E-011
RCPTR_45	farmer_adult	TOCDFLIC	Hexachlorobenzene	1.0557E-008	5.1488E-008
RCPTR_45	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	1.4248E-011	6.6925E-011
RCPTR_45	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	3.0589E-012	1.5595E-011
RCPTR_45	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_45	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.3501E-004	5.4008E-004
RCPTR_45	farmer_adult	TOCDFLIC	Isophorone	5.7008E-013	2.9691E-012
RCPTR_45	farmer_adult	TOCDFLIC	Lead	2.5164E-006	3.2968E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFLIC	Mercuric chloride	9.9089E-006	1.0992E-005
RCPTR_45	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	3.1113E-017	1.6218E-016
RCPTR_45	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	2.5497E-018	1.3283E-017
RCPTR_45	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	9.2593E-015	4.8282E-014
RCPTR_45	farmer_adult	TOCDFLIC	Methyl mercury	5.9500E-008	6.5155E-008
RCPTR_45	farmer_adult	TOCDFLIC	Methylene chloride	1.9707E-016	1.0269E-015
RCPTR_45	farmer_adult	TOCDFLIC	Naphthalene	2.4310E-012	1.2524E-011
RCPTR_45	farmer_adult	TOCDFLIC	Nickel	3.5818E-007	3.9670E-007
RCPTR_45	farmer_adult	TOCDFLIC	Nitroaniline, 2-	9.7525E-012	5.0625E-011
RCPTR_45	farmer_adult	TOCDFLIC	Nitroaniline, 3-	2.3143E-012	1.2052E-011
RCPTR_45	farmer_adult	TOCDFLIC	Nitroaniline, 4-	2.9924E-012	1.5570E-011
RCPTR_45	farmer_adult	TOCDFLIC	Nitrobenzene	9.6153E-013	5.0119E-012
RCPTR_45	farmer_adult	TOCDFLIC	Nitrophenol, 2-	4.3805E-013	2.2817E-012
RCPTR_45	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.4998E-011	3.2525E-011
RCPTR_45	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	5.4437E-013	2.8258E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	5.3609E-013	2.7765E-012
RCPTR_45	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	4.8907E-014	2.4868E-013
RCPTR_45	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.1911E-013	2.5726E-013
RCPTR_45	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	7.1942E-014	8.4229E-014
RCPTR_45	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.7634E-012	1.9933E-012
RCPTR_45	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	4.6543E-013	5.6674E-013
RCPTR_45	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.0163E-012	1.2338E-012
RCPTR_45	farmer_adult	TOCDFLIC	Pentachlorobenzene	4.1309E-011	1.8871E-010
RCPTR_45	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.6729E-011	7.4392E-011
RCPTR_45	farmer_adult	TOCDFLIC	Pentachlorophenol	2.2299E-008	3.3096E-008
RCPTR_45	farmer_adult	TOCDFLIC	Phenanthrene	7.5386E-013	3.8230E-012
RCPTR_45	farmer_adult	TOCDFLIC	Phenol	7.6390E-013	3.9695E-012
RCPTR_45	farmer_adult	TOCDFLIC	Pronamide	7.5458E-011	3.7816E-010
RCPTR_45	farmer_adult	TOCDFLIC	Pyrene	3.7743E-008	1.5487E-007
RCPTR_45	farmer_adult	TOCDFLIC	Selenium	7.7786E-008	7.8340E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFLIC	Silver	2.6343E-008	2.9737E-008
RCPTR_45	farmer_adult	TOCDFLIC	Styrene	2.7850E-013	1.4458E-012
RCPTR_45	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	6.0328E-013	7.7739E-013
RCPTR_45	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	8.1514E-013	1.1256E-012
RCPTR_45	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	6.3340E-011	3.0501E-010
RCPTR_45	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	7.1826E-012	9.6242E-012
RCPTR_45	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.6493E-015	8.5651E-015
RCPTR_45	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	7.6202E-010	2.0756E-009
RCPTR_45	farmer_adult	TOCDFLIC	Thallium (I)	6.9361E-007	7.5133E-007
RCPTR_45	farmer_adult	TOCDFLIC	Toluene	1.2883E-014	6.6318E-014
RCPTR_45	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	2.3484E-012	1.1711E-011
RCPTR_45	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	1.0643E-015	5.5351E-015
RCPTR_45	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	8.1280E-015	4.2329E-014
RCPTR_45	farmer_adult	TOCDFLIC	Trichloroethylene	1.3247E-015	6.8801E-015
RCPTR_45	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.7405E-016	9.0425E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	2.8190E-010	1.3381E-009
RCPTR_45	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	6.7906E-011	2.6771E-010
RCPTR_45	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	3.0103E-014	1.5666E-013
RCPTR_45	farmer_adult	TOCDFLIC	Vinyl Chloride	4.6283E-019	2.4092E-018
RCPTR_45	farmer_adult	TOCDFLIC	Xylene, m-	4.0354E-014	8.8543E-014
RCPTR_45	farmer_adult	TOCDFLIC	Xylene, o-	2.3849E-014	5.8803E-014
RCPTR_45	farmer_adult	TOCDFLIC	Xylene, p-	4.4600E-014	1.1934E-013
RCPTR_45	farmer_adult	TOCDFLIC	Zinc	1.0044E-007	1.3409E-007
RCPTR_45	farmer_adult	TOCDFMPF	Acenaphthene	2.5731E-010	1.3122E-009
RCPTR_45	farmer_adult	TOCDFMPF	Acetone	7.8096E-016	4.0725E-015
RCPTR_45	farmer_adult	TOCDFMPF	Acetophenone	1.3291E-012	6.9229E-012
RCPTR_45	farmer_adult	TOCDFMPF	Aniline	8.0240E-014	4.1689E-013
RCPTR_45	farmer_adult	TOCDFMPF	Anthracene	4.5481E-009	2.3147E-008
RCPTR_45	farmer_adult	TOCDFMPF	Antimony	1.0726E-008	1.3571E-008
RCPTR_45	farmer_adult	TOCDFMPF	Arsenic	2.6574E-008	2.7915E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFMPF	Barium	3.5720E-009	4.2696E-009
RCPTR_45	farmer_adult	TOCDFMPF	Benzene	6.9901E-016	3.6268E-015
RCPTR_45	farmer_adult	TOCDFMPF	Benzo(a)anthracene	1.4373E-006	2.5565E-006
RCPTR_45	farmer_adult	TOCDFMPF	Benzo(a)pyrene	1.4086E-005	1.5140E-005
RCPTR_45	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	8.0609E-006	1.0878E-005
RCPTR_45	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	2.2209E-005	2.4207E-005
RCPTR_45	farmer_adult	TOCDFMPF	Benzoic acid	1.0503E-011	4.7315E-011
RCPTR_45	farmer_adult	TOCDFMPF	Benzyl alcohol	1.8168E-012	9.4583E-012
RCPTR_45	farmer_adult	TOCDFMPF	Beryllium	5.9653E-009	7.2842E-009
RCPTR_45	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.8153E-012	9.4664E-012
RCPTR_45	farmer_adult	TOCDFMPF	Bromodichloromethane	6.2049E-015	3.2327E-014
RCPTR_45	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	2.3406E-013	1.2198E-012
RCPTR_45	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.0236E-007	5.0859E-007
RCPTR_45	farmer_adult	TOCDFMPF	Butylbenzylphthalate	8.0994E-009	9.9201E-009
RCPTR_45	farmer_adult	TOCDFMPF	Cadmium	5.3563E-009	8.1222E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFMPF	Carbon disulfide	1.2204E-015	6.3438E-015
RCPTR_45	farmer_adult	TOCDFMPF	Carbon tetrachloride	1.9356E-015	1.0038E-014
RCPTR_45	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.8710E-010	7.7110E-010
RCPTR_45	farmer_adult	TOCDFMPF	Chloroaniline, p-	8.4683E-012	4.3958E-011
RCPTR_45	farmer_adult	TOCDFMPF	Chlorobenzene	1.1361E-014	5.8720E-014
RCPTR_45	farmer_adult	TOCDFMPF	Chloroethane	3.2614E-017	1.6480E-016
RCPTR_45	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.6423E-015	8.5536E-015
RCPTR_45	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	6.6924E-010	3.4290E-009
RCPTR_45	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.3422E-011	1.2209E-010
RCPTR_45	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.0397E-009	4.2790E-009
RCPTR_45	farmer_adult	TOCDFMPF	Chromium	2.1175E-007	2.1962E-007
RCPTR_45	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.3861E-007	1.4201E-007
RCPTR_45	farmer_adult	TOCDFMPF	Chrysene	4.2064E-006	5.6854E-006
RCPTR_45	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	3.2881E-008	3.9892E-008
RCPTR_45	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.6789E+002	1.6789E+002

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	3.1105E-004	3.2264E-004
RCPTR_45	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.1013E-012	5.5321E-012
RCPTR_45	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.3162E-012	6.6990E-012
RCPTR_45	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.2630E-012	6.4513E-012
RCPTR_45	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.9808E-008	2.6075E-008
RCPTR_45	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	2.5376E-018	1.3173E-017
RCPTR_45	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	6.3690E-016	3.3180E-015
RCPTR_45	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	7.9105E-016	4.1221E-015
RCPTR_45	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.4155E-016	1.2560E-015
RCPTR_45	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.8839E-016	2.0191E-015
RCPTR_45	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.4976E-010	5.2865E-010
RCPTR_45	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.1900E-015	1.1360E-014
RCPTR_45	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	7.2006E-016	3.7489E-015
RCPTR_45	farmer_adult	TOCDFMPF	Diethyl phthalate	2.0630E-008	2.1830E-008
RCPTR_45	farmer_adult	TOCDFMPF	Dimethyl phthalate	5.5842E-012	2.8222E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.6095E-011	8.3190E-011
RCPTR_45	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.6644E-011	3.9927E-011
RCPTR_45	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.5376E-011	7.6190E-011
RCPTR_45	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.1708E-011	5.8805E-011
RCPTR_45	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	3.3996E-013	1.7724E-012
RCPTR_45	farmer_adult	TOCDFMPF	Ethylbenzene	7.1469E-015	3.5821E-014
RCPTR_45	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	6.7367E-009	8.3233E-009
RCPTR_45	farmer_adult	TOCDFMPF	Fluoranthene	8.4143E-008	3.1786E-007
RCPTR_45	farmer_adult	TOCDFMPF	Fluorene	1.0243E-009	5.1470E-009
RCPTR_45	farmer_adult	TOCDFMPF	GB	1.9018E-015	9.9026E-015
RCPTR_45	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.3676E-013	1.5468E-013
RCPTR_45	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	5.3281E-012	5.8801E-012
RCPTR_45	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	8.6447E-013	9.7466E-013
RCPTR_45	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.9247E-012	2.1337E-012
RCPTR_45	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.0158E-012	1.1598E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	9.3025E-013	1.0831E-012
RCPTR_45	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.7841E-011	4.4882E-011
RCPTR_45	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	9.2484E-012	1.0959E-011
RCPTR_45	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.6115E-012	1.9070E-012
RCPTR_45	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.1490E-012	1.3605E-012
RCPTR_45	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.2487E-011	1.0768E-010
RCPTR_45	farmer_adult	TOCDFMPF	Hexachlorobenzene	4.5058E-008	2.1976E-007
RCPTR_45	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	6.0813E-011	2.8565E-010
RCPTR_45	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.3056E-011	6.6563E-011
RCPTR_45	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_45	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.2836E-003	2.3052E-003
RCPTR_45	farmer_adult	TOCDFMPF	Isophorone	2.4332E-012	1.2673E-011
RCPTR_45	farmer_adult	TOCDFMPF	Lead	1.9883E-009	2.6048E-009
RCPTR_45	farmer_adult	TOCDFMPF	Mercuric chloride	1.1231E-007	1.2459E-007
RCPTR_45	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	3.7363E-017	1.9476E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	1.3371E-018	6.9661E-018
RCPTR_45	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	8.7486E-015	4.5619E-014
RCPTR_45	farmer_adult	TOCDFMPF	Methyl mercury	6.7463E-010	7.3873E-010
RCPTR_45	farmer_adult	TOCDFMPF	Methylene chloride	2.1885E-016	1.1404E-015
RCPTR_45	farmer_adult	TOCDFMPF	Naphthalene	1.0376E-011	5.3455E-011
RCPTR_45	farmer_adult	TOCDFMPF	Nickel	2.8149E-007	3.1176E-007
RCPTR_45	farmer_adult	TOCDFMPF	Nitroaniline, 2-	4.1550E-011	2.1569E-010
RCPTR_45	farmer_adult	TOCDFMPF	Nitroaniline, 3-	9.8600E-012	5.1345E-011
RCPTR_45	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.2749E-011	6.6333E-011
RCPTR_45	farmer_adult	TOCDFMPF	Nitrobenzene	4.1040E-012	2.1392E-011
RCPTR_45	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.8697E-012	9.7386E-012
RCPTR_45	farmer_adult	TOCDFMPF	Nitrophenol, 4-	6.3896E-011	1.3857E-010
RCPTR_45	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.3235E-012	1.2061E-011
RCPTR_45	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.2881E-012	1.1850E-011
RCPTR_45	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.0875E-013	1.0614E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.2594E-013	3.8270E-013
RCPTR_45	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	4.5310E-013	5.3049E-013
RCPTR_45	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.9715E-012	7.8806E-012
RCPTR_45	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	5.1900E-012	6.3197E-012
RCPTR_45	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.6542E-011	2.0082E-011
RCPTR_45	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.7633E-010	8.0547E-010
RCPTR_45	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	7.1282E-011	3.1695E-010
RCPTR_45	farmer_adult	TOCDFMPF	Pentachlorophenol	9.4998E-008	1.4100E-007
RCPTR_45	farmer_adult	TOCDFMPF	Phenanthrene	3.2176E-012	1.6317E-011
RCPTR_45	farmer_adult	TOCDFMPF	Phenol	3.2605E-012	1.6942E-011
RCPTR_45	farmer_adult	TOCDFMPF	Pronamide	3.2207E-010	1.6141E-009
RCPTR_45	farmer_adult	TOCDFMPF	Pyrene	1.6110E-007	6.6101E-007
RCPTR_45	farmer_adult	TOCDFMPF	Selenium	2.2804E-008	2.2966E-008
RCPTR_45	farmer_adult	TOCDFMPF	Silver	1.0564E-007	1.1926E-007
RCPTR_45	farmer_adult	TOCDFMPF	Styrene	2.9814E-013	1.5479E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.7135E-012	2.2080E-012
RCPTR_45	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	3.3426E-012	4.6155E-012
RCPTR_45	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.7035E-010	1.3018E-009
RCPTR_45	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.0122E-011	1.3563E-011
RCPTR_45	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	5.1512E-015	2.6751E-014
RCPTR_45	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	3.2465E-009	8.8427E-009
RCPTR_45	farmer_adult	TOCDFMPF	Thallium (I)	2.0509E-007	2.2216E-007
RCPTR_45	farmer_adult	TOCDFMPF	Toluene	3.6125E-015	1.8596E-014
RCPTR_45	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.0024E-011	4.9986E-011
RCPTR_45	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.5000E-015	7.8009E-015
RCPTR_45	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.1455E-014	5.9657E-014
RCPTR_45	farmer_adult	TOCDFMPF	Trichloroethylene	1.8670E-015	9.6964E-015
RCPTR_45	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	2.4530E-016	1.2744E-015
RCPTR_45	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.2032E-009	5.7110E-009
RCPTR_45	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	2.8983E-010	1.1426E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	4.2425E-014	2.2078E-013
RCPTR_45	farmer_adult	TOCDFMPF	Vinyl Chloride	6.0537E-019	3.1511E-018
RCPTR_45	farmer_adult	TOCDFMPF	Xylene, m-	3.1922E-014	7.0014E-014
RCPTR_45	farmer_adult	TOCDFMPF	Xylene, o-	2.9651E-014	7.3077E-014
RCPTR_45	farmer_adult	TOCDFMPF	Xylene, p-	3.5277E-014	9.4353E-014
RCPTR_45	farmer_adult	TOCDFMPF	Zinc	6.1613E-008	8.2250E-008
RCPTR_45	farmer_adult	TOCDHVAC	GB	7.9827E-015	4.1567E-014
RCPTR_45	farmer_adult	TOCDLIC2	Acenaphthene	1.2441E-010	6.3444E-010
RCPTR_45	farmer_adult	TOCDLIC2	Acetone	1.5405E-015	8.0331E-015
RCPTR_45	farmer_adult	TOCDLIC2	Acetophenone	6.4259E-013	3.3472E-012
RCPTR_45	farmer_adult	TOCDLIC2	Aniline	3.8796E-014	2.0156E-013
RCPTR_45	farmer_adult	TOCDLIC2	Anthracene	2.1990E-009	1.1191E-008
RCPTR_45	farmer_adult	TOCDLIC2	Antimony	4.7845E-008	6.0534E-008
RCPTR_45	farmer_adult	TOCDLIC2	Arsenic	1.1300E-007	1.1870E-007
RCPTR_45	farmer_adult	TOCDLIC2	Barium	3.6642E-008	4.3797E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDLIC2	Benzene	1.0330E-015	5.3596E-015
RCPTR_45	farmer_adult	TOCDLIC2	Benzo(a)anthracene	6.9484E-007	1.2360E-006
RCPTR_45	farmer_adult	TOCDLIC2	Benzo(a)pyrene	6.8093E-006	7.3186E-006
RCPTR_45	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	3.8971E-006	5.2592E-006
RCPTR_45	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.0736E-005	1.1702E-005
RCPTR_45	farmer_adult	TOCDLIC2	Benzoic acid	5.0782E-012	2.2876E-011
RCPTR_45	farmer_adult	TOCDLIC2	Benzyl alcohol	8.7842E-013	4.5730E-012
RCPTR_45	farmer_adult	TOCDLIC2	Beryllium	2.0843E-008	2.5451E-008
RCPTR_45	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	8.7771E-013	4.5770E-012
RCPTR_45	farmer_adult	TOCDLIC2	Bromodichloromethane	1.1655E-014	6.0722E-014
RCPTR_45	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	3.0391E-013	1.5838E-012
RCPTR_45	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	4.9491E-008	2.4590E-007
RCPTR_45	farmer_adult	TOCDLIC2	Butylbenzylphthalate	3.9148E-009	4.7950E-009
RCPTR_45	farmer_adult	TOCDLIC2	Cadmium	1.3882E-009	2.1051E-009
RCPTR_45	farmer_adult	TOCDLIC2	Carbon disulfide	1.3157E-015	6.8391E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDLIC2	Carbon tetrachloride	2.0903E-015	1.0841E-014
RCPTR_45	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	9.0463E-011	3.7282E-010
RCPTR_45	farmer_adult	TOCDLIC2	Chloroaniline, p-	4.0944E-012	2.1253E-011
RCPTR_45	farmer_adult	TOCDLIC2	Chlorobenzene	1.2268E-014	6.3412E-014
RCPTR_45	farmer_adult	TOCDLIC2	Chloroethane	3.5220E-017	1.7797E-016
RCPTR_45	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	3.7402E-015	1.9481E-014
RCPTR_45	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	3.2358E-010	1.6579E-009
RCPTR_45	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.1325E-011	5.9032E-011
RCPTR_45	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	5.0270E-010	2.0689E-009
RCPTR_45	farmer_adult	TOCDLIC2	Chromium	1.0922E-006	1.1328E-006
RCPTR_45	farmer_adult	TOCDLIC2	Chromium, hexavalent	7.1491E-007	7.3248E-007
RCPTR_45	farmer_adult	TOCDLIC2	Chrysene	2.0337E-006	2.7487E-006
RCPTR_45	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.5897E-008	1.9287E-008
RCPTR_45	farmer_adult	TOCDLIC2	Di-n-octylphthalate	8.1175E+001	8.1175E+001
RCPTR_45	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	1.5036E-004	1.5596E-004

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	5.3246E-013	2.6747E-012
RCPTR_45	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	6.3639E-013	3.2389E-012
RCPTR_45	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	6.1066E-013	3.1192E-012
RCPTR_45	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	8.5303E-009	1.1229E-008
RCPTR_45	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	2.7404E-018	1.4226E-017
RCPTR_45	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	6.8779E-016	3.5832E-015
RCPTR_45	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	8.5426E-016	4.4515E-015
RCPTR_45	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	2.6085E-016	1.3564E-015
RCPTR_45	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	4.1943E-016	2.1804E-015
RCPTR_45	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	7.2408E-011	2.5560E-010
RCPTR_45	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	2.3650E-015	1.2267E-014
RCPTR_45	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	7.7760E-016	4.0484E-015
RCPTR_45	farmer_adult	TOCDLIC2	Diethyl phthalate	9.9747E-009	1.0555E-008
RCPTR_45	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.8792E-011	9.4976E-011
RCPTR_45	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	7.7816E-012	4.0222E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	8.0828E-012	1.9390E-011
RCPTR_45	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	7.4339E-012	3.6837E-011
RCPTR_45	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	5.6605E-012	2.8432E-011
RCPTR_45	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.6437E-013	8.5697E-013
RCPTR_45	farmer_adult	TOCDLIC2	Ethylbenzene	8.7532E-015	4.3872E-014
RCPTR_45	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	4.0694E-009	5.0281E-009
RCPTR_45	farmer_adult	TOCDLIC2	Fluoranthene	4.0682E-008	1.5368E-007
RCPTR_45	farmer_adult	TOCDLIC2	Fluorene	4.9527E-010	2.4885E-009
RCPTR_45	farmer_adult	TOCDLIC2	GB	1.3882E-015	7.2284E-015
RCPTR_45	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.5524E-013	5.1489E-013
RCPTR_45	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	4.3317E-013	4.7803E-013
RCPTR_45	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.0618E-013	4.5794E-013
RCPTR_45	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.2632E-012	1.4003E-012
RCPTR_45	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	8.8045E-013	1.0052E-012
RCPTR_45	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	8.3513E-013	9.7234E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	8.1053E-013	9.6132E-013
RCPTR_45	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	4.8949E-013	5.8004E-013
RCPTR_45	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.3828E-013	5.1863E-013
RCPTR_45	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	5.0115E-013	5.9343E-013
RCPTR_45	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.0872E-011	5.2063E-011
RCPTR_45	farmer_adult	TOCDLIC2	Hexachlorobenzene	2.1785E-008	1.0625E-007
RCPTR_45	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	2.9402E-011	1.3811E-010
RCPTR_45	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	6.3124E-012	3.2183E-011
RCPTR_45	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_45	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.1041E-003	1.1145E-003
RCPTR_45	farmer_adult	TOCDLIC2	Isophorone	1.1764E-012	6.1272E-012
RCPTR_45	farmer_adult	TOCDLIC2	Lead	1.8143E-007	2.3769E-007
RCPTR_45	farmer_adult	TOCDLIC2	Mercuric chloride	9.9089E-006	1.0992E-005
RCPTR_45	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	4.0696E-017	2.1213E-016
RCPTR_45	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.6230E-018	8.4551E-018

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	9.1263E-015	4.7588E-014
RCPTR_45	farmer_adult	TOCDLIC2	Methyl mercury	5.9500E-008	6.5155E-008
RCPTR_45	farmer_adult	TOCDLIC2	Methylene chloride	7.1686E-016	3.7353E-015
RCPTR_45	farmer_adult	TOCDLIC2	Naphthalene	5.0168E-012	2.5845E-011
RCPTR_45	farmer_adult	TOCDLIC2	Nickel	1.2450E-007	1.3790E-007
RCPTR_45	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.0178E-011	1.0474E-010
RCPTR_45	farmer_adult	TOCDLIC2	Nitroaniline, 3-	4.7882E-012	2.4934E-011
RCPTR_45	farmer_adult	TOCDLIC2	Nitroaniline, 4-	6.1912E-012	3.2213E-011
RCPTR_45	farmer_adult	TOCDLIC2	Nitrobenzene	1.9842E-012	1.0343E-011
RCPTR_45	farmer_adult	TOCDLIC2	Nitrophenol, 2-	9.0398E-013	4.7085E-012
RCPTR_45	farmer_adult	TOCDLIC2	Nitrophenol, 4-	3.1030E-011	6.7292E-011
RCPTR_45	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.1234E-012	5.8315E-012
RCPTR_45	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.1063E-012	5.7296E-012
RCPTR_45	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.0093E-013	5.1319E-013
RCPTR_45	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	7.3570E-013	8.6381E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.4333E-013	2.8489E-013
RCPTR_45	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.2975E-012	3.7274E-012
RCPTR_45	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	9.8485E-013	1.1992E-012
RCPTR_45	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.7047E-012	3.2835E-012
RCPTR_45	farmer_adult	TOCDLIC2	Pentachlorobenzene	8.5248E-011	3.8943E-010
RCPTR_45	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	3.4612E-011	1.5392E-010
RCPTR_45	farmer_adult	TOCDLIC2	Pentachlorophenol	4.6135E-008	6.8475E-008
RCPTR_45	farmer_adult	TOCDLIC2	Phenanthrene	1.5557E-012	7.8893E-012
RCPTR_45	farmer_adult	TOCDLIC2	Phenol	1.6667E-012	8.6607E-012
RCPTR_45	farmer_adult	TOCDLIC2	Pronamide	1.5572E-010	7.8039E-010
RCPTR_45	farmer_adult	TOCDLIC2	Pyrene	7.7888E-008	3.1960E-007
RCPTR_45	farmer_adult	TOCDLIC2	Selenium	7.7786E-008	7.8340E-008
RCPTR_45	farmer_adult	TOCDLIC2	Silver	2.6343E-008	2.9737E-008
RCPTR_45	farmer_adult	TOCDLIC2	Styrene	2.3331E-013	1.2112E-012
RCPTR_45	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.7488E-012	2.2535E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.4601E-012	2.0161E-012
RCPTR_45	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.3071E-010	6.2943E-010
RCPTR_45	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.0932E-011	1.4648E-011
RCPTR_45	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.5102E-015	1.3036E-014
RCPTR_45	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.5766E-009	4.2943E-009
RCPTR_45	farmer_adult	TOCDLIC2	Thallium (I)	6.9361E-007	7.5133E-007
RCPTR_45	farmer_adult	TOCDLIC2	Toluene	1.3561E-014	6.9808E-014
RCPTR_45	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	4.8463E-012	2.4168E-011
RCPTR_45	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.6198E-015	8.4242E-015
RCPTR_45	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.2370E-014	6.4424E-014
RCPTR_45	farmer_adult	TOCDLIC2	Trichloroethylene	2.0161E-015	1.0471E-014
RCPTR_45	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.6490E-016	1.3762E-015
RCPTR_45	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	5.8174E-010	2.7613E-009
RCPTR_45	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.4013E-010	5.5246E-010
RCPTR_45	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	4.5815E-014	2.3843E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_adult	TOCDLIC2	Vinyl Chloride	7.7250E-019	4.0211E-018
RCPTR_45	farmer_adult	TOCDLIC2	Xylene, m-	4.6845E-014	1.0279E-013
RCPTR_45	farmer_adult	TOCDLIC2	Xylene, o-	3.1999E-014	7.8895E-014
RCPTR_45	farmer_adult	TOCDLIC2	Xylene, p-	5.1775E-014	1.3853E-013
RCPTR_45	farmer_adult	TOCDLIC2	Zinc	1.1993E-007	1.6010E-007
RCPTR_45	farmer_child	TOCDFBRA	Antimony	2.4716E-007	2.5521E-007
RCPTR_45	farmer_child	TOCDFBRA	Arsenic	3.4265E-007	3.4426E-007
RCPTR_45	farmer_child	TOCDFBRA	Barium	3.2251E-008	3.2991E-008
RCPTR_45	farmer_child	TOCDFBRA	Beryllium	1.0442E-007	1.2336E-007
RCPTR_45	farmer_child	TOCDFBRA	Cadmium	2.2132E-008	2.4122E-008
RCPTR_45	farmer_child	TOCDFBRA	Chromium	2.5036E-006	3.0783E-006
RCPTR_45	farmer_child	TOCDFBRA	Chromium, hexavalent	1.9850E-006	1.9881E-006
RCPTR_45	farmer_child	TOCDFBRA	Lead	1.1790E-006	1.5013E-006
RCPTR_45	farmer_child	TOCDFBRA	Mercuric chloride	1.9749E-004	3.6299E-004
RCPTR_45	farmer_child	TOCDFBRA	Methyl mercury	1.8302E-006	2.3176E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFBRA	Nickel	1.1716E-006	1.1964E-006
RCPTR_45	farmer_child	TOCDFBRA	Selenium	3.6982E-007	3.6987E-007
RCPTR_45	farmer_child	TOCDFBRA	Silver	1.4098E-007	1.4143E-007
RCPTR_45	farmer_child	TOCDFBRA	Thallium (I)	3.5739E-006	3.6386E-006
RCPTR_45	farmer_child	TOCDFBRA	Zinc	7.3590E-007	7.7569E-007
RCPTR_45	farmer_child	TOCDFDFS	Acenaphthene	5.3847E-010	5.4038E-010
RCPTR_45	farmer_child	TOCDFDFS	Acetone	6.7630E-015	6.7630E-015
RCPTR_45	farmer_child	TOCDFDFS	Acetophenone	2.9928E-012	2.9935E-012
RCPTR_45	farmer_child	TOCDFDFS	Aniline	1.7167E-013	1.7168E-013
RCPTR_45	farmer_child	TOCDFDFS	Anthracene	9.2217E-009	9.5322E-009
RCPTR_45	farmer_child	TOCDFDFS	Antimony	2.4769E-006	2.5574E-006
RCPTR_45	farmer_child	TOCDFDFS	Aroclor 1254	5.3239E-011	5.3613E-011
RCPTR_45	farmer_child	TOCDFDFS	Arsenic	1.9426E-007	1.9517E-007
RCPTR_45	farmer_child	TOCDFDFS	Barium	6.4269E-009	6.5739E-009
RCPTR_45	farmer_child	TOCDFDFS	Benzene	5.5926E-015	5.5926E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFDFS	Benzo(a)anthracene	8.9362E-007	1.0542E-006
RCPTR_45	farmer_child	TOCDFDFS	Benzo(a)pyrene	6.1273E-006	6.2607E-006
RCPTR_45	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	4.0979E-006	4.4854E-006
RCPTR_45	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	9.5033E-006	1.0012E-005
RCPTR_45	farmer_child	TOCDFDFS	Benzoic acid	1.9482E-011	1.9484E-011
RCPTR_45	farmer_child	TOCDFDFS	Benzyl alcohol	3.8931E-012	3.8950E-012
RCPTR_45	farmer_child	TOCDFDFS	Beryllium	5.7277E-008	6.7638E-008
RCPTR_45	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	3.8968E-012	3.8984E-012
RCPTR_45	farmer_child	TOCDFDFS	Bromodichloromethane	4.4110E-014	4.4110E-014
RCPTR_45	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.7530E-012	1.7532E-012
RCPTR_45	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.5139E-007	2.0944E-007
RCPTR_45	farmer_child	TOCDFDFS	Butylbenzylphthalate	4.1051E-009	4.1085E-009
RCPTR_45	farmer_child	TOCDFDFS	Cadmium	6.1074E-008	6.6555E-008
RCPTR_45	farmer_child	TOCDFDFS	Carbon disulfide	2.9234E-015	2.9234E-015
RCPTR_45	farmer_child	TOCDFDFS	Carbon tetrachloride	1.4590E-014	1.4590E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	3.1598E-010	3.1752E-010
RCPTR_45	farmer_child	TOCDFDFS	Chloroaniline, p-	1.8082E-011	1.8102E-011
RCPTR_45	farmer_child	TOCDFDFS	Chlorobenzene	8.5344E-014	8.5344E-014
RCPTR_45	farmer_child	TOCDFDFS	Chloroethane	2.3952E-016	2.3952E-016
RCPTR_45	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	1.3211E-014	1.3211E-014
RCPTR_45	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.4006E-009	1.4121E-009
RCPTR_45	farmer_child	TOCDFDFS	Chlorophenol, 2-	5.0165E-011	5.0279E-011
RCPTR_45	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.7561E-009	1.7623E-009
RCPTR_45	farmer_child	TOCDFDFS	Chromium	7.3786E-007	9.0682E-007
RCPTR_45	farmer_child	TOCDFDFS	Chromium, hexavalent	5.8541E-007	5.8630E-007
RCPTR_45	farmer_child	TOCDFDFS	Chrysene	2.0802E-006	2.3441E-006
RCPTR_45	farmer_child	TOCDFDFS	Di-n-butyl phthalate	1.6396E-008	1.6427E-008
RCPTR_45	farmer_child	TOCDFDFS	Di-n-octylphthalate	6.9044E+001	6.9044E+001
RCPTR_45	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.3147E-004	1.3360E-004
RCPTR_45	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	2.2781E-012	2.2782E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.7586E-012	2.7587E-012
RCPTR_45	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.6566E-012	2.6567E-012
RCPTR_45	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.5805E-008	1.5894E-008
RCPTR_45	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.9146E-017	1.9146E-017
RCPTR_45	farmer_child	TOCDFDFS	Dichloroethane 1,1-	4.8225E-015	4.8225E-015
RCPTR_45	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	5.9911E-015	5.9911E-015
RCPTR_45	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.8255E-015	1.8255E-015
RCPTR_45	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.9345E-015	2.9345E-015
RCPTR_45	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.1698E-010	2.1767E-010
RCPTR_45	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	1.6510E-014	1.6510E-014
RCPTR_45	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	5.4486E-015	5.4486E-015
RCPTR_45	farmer_child	TOCDFDFS	Diethyl phthalate	8.9773E-009	8.9787E-009
RCPTR_45	farmer_child	TOCDFDFS	Dimethyl phthalate	7.5480E-011	7.5546E-011
RCPTR_45	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	3.4215E-011	3.4258E-011
RCPTR_45	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.6272E-011	1.6275E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	3.1327E-011	3.1378E-011
RCPTR_45	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	2.4183E-011	2.4217E-011
RCPTR_45	farmer_child	TOCDFDFS	Ethyl methanesulfonate	7.2972E-013	7.2991E-013
RCPTR_45	farmer_child	TOCDFDFS	Ethylbenzene	5.2063E-014	5.2063E-014
RCPTR_45	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.1883E-010	4.1999E-010
RCPTR_45	farmer_child	TOCDFDFS	Fluoranthene	1.1138E-007	1.3092E-007
RCPTR_45	farmer_child	TOCDFDFS	Fluorene	2.0969E-009	2.1196E-009
RCPTR_45	farmer_child	TOCDFDFS	GB	1.9627E-014	1.9632E-014
RCPTR_45	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.0776E-013	1.1878E-013
RCPTR_45	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.7185E-014	6.1832E-014
RCPTR_45	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.9037E-013	2.0927E-013
RCPTR_45	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.0968E-012	1.1902E-012
RCPTR_45	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	5.7739E-013	6.4072E-013
RCPTR_45	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	4.9179E-013	5.5393E-013
RCPTR_45	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	3.8984E-013	4.4514E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.4750E-013	3.9664E-013
RCPTR_45	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	4.6789E-013	5.3341E-013
RCPTR_45	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.2141E-013	3.6661E-013
RCPTR_45	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	4.4342E-011	4.4347E-011
RCPTR_45	farmer_child	TOCDFDFS	Hexachlorobenzene	8.5138E-008	9.0500E-008
RCPTR_45	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	5.8221E-010	5.8233E-010
RCPTR_45	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.7406E-011	2.7411E-011
RCPTR_45	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_45	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	9.4661E-004	9.5008E-004
RCPTR_45	farmer_child	TOCDFDFS	Isophorone	5.2168E-012	5.2187E-012
RCPTR_45	farmer_child	TOCDFDFS	Lead	6.9967E-006	8.9048E-006
RCPTR_45	farmer_child	TOCDFDFS	Mercuric chloride	7.1140E-008	1.3205E-007
RCPTR_45	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	5.1055E-016	5.1055E-016
RCPTR_45	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	8.6429E-017	8.6429E-017
RCPTR_45	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.5386E-014	4.5386E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFDFS	Methyl mercury	6.0879E-010	7.8816E-010
RCPTR_45	farmer_child	TOCDFDFS	Methylene chloride	1.3119E-015	1.3119E-015
RCPTR_45	farmer_child	TOCDFDFS	Naphthalene	2.2007E-011	2.2013E-011
RCPTR_45	farmer_child	TOCDFDFS	Nickel	6.9087E-007	7.0547E-007
RCPTR_45	farmer_child	TOCDFDFS	Nitroaniline, 2-	8.7837E-011	8.7933E-011
RCPTR_45	farmer_child	TOCDFDFS	Nitroaniline, 3-	2.0924E-011	2.0933E-011
RCPTR_45	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.7029E-011	2.7044E-011
RCPTR_45	farmer_child	TOCDFDFS	Nitrobenzene	8.8044E-012	8.8093E-012
RCPTR_45	farmer_child	TOCDFDFS	Nitrophenol, 2-	4.0094E-012	4.0104E-012
RCPTR_45	farmer_child	TOCDFDFS	Nitrophenol, 4-	5.6451E-011	5.6468E-011
RCPTR_45	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	4.9660E-012	4.9669E-012
RCPTR_45	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	4.8796E-012	4.8801E-012
RCPTR_45	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	4.3715E-013	4.3717E-013
RCPTR_45	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	2.6779E-013	3.0367E-013
RCPTR_45	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	9.1718E-014	1.0380E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.8417E-012	3.1256E-012
RCPTR_45	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.4059E-013	2.7990E-013
RCPTR_45	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	9.4606E-013	1.0987E-012
RCPTR_45	farmer_child	TOCDFDFS	Pentachlorobenzene	3.3172E-010	3.3186E-010
RCPTR_45	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.2928E-010	1.2929E-010
RCPTR_45	farmer_child	TOCDFDFS	Pentachlorophenol	5.7288E-008	5.7439E-008
RCPTR_45	farmer_child	TOCDFDFS	Phenanthrene	6.7195E-012	6.7196E-012
RCPTR_45	farmer_child	TOCDFDFS	Phenol	6.9727E-012	6.9771E-012
RCPTR_45	farmer_child	TOCDFDFS	Pronamide	1.3197E-009	1.3294E-009
RCPTR_45	farmer_child	TOCDFDFS	Pyrene	1.8350E-007	2.7222E-007
RCPTR_45	farmer_child	TOCDFDFS	Selenium	2.0970E-007	2.0972E-007
RCPTR_45	farmer_child	TOCDFDFS	Silver	8.1171E-008	8.1432E-008
RCPTR_45	farmer_child	TOCDFDFS	Styrene	1.4241E-012	1.4241E-012
RCPTR_45	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.3457E-012	1.6291E-012
RCPTR_45	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	4.4396E-013	5.6444E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	5.3535E-010	5.3610E-010
RCPTR_45	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.9695E-011	1.9695E-011
RCPTR_45	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.7544E-014	1.7544E-014
RCPTR_45	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	3.5972E-009	3.6041E-009
RCPTR_45	farmer_child	TOCDFDFS	Thallium (I)	1.9612E-006	1.9965E-006
RCPTR_45	farmer_child	TOCDFDFS	Toluene	2.3620E-014	2.3620E-014
RCPTR_45	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.0582E-011	2.0585E-011
RCPTR_45	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	1.1338E-014	1.1338E-014
RCPTR_45	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	8.6704E-014	8.6705E-014
RCPTR_45	farmer_child	TOCDFDFS	Trichloroethylene	1.4093E-014	1.4093E-014
RCPTR_45	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.8522E-015	1.8522E-015
RCPTR_45	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	2.3128E-009	2.3518E-009
RCPTR_45	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	4.6882E-010	4.7050E-010
RCPTR_45	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	3.2088E-013	3.2089E-013
RCPTR_45	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	3.7357E-012	3.7392E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFDFS	Vinyl Chloride	4.5799E-018	4.5799E-018
RCPTR_45	farmer_child	TOCDFDFS	Xylene, m-	1.0252E-013	1.0252E-013
RCPTR_45	farmer_child	TOCDFDFS	Xylene, o-	1.0686E-013	1.0686E-013
RCPTR_45	farmer_child	TOCDFDFS	Xylene, p-	1.3784E-013	1.3785E-013
RCPTR_45	farmer_child	TOCDFDFS	Zinc	4.8730E-007	5.1358E-007
RCPTR_45	farmer_child	TOCDFLIC	Acenaphthene	3.0635E-010	3.0744E-010
RCPTR_45	farmer_child	TOCDFLIC	Acetone	8.1175E-015	8.1175E-015
RCPTR_45	farmer_child	TOCDFLIC	Acetophenone	2.9189E-012	2.9196E-012
RCPTR_45	farmer_child	TOCDFLIC	Aniline	9.7671E-014	9.7673E-014
RCPTR_45	farmer_child	TOCDFLIC	Anthracene	5.2465E-009	5.4231E-009
RCPTR_45	farmer_child	TOCDFLIC	Antimony	4.4069E-008	4.5499E-008
RCPTR_45	farmer_child	TOCDFLIC	Arsenic	1.1815E-007	1.1870E-007
RCPTR_45	farmer_child	TOCDFLIC	Barium	4.4434E-009	4.5450E-009
RCPTR_45	farmer_child	TOCDFLIC	Benzene	7.4475E-014	7.4475E-014
RCPTR_45	farmer_child	TOCDFLIC	Benzo(a)anthracene	5.0764E-007	5.9892E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.4713E-006	3.5465E-006
RCPTR_45	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.3283E-006	2.5485E-006
RCPTR_45	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	5.3850E-006	5.6704E-006
RCPTR_45	farmer_child	TOCDFLIC	Benzoic acid	1.1890E-011	1.1892E-011
RCPTR_45	farmer_child	TOCDFLIC	Benzyl alcohol	2.2149E-012	2.2160E-012
RCPTR_45	farmer_child	TOCDFLIC	Beryllium	2.1553E-008	2.5451E-008
RCPTR_45	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	2.2170E-012	2.2179E-012
RCPTR_45	farmer_child	TOCDFLIC	Bromodichloromethane	1.9831E-014	1.9831E-014
RCPTR_45	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	6.8303E-013	6.8309E-013
RCPTR_45	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	8.6131E-008	1.1916E-007
RCPTR_45	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.3217E-009	2.3236E-009
RCPTR_45	farmer_child	TOCDFLIC	Cadmium	1.7001E-008	1.8526E-008
RCPTR_45	farmer_child	TOCDFLIC	Carbon disulfide	4.5129E-015	4.5129E-015
RCPTR_45	farmer_child	TOCDFLIC	Carbon tetrachloride	7.1227E-015	7.1227E-015
RCPTR_45	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	1.7979E-010	1.8066E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFLIC	Chloroaniline, p-	1.0288E-011	1.0299E-011
RCPTR_45	farmer_child	TOCDFLIC	Chlorobenzene	4.1665E-014	4.1665E-014
RCPTR_45	farmer_child	TOCDFLIC	Chloroethane	1.1694E-016	1.1694E-016
RCPTR_45	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	6.3094E-015	6.3094E-015
RCPTR_45	farmer_child	TOCDFLIC	Chloronaphthalene,2-	7.9686E-010	8.0339E-010
RCPTR_45	farmer_child	TOCDFLIC	Chlorophenol, 2-	2.8540E-011	2.8606E-011
RCPTR_45	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	9.9902E-010	1.0025E-009
RCPTR_45	farmer_child	TOCDFLIC	Chromium	9.2176E-007	1.1328E-006
RCPTR_45	farmer_child	TOCDFLIC	Chromium, hexavalent	7.3136E-007	7.3248E-007
RCPTR_45	farmer_child	TOCDFLIC	Chrysene	1.1820E-006	1.3320E-006
RCPTR_45	farmer_child	TOCDFLIC	Di-n-butyl phthalate	9.3285E-009	9.3462E-009
RCPTR_45	farmer_child	TOCDFLIC	Di-n-octylphthalate	3.9336E+001	3.9336E+001
RCPTR_45	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	7.4403E-005	7.5576E-005
RCPTR_45	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	1.2961E-012	1.2961E-012
RCPTR_45	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	1.5695E-012	1.5695E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	1.5114E-012	1.5115E-012
RCPTR_45	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	4.6434E-009	4.6697E-009
RCPTR_45	farmer_child	TOCDFLIC	Dichlorodifluoromethane	9.3471E-018	9.3471E-018
RCPTR_45	farmer_child	TOCDFLIC	Dichloroethane 1,1-	2.3543E-015	2.3543E-015
RCPTR_45	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.9248E-015	2.9248E-015
RCPTR_45	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	8.9123E-016	8.9123E-016
RCPTR_45	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.4326E-015	1.4326E-015
RCPTR_45	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	1.2346E-010	1.2386E-010
RCPTR_45	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	8.0602E-015	8.0602E-015
RCPTR_45	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	2.6600E-015	2.6600E-015
RCPTR_45	farmer_child	TOCDFLIC	Diethyl phthalate	5.1140E-009	5.1148E-009
RCPTR_45	farmer_child	TOCDFLIC	Dimethyl phthalate	7.7476E-011	7.7544E-011
RCPTR_45	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	1.9466E-011	1.9491E-011
RCPTR_45	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	9.3703E-012	9.3717E-012
RCPTR_45	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	1.7821E-011	1.7851E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	1.3758E-011	1.3778E-011
RCPTR_45	farmer_child	TOCDFLIC	Ethyl methanesulfonate	4.1516E-013	4.1527E-013
RCPTR_45	farmer_child	TOCDFLIC	Ethylbenzene	3.3889E-014	3.3889E-014
RCPTR_45	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	7.4889E-009	7.5097E-009
RCPTR_45	farmer_child	TOCDFLIC	Fluoranthene	6.3357E-008	7.4473E-008
RCPTR_45	farmer_child	TOCDFLIC	Fluorene	1.1930E-009	1.2059E-009
RCPTR_45	farmer_child	TOCDFLIC	GB	6.9512E-015	6.9530E-015
RCPTR_45	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	6.6603E-014	7.3358E-014
RCPTR_45	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	8.1006E-014	8.7517E-014
RCPTR_45	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.9101E-013	2.0982E-013
RCPTR_45	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	8.6026E-013	9.3278E-013
RCPTR_45	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	4.8058E-013	5.3290E-013
RCPTR_45	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.0512E-013	4.5604E-013
RCPTR_45	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.6171E-013	2.9874E-013
RCPTR_45	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.5672E-013	2.9292E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	2.9815E-013	3.3979E-013
RCPTR_45	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.1721E-013	2.4767E-013
RCPTR_45	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.5226E-011	2.5229E-011
RCPTR_45	farmer_child	TOCDFLIC	Hexachlorobenzene	4.8437E-008	5.1488E-008
RCPTR_45	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	6.6911E-011	6.6925E-011
RCPTR_45	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.5592E-011	1.5595E-011
RCPTR_45	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_45	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.3816E-004	5.4008E-004
RCPTR_45	farmer_child	TOCDFLIC	Isophorone	2.9680E-012	2.9691E-012
RCPTR_45	farmer_child	TOCDFLIC	Lead	2.5905E-006	3.2968E-006
RCPTR_45	farmer_child	TOCDFLIC	Mercuric chloride	5.9163E-006	1.0992E-005
RCPTR_45	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	1.6218E-016	1.6218E-016
RCPTR_45	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.3283E-017	1.3283E-017
RCPTR_45	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	4.8282E-014	4.8282E-014
RCPTR_45	farmer_child	TOCDFLIC	Methyl mercury	5.0206E-008	6.5155E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFLIC	Methylene chloride	1.0269E-015	1.0269E-015
RCPTR_45	farmer_child	TOCDFLIC	Naphthalene	1.2521E-011	1.2524E-011
RCPTR_45	farmer_child	TOCDFLIC	Nickel	3.8849E-007	3.9670E-007
RCPTR_45	farmer_child	TOCDFLIC	Nitroaniline, 2-	5.0570E-011	5.0625E-011
RCPTR_45	farmer_child	TOCDFLIC	Nitroaniline, 3-	1.2047E-011	1.2052E-011
RCPTR_45	farmer_child	TOCDFLIC	Nitroaniline, 4-	1.5561E-011	1.5570E-011
RCPTR_45	farmer_child	TOCDFLIC	Nitrobenzene	5.0091E-012	5.0119E-012
RCPTR_45	farmer_child	TOCDFLIC	Nitrophenol, 2-	2.2811E-012	2.2817E-012
RCPTR_45	farmer_child	TOCDFLIC	Nitrophenol, 4-	3.2515E-011	3.2525E-011
RCPTR_45	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.8253E-012	2.8258E-012
RCPTR_45	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	2.7762E-012	2.7765E-012
RCPTR_45	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	2.4867E-013	2.4868E-013
RCPTR_45	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.2696E-013	2.5726E-013
RCPTR_45	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	7.4459E-014	8.4229E-014
RCPTR_45	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.8131E-012	1.9933E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	4.8722E-013	5.6674E-013
RCPTR_45	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.0625E-012	1.2338E-012
RCPTR_45	farmer_child	TOCDFLIC	Pentachlorobenzene	1.8863E-010	1.8871E-010
RCPTR_45	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	7.4387E-011	7.4392E-011
RCPTR_45	farmer_child	TOCDFLIC	Pentachlorophenol	3.3009E-008	3.3096E-008
RCPTR_45	farmer_child	TOCDFLIC	Phenanthrene	3.8229E-012	3.8230E-012
RCPTR_45	farmer_child	TOCDFLIC	Phenol	3.9670E-012	3.9695E-012
RCPTR_45	farmer_child	TOCDFLIC	Pronamide	3.7541E-010	3.7816E-010
RCPTR_45	farmer_child	TOCDFLIC	Pyrene	1.0440E-007	1.5487E-007
RCPTR_45	farmer_child	TOCDFLIC	Selenium	7.8331E-008	7.8340E-008
RCPTR_45	farmer_child	TOCDFLIC	Silver	2.9642E-008	2.9737E-008
RCPTR_45	farmer_child	TOCDFLIC	Styrene	1.4458E-012	1.4458E-012
RCPTR_45	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	6.4213E-013	7.7739E-013
RCPTR_45	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	8.8518E-013	1.1256E-012
RCPTR_45	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	3.0458E-010	3.0501E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	9.6241E-012	9.6242E-012
RCPTR_45	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	8.5650E-015	8.5651E-015
RCPTR_45	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	2.0715E-009	2.0756E-009
RCPTR_45	farmer_child	TOCDFLIC	Thallium (I)	7.3802E-007	7.5133E-007
RCPTR_45	farmer_child	TOCDFLIC	Toluene	6.6317E-014	6.6318E-014
RCPTR_45	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.1710E-011	1.1711E-011
RCPTR_45	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	5.5351E-015	5.5351E-015
RCPTR_45	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	4.2329E-014	4.2329E-014
RCPTR_45	farmer_child	TOCDFLIC	Trichloroethylene	6.8801E-015	6.8801E-015
RCPTR_45	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	9.0425E-016	9.0425E-016
RCPTR_45	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	1.3158E-009	1.3381E-009
RCPTR_45	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	2.6675E-010	2.6771E-010
RCPTR_45	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	1.5665E-013	1.5666E-013
RCPTR_45	farmer_child	TOCDFLIC	Vinyl Chloride	2.4092E-018	2.4092E-018
RCPTR_45	farmer_child	TOCDFLIC	Xylene, m-	8.8543E-014	8.8543E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFLIC	Xylene, o-	5.8803E-014	5.8803E-014
RCPTR_45	farmer_child	TOCDFLIC	Xylene, p-	1.1934E-013	1.1934E-013
RCPTR_45	farmer_child	TOCDFLIC	Zinc	1.2723E-007	1.3409E-007
RCPTR_45	farmer_child	TOCDFMPF	Acenaphthene	1.3076E-009	1.3122E-009
RCPTR_45	farmer_child	TOCDFMPF	Acetone	4.0725E-015	4.0725E-015
RCPTR_45	farmer_child	TOCDFMPF	Acetophenone	6.9214E-012	6.9229E-012
RCPTR_45	farmer_child	TOCDFMPF	Aniline	4.1687E-013	4.1689E-013
RCPTR_45	farmer_child	TOCDFMPF	Anthracene	2.2393E-008	2.3147E-008
RCPTR_45	farmer_child	TOCDFMPF	Antimony	1.3144E-008	1.3571E-008
RCPTR_45	farmer_child	TOCDFMPF	Arsenic	2.7785E-008	2.7915E-008
RCPTR_45	farmer_child	TOCDFMPF	Barium	4.1741E-009	4.2696E-009
RCPTR_45	farmer_child	TOCDFMPF	Benzene	3.6268E-015	3.6268E-015
RCPTR_45	farmer_child	TOCDFMPF	Benzo(a)anthracene	2.1668E-006	2.5565E-006
RCPTR_45	farmer_child	TOCDFMPF	Benzo(a)pyrene	1.4819E-005	1.5140E-005
RCPTR_45	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	9.9382E-006	1.0878E-005

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	2.2988E-005	2.4207E-005
RCPTR_45	farmer_child	TOCDFMPF	Benzoic acid	4.7309E-011	4.7315E-011
RCPTR_45	farmer_child	TOCDFMPF	Benzyl alcohol	9.4535E-012	9.4583E-012
RCPTR_45	farmer_child	TOCDFMPF	Beryllium	6.1687E-009	7.2842E-009
RCPTR_45	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	9.4625E-012	9.4664E-012
RCPTR_45	farmer_child	TOCDFMPF	Bromodichloromethane	3.2327E-014	3.2327E-014
RCPTR_45	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.2197E-012	1.2198E-012
RCPTR_45	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	3.6762E-007	5.0859E-007
RCPTR_45	farmer_child	TOCDFMPF	Butylbenzylphthalate	9.9120E-009	9.9201E-009
RCPTR_45	farmer_child	TOCDFMPF	Cadmium	7.4535E-009	8.1222E-009
RCPTR_45	farmer_child	TOCDFMPF	Carbon disulfide	6.3438E-015	6.3438E-015
RCPTR_45	farmer_child	TOCDFMPF	Carbon tetrachloride	1.0038E-014	1.0038E-014
RCPTR_45	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	7.6736E-010	7.7110E-010
RCPTR_45	farmer_child	TOCDFMPF	Chloroaniline, p-	4.3910E-011	4.3958E-011
RCPTR_45	farmer_child	TOCDFMPF	Chlorobenzene	5.8720E-014	5.8720E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFMPF	Chloroethane	1.6480E-016	1.6480E-016
RCPTR_45	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	8.5536E-015	8.5536E-015
RCPTR_45	farmer_child	TOCDFMPF	Chloronaphthalene,2-	3.4011E-009	3.4290E-009
RCPTR_45	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.2182E-010	1.2209E-010
RCPTR_45	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	4.2640E-009	4.2790E-009
RCPTR_45	farmer_child	TOCDFMPF	Chromium	1.7871E-007	2.1962E-007
RCPTR_45	farmer_child	TOCDFMPF	Chromium, hexavalent	1.4179E-007	1.4201E-007
RCPTR_45	farmer_child	TOCDFMPF	Chrysene	5.0455E-006	5.6854E-006
RCPTR_45	farmer_child	TOCDFMPF	Di-n-butyl phthalate	3.9816E-008	3.9892E-008
RCPTR_45	farmer_child	TOCDFMPF	Di-n-octylphthalate	1.6789E+002	1.6789E+002
RCPTR_45	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	3.1763E-004	3.2264E-004
RCPTR_45	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	5.5319E-012	5.5321E-012
RCPTR_45	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	6.6988E-012	6.6990E-012
RCPTR_45	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	6.4511E-012	6.4513E-012
RCPTR_45	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.5929E-008	2.6075E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFMPF	Dichlorodifluoromethane	1.3173E-017	1.3173E-017
RCPTR_45	farmer_child	TOCDFMPF	Dichloroethane 1,1-	3.3180E-015	3.3180E-015
RCPTR_45	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	4.1221E-015	4.1221E-015
RCPTR_45	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.2560E-015	1.2560E-015
RCPTR_45	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.0191E-015	2.0191E-015
RCPTR_45	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	5.2696E-010	5.2865E-010
RCPTR_45	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.1360E-014	1.1360E-014
RCPTR_45	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	3.7489E-015	3.7489E-015
RCPTR_45	farmer_child	TOCDFMPF	Diethyl phthalate	2.1826E-008	2.1830E-008
RCPTR_45	farmer_child	TOCDFMPF	Dimethyl phthalate	2.8198E-011	2.8222E-011
RCPTR_45	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	8.3084E-011	8.3190E-011
RCPTR_45	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	3.9921E-011	3.9927E-011
RCPTR_45	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	7.6065E-011	7.6190E-011
RCPTR_45	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	5.8722E-011	5.8805E-011
RCPTR_45	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.7720E-012	1.7724E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFMPF	Ethylbenzene	3.5821E-014	3.5821E-014
RCPTR_45	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	8.3002E-009	8.3233E-009
RCPTR_45	farmer_child	TOCDFMPF	Fluoranthene	2.7042E-007	3.1786E-007
RCPTR_45	farmer_child	TOCDFMPF	Fluorene	5.0919E-009	5.1470E-009
RCPTR_45	farmer_child	TOCDFMPF	GB	9.9001E-015	9.9026E-015
RCPTR_45	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.4044E-013	1.5468E-013
RCPTR_45	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	5.4424E-012	5.8801E-012
RCPTR_45	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	8.8730E-013	9.7466E-013
RCPTR_45	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.9678E-012	2.1337E-012
RCPTR_45	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.0459E-012	1.1598E-012
RCPTR_45	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	9.6216E-013	1.0831E-012
RCPTR_45	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.9318E-011	4.4882E-011
RCPTR_45	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	9.6048E-012	1.0959E-011
RCPTR_45	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.6733E-012	1.9070E-012
RCPTR_45	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.1932E-012	1.3605E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.0767E-010	1.0768E-010
RCPTR_45	farmer_child	TOCDFMPF	Hexachlorobenzene	2.0674E-007	2.1976E-007
RCPTR_45	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	2.8559E-010	2.8565E-010
RCPTR_45	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	6.6551E-011	6.6563E-011
RCPTR_45	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_45	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.2971E-003	2.3052E-003
RCPTR_45	farmer_child	TOCDFMPF	Isophorone	1.2668E-011	1.2673E-011
RCPTR_45	farmer_child	TOCDFMPF	Lead	2.0468E-009	2.6048E-009
RCPTR_45	farmer_child	TOCDFMPF	Mercuric chloride	6.7061E-008	1.2459E-007
RCPTR_45	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	1.9476E-016	1.9476E-016
RCPTR_45	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	6.9661E-018	6.9661E-018
RCPTR_45	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	4.5619E-014	4.5619E-014
RCPTR_45	farmer_child	TOCDFMPF	Methyl mercury	5.6929E-010	7.3873E-010
RCPTR_45	farmer_child	TOCDFMPF	Methylene chloride	1.1404E-015	1.1404E-015
RCPTR_45	farmer_child	TOCDFMPF	Naphthalene	5.3440E-011	5.3455E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFMPF	Nickel	3.0532E-007	3.1176E-007
RCPTR_45	farmer_child	TOCDFMPF	Nitroaniline, 2-	2.1545E-010	2.1569E-010
RCPTR_45	farmer_child	TOCDFMPF	Nitroaniline, 3-	5.1323E-011	5.1345E-011
RCPTR_45	farmer_child	TOCDFMPF	Nitroaniline, 4-	6.6298E-011	6.6333E-011
RCPTR_45	farmer_child	TOCDFMPF	Nitrobenzene	2.1380E-011	2.1392E-011
RCPTR_45	farmer_child	TOCDFMPF	Nitrophenol, 2-	9.7360E-012	9.7386E-012
RCPTR_45	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.3853E-010	1.3857E-010
RCPTR_45	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.2059E-011	1.2061E-011
RCPTR_45	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.1849E-011	1.1850E-011
RCPTR_45	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.0614E-012	1.0614E-012
RCPTR_45	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.3763E-013	3.8270E-013
RCPTR_45	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	4.6895E-013	5.3049E-013
RCPTR_45	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	7.1679E-012	7.8806E-012
RCPTR_45	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	5.4329E-012	6.3197E-012
RCPTR_45	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.7294E-011	2.0082E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFMPF	Pentachlorobenzene	8.0513E-010	8.0547E-010
RCPTR_45	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	3.1693E-010	3.1695E-010
RCPTR_45	farmer_child	TOCDFMPF	Pentachlorophenol	1.4063E-007	1.4100E-007
RCPTR_45	farmer_child	TOCDFMPF	Phenanthrene	1.6317E-011	1.6317E-011
RCPTR_45	farmer_child	TOCDFMPF	Phenol	1.6932E-011	1.6942E-011
RCPTR_45	farmer_child	TOCDFMPF	Pronamide	1.6023E-009	1.6141E-009
RCPTR_45	farmer_child	TOCDFMPF	Pyrene	4.4558E-007	6.6101E-007
RCPTR_45	farmer_child	TOCDFMPF	Selenium	2.2964E-008	2.2966E-008
RCPTR_45	farmer_child	TOCDFMPF	Silver	1.1887E-007	1.1926E-007
RCPTR_45	farmer_child	TOCDFMPF	Styrene	1.5478E-012	1.5479E-012
RCPTR_45	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.8238E-012	2.2080E-012
RCPTR_45	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	3.6298E-012	4.6155E-012
RCPTR_45	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.3000E-009	1.3018E-009
RCPTR_45	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.3563E-011	1.3563E-011
RCPTR_45	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.6751E-014	2.6751E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	8.8256E-009	8.8427E-009
RCPTR_45	farmer_child	TOCDFMPF	Thallium (I)	2.1823E-007	2.2216E-007
RCPTR_45	farmer_child	TOCDFMPF	Toluene	1.8596E-014	1.8596E-014
RCPTR_45	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	4.9979E-011	4.9986E-011
RCPTR_45	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	7.8009E-015	7.8009E-015
RCPTR_45	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	5.9656E-014	5.9657E-014
RCPTR_45	farmer_child	TOCDFMPF	Trichloroethylene	9.6964E-015	9.6964E-015
RCPTR_45	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.2744E-015	1.2744E-015
RCPTR_45	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	5.6163E-009	5.7110E-009
RCPTR_45	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.1386E-009	1.1426E-009
RCPTR_45	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	2.2078E-013	2.2078E-013
RCPTR_45	farmer_child	TOCDFMPF	Vinyl Chloride	3.1511E-018	3.1511E-018
RCPTR_45	farmer_child	TOCDFMPF	Xylene, m-	7.0013E-014	7.0014E-014
RCPTR_45	farmer_child	TOCDFMPF	Xylene, o-	7.3077E-014	7.3077E-014
RCPTR_45	farmer_child	TOCDFMPF	Xylene, p-	9.4353E-014	9.4353E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDFMPF	Zinc	7.8041E-008	8.2250E-008
RCPTR_45	farmer_child	TOCDHVAC	GB	4.1557E-014	4.1567E-014
RCPTR_45	farmer_child	TOCDLIC2	Acenaphthene	6.3220E-010	6.3444E-010
RCPTR_45	farmer_child	TOCDLIC2	Acetone	8.0331E-015	8.0331E-015
RCPTR_45	farmer_child	TOCDLIC2	Acetophenone	3.3465E-012	3.3472E-012
RCPTR_45	farmer_child	TOCDLIC2	Aniline	2.0156E-013	2.0156E-013
RCPTR_45	farmer_child	TOCDLIC2	Anthracene	1.0827E-008	1.1191E-008
RCPTR_45	farmer_child	TOCDLIC2	Antimony	5.8630E-008	6.0534E-008
RCPTR_45	farmer_child	TOCDLIC2	Arsenic	1.1815E-007	1.1870E-007
RCPTR_45	farmer_child	TOCDLIC2	Barium	4.2818E-008	4.3797E-008
RCPTR_45	farmer_child	TOCDLIC2	Benzene	5.3596E-015	5.3596E-015
RCPTR_45	farmer_child	TOCDLIC2	Benzo(a)anthracene	1.0476E-006	1.2360E-006
RCPTR_45	farmer_child	TOCDLIC2	Benzo(a)pyrene	7.1634E-006	7.3186E-006
RCPTR_45	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	4.8047E-006	5.2592E-006
RCPTR_45	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	1.1113E-005	1.1702E-005

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDLIC2	Benzoic acid	2.2874E-011	2.2876E-011
RCPTR_45	farmer_child	TOCDLIC2	Benzyl alcohol	4.5707E-012	4.5730E-012
RCPTR_45	farmer_child	TOCDLIC2	Beryllium	2.1553E-008	2.5451E-008
RCPTR_45	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	4.5751E-012	4.5770E-012
RCPTR_45	farmer_child	TOCDLIC2	Bromodichloromethane	6.0721E-014	6.0722E-014
RCPTR_45	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.5837E-012	1.5838E-012
RCPTR_45	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	1.7774E-007	2.4590E-007
RCPTR_45	farmer_child	TOCDLIC2	Butylbenzylphthalate	4.7911E-009	4.7950E-009
RCPTR_45	farmer_child	TOCDLIC2	Cadmium	1.9318E-009	2.1051E-009
RCPTR_45	farmer_child	TOCDLIC2	Carbon disulfide	6.8391E-015	6.8391E-015
RCPTR_45	farmer_child	TOCDLIC2	Carbon tetrachloride	1.0841E-014	1.0841E-014
RCPTR_45	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	3.7102E-010	3.7282E-010
RCPTR_45	farmer_child	TOCDLIC2	Chloroaniline, p-	2.1230E-011	2.1253E-011
RCPTR_45	farmer_child	TOCDLIC2	Chlorobenzene	6.3412E-014	6.3412E-014
RCPTR_45	farmer_child	TOCDLIC2	Chloroethane	1.7797E-016	1.7797E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.9481E-014	1.9481E-014
RCPTR_45	farmer_child	TOCDLIC2	Chloronaphthalene,2-	1.6444E-009	1.6579E-009
RCPTR_45	farmer_child	TOCDLIC2	Chlorophenol, 2-	5.8897E-011	5.9032E-011
RCPTR_45	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	2.0616E-009	2.0689E-009
RCPTR_45	farmer_child	TOCDLIC2	Chromium	9.2176E-007	1.1328E-006
RCPTR_45	farmer_child	TOCDLIC2	Chromium, hexavalent	7.3136E-007	7.3248E-007
RCPTR_45	farmer_child	TOCDLIC2	Chrysene	2.4393E-006	2.7487E-006
RCPTR_45	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.9251E-008	1.9287E-008
RCPTR_45	farmer_child	TOCDLIC2	Di-n-octylphthalate	8.1175E+001	8.1175E+001
RCPTR_45	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	1.5354E-004	1.5596E-004
RCPTR_45	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	2.6747E-012	2.6747E-012
RCPTR_45	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	3.2388E-012	3.2389E-012
RCPTR_45	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	3.1191E-012	3.1192E-012
RCPTR_45	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.1166E-008	1.1229E-008
RCPTR_45	farmer_child	TOCDLIC2	Dichlorodifluoromethane	1.4226E-017	1.4226E-017

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDLIC2	Dichloroethane 1,1-	3.5832E-015	3.5832E-015
RCPTR_45	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	4.4515E-015	4.4515E-015
RCPTR_45	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	1.3564E-015	1.3564E-015
RCPTR_45	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	2.1804E-015	2.1804E-015
RCPTR_45	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	2.5479E-010	2.5560E-010
RCPTR_45	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	1.2267E-014	1.2267E-014
RCPTR_45	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	4.0484E-015	4.0484E-015
RCPTR_45	farmer_child	TOCDLIC2	Diethyl phthalate	1.0553E-008	1.0555E-008
RCPTR_45	farmer_child	TOCDLIC2	Dimethyl phthalate	9.4893E-011	9.4976E-011
RCPTR_45	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	4.0171E-011	4.0222E-011
RCPTR_45	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.9387E-011	1.9390E-011
RCPTR_45	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	3.6777E-011	3.6837E-011
RCPTR_45	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	2.8392E-011	2.8432E-011
RCPTR_45	farmer_child	TOCDLIC2	Ethyl methanesulfonate	8.5674E-013	8.5697E-013
RCPTR_45	farmer_child	TOCDLIC2	Ethylbenzene	4.3872E-014	4.3872E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	5.0141E-009	5.0281E-009
RCPTR_45	farmer_child	TOCDLIC2	Fluoranthene	1.3075E-007	1.5368E-007
RCPTR_45	farmer_child	TOCDLIC2	Fluorene	2.4619E-009	2.4885E-009
RCPTR_45	farmer_child	TOCDLIC2	GB	7.2265E-015	7.2284E-015
RCPTR_45	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.6748E-013	5.1489E-013
RCPTR_45	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	4.4247E-013	4.7803E-013
RCPTR_45	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.1690E-013	4.5794E-013
RCPTR_45	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.2915E-012	1.4003E-012
RCPTR_45	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	9.0648E-013	1.0052E-012
RCPTR_45	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	8.6377E-013	9.7234E-013
RCPTR_45	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	8.4215E-013	9.6132E-013
RCPTR_45	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.0835E-013	5.8004E-013
RCPTR_45	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.5508E-013	5.1863E-013
RCPTR_45	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	5.2044E-013	5.9343E-013
RCPTR_45	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	5.2058E-011	5.2063E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDLIC2	Hexachlorobenzene	9.9956E-008	1.0625E-007
RCPTR_45	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.3808E-010	1.3811E-010
RCPTR_45	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	3.2177E-011	3.2183E-011
RCPTR_45	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_45	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.1106E-003	1.1145E-003
RCPTR_45	farmer_child	TOCDLIC2	Isophorone	6.1249E-012	6.1272E-012
RCPTR_45	farmer_child	TOCDLIC2	Lead	1.8677E-007	2.3769E-007
RCPTR_45	farmer_child	TOCDLIC2	Mercuric chloride	5.9163E-006	1.0992E-005
RCPTR_45	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	2.1213E-016	2.1213E-016
RCPTR_45	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	8.4551E-018	8.4551E-018
RCPTR_45	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	4.7588E-014	4.7588E-014
RCPTR_45	farmer_child	TOCDLIC2	Methyl mercury	5.0206E-008	6.5155E-008
RCPTR_45	farmer_child	TOCDLIC2	Methylene chloride	3.7353E-015	3.7353E-015
RCPTR_45	farmer_child	TOCDLIC2	Naphthalene	2.5838E-011	2.5845E-011
RCPTR_45	farmer_child	TOCDLIC2	Nickel	1.3504E-007	1.3790E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.0463E-010	1.0474E-010
RCPTR_45	farmer_child	TOCDLIC2	Nitroaniline, 3-	2.4924E-011	2.4934E-011
RCPTR_45	farmer_child	TOCDLIC2	Nitroaniline, 4-	3.2196E-011	3.2213E-011
RCPTR_45	farmer_child	TOCDLIC2	Nitrobenzene	1.0337E-011	1.0343E-011
RCPTR_45	farmer_child	TOCDLIC2	Nitrophenol, 2-	4.7073E-012	4.7085E-012
RCPTR_45	farmer_child	TOCDLIC2	Nitrophenol, 4-	6.7272E-011	6.7292E-011
RCPTR_45	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	5.8305E-012	5.8315E-012
RCPTR_45	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	5.7291E-012	5.7296E-012
RCPTR_45	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	5.1317E-013	5.1319E-013
RCPTR_45	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	7.6208E-013	8.6381E-013
RCPTR_45	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.5185E-013	2.8489E-013
RCPTR_45	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.3904E-012	3.7274E-012
RCPTR_45	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.0309E-012	1.1992E-012
RCPTR_45	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.8277E-012	3.2835E-012
RCPTR_45	farmer_child	TOCDLIC2	Pentachlorobenzene	3.8927E-010	3.8943E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.5391E-010	1.5392E-010
RCPTR_45	farmer_child	TOCDLIC2	Pentachlorophenol	6.8295E-008	6.8475E-008
RCPTR_45	farmer_child	TOCDLIC2	Phenanthrene	7.8891E-012	7.8893E-012
RCPTR_45	farmer_child	TOCDLIC2	Phenol	8.6553E-012	8.6607E-012
RCPTR_45	farmer_child	TOCDLIC2	Pronamide	7.7471E-010	7.8039E-010
RCPTR_45	farmer_child	TOCDLIC2	Pyrene	2.1544E-007	3.1960E-007
RCPTR_45	farmer_child	TOCDLIC2	Selenium	7.8331E-008	7.8340E-008
RCPTR_45	farmer_child	TOCDLIC2	Silver	2.9642E-008	2.9737E-008
RCPTR_45	farmer_child	TOCDLIC2	Styrene	1.2112E-012	1.2112E-012
RCPTR_45	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.8615E-012	2.2535E-012
RCPTR_45	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.5856E-012	2.0161E-012
RCPTR_45	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	6.2855E-010	6.2943E-010
RCPTR_45	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.4648E-011	1.4648E-011
RCPTR_45	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.3036E-014	1.3036E-014
RCPTR_45	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	4.2859E-009	4.2943E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_45	farmer_child	TOCDLIC2	Thallium (I)	7.3802E-007	7.5133E-007
RCPTR_45	farmer_child	TOCDLIC2	Toluene	6.9808E-014	6.9808E-014
RCPTR_45	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	2.4165E-011	2.4168E-011
RCPTR_45	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	8.4242E-015	8.4242E-015
RCPTR_45	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	6.4423E-014	6.4424E-014
RCPTR_45	farmer_child	TOCDLIC2	Trichloroethylene	1.0471E-014	1.0471E-014
RCPTR_45	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.3762E-015	1.3762E-015
RCPTR_45	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	2.7154E-009	2.7613E-009
RCPTR_45	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	5.5049E-010	5.5246E-010
RCPTR_45	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	2.3842E-013	2.3843E-013
RCPTR_45	farmer_child	TOCDLIC2	Vinyl Chloride	4.0211E-018	4.0211E-018
RCPTR_45	farmer_child	TOCDLIC2	Xylene, m-	1.0279E-013	1.0279E-013
RCPTR_45	farmer_child	TOCDLIC2	Xylene, o-	7.8895E-014	7.8895E-014
RCPTR_45	farmer_child	TOCDLIC2	Xylene, p-	1.3853E-013	1.3853E-013
RCPTR_45	farmer_child	TOCDLIC2	Zinc	1.5191E-007	1.6010E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFBRA	Antimony	1.4690E-007	1.8624E-007
RCPTR_46	farmer_adult	TOCDFBRA	Arsenic	2.3872E-007	2.5089E-007
RCPTR_46	farmer_adult	TOCDFBRA	Barium	2.0102E-008	2.4067E-008
RCPTR_46	farmer_adult	TOCDFBRA	Beryllium	7.3649E-008	9.0070E-008
RCPTR_46	farmer_adult	TOCDFBRA	Cadmium	1.1586E-008	1.7622E-008
RCPTR_46	farmer_adult	TOCDFBRA	Chromium	2.1671E-006	2.2482E-006
RCPTR_46	farmer_adult	TOCDFBRA	Chromium, hexavalent	1.4135E-006	1.4486E-006
RCPTR_46	farmer_adult	TOCDFBRA	Lead	8.3597E-007	1.0971E-006
RCPTR_46	farmer_adult	TOCDFBRA	Mercuric chloride	2.3603E-004	2.6145E-004
RCPTR_46	farmer_adult	TOCDFBRA	Methyl mercury	1.5446E-006	1.6773E-006
RCPTR_46	farmer_adult	TOCDFBRA	Nickel	7.8681E-007	8.7229E-007
RCPTR_46	farmer_adult	TOCDFBRA	Selenium	2.6754E-007	2.6946E-007
RCPTR_46	farmer_adult	TOCDFBRA	Silver	9.1254E-008	1.0313E-007
RCPTR_46	farmer_adult	TOCDFBRA	Thallium (I)	2.4467E-006	2.6524E-006
RCPTR_46	farmer_adult	TOCDFBRA	Zinc	4.2318E-007	5.6627E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFDFS	Acenaphthene	8.0040E-011	4.0824E-010
RCPTR_46	farmer_adult	TOCDFDFS	Acetone	9.7983E-016	5.1096E-015
RCPTR_46	farmer_adult	TOCDFDFS	Acetophenone	4.3418E-013	2.2616E-012
RCPTR_46	farmer_adult	TOCDFDFS	Aniline	2.4964E-014	1.2970E-013
RCPTR_46	farmer_adult	TOCDFDFS	Anthracene	1.4148E-009	7.2014E-009
RCPTR_46	farmer_adult	TOCDFDFS	Antimony	1.5516E-006	1.9647E-006
RCPTR_46	farmer_adult	TOCDFDFS	Aroclor 1254	2.0458E-011	4.0470E-011
RCPTR_46	farmer_adult	TOCDFDFS	Arsenic	1.4260E-007	1.4983E-007
RCPTR_46	farmer_adult	TOCDFDFS	Barium	4.2217E-009	5.0493E-009
RCPTR_46	farmer_adult	TOCDFDFS	Benzene	8.1431E-016	4.2253E-015
RCPTR_46	farmer_adult	TOCDFDFS	Benzo(a)anthracene	4.4531E-007	7.9407E-007
RCPTR_46	farmer_adult	TOCDFDFS	Benzo(a)pyrene	4.3749E-006	4.7096E-006
RCPTR_46	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	2.4920E-006	3.3707E-006
RCPTR_46	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	6.8955E-006	7.5364E-006
RCPTR_46	farmer_adult	TOCDFDFS	Benzoic acid	3.2609E-012	1.4714E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFDFS	Benzyl alcohol	5.6525E-013	2.9427E-012
RCPTR_46	farmer_adult	TOCDFDFS	Beryllium	4.2540E-008	5.1976E-008
RCPTR_46	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	5.6481E-013	2.9453E-012
RCPTR_46	farmer_adult	TOCDFDFS	Bromodichloromethane	6.3966E-015	3.3326E-014
RCPTR_46	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.5416E-013	1.3245E-012
RCPTR_46	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	3.1849E-008	1.5824E-007
RCPTR_46	farmer_adult	TOCDFDFS	Butylbenzylphthalate	2.5333E-009	3.1001E-009
RCPTR_46	farmer_adult	TOCDFDFS	Cadmium	3.3698E-008	5.1160E-008
RCPTR_46	farmer_adult	TOCDFDFS	Carbon disulfide	4.2489E-016	2.2087E-015
RCPTR_46	farmer_adult	TOCDFDFS	Carbon tetrachloride	2.1253E-015	1.1023E-014
RCPTR_46	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	5.8017E-011	2.3972E-010
RCPTR_46	farmer_adult	TOCDFDFS	Chloroaniline, p-	2.6346E-012	1.3676E-011
RCPTR_46	farmer_adult	TOCDFDFS	Chlorobenzene	1.2473E-014	6.4478E-014
RCPTR_46	farmer_adult	TOCDFDFS	Chloroethane	3.5794E-017	1.8095E-016
RCPTR_46	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.9163E-015	9.9810E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	2.0818E-010	1.0668E-009
RCPTR_46	farmer_adult	TOCDFDFS	Chlorophenol, 2-	7.2874E-012	3.7987E-011
RCPTR_46	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.2286E-010	1.3307E-009
RCPTR_46	farmer_adult	TOCDFDFS	Chromium	6.7189E-007	6.9694E-007
RCPTR_46	farmer_adult	TOCDFDFS	Chromium, hexavalent	4.3920E-007	4.5004E-007
RCPTR_46	farmer_adult	TOCDFDFS	Chrysene	1.3000E-006	1.7617E-006
RCPTR_46	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.0130E-008	1.2311E-008
RCPTR_46	farmer_adult	TOCDFDFS	Di-n-octylphthalate	5.1551E+001	5.1551E+001
RCPTR_46	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	9.6695E-005	1.0047E-004
RCPTR_46	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	3.4248E-013	1.7210E-012
RCPTR_46	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	4.0939E-013	2.0841E-012
RCPTR_46	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	3.9286E-013	2.0071E-012
RCPTR_46	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	9.0715E-009	1.1956E-008
RCPTR_46	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	2.7865E-018	1.4465E-017
RCPTR_46	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	6.9935E-016	3.6435E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	8.6862E-016	4.5264E-015
RCPTR_46	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	2.6523E-016	1.3792E-015
RCPTR_46	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	4.2646E-016	2.2171E-015
RCPTR_46	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	4.6353E-011	1.6424E-010
RCPTR_46	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	2.4046E-015	1.2474E-014
RCPTR_46	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	7.9067E-016	4.1165E-015
RCPTR_46	farmer_adult	TOCDFDFS	Diethyl phthalate	6.3361E-009	6.7095E-009
RCPTR_46	farmer_adult	TOCDFDFS	Dimethyl phthalate	1.1291E-011	5.7074E-011
RCPTR_46	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	5.0068E-012	2.5882E-011
RCPTR_46	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	5.0860E-012	1.2258E-011
RCPTR_46	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	4.7843E-012	2.3706E-011
RCPTR_46	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	3.6415E-012	1.8295E-011
RCPTR_46	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.0577E-013	5.5146E-013
RCPTR_46	farmer_adult	TOCDFDFS	Ethylbenzene	7.8441E-015	3.9331E-014
RCPTR_46	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	2.5701E-010	3.1717E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFDFS	Fluoranthene	2.6111E-008	9.8835E-008
RCPTR_46	farmer_adult	TOCDFDFS	Fluorene	3.1858E-010	1.6013E-009
RCPTR_46	farmer_adult	TOCDFDFS	GB	2.8486E-015	1.4833E-014
RCPTR_46	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	7.9849E-014	9.0634E-014
RCPTR_46	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	4.2378E-014	4.6927E-014
RCPTR_46	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.4099E-013	1.5952E-013
RCPTR_46	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	8.1152E-013	9.0250E-013
RCPTR_46	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	4.2663E-013	4.8879E-013
RCPTR_46	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	3.6326E-013	4.2435E-013
RCPTR_46	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.8657E-013	3.4079E-013
RCPTR_46	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.5548E-013	3.0355E-013
RCPTR_46	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	3.4381E-013	4.0793E-013
RCPTR_46	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	2.3621E-013	2.8046E-013
RCPTR_46	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	6.9937E-012	3.3500E-011
RCPTR_46	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.4009E-008	6.8364E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	9.3624E-011	4.3989E-010
RCPTR_46	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.0606E-012	2.0708E-011
RCPTR_46	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_46	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	7.0393E-004	7.1099E-004
RCPTR_46	farmer_adult	TOCDFDFS	Isophorone	7.5703E-013	3.9428E-012
RCPTR_46	farmer_adult	TOCDFDFS	Lead	5.2221E-006	6.8460E-006
RCPTR_46	farmer_adult	TOCDFDFS	Mercuric chloride	9.0094E-008	9.9925E-008
RCPTR_46	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	7.3999E-017	3.8573E-016
RCPTR_46	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.2534E-017	6.5299E-017
RCPTR_46	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	6.5760E-015	3.4290E-014
RCPTR_46	farmer_adult	TOCDFDFS	Methyl mercury	5.4686E-010	5.9818E-010
RCPTR_46	farmer_adult	TOCDFDFS	Methylene chloride	1.9021E-016	9.9114E-016
RCPTR_46	farmer_adult	TOCDFDFS	Naphthalene	3.2278E-012	1.6631E-011
RCPTR_46	farmer_adult	TOCDFDFS	Nickel	4.8890E-007	5.4169E-007
RCPTR_46	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.2797E-011	6.6434E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFDFS	Nitroaniline, 3-	3.0370E-012	1.5815E-011
RCPTR_46	farmer_adult	TOCDFDFS	Nitroaniline, 4-	3.9271E-012	2.0432E-011
RCPTR_46	farmer_adult	TOCDFDFS	Nitrobenzene	1.2769E-012	6.6556E-012
RCPTR_46	farmer_adult	TOCDFDFS	Nitrophenol, 2-	5.8171E-013	3.0300E-012
RCPTR_46	farmer_adult	TOCDFDFS	Nitrophenol, 4-	1.9496E-011	4.2496E-011
RCPTR_46	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	7.2285E-013	3.7525E-012
RCPTR_46	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	7.1183E-013	3.6869E-012
RCPTR_46	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	6.4994E-014	3.3029E-013
RCPTR_46	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.9816E-013	2.3338E-013
RCPTR_46	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	6.7936E-014	7.9774E-014
RCPTR_46	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.0812E-012	2.3586E-012
RCPTR_46	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	1.7330E-013	2.1145E-013
RCPTR_46	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	6.8435E-013	8.3249E-013
RCPTR_46	farmer_adult	TOCDFDFS	Pentachlorobenzene	5.5036E-011	2.5078E-010
RCPTR_46	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.2034E-011	9.7705E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFDFS	Pentachlorophenol	2.8923E-008	4.3093E-008
RCPTR_46	farmer_adult	TOCDFDFS	Phenanthrene	1.0008E-012	5.0765E-012
RCPTR_46	farmer_adult	TOCDFDFS	Phenol	1.0144E-012	5.2712E-012
RCPTR_46	farmer_adult	TOCDFDFS	Pronamide	2.0030E-010	1.0043E-009
RCPTR_46	farmer_adult	TOCDFDFS	Pyrene	5.0063E-008	2.0561E-007
RCPTR_46	farmer_adult	TOCDFDFS	Selenium	1.5982E-007	1.6097E-007
RCPTR_46	farmer_adult	TOCDFDFS	Silver	5.5370E-008	6.2532E-008
RCPTR_46	farmer_adult	TOCDFDFS	Styrene	2.0723E-013	1.0759E-012
RCPTR_46	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	9.5288E-013	1.2300E-012
RCPTR_46	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	3.0772E-013	4.2563E-013
RCPTR_46	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	8.4022E-011	4.0495E-010
RCPTR_46	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.0981E-011	1.4760E-011
RCPTR_46	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	2.5524E-015	1.3255E-014
RCPTR_46	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	9.9239E-010	2.7161E-009
RCPTR_46	farmer_adult	TOCDFDFS	Thallium (I)	1.4147E-006	1.5329E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFDFS	Toluene	3.4661E-015	1.7845E-014
RCPTR_46	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.1170E-012	1.5551E-011
RCPTR_46	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.6470E-015	8.5659E-015
RCPTR_46	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	1.2578E-014	6.5507E-014
RCPTR_46	farmer_adult	TOCDFDFS	Trichloroethylene	2.0500E-015	1.0647E-014
RCPTR_46	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	2.6935E-016	1.3994E-015
RCPTR_46	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	3.7381E-010	1.7763E-009
RCPTR_46	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	8.9823E-011	3.5515E-010
RCPTR_46	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	4.6585E-014	2.4244E-013
RCPTR_46	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	5.6262E-013	2.8254E-012
RCPTR_46	farmer_adult	TOCDFDFS	Vinyl Chloride	6.6476E-019	3.4602E-018
RCPTR_46	farmer_adult	TOCDFDFS	Xylene, m-	3.6042E-014	7.7869E-014
RCPTR_46	farmer_adult	TOCDFDFS	Xylene, o-	3.3400E-014	8.1085E-014
RCPTR_46	farmer_adult	TOCDFDFS	Xylene, p-	3.9658E-014	1.0453E-013
RCPTR_46	farmer_adult	TOCDFDFS	Zinc	2.9534E-007	3.9462E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFLIC	Acenaphthene	4.6095E-011	2.3511E-010
RCPTR_46	farmer_adult	TOCDFLIC	Acetone	1.1905E-015	6.2081E-015
RCPTR_46	farmer_adult	TOCDFLIC	Acetophenone	4.2865E-013	2.2328E-012
RCPTR_46	farmer_adult	TOCDFLIC	Aniline	1.4377E-014	7.4698E-014
RCPTR_46	farmer_adult	TOCDFLIC	Anthracene	8.1475E-010	4.1473E-009
RCPTR_46	farmer_adult	TOCDFLIC	Antimony	2.7811E-008	3.5210E-008
RCPTR_46	farmer_adult	TOCDFLIC	Arsenic	8.7372E-008	9.1797E-008
RCPTR_46	farmer_adult	TOCDFLIC	Barium	2.9405E-009	3.5166E-009
RCPTR_46	farmer_adult	TOCDFLIC	Benzene	1.0977E-014	5.6957E-014
RCPTR_46	farmer_adult	TOCDFLIC	Benzo(a)anthracene	2.5598E-007	4.5665E-007
RCPTR_46	farmer_adult	TOCDFLIC	Benzo(a)pyrene	2.5087E-006	2.6992E-006
RCPTR_46	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.4335E-006	1.9389E-006
RCPTR_46	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	3.9554E-006	4.3183E-006
RCPTR_46	farmer_adult	TOCDFLIC	Benzoic acid	2.0153E-012	9.0910E-012
RCPTR_46	farmer_adult	TOCDFLIC	Benzyl alcohol	3.2553E-013	1.6947E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFLIC	Beryllium	1.6126E-008	1.9700E-008
RCPTR_46	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	3.2528E-013	1.6962E-012
RCPTR_46	farmer_adult	TOCDFLIC	Bromodichloromethane	2.9110E-015	1.5166E-014
RCPTR_46	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.0024E-013	5.2241E-013
RCPTR_46	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.8341E-008	9.1131E-008
RCPTR_46	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.4467E-009	1.7730E-009
RCPTR_46	farmer_adult	TOCDFLIC	Cadmium	9.4502E-009	1.4344E-008
RCPTR_46	farmer_adult	TOCDFLIC	Carbon disulfide	6.6394E-016	3.4513E-015
RCPTR_46	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.0503E-015	5.4472E-015
RCPTR_46	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	3.3433E-011	1.3808E-010
RCPTR_46	farmer_adult	TOCDFLIC	Chloroaniline, p-	1.5173E-012	7.8763E-012
RCPTR_46	farmer_adult	TOCDFLIC	Chlorobenzene	6.1642E-015	3.1864E-014
RCPTR_46	farmer_adult	TOCDFLIC	Chloroethane	1.7691E-017	8.9422E-017
RCPTR_46	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	9.2642E-016	4.8253E-015
RCPTR_46	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	1.1989E-010	6.1439E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFLIC	Chlorophenol, 2-	4.1969E-012	2.1877E-011
RCPTR_46	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.8589E-010	7.6631E-010
RCPTR_46	farmer_adult	TOCDFLIC	Chromium	8.4544E-007	8.7695E-007
RCPTR_46	farmer_adult	TOCDFLIC	Chromium, hexavalent	5.5278E-007	5.6641E-007
RCPTR_46	farmer_adult	TOCDFLIC	Chrysene	7.4803E-007	1.0134E-006
RCPTR_46	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	5.8383E-009	7.0947E-009
RCPTR_46	farmer_adult	TOCDFLIC	Di-n-octylphthalate	2.9764E+001	2.9764E+001
RCPTR_46	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	5.5402E-005	5.7507E-005
RCPTR_46	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	1.9724E-013	9.9117E-013
RCPTR_46	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	2.3578E-013	1.2003E-012
RCPTR_46	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	2.2626E-013	1.1559E-012
RCPTR_46	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.6962E-009	3.5553E-009
RCPTR_46	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	1.3770E-018	7.1484E-018
RCPTR_46	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	3.4561E-016	1.8005E-015
RCPTR_46	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	4.2926E-016	2.2368E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.3107E-016	6.8159E-016
RCPTR_46	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	2.1075E-016	1.0956E-015
RCPTR_46	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	2.6721E-011	9.4612E-011
RCPTR_46	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	1.1883E-015	6.1642E-015
RCPTR_46	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	3.9073E-016	2.0343E-015
RCPTR_46	farmer_adult	TOCDFLIC	Diethyl phthalate	3.6579E-009	3.8730E-009
RCPTR_46	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.1731E-011	5.9301E-011
RCPTR_46	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	2.8835E-012	1.4906E-011
RCPTR_46	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	2.9675E-012	7.1471E-012
RCPTR_46	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	2.7542E-012	1.3651E-011
RCPTR_46	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	2.0970E-012	1.0536E-011
RCPTR_46	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	6.0914E-014	3.1759E-013
RCPTR_46	farmer_adult	TOCDFLIC	Ethylbenzene	5.1687E-015	2.5915E-014
RCPTR_46	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	4.6385E-009	5.7339E-009
RCPTR_46	farmer_adult	TOCDFLIC	Fluoranthene	1.5033E-008	5.6914E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFLIC	Fluorene	1.8347E-010	9.2217E-010
RCPTR_46	farmer_adult	TOCDFLIC	GB	1.0212E-015	5.3175E-015
RCPTR_46	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	4.9815E-014	5.6470E-014
RCPTR_46	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	6.0661E-014	6.7080E-014
RCPTR_46	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.4282E-013	1.6139E-013
RCPTR_46	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	6.4327E-013	7.1449E-013
RCPTR_46	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	3.5845E-013	4.1016E-013
RCPTR_46	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	3.0180E-013	3.5219E-013
RCPTR_46	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.9403E-013	2.3061E-013
RCPTR_46	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.9036E-013	2.2605E-013
RCPTR_46	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	2.2101E-013	2.6207E-013
RCPTR_46	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.6102E-013	1.9107E-013
RCPTR_46	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	4.0264E-012	1.9292E-011
RCPTR_46	farmer_adult	TOCDFLIC	Hexachlorobenzene	8.0678E-009	3.9371E-008
RCPTR_46	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	1.0888E-011	5.1174E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	2.3387E-012	1.1926E-011
RCPTR_46	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_46	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.0544E-004	4.0937E-004
RCPTR_46	farmer_adult	TOCDFLIC	Isophorone	4.3598E-013	2.2707E-012
RCPTR_46	farmer_adult	TOCDFLIC	Lead	1.9476E-006	2.5530E-006
RCPTR_46	farmer_adult	TOCDFLIC	Mercuric chloride	7.5870E-006	8.4162E-006
RCPTR_46	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	2.3794E-017	1.2403E-016
RCPTR_46	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.9499E-018	1.0159E-017
RCPTR_46	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	7.0813E-015	3.6925E-014
RCPTR_46	farmer_adult	TOCDFLIC	Methyl mercury	4.5631E-008	4.9960E-008
RCPTR_46	farmer_adult	TOCDFLIC	Methylene chloride	1.5071E-016	7.8533E-016
RCPTR_46	farmer_adult	TOCDFLIC	Naphthalene	1.8590E-012	9.5779E-012
RCPTR_46	farmer_adult	TOCDFLIC	Nickel	2.7696E-007	3.0685E-007
RCPTR_46	farmer_adult	TOCDFLIC	Nitroaniline, 2-	7.4581E-012	3.8717E-011
RCPTR_46	farmer_adult	TOCDFLIC	Nitroaniline, 3-	1.7699E-012	9.2168E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFLIC	Nitroaniline, 4-	2.2885E-012	1.1907E-011
RCPTR_46	farmer_adult	TOCDFLIC	Nitrobenzene	7.3535E-013	3.8330E-012
RCPTR_46	farmer_adult	TOCDFLIC	Nitrophenol, 2-	3.3501E-013	1.7450E-012
RCPTR_46	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.1382E-011	2.4786E-011
RCPTR_46	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	4.1630E-013	2.1611E-012
RCPTR_46	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	4.0996E-013	2.1233E-012
RCPTR_46	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	3.7398E-014	1.9018E-013
RCPTR_46	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.6927E-013	1.9919E-013
RCPTR_46	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	5.5582E-014	6.5219E-014
RCPTR_46	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.3434E-012	1.5211E-012
RCPTR_46	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	3.5493E-013	4.3294E-013
RCPTR_46	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	7.7681E-013	9.4471E-013
RCPTR_46	farmer_adult	TOCDFLIC	Pentachlorobenzene	3.1608E-011	1.4434E-010
RCPTR_46	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.2800E-011	5.6900E-011
RCPTR_46	farmer_adult	TOCDFLIC	Pentachlorophenol	1.6893E-008	2.5151E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFLIC	Phenanthrene	5.7636E-013	2.9236E-012
RCPTR_46	farmer_adult	TOCDFLIC	Phenol	5.8419E-013	3.0358E-012
RCPTR_46	farmer_adult	TOCDFLIC	Pronamide	5.7681E-011	2.8918E-010
RCPTR_46	farmer_adult	TOCDFLIC	Pyrene	2.8831E-008	1.1841E-007
RCPTR_46	farmer_adult	TOCDFLIC	Selenium	6.0144E-008	6.0574E-008
RCPTR_46	farmer_adult	TOCDFLIC	Silver	2.0370E-008	2.3003E-008
RCPTR_46	farmer_adult	TOCDFLIC	Styrene	2.1298E-013	1.1057E-012
RCPTR_46	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	4.5990E-013	5.9366E-013
RCPTR_46	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	6.2084E-013	8.5883E-013
RCPTR_46	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	4.8396E-011	2.3322E-010
RCPTR_46	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	5.4394E-012	7.3067E-012
RCPTR_46	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.2613E-015	6.5503E-015
RCPTR_46	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	5.7915E-010	1.5837E-009
RCPTR_46	farmer_adult	TOCDFLIC	Thallium (I)	5.3633E-007	5.8111E-007
RCPTR_46	farmer_adult	TOCDFLIC	Toluene	9.8513E-015	5.0717E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.7951E-012	8.9557E-012
RCPTR_46	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	8.1392E-016	4.2331E-015
RCPTR_46	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	6.2160E-015	3.2372E-014
RCPTR_46	farmer_adult	TOCDFLIC	Trichloroethylene	1.0131E-015	5.2617E-015
RCPTR_46	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.3311E-016	6.9155E-016
RCPTR_46	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	2.1534E-010	1.0231E-009
RCPTR_46	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	5.1767E-011	2.0457E-010
RCPTR_46	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	2.3021E-014	1.1981E-013
RCPTR_46	farmer_adult	TOCDFLIC	Vinyl Chloride	3.5397E-019	1.8425E-018
RCPTR_46	farmer_adult	TOCDFLIC	Xylene, m-	3.1101E-014	6.7956E-014
RCPTR_46	farmer_adult	TOCDFLIC	Xylene, o-	1.8370E-014	4.5101E-014
RCPTR_46	farmer_adult	TOCDFLIC	Xylene, p-	3.4333E-014	9.1490E-014
RCPTR_46	farmer_adult	TOCDFLIC	Zinc	7.7683E-008	1.0378E-007
RCPTR_46	farmer_adult	TOCDFMPF	Acenaphthene	1.9662E-010	1.0028E-009
RCPTR_46	farmer_adult	TOCDFMPF	Acetone	5.9688E-016	3.1126E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFMPF	Acetophenone	1.0158E-012	5.2911E-012
RCPTR_46	farmer_adult	TOCDFMPF	Aniline	6.1324E-014	3.1862E-013
RCPTR_46	farmer_adult	TOCDFMPF	Anthracene	3.4753E-009	1.7690E-008
RCPTR_46	farmer_adult	TOCDFMPF	Antimony	8.2923E-009	1.0498E-008
RCPTR_46	farmer_adult	TOCDFMPF	Arsenic	2.0541E-008	2.1581E-008
RCPTR_46	farmer_adult	TOCDFMPF	Barium	2.7613E-009	3.3023E-009
RCPTR_46	farmer_adult	TOCDFMPF	Benzene	5.3421E-016	2.7719E-015
RCPTR_46	farmer_adult	TOCDFMPF	Benzo(a)anthracene	1.0918E-006	1.9478E-006
RCPTR_46	farmer_adult	TOCDFMPF	Benzo(a)pyrene	1.0701E-005	1.1514E-005
RCPTR_46	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	6.1144E-006	8.2700E-006
RCPTR_46	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	1.6872E-005	1.8421E-005
RCPTR_46	farmer_adult	TOCDFMPF	Benzoic acid	8.0131E-012	3.6148E-011
RCPTR_46	farmer_adult	TOCDFMPF	Benzyl alcohol	1.3886E-012	7.2289E-012
RCPTR_46	farmer_adult	TOCDFMPF	Beryllium	4.6137E-009	5.6365E-009
RCPTR_46	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.3875E-012	7.2351E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFMPF	Bromodichloromethane	4.7423E-015	2.4707E-014
RCPTR_46	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.7889E-013	9.3228E-013
RCPTR_46	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	7.8235E-008	3.8871E-007
RCPTR_46	farmer_adult	TOCDFMPF	Butylbenzylphthalate	6.1720E-009	7.5638E-009
RCPTR_46	farmer_adult	TOCDFMPF	Cadmium	4.1418E-009	6.2868E-009
RCPTR_46	farmer_adult	TOCDFMPF	Carbon disulfide	9.3272E-016	4.8485E-015
RCPTR_46	farmer_adult	TOCDFMPF	Carbon tetrachloride	1.4793E-015	7.6722E-015
RCPTR_46	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.4260E-010	5.8895E-010
RCPTR_46	farmer_adult	TOCDFMPF	Chloroaniline, p-	6.4719E-012	3.3596E-011
RCPTR_46	farmer_adult	TOCDFMPF	Chlorobenzene	8.6819E-015	4.4878E-014
RCPTR_46	farmer_adult	TOCDFMPF	Chloroethane	2.4916E-017	1.2595E-016
RCPTR_46	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.2551E-015	6.5375E-015
RCPTR_46	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	5.1139E-010	2.6207E-009
RCPTR_46	farmer_adult	TOCDFMPF	Chlorophenol, 2-	1.7901E-011	9.3315E-011
RCPTR_46	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	7.9290E-010	3.2687E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFMPF	Chromium	1.6386E-007	1.6996E-007
RCPTR_46	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.0713E-007	1.0978E-007
RCPTR_46	farmer_adult	TOCDFMPF	Chrysene	3.1905E-006	4.3226E-006
RCPTR_46	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	2.4900E-008	3.0259E-008
RCPTR_46	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.2693E+002	1.2693E+002
RCPTR_46	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	2.3635E-004	2.4534E-004
RCPTR_46	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	8.4132E-013	4.2278E-012
RCPTR_46	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.0057E-012	5.1197E-012
RCPTR_46	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	9.6508E-013	4.9304E-012
RCPTR_46	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.5044E-008	1.9838E-008
RCPTR_46	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	1.9394E-018	1.0068E-017
RCPTR_46	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	4.8677E-016	2.5360E-015
RCPTR_46	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	6.0459E-016	3.1505E-015
RCPTR_46	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	1.8461E-016	9.5998E-016
RCPTR_46	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.9683E-016	1.5432E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.1397E-010	4.0355E-010
RCPTR_46	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.6737E-015	8.6820E-015
RCPTR_46	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	5.5033E-016	2.8652E-015
RCPTR_46	farmer_adult	TOCDFMPF	Diethyl phthalate	1.5600E-008	1.6517E-008
RCPTR_46	farmer_adult	TOCDFMPF	Dimethyl phthalate	4.2668E-012	2.1569E-011
RCPTR_46	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.2299E-011	6.3580E-011
RCPTR_46	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.2634E-011	3.0429E-011
RCPTR_46	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.1748E-011	5.8228E-011
RCPTR_46	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	8.9447E-012	4.4941E-011
RCPTR_46	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	2.5982E-013	1.3547E-012
RCPTR_46	farmer_adult	TOCDFMPF	Ethylbenzene	5.4599E-015	2.7375E-014
RCPTR_46	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	5.1373E-009	6.3504E-009
RCPTR_46	farmer_adult	TOCDFMPF	Fluoranthene	6.4123E-008	2.4276E-007
RCPTR_46	farmer_adult	TOCDFMPF	Fluorene	7.8259E-010	3.9335E-009
RCPTR_46	farmer_adult	TOCDFMPF	GB	1.4535E-015	7.5684E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.0495E-013	1.1898E-013
RCPTR_46	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	4.0723E-012	4.5035E-012
RCPTR_46	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	6.6292E-013	7.4911E-013
RCPTR_46	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.4703E-012	1.6331E-012
RCPTR_46	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	7.7947E-013	8.9197E-013
RCPTR_46	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	7.1618E-013	8.3582E-013
RCPTR_46	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	2.9126E-011	3.4618E-011
RCPTR_46	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	7.1165E-012	8.4508E-012
RCPTR_46	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.2393E-012	1.4696E-012
RCPTR_46	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	8.8383E-013	1.0488E-012
RCPTR_46	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.7175E-011	8.2287E-011
RCPTR_46	farmer_adult	TOCDFMPF	Hexachlorobenzene	3.4413E-008	1.6793E-007
RCPTR_46	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	4.6441E-011	2.1828E-010
RCPTR_46	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	9.9754E-012	5.0870E-011
RCPTR_46	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.7293E-003	1.7461E-003
RCPTR_46	farmer_adult	TOCDFMPF	Isophorone	1.8597E-012	9.6856E-012
RCPTR_46	farmer_adult	TOCDFMPF	Lead	1.5383E-009	2.0165E-009
RCPTR_46	farmer_adult	TOCDFMPF	Mercuric chloride	8.5940E-008	9.5332E-008
RCPTR_46	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	2.8556E-017	1.4885E-016
RCPTR_46	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	1.0220E-018	5.3241E-018
RCPTR_46	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	6.6865E-015	3.4866E-014
RCPTR_46	farmer_adult	TOCDFMPF	Methyl mercury	5.1700E-010	5.6603E-010
RCPTR_46	farmer_adult	TOCDFMPF	Methylene chloride	1.6726E-016	8.7157E-016
RCPTR_46	farmer_adult	TOCDFMPF	Naphthalene	7.9293E-012	4.0854E-011
RCPTR_46	farmer_adult	TOCDFMPF	Nickel	2.1759E-007	2.4107E-007
RCPTR_46	farmer_adult	TOCDFMPF	Nitroaniline, 2-	3.1755E-011	1.6484E-010
RCPTR_46	farmer_adult	TOCDFMPF	Nitroaniline, 3-	7.5358E-012	3.9242E-011
RCPTR_46	farmer_adult	TOCDFMPF	Nitroaniline, 4-	9.7440E-012	5.0698E-011
RCPTR_46	farmer_adult	TOCDFMPF	Nitrobenzene	3.1366E-012	1.6349E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.4290E-012	7.4431E-012
RCPTR_46	farmer_adult	TOCDFMPF	Nitrophenol, 4-	4.8456E-011	1.0553E-010
RCPTR_46	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.7757E-012	9.2181E-012
RCPTR_46	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.7486E-012	9.0570E-012
RCPTR_46	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.5952E-013	8.1122E-013
RCPTR_46	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.5159E-013	2.9608E-013
RCPTR_46	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	3.4978E-013	4.1043E-013
RCPTR_46	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	5.3068E-012	6.0091E-012
RCPTR_46	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	3.9548E-012	4.8241E-012
RCPTR_46	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.2634E-011	1.5365E-011
RCPTR_46	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.3483E-010	6.1568E-010
RCPTR_46	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	5.4505E-011	2.4227E-010
RCPTR_46	farmer_adult	TOCDFMPF	Pentachlorophenol	7.1916E-008	1.0708E-007
RCPTR_46	farmer_adult	TOCDFMPF	Phenanthrene	2.4584E-012	1.2470E-011
RCPTR_46	farmer_adult	TOCDFMPF	Phenol	2.4918E-012	1.2949E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFMPF	Pronamide	2.4603E-010	1.2335E-009
RCPTR_46	farmer_adult	TOCDFMPF	Pyrene	1.2298E-007	5.0507E-007
RCPTR_46	farmer_adult	TOCDFMPF	Selenium	1.7626E-008	1.7752E-008
RCPTR_46	farmer_adult	TOCDFMPF	Silver	8.1664E-008	9.2220E-008
RCPTR_46	farmer_adult	TOCDFMPF	Styrene	2.2786E-013	1.1830E-012
RCPTR_46	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.3053E-012	1.6849E-012
RCPTR_46	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	2.5439E-012	3.5192E-012
RCPTR_46	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.0643E-010	9.9479E-010
RCPTR_46	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	7.6599E-012	1.0290E-011
RCPTR_46	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.9369E-015	2.0446E-014
RCPTR_46	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.4656E-009	6.7428E-009
RCPTR_46	farmer_adult	TOCDFMPF	Thallium (I)	1.5853E-007	1.7177E-007
RCPTR_46	farmer_adult	TOCDFMPF	Toluene	2.7606E-015	1.4212E-014
RCPTR_46	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	7.6571E-012	3.8200E-011
RCPTR_46	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.1464E-015	5.9621E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	8.7549E-015	4.5595E-014
RCPTR_46	farmer_adult	TOCDFMPF	Trichloroethylene	1.4268E-015	7.4109E-015
RCPTR_46	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.8747E-016	9.7401E-016
RCPTR_46	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	9.1850E-010	4.3638E-009
RCPTR_46	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	2.2080E-010	8.7259E-010
RCPTR_46	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	3.2424E-014	1.6874E-013
RCPTR_46	farmer_adult	TOCDFMPF	Vinyl Chloride	4.6268E-019	2.4084E-018
RCPTR_46	farmer_adult	TOCDFMPF	Xylene, m-	2.4584E-014	5.3697E-014
RCPTR_46	farmer_adult	TOCDFMPF	Xylene, o-	2.2821E-014	5.6011E-014
RCPTR_46	farmer_adult	TOCDFMPF	Xylene, p-	2.7135E-014	7.2287E-014
RCPTR_46	farmer_adult	TOCDFMPF	Zinc	4.7635E-008	6.3640E-008
RCPTR_46	farmer_adult	TOCDHVAC	GB	5.8090E-015	3.0249E-014
RCPTR_46	farmer_adult	TOCDLIC2	Acenaphthene	9.5124E-011	4.8518E-010
RCPTR_46	farmer_adult	TOCDLIC2	Acetone	1.1781E-015	6.1435E-015
RCPTR_46	farmer_adult	TOCDLIC2	Acetophenone	4.9143E-013	2.5599E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDLIC2	Aniline	2.9669E-014	1.5415E-013
RCPTR_46	farmer_adult	TOCDLIC2	Anthracene	1.6813E-009	8.5585E-009
RCPTR_46	farmer_adult	TOCDLIC2	Antimony	3.7001E-008	4.6845E-008
RCPTR_46	farmer_adult	TOCDLIC2	Arsenic	8.7372E-008	9.1797E-008
RCPTR_46	farmer_adult	TOCDLIC2	Barium	2.8336E-008	3.3887E-008
RCPTR_46	farmer_adult	TOCDLIC2	Benzene	7.8995E-016	4.0988E-015
RCPTR_46	farmer_adult	TOCDLIC2	Benzo(a)anthracene	5.2825E-007	9.4237E-007
RCPTR_46	farmer_adult	TOCDLIC2	Benzo(a)pyrene	5.1770E-006	5.5702E-006
RCPTR_46	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	2.9583E-006	4.0012E-006
RCPTR_46	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	8.1626E-006	8.9114E-006
RCPTR_46	farmer_adult	TOCDLIC2	Benzoic acid	3.8768E-012	1.7489E-011
RCPTR_46	farmer_adult	TOCDLIC2	Benzyl alcohol	6.7178E-013	3.4973E-012
RCPTR_46	farmer_adult	TOCDLIC2	Beryllium	1.6126E-008	1.9700E-008
RCPTR_46	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	6.7125E-013	3.5004E-012
RCPTR_46	farmer_adult	TOCDLIC2	Bromodichloromethane	8.9134E-015	4.6438E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.3242E-013	1.2113E-012
RCPTR_46	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	3.7850E-008	1.8806E-007
RCPTR_46	farmer_adult	TOCDLIC2	Butylbenzylphthalate	2.9855E-009	3.6588E-009
RCPTR_46	farmer_adult	TOCDLIC2	Cadmium	1.0738E-009	1.6299E-009
RCPTR_46	farmer_adult	TOCDLIC2	Carbon disulfide	1.0062E-015	5.2304E-015
RCPTR_46	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.5985E-015	8.2905E-015
RCPTR_46	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	6.8994E-011	2.8494E-010
RCPTR_46	farmer_adult	TOCDLIC2	Chloroaniline, p-	3.1311E-012	1.6254E-011
RCPTR_46	farmer_adult	TOCDLIC2	Chlorobenzene	9.3816E-015	4.8495E-014
RCPTR_46	farmer_adult	TOCDLIC2	Chloroethane	2.6924E-017	1.3610E-016
RCPTR_46	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	2.8604E-015	1.4898E-014
RCPTR_46	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	2.4741E-010	1.2679E-009
RCPTR_46	farmer_adult	TOCDLIC2	Chlorophenol, 2-	8.6608E-012	4.5146E-011
RCPTR_46	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	3.8362E-010	1.5814E-009
RCPTR_46	farmer_adult	TOCDLIC2	Chromium	8.4544E-007	8.7695E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDLIC2	Chromium, hexavalent	5.5278E-007	5.6641E-007
RCPTR_46	farmer_adult	TOCDLIC2	Chrysene	1.5437E-006	2.0913E-006
RCPTR_46	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.2048E-008	1.4641E-008
RCPTR_46	farmer_adult	TOCDLIC2	Di-n-octylphthalate	6.1421E+001	6.1421E+001
RCPTR_46	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	1.1433E-004	1.1867E-004
RCPTR_46	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	4.0704E-013	2.0454E-012
RCPTR_46	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	4.8656E-013	2.4769E-012
RCPTR_46	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	4.6691E-013	2.3854E-012
RCPTR_46	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	6.4836E-009	8.5498E-009
RCPTR_46	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	2.0957E-018	1.0880E-017
RCPTR_46	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	5.2600E-016	2.7403E-015
RCPTR_46	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	6.5331E-016	3.4044E-015
RCPTR_46	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	1.9949E-016	1.0373E-015
RCPTR_46	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	3.2076E-016	1.6675E-015
RCPTR_46	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	5.5142E-011	1.9524E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	1.8086E-015	9.3817E-015
RCPTR_46	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	5.9468E-016	3.0962E-015
RCPTR_46	farmer_adult	TOCDLIC2	Diethyl phthalate	7.5487E-009	7.9925E-009
RCPTR_46	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.4368E-011	7.2632E-011
RCPTR_46	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	5.9505E-012	3.0760E-011
RCPTR_46	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	6.1397E-012	1.4787E-011
RCPTR_46	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	5.6837E-012	2.8171E-011
RCPTR_46	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	4.3275E-012	2.1743E-011
RCPTR_46	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.2570E-013	6.5539E-013
RCPTR_46	farmer_adult	TOCDLIC2	Ethylbenzene	6.6913E-015	3.3549E-014
RCPTR_46	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	3.1056E-009	3.8391E-009
RCPTR_46	farmer_adult	TOCDLIC2	Fluoranthene	3.1024E-008	1.1745E-007
RCPTR_46	farmer_adult	TOCDLIC2	Fluorene	3.7862E-010	1.9030E-009
RCPTR_46	farmer_adult	TOCDLIC2	GB	1.0617E-015	5.5281E-015
RCPTR_46	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	3.4964E-013	3.9635E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	3.3134E-013	3.6640E-013
RCPTR_46	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	3.1172E-013	3.5224E-013
RCPTR_46	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	9.6570E-013	1.0726E-012
RCPTR_46	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	6.7612E-013	7.7367E-013
RCPTR_46	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	6.4347E-013	7.5092E-013
RCPTR_46	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	6.2436E-013	7.4207E-013
RCPTR_46	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	3.7695E-013	4.4762E-013
RCPTR_46	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	3.3733E-013	4.0000E-013
RCPTR_46	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	3.8581E-013	4.5781E-013
RCPTR_46	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	8.3091E-012	3.9811E-011
RCPTR_46	farmer_adult	TOCDLIC2	Hexachlorobenzene	1.6649E-008	8.1247E-008
RCPTR_46	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	2.2468E-011	1.0560E-010
RCPTR_46	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.8262E-012	2.4611E-011
RCPTR_46	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_46	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	8.3668E-004	8.4479E-004

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDLIC2	Isophorone	8.9971E-013	4.6859E-012
RCPTR_46	farmer_adult	TOCDLIC2	Lead	1.4042E-007	1.8407E-007
RCPTR_46	farmer_adult	TOCDLIC2	Mercuric chloride	7.5870E-006	8.4162E-006
RCPTR_46	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	3.1123E-017	1.6223E-016
RCPTR_46	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.2412E-018	6.4663E-018
RCPTR_46	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	6.9796E-015	3.6394E-014
RCPTR_46	farmer_adult	TOCDLIC2	Methyl mercury	4.5631E-008	4.9960E-008
RCPTR_46	farmer_adult	TOCDLIC2	Methylene chloride	5.4823E-016	2.8567E-015
RCPTR_46	farmer_adult	TOCDLIC2	Naphthalene	3.8362E-012	1.9765E-011
RCPTR_46	farmer_adult	TOCDLIC2	Nickel	9.6274E-008	1.0666E-007
RCPTR_46	farmer_adult	TOCDLIC2	Nitroaniline, 2-	1.5431E-011	8.0104E-011
RCPTR_46	farmer_adult	TOCDLIC2	Nitroaniline, 3-	3.6619E-012	1.9069E-011
RCPTR_46	farmer_adult	TOCDLIC2	Nitroaniline, 4-	4.7349E-012	2.4636E-011
RCPTR_46	farmer_adult	TOCDLIC2	Nitrobenzene	1.5175E-012	7.9099E-012
RCPTR_46	farmer_adult	TOCDLIC2	Nitrophenol, 2-	6.9134E-013	3.6010E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDLIC2	Nitrophenol, 4-	2.3550E-011	5.1282E-011
RCPTR_46	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	8.5909E-013	4.4597E-012
RCPTR_46	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	8.4600E-013	4.3818E-012
RCPTR_46	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	7.7176E-014	3.9247E-013
RCPTR_46	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	5.6835E-013	6.6883E-013
RCPTR_46	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.8800E-013	2.2059E-013
RCPTR_46	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.5120E-012	2.8443E-012
RCPTR_46	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	7.5103E-013	9.1610E-013
RCPTR_46	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.0673E-012	2.5141E-012
RCPTR_46	farmer_adult	TOCDLIC2	Pentachlorobenzene	6.5227E-011	2.9786E-010
RCPTR_46	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.6484E-011	1.1772E-010
RCPTR_46	farmer_adult	TOCDLIC2	Pentachlorophenol	3.4952E-008	5.2037E-008
RCPTR_46	farmer_adult	TOCDLIC2	Phenanthrene	1.1894E-012	6.0332E-012
RCPTR_46	farmer_adult	TOCDLIC2	Phenol	1.2746E-012	6.6235E-012
RCPTR_46	farmer_adult	TOCDLIC2	Pronamide	1.1903E-010	5.9677E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDLIC2	Pyrene	5.9497E-008	2.4435E-007
RCPTR_46	farmer_adult	TOCDLIC2	Selenium	6.0144E-008	6.0574E-008
RCPTR_46	farmer_adult	TOCDLIC2	Silver	2.0370E-008	2.3003E-008
RCPTR_46	farmer_adult	TOCDLIC2	Styrene	1.7842E-013	9.2632E-013
RCPTR_46	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.3332E-012	1.7210E-012
RCPTR_46	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.1121E-012	1.5384E-012
RCPTR_46	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	9.9871E-011	4.8128E-010
RCPTR_46	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	8.2786E-012	1.1121E-011
RCPTR_46	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.9197E-015	9.9694E-015
RCPTR_46	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.1982E-009	3.2767E-009
RCPTR_46	farmer_adult	TOCDLIC2	Thallium (I)	5.3633E-007	5.8111E-007
RCPTR_46	farmer_adult	TOCDLIC2	Toluene	1.0370E-014	5.3386E-014
RCPTR_46	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.7045E-012	1.8481E-011
RCPTR_46	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.2388E-015	6.4426E-015
RCPTR_46	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	9.4605E-015	4.9270E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_adult	TOCDLIC2	Trichloroethylene	1.5418E-015	8.0081E-015
RCPTR_46	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.0258E-016	1.0525E-015
RCPTR_46	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	4.4438E-010	2.1112E-009
RCPTR_46	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.0683E-010	4.2216E-010
RCPTR_46	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	3.5038E-014	1.8234E-013
RCPTR_46	farmer_adult	TOCDLIC2	Vinyl Chloride	5.9079E-019	3.0753E-018
RCPTR_46	farmer_adult	TOCDLIC2	Xylene, m-	3.6104E-014	7.8888E-014
RCPTR_46	farmer_adult	TOCDLIC2	Xylene, o-	2.4646E-014	6.0511E-014
RCPTR_46	farmer_adult	TOCDLIC2	Xylene, p-	3.9856E-014	1.0621E-013
RCPTR_46	farmer_adult	TOCDLIC2	Zinc	9.2754E-008	1.2392E-007
RCPTR_46	farmer_child	TOCDFBRA	Antimony	1.8034E-007	1.8624E-007
RCPTR_46	farmer_child	TOCDFBRA	Arsenic	2.4971E-007	2.5089E-007
RCPTR_46	farmer_child	TOCDFBRA	Barium	2.3524E-008	2.4067E-008
RCPTR_46	farmer_child	TOCDFBRA	Beryllium	7.6181E-008	9.0070E-008
RCPTR_46	farmer_child	TOCDFBRA	Cadmium	1.6163E-008	1.7622E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFBRA	Chromium	1.8267E-006	2.2482E-006
RCPTR_46	farmer_child	TOCDFBRA	Chromium, hexavalent	1.4463E-006	1.4486E-006
RCPTR_46	farmer_child	TOCDFBRA	Lead	8.6073E-007	1.0971E-006
RCPTR_46	farmer_child	TOCDFBRA	Mercuric chloride	1.4235E-004	2.6145E-004
RCPTR_46	farmer_child	TOCDFBRA	Methyl mercury	1.3265E-006	1.6773E-006
RCPTR_46	farmer_child	TOCDFBRA	Nickel	8.5409E-007	8.7229E-007
RCPTR_46	farmer_child	TOCDFBRA	Selenium	2.6943E-007	2.6946E-007
RCPTR_46	farmer_child	TOCDFBRA	Silver	1.0280E-007	1.0313E-007
RCPTR_46	farmer_child	TOCDFBRA	Thallium (I)	2.6050E-006	2.6524E-006
RCPTR_46	farmer_child	TOCDFBRA	Zinc	5.3709E-007	5.6627E-007
RCPTR_46	farmer_child	TOCDFDFS	Acenaphthene	4.0680E-010	4.0824E-010
RCPTR_46	farmer_child	TOCDFDFS	Acetone	5.1096E-015	5.1096E-015
RCPTR_46	farmer_child	TOCDFDFS	Acetophenone	2.2611E-012	2.2616E-012
RCPTR_46	farmer_child	TOCDFDFS	Aniline	1.2970E-013	1.2970E-013
RCPTR_46	farmer_child	TOCDFDFS	Anthracene	6.9668E-009	7.2014E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFDFS	Antimony	1.9027E-006	1.9647E-006
RCPTR_46	farmer_child	TOCDFDFS	Aroclor 1254	4.0187E-011	4.0470E-011
RCPTR_46	farmer_child	TOCDFDFS	Arsenic	1.4912E-007	1.4983E-007
RCPTR_46	farmer_child	TOCDFDFS	Barium	4.9360E-009	5.0493E-009
RCPTR_46	farmer_child	TOCDFDFS	Benzene	4.2253E-015	4.2253E-015
RCPTR_46	farmer_child	TOCDFDFS	Benzo(a)anthracene	6.7266E-007	7.9407E-007
RCPTR_46	farmer_child	TOCDFDFS	Benzo(a)pyrene	4.6076E-006	4.7096E-006
RCPTR_46	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	3.0775E-006	3.3707E-006
RCPTR_46	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	7.1456E-006	7.5364E-006
RCPTR_46	farmer_child	TOCDFDFS	Benzoic acid	1.4712E-011	1.4714E-011
RCPTR_46	farmer_child	TOCDFDFS	Benzyl alcohol	2.9413E-012	2.9427E-012
RCPTR_46	farmer_child	TOCDFDFS	Beryllium	4.3995E-008	5.1976E-008
RCPTR_46	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	2.9441E-012	2.9453E-012
RCPTR_46	farmer_child	TOCDFDFS	Bromodichloromethane	3.3326E-014	3.3326E-014
RCPTR_46	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.3244E-012	1.3245E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.1438E-007	1.5824E-007
RCPTR_46	farmer_child	TOCDFDFS	Butylbenzylphthalate	3.0976E-009	3.1001E-009
RCPTR_46	farmer_child	TOCDFDFS	Cadmium	4.6939E-008	5.1160E-008
RCPTR_46	farmer_child	TOCDFDFS	Carbon disulfide	2.2087E-015	2.2087E-015
RCPTR_46	farmer_child	TOCDFDFS	Carbon tetrachloride	1.1023E-014	1.1023E-014
RCPTR_46	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	2.3855E-010	2.3972E-010
RCPTR_46	farmer_child	TOCDFDFS	Chloroaniline, p-	1.3661E-011	1.3676E-011
RCPTR_46	farmer_child	TOCDFDFS	Chlorobenzene	6.4477E-014	6.4478E-014
RCPTR_46	farmer_child	TOCDFDFS	Chloroethane	1.8095E-016	1.8095E-016
RCPTR_46	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	9.9809E-015	9.9810E-015
RCPTR_46	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.0581E-009	1.0668E-009
RCPTR_46	farmer_child	TOCDFDFS	Chlorophenol, 2-	3.7900E-011	3.7987E-011
RCPTR_46	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.3260E-009	1.3307E-009
RCPTR_46	farmer_child	TOCDFDFS	Chromium	5.6679E-007	6.9694E-007
RCPTR_46	farmer_child	TOCDFDFS	Chromium, hexavalent	4.4935E-007	4.5004E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFDFS	Chrysene	1.5619E-006	1.7617E-006
RCPTR_46	farmer_child	TOCDFDFS	Di-n-butyl phthalate	1.2288E-008	1.2311E-008
RCPTR_46	farmer_child	TOCDFDFS	Di-n-octylphthalate	5.1551E+001	5.1551E+001
RCPTR_46	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	9.8840E-005	1.0047E-004
RCPTR_46	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.7210E-012	1.7210E-012
RCPTR_46	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.0841E-012	2.0841E-012
RCPTR_46	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.0070E-012	2.0071E-012
RCPTR_46	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.1889E-008	1.1956E-008
RCPTR_46	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.4465E-017	1.4465E-017
RCPTR_46	farmer_child	TOCDFDFS	Dichloroethane 1,1-	3.6434E-015	3.6435E-015
RCPTR_46	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	4.5264E-015	4.5264E-015
RCPTR_46	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.3792E-015	1.3792E-015
RCPTR_46	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.2171E-015	2.2171E-015
RCPTR_46	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	1.6371E-010	1.6424E-010
RCPTR_46	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	1.2474E-014	1.2474E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	4.1165E-015	4.1165E-015
RCPTR_46	farmer_child	TOCDFDFS	Diethyl phthalate	6.7085E-009	6.7095E-009
RCPTR_46	farmer_child	TOCDFDFS	Dimethyl phthalate	5.7024E-011	5.7074E-011
RCPTR_46	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	2.5849E-011	2.5882E-011
RCPTR_46	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.2256E-011	1.2258E-011
RCPTR_46	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.3667E-011	2.3706E-011
RCPTR_46	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.8269E-011	1.8295E-011
RCPTR_46	farmer_child	TOCDFDFS	Ethyl methanesulfonate	5.5132E-013	5.5146E-013
RCPTR_46	farmer_child	TOCDFDFS	Ethylbenzene	3.9331E-014	3.9331E-014
RCPTR_46	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.1629E-010	3.1717E-010
RCPTR_46	farmer_child	TOCDFDFS	Fluoranthene	8.4072E-008	9.8835E-008
RCPTR_46	farmer_child	TOCDFDFS	Fluorene	1.5841E-009	1.6013E-009
RCPTR_46	farmer_child	TOCDFDFS	GB	1.4829E-014	1.4833E-014
RCPTR_46	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	8.2062E-014	9.0634E-014
RCPTR_46	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	4.3321E-014	4.6927E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.4483E-013	1.5952E-013
RCPTR_46	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	8.3026E-013	9.0250E-013
RCPTR_46	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	4.3961E-013	4.8879E-013
RCPTR_46	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	3.7601E-013	4.2435E-013
RCPTR_46	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.9794E-013	3.4079E-013
RCPTR_46	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.6549E-013	3.0355E-013
RCPTR_46	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	3.5721E-013	4.0793E-013
RCPTR_46	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	2.4546E-013	2.8046E-013
RCPTR_46	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	3.3497E-011	3.3500E-011
RCPTR_46	farmer_child	TOCDFDFS	Hexachlorobenzene	6.4313E-008	6.8364E-008
RCPTR_46	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	4.3980E-010	4.3989E-010
RCPTR_46	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.0705E-011	2.0708E-011
RCPTR_46	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_46	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	7.0832E-004	7.1099E-004
RCPTR_46	farmer_child	TOCDFDFS	Isophorone	3.9414E-012	3.9428E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFDFS	Lead	5.3762E-006	6.8460E-006
RCPTR_46	farmer_child	TOCDFDFS	Mercuric chloride	5.3857E-008	9.9925E-008
RCPTR_46	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	3.8573E-016	3.8573E-016
RCPTR_46	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	6.5299E-017	6.5299E-017
RCPTR_46	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	3.4290E-014	3.4290E-014
RCPTR_46	farmer_child	TOCDFDFS	Methyl mercury	4.6251E-010	5.9818E-010
RCPTR_46	farmer_child	TOCDFDFS	Methylene chloride	9.9114E-016	9.9114E-016
RCPTR_46	farmer_child	TOCDFDFS	Naphthalene	1.6626E-011	1.6631E-011
RCPTR_46	farmer_child	TOCDFDFS	Nickel	5.3045E-007	5.4169E-007
RCPTR_46	farmer_child	TOCDFDFS	Nitroaniline, 2-	6.6362E-011	6.6434E-011
RCPTR_46	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.5809E-011	1.5815E-011
RCPTR_46	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.0421E-011	2.0432E-011
RCPTR_46	farmer_child	TOCDFDFS	Nitrobenzene	6.6519E-012	6.6556E-012
RCPTR_46	farmer_child	TOCDFDFS	Nitrophenol, 2-	3.0292E-012	3.0300E-012
RCPTR_46	farmer_child	TOCDFDFS	Nitrophenol, 4-	4.2484E-011	4.2496E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	3.7519E-012	3.7525E-012
RCPTR_46	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	3.6866E-012	3.6869E-012
RCPTR_46	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	3.3027E-013	3.3029E-013
RCPTR_46	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	2.0541E-013	2.3338E-013
RCPTR_46	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	7.0361E-014	7.9774E-014
RCPTR_46	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.1412E-012	2.3586E-012
RCPTR_46	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	1.8150E-013	2.1145E-013
RCPTR_46	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	7.1581E-013	8.3249E-013
RCPTR_46	farmer_child	TOCDFDFS	Pentachlorobenzene	2.5067E-010	2.5078E-010
RCPTR_46	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	9.7699E-011	9.7705E-011
RCPTR_46	farmer_child	TOCDFDFS	Pentachlorophenol	4.2978E-008	4.3093E-008
RCPTR_46	farmer_child	TOCDFDFS	Phenanthrene	5.0764E-012	5.0765E-012
RCPTR_46	farmer_child	TOCDFDFS	Phenol	5.2680E-012	5.2712E-012
RCPTR_46	farmer_child	TOCDFDFS	Pronamide	9.9694E-010	1.0043E-009
RCPTR_46	farmer_child	TOCDFDFS	Pyrene	1.3858E-007	2.0561E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFDFS	Selenium	1.6095E-007	1.6097E-007
RCPTR_46	farmer_child	TOCDFDFS	Silver	6.2331E-008	6.2532E-008
RCPTR_46	farmer_child	TOCDFDFS	Styrene	1.0759E-012	1.0759E-012
RCPTR_46	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.0147E-012	1.2300E-012
RCPTR_46	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	3.3433E-013	4.2563E-013
RCPTR_46	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	4.0438E-010	4.0495E-010
RCPTR_46	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.4760E-011	1.4760E-011
RCPTR_46	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.3255E-014	1.3255E-014
RCPTR_46	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.7109E-009	2.7161E-009
RCPTR_46	farmer_child	TOCDFDFS	Thallium (I)	1.5057E-006	1.5329E-006
RCPTR_46	farmer_child	TOCDFDFS	Toluene	1.7844E-014	1.7845E-014
RCPTR_46	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.5549E-011	1.5551E-011
RCPTR_46	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	8.5659E-015	8.5659E-015
RCPTR_46	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	6.5506E-014	6.5507E-014
RCPTR_46	farmer_child	TOCDFDFS	Trichloroethylene	1.0647E-014	1.0647E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.3994E-015	1.3994E-015
RCPTR_46	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	1.7468E-009	1.7763E-009
RCPTR_46	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	3.5388E-010	3.5515E-010
RCPTR_46	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	2.4243E-013	2.4244E-013
RCPTR_46	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	2.8227E-012	2.8254E-012
RCPTR_46	farmer_child	TOCDFDFS	Vinyl Chloride	3.4602E-018	3.4602E-018
RCPTR_46	farmer_child	TOCDFDFS	Xylene, m-	7.7869E-014	7.7869E-014
RCPTR_46	farmer_child	TOCDFDFS	Xylene, o-	8.1085E-014	8.1085E-014
RCPTR_46	farmer_child	TOCDFDFS	Xylene, p-	1.0453E-013	1.0453E-013
RCPTR_46	farmer_child	TOCDFDFS	Zinc	3.7438E-007	3.9462E-007
RCPTR_46	farmer_child	TOCDFLIC	Acenaphthene	2.3428E-010	2.3511E-010
RCPTR_46	farmer_child	TOCDFLIC	Acetone	6.2081E-015	6.2081E-015
RCPTR_46	farmer_child	TOCDFLIC	Acetophenone	2.2323E-012	2.2328E-012
RCPTR_46	farmer_child	TOCDFLIC	Aniline	7.4696E-014	7.4698E-014
RCPTR_46	farmer_child	TOCDFLIC	Anthracene	4.0122E-009	4.1473E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFLIC	Antimony	3.4101E-008	3.5210E-008
RCPTR_46	farmer_child	TOCDFLIC	Arsenic	9.1368E-008	9.1797E-008
RCPTR_46	farmer_child	TOCDFLIC	Barium	3.4377E-009	3.5166E-009
RCPTR_46	farmer_child	TOCDFLIC	Benzene	5.6956E-014	5.6957E-014
RCPTR_46	farmer_child	TOCDFLIC	Benzo(a)anthracene	3.8679E-007	4.5665E-007
RCPTR_46	farmer_child	TOCDFLIC	Benzo(a)pyrene	2.6411E-006	2.6992E-006
RCPTR_46	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	1.7703E-006	1.9389E-006
RCPTR_46	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	4.0970E-006	4.3183E-006
RCPTR_46	farmer_child	TOCDFLIC	Benzoic acid	9.0900E-012	9.0910E-012
RCPTR_46	farmer_child	TOCDFLIC	Benzyl alcohol	1.6939E-012	1.6947E-012
RCPTR_46	farmer_child	TOCDFLIC	Beryllium	1.6677E-008	1.9700E-008
RCPTR_46	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.6955E-012	1.6962E-012
RCPTR_46	farmer_child	TOCDFLIC	Bromodichloromethane	1.5166E-014	1.5166E-014
RCPTR_46	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	5.2237E-013	5.2241E-013
RCPTR_46	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	6.5871E-008	9.1131E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFLIC	Butylbenzylphthalate	1.7715E-009	1.7730E-009
RCPTR_46	farmer_child	TOCDFLIC	Cadmium	1.3161E-008	1.4344E-008
RCPTR_46	farmer_child	TOCDFLIC	Carbon disulfide	3.4513E-015	3.4513E-015
RCPTR_46	farmer_child	TOCDFLIC	Carbon tetrachloride	5.4472E-015	5.4472E-015
RCPTR_46	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	1.3741E-010	1.3808E-010
RCPTR_46	farmer_child	TOCDFLIC	Chloroaniline, p-	7.8677E-012	7.8763E-012
RCPTR_46	farmer_child	TOCDFLIC	Chlorobenzene	3.1864E-014	3.1864E-014
RCPTR_46	farmer_child	TOCDFLIC	Chloroethane	8.9422E-017	8.9422E-017
RCPTR_46	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	4.8253E-015	4.8253E-015
RCPTR_46	farmer_child	TOCDFLIC	Chloronaphthalene,2-	6.0940E-010	6.1439E-010
RCPTR_46	farmer_child	TOCDFLIC	Chlorophenol, 2-	2.1827E-011	2.1877E-011
RCPTR_46	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	7.6363E-010	7.6631E-010
RCPTR_46	farmer_child	TOCDFLIC	Chromium	7.1325E-007	8.7695E-007
RCPTR_46	farmer_child	TOCDFLIC	Chromium, hexavalent	5.6554E-007	5.6641E-007
RCPTR_46	farmer_child	TOCDFLIC	Chrysene	8.9859E-007	1.0134E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFLIC	Di-n-butyl phthalate	7.0811E-009	7.0947E-009
RCPTR_46	farmer_child	TOCDFLIC	Di-n-octylphthalate	2.9764E+001	2.9764E+001
RCPTR_46	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	5.6597E-005	5.7507E-005
RCPTR_46	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	9.9114E-013	9.9117E-013
RCPTR_46	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	1.2002E-012	1.2003E-012
RCPTR_46	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	1.1559E-012	1.1559E-012
RCPTR_46	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.5353E-009	3.5553E-009
RCPTR_46	farmer_child	TOCDFLIC	Dichlorodifluoromethane	7.1484E-018	7.1484E-018
RCPTR_46	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.8005E-015	1.8005E-015
RCPTR_46	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.2368E-015	2.2368E-015
RCPTR_46	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	6.8159E-016	6.8159E-016
RCPTR_46	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.0956E-015	1.0956E-015
RCPTR_46	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	9.4309E-011	9.4612E-011
RCPTR_46	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	6.1642E-015	6.1642E-015
RCPTR_46	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	2.0343E-015	2.0343E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFLIC	Diethyl phthalate	3.8724E-009	3.8730E-009
RCPTR_46	farmer_child	TOCDFLIC	Dimethyl phthalate	5.9249E-011	5.9301E-011
RCPTR_46	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	1.4887E-011	1.4906E-011
RCPTR_46	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	7.1460E-012	7.1471E-012
RCPTR_46	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	1.3629E-011	1.3651E-011
RCPTR_46	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	1.0521E-011	1.0536E-011
RCPTR_46	farmer_child	TOCDFLIC	Ethyl methanesulfonate	3.1751E-013	3.1759E-013
RCPTR_46	farmer_child	TOCDFLIC	Ethylbenzene	2.5915E-014	2.5915E-014
RCPTR_46	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	5.7180E-009	5.7339E-009
RCPTR_46	farmer_child	TOCDFLIC	Fluoranthene	4.8412E-008	5.6914E-008
RCPTR_46	farmer_child	TOCDFLIC	Fluorene	9.1230E-010	9.2217E-010
RCPTR_46	farmer_child	TOCDFLIC	GB	5.3161E-015	5.3175E-015
RCPTR_46	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	5.1180E-014	5.6470E-014
RCPTR_46	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	6.1991E-014	6.7080E-014
RCPTR_46	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.4667E-013	1.6139E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	6.5794E-013	7.1449E-013
RCPTR_46	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	3.6924E-013	4.1016E-013
RCPTR_46	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	3.1232E-013	3.5219E-013
RCPTR_46	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.0170E-013	2.3061E-013
RCPTR_46	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.9779E-013	2.2605E-013
RCPTR_46	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	2.2959E-013	2.6207E-013
RCPTR_46	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.6730E-013	1.9107E-013
RCPTR_46	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.9290E-011	1.9292E-011
RCPTR_46	farmer_child	TOCDFLIC	Hexachlorobenzene	3.7038E-008	3.9371E-008
RCPTR_46	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	5.1163E-011	5.1174E-011
RCPTR_46	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.1924E-011	1.1926E-011
RCPTR_46	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_46	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.0789E-004	4.0937E-004
RCPTR_46	farmer_child	TOCDFLIC	Isophorone	2.2699E-012	2.2707E-012
RCPTR_46	farmer_child	TOCDFLIC	Lead	2.0050E-006	2.5530E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFLIC	Mercuric chloride	4.5308E-006	8.4162E-006
RCPTR_46	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	1.2403E-016	1.2403E-016
RCPTR_46	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.0159E-017	1.0159E-017
RCPTR_46	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	3.6925E-014	3.6925E-014
RCPTR_46	farmer_child	TOCDFLIC	Methyl mercury	3.8517E-008	4.9960E-008
RCPTR_46	farmer_child	TOCDFLIC	Methylene chloride	7.8533E-016	7.8533E-016
RCPTR_46	farmer_child	TOCDFLIC	Naphthalene	9.5752E-012	9.5779E-012
RCPTR_46	farmer_child	TOCDFLIC	Nickel	3.0048E-007	3.0685E-007
RCPTR_46	farmer_child	TOCDFLIC	Nitroaniline, 2-	3.8674E-011	3.8717E-011
RCPTR_46	farmer_child	TOCDFLIC	Nitroaniline, 3-	9.2129E-012	9.2168E-012
RCPTR_46	farmer_child	TOCDFLIC	Nitroaniline, 4-	1.1901E-011	1.1907E-011
RCPTR_46	farmer_child	TOCDFLIC	Nitrobenzene	3.8309E-012	3.8330E-012
RCPTR_46	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.7445E-012	1.7450E-012
RCPTR_46	farmer_child	TOCDFLIC	Nitrophenol, 4-	2.4779E-011	2.4786E-011
RCPTR_46	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.1607E-012	2.1611E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	2.1231E-012	2.1233E-012
RCPTR_46	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.9017E-013	1.9018E-013
RCPTR_46	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.7543E-013	1.9919E-013
RCPTR_46	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	5.7556E-014	6.5219E-014
RCPTR_46	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.3818E-012	1.5211E-012
RCPTR_46	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	3.7171E-013	4.3294E-013
RCPTR_46	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	8.1248E-013	9.4471E-013
RCPTR_46	farmer_child	TOCDFLIC	Pentachlorobenzene	1.4428E-010	1.4434E-010
RCPTR_46	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	5.6896E-011	5.6900E-011
RCPTR_46	farmer_child	TOCDFLIC	Pentachlorophenol	2.5084E-008	2.5151E-008
RCPTR_46	farmer_child	TOCDFLIC	Phenanthrene	2.9235E-012	2.9236E-012
RCPTR_46	farmer_child	TOCDFLIC	Phenol	3.0339E-012	3.0358E-012
RCPTR_46	farmer_child	TOCDFLIC	Pronamide	2.8708E-010	2.8918E-010
RCPTR_46	farmer_child	TOCDFLIC	Pyrene	7.9808E-008	1.1841E-007
RCPTR_46	farmer_child	TOCDFLIC	Selenium	6.0567E-008	6.0574E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFLIC	Silver	2.2929E-008	2.3003E-008
RCPTR_46	farmer_child	TOCDFLIC	Styrene	1.1057E-012	1.1057E-012
RCPTR_46	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	4.8975E-013	5.9366E-013
RCPTR_46	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	6.7453E-013	8.5883E-013
RCPTR_46	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.3289E-010	2.3322E-010
RCPTR_46	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	7.3066E-012	7.3067E-012
RCPTR_46	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	6.5503E-015	6.5503E-015
RCPTR_46	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.5806E-009	1.5837E-009
RCPTR_46	farmer_child	TOCDFLIC	Thallium (I)	5.7079E-007	5.8111E-007
RCPTR_46	farmer_child	TOCDFLIC	Toluene	5.0717E-014	5.0717E-014
RCPTR_46	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	8.9545E-012	8.9557E-012
RCPTR_46	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	4.2331E-015	4.2331E-015
RCPTR_46	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	3.2372E-014	3.2372E-014
RCPTR_46	farmer_child	TOCDFLIC	Trichloroethylene	5.2617E-015	5.2617E-015
RCPTR_46	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	6.9155E-016	6.9155E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	1.0061E-009	1.0231E-009
RCPTR_46	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	2.0384E-010	2.0457E-010
RCPTR_46	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	1.1980E-013	1.1981E-013
RCPTR_46	farmer_child	TOCDFLIC	Vinyl Chloride	1.8425E-018	1.8425E-018
RCPTR_46	farmer_child	TOCDFLIC	Xylene, m-	6.7955E-014	6.7956E-014
RCPTR_46	farmer_child	TOCDFLIC	Xylene, o-	4.5101E-014	4.5101E-014
RCPTR_46	farmer_child	TOCDFLIC	Xylene, p-	9.1489E-014	9.1490E-014
RCPTR_46	farmer_child	TOCDFLIC	Zinc	9.8460E-008	1.0378E-007
RCPTR_46	farmer_child	TOCDFMPF	Acenaphthene	9.9931E-010	1.0028E-009
RCPTR_46	farmer_child	TOCDFMPF	Acetone	3.1126E-015	3.1126E-015
RCPTR_46	farmer_child	TOCDFMPF	Acetophenone	5.2900E-012	5.2911E-012
RCPTR_46	farmer_child	TOCDFMPF	Aniline	3.1861E-013	3.1862E-013
RCPTR_46	farmer_child	TOCDFMPF	Anthracene	1.7114E-008	1.7690E-008
RCPTR_46	farmer_child	TOCDFMPF	Antimony	1.0167E-008	1.0498E-008
RCPTR_46	farmer_child	TOCDFMPF	Arsenic	2.1480E-008	2.1581E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFMPF	Barium	3.2283E-009	3.3023E-009
RCPTR_46	farmer_child	TOCDFMPF	Benzene	2.7719E-015	2.7719E-015
RCPTR_46	farmer_child	TOCDFMPF	Benzo(a)anthracene	1.6498E-006	1.9478E-006
RCPTR_46	farmer_child	TOCDFMPF	Benzo(a)pyrene	1.1266E-005	1.1514E-005
RCPTR_46	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	7.5508E-006	8.2700E-006
RCPTR_46	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	1.7476E-005	1.8421E-005
RCPTR_46	farmer_child	TOCDFMPF	Benzoic acid	3.6144E-011	3.6148E-011
RCPTR_46	farmer_child	TOCDFMPF	Benzyl alcohol	7.2252E-012	7.2289E-012
RCPTR_46	farmer_child	TOCDFMPF	Beryllium	4.7714E-009	5.6365E-009
RCPTR_46	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	7.2321E-012	7.2351E-012
RCPTR_46	farmer_child	TOCDFMPF	Bromodichloromethane	2.4707E-014	2.4707E-014
RCPTR_46	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	9.3220E-013	9.3228E-013
RCPTR_46	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	2.8097E-007	3.8871E-007
RCPTR_46	farmer_child	TOCDFMPF	Butylbenzylphthalate	7.5576E-009	7.5638E-009
RCPTR_46	farmer_child	TOCDFMPF	Cadmium	5.7682E-009	6.2868E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFMPF	Carbon disulfide	4.8485E-015	4.8485E-015
RCPTR_46	farmer_child	TOCDFMPF	Carbon tetrachloride	7.6721E-015	7.6722E-015
RCPTR_46	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	5.8609E-010	5.8895E-010
RCPTR_46	farmer_child	TOCDFMPF	Chloroaniline, p-	3.3559E-011	3.3596E-011
RCPTR_46	farmer_child	TOCDFMPF	Chlorobenzene	4.4878E-014	4.4878E-014
RCPTR_46	farmer_child	TOCDFMPF	Chloroethane	1.2595E-016	1.2595E-016
RCPTR_46	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	6.5375E-015	6.5375E-015
RCPTR_46	farmer_child	TOCDFMPF	Chloronaphthalene,2-	2.5993E-009	2.6207E-009
RCPTR_46	farmer_child	TOCDFMPF	Chlorophenol, 2-	9.3102E-011	9.3315E-011
RCPTR_46	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	3.2572E-009	3.2687E-009
RCPTR_46	farmer_child	TOCDFMPF	Chromium	1.3824E-007	1.6996E-007
RCPTR_46	farmer_child	TOCDFMPF	Chromium, hexavalent	1.0961E-007	1.0978E-007
RCPTR_46	farmer_child	TOCDFMPF	Chrysene	3.8327E-006	4.3226E-006
RCPTR_46	farmer_child	TOCDFMPF	Di-n-butyl phthalate	3.0201E-008	3.0259E-008
RCPTR_46	farmer_child	TOCDFMPF	Di-n-octylphthalate	1.2693E+002	1.2693E+002

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	2.4145E-004	2.4534E-004
RCPTR_46	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	4.2277E-012	4.2278E-012
RCPTR_46	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	5.1196E-012	5.1197E-012
RCPTR_46	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	4.9303E-012	4.9304E-012
RCPTR_46	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.9726E-008	1.9838E-008
RCPTR_46	farmer_child	TOCDFMPF	Dichlorodifluoromethane	1.0068E-017	1.0068E-017
RCPTR_46	farmer_child	TOCDFMPF	Dichloroethane 1,1-	2.5360E-015	2.5360E-015
RCPTR_46	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	3.1505E-015	3.1505E-015
RCPTR_46	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	9.5998E-016	9.5998E-016
RCPTR_46	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.5432E-015	1.5432E-015
RCPTR_46	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	4.0227E-010	4.0355E-010
RCPTR_46	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	8.6820E-015	8.6820E-015
RCPTR_46	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	2.8652E-015	2.8652E-015
RCPTR_46	farmer_child	TOCDFMPF	Diethyl phthalate	1.6515E-008	1.6517E-008
RCPTR_46	farmer_child	TOCDFMPF	Dimethyl phthalate	2.1550E-011	2.1569E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	6.3499E-011	6.3580E-011
RCPTR_46	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	3.0424E-011	3.0429E-011
RCPTR_46	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	5.8133E-011	5.8228E-011
RCPTR_46	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	4.4877E-011	4.4941E-011
RCPTR_46	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.3543E-012	1.3547E-012
RCPTR_46	farmer_child	TOCDFMPF	Ethylbenzene	2.7375E-014	2.7375E-014
RCPTR_46	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	6.3327E-009	6.3504E-009
RCPTR_46	farmer_child	TOCDFMPF	Fluoranthene	2.0650E-007	2.4276E-007
RCPTR_46	farmer_child	TOCDFMPF	Fluorene	3.8914E-009	3.9335E-009
RCPTR_46	farmer_child	TOCDFMPF	GB	7.5665E-015	7.5684E-015
RCPTR_46	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.0783E-013	1.1898E-013
RCPTR_46	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	4.1617E-012	4.5035E-012
RCPTR_46	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	6.8078E-013	7.4911E-013
RCPTR_46	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.5038E-012	1.6331E-012
RCPTR_46	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	8.0295E-013	8.9197E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	7.4116E-013	8.3582E-013
RCPTR_46	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.0278E-011	3.4618E-011
RCPTR_46	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	7.3944E-012	8.4508E-012
RCPTR_46	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.2875E-012	1.4696E-012
RCPTR_46	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	9.1830E-013	1.0488E-012
RCPTR_46	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	8.2279E-011	8.2287E-011
RCPTR_46	farmer_child	TOCDFMPF	Hexachlorobenzene	1.5798E-007	1.6793E-007
RCPTR_46	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	2.1824E-010	2.1828E-010
RCPTR_46	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	5.0861E-011	5.0870E-011
RCPTR_46	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_46	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.7397E-003	1.7461E-003
RCPTR_46	farmer_child	TOCDFMPF	Isophorone	9.6820E-012	9.6856E-012
RCPTR_46	farmer_child	TOCDFMPF	Lead	1.5837E-009	2.0165E-009
RCPTR_46	farmer_child	TOCDFMPF	Mercuric chloride	5.1322E-008	9.5332E-008
RCPTR_46	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	1.4885E-016	1.4885E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	5.3241E-018	5.3241E-018
RCPTR_46	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	3.4866E-014	3.4866E-014
RCPTR_46	farmer_child	TOCDFMPF	Methyl mercury	4.3642E-010	5.6603E-010
RCPTR_46	farmer_child	TOCDFMPF	Methylene chloride	8.7157E-016	8.7157E-016
RCPTR_46	farmer_child	TOCDFMPF	Naphthalene	4.0842E-011	4.0854E-011
RCPTR_46	farmer_child	TOCDFMPF	Nickel	2.3607E-007	2.4107E-007
RCPTR_46	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.6466E-010	1.6484E-010
RCPTR_46	farmer_child	TOCDFMPF	Nitroaniline, 3-	3.9226E-011	3.9242E-011
RCPTR_46	farmer_child	TOCDFMPF	Nitroaniline, 4-	5.0671E-011	5.0698E-011
RCPTR_46	farmer_child	TOCDFMPF	Nitrobenzene	1.6340E-011	1.6349E-011
RCPTR_46	farmer_child	TOCDFMPF	Nitrophenol, 2-	7.4411E-012	7.4431E-012
RCPTR_46	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.0550E-010	1.0553E-010
RCPTR_46	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	9.2165E-012	9.2181E-012
RCPTR_46	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	9.0562E-012	9.0570E-012
RCPTR_46	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	8.1119E-013	8.1122E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.6075E-013	2.9608E-013
RCPTR_46	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	3.6220E-013	4.1043E-013
RCPTR_46	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	5.4585E-012	6.0091E-012
RCPTR_46	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	4.1417E-012	4.8241E-012
RCPTR_46	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.3214E-011	1.5365E-011
RCPTR_46	farmer_child	TOCDFMPF	Pentachlorobenzene	6.1542E-010	6.1568E-010
RCPTR_46	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	2.4225E-010	2.4227E-010
RCPTR_46	farmer_child	TOCDFMPF	Pentachlorophenol	1.0679E-007	1.0708E-007
RCPTR_46	farmer_child	TOCDFMPF	Phenanthrene	1.2470E-011	1.2470E-011
RCPTR_46	farmer_child	TOCDFMPF	Phenol	1.2941E-011	1.2949E-011
RCPTR_46	farmer_child	TOCDFMPF	Pronamide	1.2245E-009	1.2335E-009
RCPTR_46	farmer_child	TOCDFMPF	Pyrene	3.4042E-007	5.0507E-007
RCPTR_46	farmer_child	TOCDFMPF	Selenium	1.7750E-008	1.7752E-008
RCPTR_46	farmer_child	TOCDFMPF	Silver	9.1924E-008	9.2220E-008
RCPTR_46	farmer_child	TOCDFMPF	Styrene	1.1830E-012	1.1830E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.3900E-012	1.6849E-012
RCPTR_46	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	2.7640E-012	3.5192E-012
RCPTR_46	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	9.9339E-010	9.9479E-010
RCPTR_46	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.0290E-011	1.0290E-011
RCPTR_46	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.0445E-014	2.0446E-014
RCPTR_46	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	6.7297E-009	6.7428E-009
RCPTR_46	farmer_child	TOCDFMPF	Thallium (I)	1.6872E-007	1.7177E-007
RCPTR_46	farmer_child	TOCDFMPF	Toluene	1.4212E-014	1.4212E-014
RCPTR_46	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	3.8195E-011	3.8200E-011
RCPTR_46	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	5.9621E-015	5.9621E-015
RCPTR_46	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	4.5594E-014	4.5595E-014
RCPTR_46	farmer_child	TOCDFMPF	Trichloroethylene	7.4108E-015	7.4109E-015
RCPTR_46	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	9.7401E-016	9.7401E-016
RCPTR_46	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	4.2914E-009	4.3638E-009
RCPTR_46	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	8.6947E-010	8.7259E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	1.6874E-013	1.6874E-013
RCPTR_46	farmer_child	TOCDFMPF	Vinyl Chloride	2.4084E-018	2.4084E-018
RCPTR_46	farmer_child	TOCDFMPF	Xylene, m-	5.3697E-014	5.3697E-014
RCPTR_46	farmer_child	TOCDFMPF	Xylene, o-	5.6011E-014	5.6011E-014
RCPTR_46	farmer_child	TOCDFMPF	Xylene, p-	7.2287E-014	7.2287E-014
RCPTR_46	farmer_child	TOCDFMPF	Zinc	6.0376E-008	6.3640E-008
RCPTR_46	farmer_child	TOCDHVAC	GB	3.0242E-014	3.0249E-014
RCPTR_46	farmer_child	TOCDLIC2	Acenaphthene	4.8347E-010	4.8518E-010
RCPTR_46	farmer_child	TOCDLIC2	Acetone	6.1435E-015	6.1435E-015
RCPTR_46	farmer_child	TOCDLIC2	Acetophenone	2.5593E-012	2.5599E-012
RCPTR_46	farmer_child	TOCDLIC2	Aniline	1.5415E-013	1.5415E-013
RCPTR_46	farmer_child	TOCDLIC2	Anthracene	8.2797E-009	8.5585E-009
RCPTR_46	farmer_child	TOCDLIC2	Antimony	4.5369E-008	4.6845E-008
RCPTR_46	farmer_child	TOCDLIC2	Arsenic	9.1368E-008	9.1797E-008
RCPTR_46	farmer_child	TOCDLIC2	Barium	3.3127E-008	3.3887E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDLIC2	Benzene	4.0988E-015	4.0988E-015
RCPTR_46	farmer_child	TOCDLIC2	Benzo(a)anthracene	7.9820E-007	9.4237E-007
RCPTR_46	farmer_child	TOCDLIC2	Benzo(a)pyrene	5.4503E-006	5.5702E-006
RCPTR_46	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	3.6532E-006	4.0012E-006
RCPTR_46	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	8.4547E-006	8.9114E-006
RCPTR_46	farmer_child	TOCDLIC2	Benzoic acid	1.7487E-011	1.7489E-011
RCPTR_46	farmer_child	TOCDLIC2	Benzyl alcohol	3.4956E-012	3.4973E-012
RCPTR_46	farmer_child	TOCDLIC2	Beryllium	1.6677E-008	1.9700E-008
RCPTR_46	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	3.4989E-012	3.5004E-012
RCPTR_46	farmer_child	TOCDLIC2	Bromodichloromethane	4.6438E-014	4.6438E-014
RCPTR_46	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.2112E-012	1.2113E-012
RCPTR_46	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	1.3593E-007	1.8806E-007
RCPTR_46	farmer_child	TOCDLIC2	Butylbenzylphthalate	3.6558E-009	3.6588E-009
RCPTR_46	farmer_child	TOCDLIC2	Cadmium	1.4955E-009	1.6299E-009
RCPTR_46	farmer_child	TOCDLIC2	Carbon disulfide	5.2304E-015	5.2304E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDLIC2	Carbon tetrachloride	8.2905E-015	8.2905E-015
RCPTR_46	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	2.8355E-010	2.8494E-010
RCPTR_46	farmer_child	TOCDLIC2	Chloroaniline, p-	1.6236E-011	1.6254E-011
RCPTR_46	farmer_child	TOCDLIC2	Chlorobenzene	4.8495E-014	4.8495E-014
RCPTR_46	farmer_child	TOCDLIC2	Chloroethane	1.3610E-016	1.3610E-016
RCPTR_46	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.4898E-014	1.4898E-014
RCPTR_46	farmer_child	TOCDLIC2	Chloronaphthalene,2-	1.2576E-009	1.2679E-009
RCPTR_46	farmer_child	TOCDLIC2	Chlorophenol, 2-	4.5043E-011	4.5146E-011
RCPTR_46	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.5758E-009	1.5814E-009
RCPTR_46	farmer_child	TOCDLIC2	Chromium	7.1325E-007	8.7695E-007
RCPTR_46	farmer_child	TOCDLIC2	Chromium, hexavalent	5.6554E-007	5.6641E-007
RCPTR_46	farmer_child	TOCDLIC2	Chrysene	1.8544E-006	2.0913E-006
RCPTR_46	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.4613E-008	1.4641E-008
RCPTR_46	farmer_child	TOCDLIC2	Di-n-octylphthalate	6.1421E+001	6.1421E+001
RCPTR_46	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	1.1680E-004	1.1867E-004

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	2.0453E-012	2.0454E-012
RCPTR_46	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	2.4769E-012	2.4769E-012
RCPTR_46	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	2.3853E-012	2.3854E-012
RCPTR_46	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	8.5015E-009	8.5498E-009
RCPTR_46	farmer_child	TOCDLIC2	Dichlorodifluoromethane	1.0880E-017	1.0880E-017
RCPTR_46	farmer_child	TOCDLIC2	Dichloroethane 1,1-	2.7403E-015	2.7403E-015
RCPTR_46	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	3.4044E-015	3.4044E-015
RCPTR_46	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	1.0373E-015	1.0373E-015
RCPTR_46	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.6675E-015	1.6675E-015
RCPTR_46	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	1.9462E-010	1.9524E-010
RCPTR_46	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	9.3817E-015	9.3817E-015
RCPTR_46	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	3.0962E-015	3.0962E-015
RCPTR_46	farmer_child	TOCDLIC2	Diethyl phthalate	7.9912E-009	7.9925E-009
RCPTR_46	farmer_child	TOCDLIC2	Dimethyl phthalate	7.2568E-011	7.2632E-011
RCPTR_46	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	3.0721E-011	3.0760E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.4785E-011	1.4787E-011
RCPTR_46	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	2.8125E-011	2.8171E-011
RCPTR_46	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	2.1712E-011	2.1743E-011
RCPTR_46	farmer_child	TOCDLIC2	Ethyl methanesulfonate	6.5522E-013	6.5539E-013
RCPTR_46	farmer_child	TOCDLIC2	Ethylbenzene	3.3549E-014	3.3549E-014
RCPTR_46	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	3.8284E-009	3.8391E-009
RCPTR_46	farmer_child	TOCDLIC2	Fluoranthene	9.9905E-008	1.1745E-007
RCPTR_46	farmer_child	TOCDLIC2	Fluorene	1.8827E-009	1.9030E-009
RCPTR_46	farmer_child	TOCDLIC2	GB	5.5267E-015	5.5281E-015
RCPTR_46	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	3.5923E-013	3.9635E-013
RCPTR_46	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	3.3860E-013	3.6640E-013
RCPTR_46	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	3.2012E-013	3.5224E-013
RCPTR_46	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	9.8772E-013	1.0726E-012
RCPTR_46	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	6.9648E-013	7.7367E-013
RCPTR_46	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	6.6590E-013	7.5092E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	6.4904E-013	7.4207E-013
RCPTR_46	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	3.9167E-013	4.4762E-013
RCPTR_46	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	3.5042E-013	4.0000E-013
RCPTR_46	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.0086E-013	4.5781E-013
RCPTR_46	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	3.9807E-011	3.9811E-011
RCPTR_46	farmer_child	TOCDLIC2	Hexachlorobenzene	7.6433E-008	8.1247E-008
RCPTR_46	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.0558E-010	1.0560E-010
RCPTR_46	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	2.4607E-011	2.4611E-011
RCPTR_46	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_46	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	8.4173E-004	8.4479E-004
RCPTR_46	farmer_child	TOCDLIC2	Isophorone	4.6842E-012	4.6859E-012
RCPTR_46	farmer_child	TOCDLIC2	Lead	1.4456E-007	1.8407E-007
RCPTR_46	farmer_child	TOCDLIC2	Mercuric chloride	4.5308E-006	8.4162E-006
RCPTR_46	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	1.6223E-016	1.6223E-016
RCPTR_46	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	6.4663E-018	6.4663E-018

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	3.6394E-014	3.6394E-014
RCPTR_46	farmer_child	TOCDLIC2	Methyl mercury	3.8517E-008	4.9960E-008
RCPTR_46	farmer_child	TOCDLIC2	Methylene chloride	2.8567E-015	2.8567E-015
RCPTR_46	farmer_child	TOCDLIC2	Naphthalene	1.9760E-011	1.9765E-011
RCPTR_46	farmer_child	TOCDLIC2	Nickel	1.0445E-007	1.0666E-007
RCPTR_46	farmer_child	TOCDLIC2	Nitroaniline, 2-	8.0016E-011	8.0104E-011
RCPTR_46	farmer_child	TOCDLIC2	Nitroaniline, 3-	1.9061E-011	1.9069E-011
RCPTR_46	farmer_child	TOCDLIC2	Nitroaniline, 4-	2.4623E-011	2.4636E-011
RCPTR_46	farmer_child	TOCDLIC2	Nitrobenzene	7.9055E-012	7.9099E-012
RCPTR_46	farmer_child	TOCDLIC2	Nitrophenol, 2-	3.6000E-012	3.6010E-012
RCPTR_46	farmer_child	TOCDLIC2	Nitrophenol, 4-	5.1267E-011	5.1282E-011
RCPTR_46	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	4.4590E-012	4.4597E-012
RCPTR_46	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	4.3814E-012	4.3818E-012
RCPTR_46	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	3.9245E-013	3.9247E-013
RCPTR_46	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	5.8904E-013	6.6883E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.9467E-013	2.2059E-013
RCPTR_46	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.5838E-012	2.8443E-012
RCPTR_46	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	7.8653E-013	9.1610E-013
RCPTR_46	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.1622E-012	2.5141E-012
RCPTR_46	farmer_child	TOCDLIC2	Pentachlorobenzene	2.9773E-010	2.9786E-010
RCPTR_46	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.1772E-010	1.1772E-010
RCPTR_46	farmer_child	TOCDLIC2	Pentachlorophenol	5.1899E-008	5.2037E-008
RCPTR_46	farmer_child	TOCDLIC2	Phenanthrene	6.0331E-012	6.0332E-012
RCPTR_46	farmer_child	TOCDLIC2	Phenol	6.6193E-012	6.6235E-012
RCPTR_46	farmer_child	TOCDLIC2	Pronamide	5.9242E-010	5.9677E-010
RCPTR_46	farmer_child	TOCDLIC2	Pyrene	1.6469E-007	2.4435E-007
RCPTR_46	farmer_child	TOCDLIC2	Selenium	6.0567E-008	6.0574E-008
RCPTR_46	farmer_child	TOCDLIC2	Silver	2.2929E-008	2.3003E-008
RCPTR_46	farmer_child	TOCDLIC2	Styrene	9.2630E-013	9.2632E-013
RCPTR_46	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.4197E-012	1.7210E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.2082E-012	1.5384E-012
RCPTR_46	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	4.8061E-010	4.8128E-010
RCPTR_46	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.1120E-011	1.1121E-011
RCPTR_46	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	9.9694E-015	9.9694E-015
RCPTR_46	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	3.2703E-009	3.2767E-009
RCPTR_46	farmer_child	TOCDLIC2	Thallium (I)	5.7079E-007	5.8111E-007
RCPTR_46	farmer_child	TOCDLIC2	Toluene	5.3386E-014	5.3386E-014
RCPTR_46	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.8479E-011	1.8481E-011
RCPTR_46	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	6.4426E-015	6.4426E-015
RCPTR_46	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	4.9269E-014	4.9270E-014
RCPTR_46	farmer_child	TOCDLIC2	Trichloroethylene	8.0081E-015	8.0081E-015
RCPTR_46	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.0525E-015	1.0525E-015
RCPTR_46	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	2.0762E-009	2.1112E-009
RCPTR_46	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	4.2066E-010	4.2216E-010
RCPTR_46	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	1.8234E-013	1.8234E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_46	farmer_child	TOCDLIC2	Vinyl Chloride	3.0753E-018	3.0753E-018
RCPTR_46	farmer_child	TOCDLIC2	Xylene, m-	7.8887E-014	7.8888E-014
RCPTR_46	farmer_child	TOCDLIC2	Xylene, o-	6.0511E-014	6.0511E-014
RCPTR_46	farmer_child	TOCDLIC2	Xylene, p-	1.0621E-013	1.0621E-013
RCPTR_46	farmer_child	TOCDLIC2	Zinc	1.1756E-007	1.2392E-007
RCPTR_47	farmer_adult	TOCDFBRA	Antimony	1.2949E-008	1.7070E-008
RCPTR_47	farmer_adult	TOCDFBRA	Arsenic	2.0825E-008	2.2100E-008
RCPTR_47	farmer_adult	TOCDFBRA	Barium	1.7660E-009	2.1812E-009
RCPTR_47	farmer_adult	TOCDFBRA	Beryllium	6.6520E-009	8.3718E-009
RCPTR_47	farmer_adult	TOCDFBRA	Cadmium	1.0338E-009	1.6661E-009
RCPTR_47	farmer_adult	TOCDFBRA	Chromium	2.0208E-007	2.1058E-007
RCPTR_47	farmer_adult	TOCDFBRA	Chromium, hexavalent	1.2315E-007	1.2683E-007
RCPTR_47	farmer_adult	TOCDFBRA	Lead	7.7112E-008	1.0446E-007
RCPTR_47	farmer_adult	TOCDFBRA	Mercuric chloride	3.0227E-005	3.3500E-005
RCPTR_47	farmer_adult	TOCDFBRA	Methyl mercury	1.9164E-007	2.0873E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFBRA	Nickel	6.8831E-008	7.7784E-008
RCPTR_47	farmer_adult	TOCDFBRA	Selenium	2.3290E-008	2.3492E-008
RCPTR_47	farmer_adult	TOCDFBRA	Silver	7.9911E-009	9.2350E-009
RCPTR_47	farmer_adult	TOCDFBRA	Thallium (I)	2.1379E-007	2.3533E-007
RCPTR_47	farmer_adult	TOCDFBRA	Zinc	3.7429E-008	5.2416E-008
RCPTR_47	farmer_adult	TOCDFDFS	Acenaphthene	9.6287E-012	4.9301E-011
RCPTR_47	farmer_adult	TOCDFDFS	Acetone	1.1844E-016	6.1763E-016
RCPTR_47	farmer_adult	TOCDFDFS	Acetophenone	5.2469E-014	2.7337E-013
RCPTR_47	farmer_adult	TOCDFDFS	Aniline	3.0150E-015	1.5676E-014
RCPTR_47	farmer_adult	TOCDFDFS	Anthracene	1.7018E-010	8.6966E-010
RCPTR_47	farmer_adult	TOCDFDFS	Antimony	1.3898E-007	1.8163E-007
RCPTR_47	farmer_adult	TOCDFDFS	Aroclor 1254	2.2470E-012	4.6669E-012
RCPTR_47	farmer_adult	TOCDFDFS	Arsenic	1.2666E-008	1.3413E-008
RCPTR_47	farmer_adult	TOCDFDFS	Barium	3.7712E-010	4.6258E-010
RCPTR_47	farmer_adult	TOCDFDFS	Benzene	9.8317E-017	5.1063E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFDFS	Benzo(a)anthracene	4.6806E-008	8.9255E-008
RCPTR_47	farmer_adult	TOCDFDFS	Benzo(a)pyrene	4.5253E-007	4.9667E-007
RCPTR_47	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	2.5432E-007	3.6169E-007
RCPTR_47	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	7.1466E-007	8.0250E-007
RCPTR_47	farmer_adult	TOCDFDFS	Benzoic acid	3.8125E-013	1.7657E-012
RCPTR_47	farmer_adult	TOCDFDFS	Benzyl alcohol	6.8299E-014	3.5568E-013
RCPTR_47	farmer_adult	TOCDFDFS	Beryllium	3.8863E-009	4.8607E-009
RCPTR_47	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	6.8271E-014	3.5602E-013
RCPTR_47	farmer_adult	TOCDFDFS	Bromodichloromethane	7.7304E-016	4.0282E-015
RCPTR_47	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	3.0717E-014	1.6010E-013
RCPTR_47	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	3.8500E-009	1.9128E-008
RCPTR_47	farmer_adult	TOCDFDFS	Butylbenzylphthalate	2.7323E-010	3.4187E-010
RCPTR_47	farmer_adult	TOCDFDFS	Cadmium	3.0484E-009	4.8516E-009
RCPTR_47	farmer_adult	TOCDFDFS	Carbon disulfide	5.1322E-017	2.6694E-016
RCPTR_47	farmer_adult	TOCDFDFS	Carbon tetrachloride	2.5658E-016	1.3321E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	6.6555E-012	2.8619E-011
RCPTR_47	farmer_adult	TOCDFDFS	Chloroaniline, p-	3.1811E-013	1.6528E-012
RCPTR_47	farmer_adult	TOCDFDFS	Chlorobenzene	1.5047E-015	7.7909E-015
RCPTR_47	farmer_adult	TOCDFDFS	Chloroethane	4.2941E-018	2.1840E-017
RCPTR_47	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	2.3157E-016	1.2064E-015
RCPTR_47	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	2.5065E-011	1.2886E-010
RCPTR_47	farmer_adult	TOCDFDFS	Chlorophenol, 2-	8.8078E-013	4.5917E-012
RCPTR_47	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.7270E-011	1.5910E-010
RCPTR_47	farmer_adult	TOCDFDFS	Chromium	6.3001E-008	6.5587E-008
RCPTR_47	farmer_adult	TOCDFDFS	Chromium, hexavalent	3.8973E-008	4.0092E-008
RCPTR_47	farmer_adult	TOCDFDFS	Chrysene	1.3268E-007	1.8935E-007
RCPTR_47	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.0080E-009	1.2719E-009
RCPTR_47	farmer_adult	TOCDFDFS	Di-n-octylphthalate	4.9922E+000	4.9922E+000
RCPTR_47	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	9.3557E-006	9.7464E-006
RCPTR_47	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	4.1051E-014	2.0769E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	4.9214E-014	2.5165E-013
RCPTR_47	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	4.7265E-014	2.4239E-013
RCPTR_47	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	9.4006E-010	1.2920E-009
RCPTR_47	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	3.3659E-019	1.7483E-018
RCPTR_47	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	8.4516E-017	4.4039E-016
RCPTR_47	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	1.0498E-016	5.4712E-016
RCPTR_47	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	3.2039E-017	1.6670E-016
RCPTR_47	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	5.1511E-017	2.6796E-016
RCPTR_47	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	5.1626E-012	1.9412E-011
RCPTR_47	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	2.9030E-016	1.5074E-015
RCPTR_47	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	9.5544E-017	4.9757E-016
RCPTR_47	farmer_adult	TOCDFDFS	Diethyl phthalate	6.1591E-010	6.6105E-010
RCPTR_47	farmer_adult	TOCDFDFS	Dimethyl phthalate	1.3566E-012	6.8907E-012
RCPTR_47	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	6.0390E-013	3.1273E-012
RCPTR_47	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	5.3575E-013	1.4027E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	5.7361E-013	2.8609E-012
RCPTR_47	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	4.3685E-013	2.2082E-012
RCPTR_47	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.2784E-014	6.6659E-014
RCPTR_47	farmer_adult	TOCDFDFS	Ethylbenzene	9.3986E-016	4.7459E-015
RCPTR_47	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	2.7973E-011	3.5271E-011
RCPTR_47	farmer_adult	TOCDFDFS	Fluoranthene	2.9708E-009	1.1765E-008
RCPTR_47	farmer_adult	TOCDFDFS	Fluorene	3.8202E-011	1.9325E-010
RCPTR_47	farmer_adult	TOCDFDFS	GB	3.4420E-016	1.7928E-015
RCPTR_47	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	9.3622E-015	1.0958E-014
RCPTR_47	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	4.7399E-015	5.4037E-015
RCPTR_47	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.6391E-014	1.9126E-014
RCPTR_47	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	9.0201E-014	1.0325E-013
RCPTR_47	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	4.9968E-014	5.9078E-014
RCPTR_47	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	4.4133E-014	5.3181E-014
RCPTR_47	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	3.4771E-014	4.2607E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.0908E-014	3.7842E-014
RCPTR_47	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	4.1343E-014	5.0556E-014
RCPTR_47	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	2.8485E-014	3.4853E-014
RCPTR_47	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	8.3203E-013	4.0361E-012
RCPTR_47	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.6695E-009	8.2398E-009
RCPTR_47	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	1.1106E-011	5.2962E-011
RCPTR_47	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.8817E-013	2.5005E-012
RCPTR_47	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_47	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	6.8145E-005	6.8875E-005
RCPTR_47	farmer_adult	TOCDFDFS	Isophorone	9.1479E-014	4.7657E-013
RCPTR_47	farmer_adult	TOCDFDFS	Lead	4.8534E-007	6.5302E-007
RCPTR_47	farmer_adult	TOCDFDFS	Mercuric chloride	1.0945E-008	1.2144E-008
RCPTR_47	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	8.9439E-018	4.6625E-017
RCPTR_47	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.5148E-018	7.8929E-018
RCPTR_47	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	7.9486E-016	4.1448E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFDFS	Methyl mercury	6.4872E-011	7.1131E-011
RCPTR_47	farmer_adult	TOCDFDFS	Methylene chloride	2.2988E-017	1.1980E-016
RCPTR_47	farmer_adult	TOCDFDFS	Naphthalene	3.8911E-013	2.0092E-012
RCPTR_47	farmer_adult	TOCDFDFS	Nickel	4.3525E-008	4.8976E-008
RCPTR_47	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.5454E-012	8.0289E-012
RCPTR_47	farmer_adult	TOCDFDFS	Nitroaniline, 3-	3.6700E-013	1.9116E-012
RCPTR_47	farmer_adult	TOCDFDFS	Nitroaniline, 4-	4.7460E-013	2.4697E-012
RCPTR_47	farmer_adult	TOCDFDFS	Nitrobenzene	1.5433E-013	8.0450E-013
RCPTR_47	farmer_adult	TOCDFDFS	Nitrophenol, 2-	7.0297E-014	3.6623E-013
RCPTR_47	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.0198E-012	4.8000E-012
RCPTR_47	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	8.7278E-014	4.5350E-013
RCPTR_47	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	8.5900E-014	4.4552E-013
RCPTR_47	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	7.8087E-015	3.9877E-014
RCPTR_47	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	2.4736E-014	3.0013E-014
RCPTR_47	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	8.4867E-015	1.0260E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.2211E-013	2.5918E-013
RCPTR_47	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	1.8840E-014	2.3759E-014
RCPTR_47	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	7.6406E-014	9.5950E-014
RCPTR_47	farmer_adult	TOCDFDFS	Pentachlorobenzene	6.6031E-012	3.0264E-011
RCPTR_47	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.6377E-012	1.1785E-011
RCPTR_47	farmer_adult	TOCDFDFS	Pentachlorophenol	2.8820E-009	4.5948E-009
RCPTR_47	farmer_adult	TOCDFDFS	Phenanthrene	1.2024E-013	6.1290E-013
RCPTR_47	farmer_adult	TOCDFDFS	Phenol	1.2251E-013	6.3707E-013
RCPTR_47	farmer_adult	TOCDFDFS	Pronamide	2.3992E-011	1.2117E-010
RCPTR_47	farmer_adult	TOCDFDFS	Pyrene	5.9094E-009	2.4717E-008
RCPTR_47	farmer_adult	TOCDFDFS	Selenium	1.4172E-008	1.4290E-008
RCPTR_47	farmer_adult	TOCDFDFS	Silver	4.9333E-009	5.6729E-009
RCPTR_47	farmer_adult	TOCDFDFS	Styrene	2.5025E-014	1.3003E-013
RCPTR_47	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.0364E-013	1.3863E-013
RCPTR_47	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	3.3296E-014	4.7891E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	9.9742E-012	4.8767E-011
RCPTR_47	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.0850E-012	1.5418E-012
RCPTR_47	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	3.0830E-016	1.6020E-015
RCPTR_47	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.0602E-010	3.1438E-010
RCPTR_47	farmer_adult	TOCDFDFS	Thallium (I)	1.2583E-007	1.3803E-007
RCPTR_47	farmer_adult	TOCDFDFS	Toluene	4.1774E-016	2.1558E-015
RCPTR_47	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.7310E-013	1.8760E-012
RCPTR_47	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.9896E-016	1.0353E-015
RCPTR_47	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	1.5199E-015	7.9178E-015
RCPTR_47	farmer_adult	TOCDFDFS	Trichloroethylene	2.4756E-016	1.2868E-015
RCPTR_47	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	3.2530E-017	1.6912E-016
RCPTR_47	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	4.4200E-011	2.1373E-010
RCPTR_47	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	1.0213E-011	4.2286E-011
RCPTR_47	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	5.6284E-015	2.9303E-014
RCPTR_47	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	6.8043E-014	3.4159E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFDFS	Vinyl Chloride	8.0341E-020	4.1825E-019
RCPTR_47	farmer_adult	TOCDFDFS	Xylene, m-	4.4584E-015	9.5145E-015
RCPTR_47	farmer_adult	TOCDFDFS	Xylene, o-	4.1259E-015	9.8900E-015
RCPTR_47	farmer_adult	TOCDFDFS	Xylene, p-	4.8896E-015	1.2731E-014
RCPTR_47	farmer_adult	TOCDFDFS	Zinc	2.6527E-008	3.6780E-008
RCPTR_47	farmer_adult	TOCDFLIC	Acenaphthene	5.6138E-012	2.8738E-011
RCPTR_47	farmer_adult	TOCDFLIC	Acetone	1.4564E-016	7.5949E-016
RCPTR_47	farmer_adult	TOCDFLIC	Acetophenone	5.2428E-014	2.7315E-013
RCPTR_47	farmer_adult	TOCDFLIC	Aniline	1.7574E-015	9.1370E-015
RCPTR_47	farmer_adult	TOCDFLIC	Anthracene	9.9215E-011	5.0692E-010
RCPTR_47	farmer_adult	TOCDFLIC	Antimony	2.5056E-009	3.2709E-009
RCPTR_47	farmer_adult	TOCDFLIC	Arsenic	7.8080E-009	8.2657E-009
RCPTR_47	farmer_adult	TOCDFLIC	Barium	2.6422E-010	3.2380E-010
RCPTR_47	farmer_adult	TOCDFLIC	Benzene	1.3414E-015	6.9665E-015
RCPTR_47	farmer_adult	TOCDFLIC	Benzo(a)anthracene	2.7451E-008	5.2157E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFLIC	Benzo(a)pyrene	2.6474E-007	2.9001E-007
RCPTR_47	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.4961E-007	2.1205E-007
RCPTR_47	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	4.1826E-007	4.6816E-007
RCPTR_47	farmer_adult	TOCDFLIC	Benzoic acid	2.3897E-013	1.1046E-012
RCPTR_47	farmer_adult	TOCDFLIC	Benzyl alcohol	3.9810E-014	2.0732E-013
RCPTR_47	farmer_adult	TOCDFLIC	Beryllium	1.4808E-009	1.8505E-009
RCPTR_47	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	3.9793E-014	2.0751E-013
RCPTR_47	farmer_adult	TOCDFLIC	Bromodichloromethane	3.5606E-016	1.8554E-015
RCPTR_47	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.2262E-014	6.3910E-014
RCPTR_47	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	2.2440E-009	1.1149E-008
RCPTR_47	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.5852E-010	1.9851E-010
RCPTR_47	farmer_adult	TOCDFLIC	Cadmium	8.5958E-010	1.3658E-009
RCPTR_47	farmer_adult	TOCDFLIC	Carbon disulfide	8.1169E-017	4.2217E-016
RCPTR_47	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.2834E-016	6.6626E-016
RCPTR_47	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	3.8949E-012	1.6697E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFLIC	Chloroaniline, p-	1.8543E-013	9.6339E-013
RCPTR_47	farmer_adult	TOCDFLIC	Chlorobenzene	7.5270E-016	3.8968E-015
RCPTR_47	farmer_adult	TOCDFLIC	Chloroethane	2.1489E-018	1.0925E-017
RCPTR_47	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	1.1331E-016	5.9029E-016
RCPTR_47	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	1.4613E-011	7.5110E-011
RCPTR_47	farmer_adult	TOCDFLIC	Chlorophenol, 2-	5.1339E-013	2.6764E-012
RCPTR_47	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	2.1778E-011	9.2787E-011
RCPTR_47	farmer_adult	TOCDFLIC	Chromium	7.9620E-008	8.2878E-008
RCPTR_47	farmer_adult	TOCDFLIC	Chromium, hexavalent	4.9350E-008	5.0760E-008
RCPTR_47	farmer_adult	TOCDFLIC	Chrysene	7.8084E-008	1.1101E-007
RCPTR_47	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	5.9575E-010	7.4953E-010
RCPTR_47	farmer_adult	TOCDFLIC	Di-n-octylphthalate	2.9642E+000	2.9642E+000
RCPTR_47	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	5.4848E-006	5.7028E-006
RCPTR_47	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	2.3941E-014	1.2107E-013
RCPTR_47	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	2.8696E-014	1.4669E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	2.7558E-014	1.4129E-013
RCPTR_47	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.8516E-010	3.9115E-010
RCPTR_47	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	1.6835E-019	8.7442E-019
RCPTR_47	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	4.2272E-017	2.2027E-016
RCPTR_47	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	5.2506E-017	2.7365E-016
RCPTR_47	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.6025E-017	8.3375E-017
RCPTR_47	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	2.5765E-017	1.3402E-016
RCPTR_47	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	3.0283E-012	1.1334E-011
RCPTR_47	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	1.4521E-016	7.5395E-016
RCPTR_47	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	4.7787E-017	2.4886E-016
RCPTR_47	farmer_adult	TOCDFLIC	Diethyl phthalate	3.6556E-010	3.9187E-010
RCPTR_47	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.4269E-012	7.2467E-012
RCPTR_47	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	3.5205E-013	1.8229E-012
RCPTR_47	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.1930E-013	8.3064E-013
RCPTR_47	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	3.3434E-013	1.6675E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	2.5472E-013	1.2872E-012
RCPTR_47	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	7.4517E-015	3.8853E-014
RCPTR_47	farmer_adult	TOCDFLIC	Ethylbenzene	6.2712E-016	3.1653E-015
RCPTR_47	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	5.1242E-010	6.4689E-010
RCPTR_47	farmer_adult	TOCDFLIC	Fluoranthene	1.7374E-009	6.8630E-009
RCPTR_47	farmer_adult	TOCDFLIC	Fluorene	2.2277E-011	1.1265E-010
RCPTR_47	farmer_adult	TOCDFLIC	GB	1.2489E-016	6.5049E-016
RCPTR_47	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	5.8920E-015	6.8777E-015
RCPTR_47	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	6.8708E-015	7.8085E-015
RCPTR_47	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.6761E-014	1.9502E-014
RCPTR_47	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	7.2450E-014	8.2685E-014
RCPTR_47	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	4.2357E-014	4.9943E-014
RCPTR_47	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	3.6898E-014	4.4368E-014
RCPTR_47	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.3696E-014	2.8989E-014
RCPTR_47	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.3185E-014	2.8340E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	2.6766E-014	3.2674E-014
RCPTR_47	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.9552E-014	2.3883E-014
RCPTR_47	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	4.8523E-013	2.3528E-012
RCPTR_47	farmer_adult	TOCDFLIC	Hexachlorobenzene	9.7388E-010	4.8035E-009
RCPTR_47	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	1.3085E-012	6.2370E-012
RCPTR_47	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	2.8466E-013	1.4576E-012
RCPTR_47	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_47	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.0300E-005	4.0707E-005
RCPTR_47	farmer_adult	TOCDFLIC	Isophorone	5.3321E-014	2.7778E-013
RCPTR_47	farmer_adult	TOCDFLIC	Lead	1.8185E-007	2.4445E-007
RCPTR_47	farmer_adult	TOCDFLIC	Mercuric chloride	9.3194E-007	1.0342E-006
RCPTR_47	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	2.9107E-018	1.5174E-017
RCPTR_47	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	2.3850E-019	1.2427E-018
RCPTR_47	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	8.6630E-016	4.5173E-015
RCPTR_47	farmer_adult	TOCDFLIC	Methyl mercury	5.4666E-009	6.0005E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFLIC	Methylene chloride	1.8435E-017	9.6073E-017
RCPTR_47	farmer_adult	TOCDFLIC	Naphthalene	2.2684E-013	1.1712E-012
RCPTR_47	farmer_adult	TOCDFLIC	Nickel	2.4805E-008	2.7896E-008
RCPTR_47	farmer_adult	TOCDFLIC	Nitroaniline, 2-	9.1156E-013	4.7357E-012
RCPTR_47	farmer_adult	TOCDFLIC	Nitroaniline, 3-	2.1647E-013	1.1275E-012
RCPTR_47	farmer_adult	TOCDFLIC	Nitroaniline, 4-	2.7992E-013	1.4567E-012
RCPTR_47	farmer_adult	TOCDFLIC	Nitrobenzene	8.9954E-014	4.6892E-013
RCPTR_47	farmer_adult	TOCDFLIC	Nitrophenol, 2-	4.0974E-014	2.1347E-013
RCPTR_47	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.2063E-012	2.8461E-012
RCPTR_47	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	5.0876E-014	2.6433E-013
RCPTR_47	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	5.0075E-014	2.5969E-013
RCPTR_47	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	4.5480E-015	2.3240E-014
RCPTR_47	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.1228E-014	2.5714E-014
RCPTR_47	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	6.9753E-015	8.4199E-015
RCPTR_47	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.4589E-013	1.6975E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	3.9211E-014	4.9339E-014
RCPTR_47	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	8.7902E-014	1.1017E-013
RCPTR_47	farmer_adult	TOCDFLIC	Pentachlorobenzene	3.8370E-012	1.7628E-011
RCPTR_47	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.5504E-012	6.9455E-012
RCPTR_47	farmer_adult	TOCDFLIC	Pentachlorophenol	1.7272E-009	2.7374E-009
RCPTR_47	farmer_adult	TOCDFLIC	Phenanthrene	7.0108E-014	3.5726E-013
RCPTR_47	farmer_adult	TOCDFLIC	Phenol	7.1411E-014	3.7133E-013
RCPTR_47	farmer_adult	TOCDFLIC	Pronamide	6.9964E-012	3.5318E-011
RCPTR_47	farmer_adult	TOCDFLIC	Pyrene	3.4493E-009	1.4411E-008
RCPTR_47	farmer_adult	TOCDFLIC	Selenium	5.3659E-009	5.4104E-009
RCPTR_47	farmer_adult	TOCDFLIC	Silver	1.8258E-009	2.0981E-009
RCPTR_47	farmer_adult	TOCDFLIC	Styrene	2.6031E-014	1.3525E-013
RCPTR_47	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	5.0850E-014	6.7884E-014
RCPTR_47	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	6.8369E-014	9.8125E-014
RCPTR_47	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	5.8210E-012	2.8432E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	5.5182E-013	7.8027E-013
RCPTR_47	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.5420E-016	8.0125E-016
RCPTR_47	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	6.3144E-011	1.8604E-010
RCPTR_47	farmer_adult	TOCDFLIC	Thallium (I)	4.7990E-008	5.2621E-008
RCPTR_47	farmer_adult	TOCDFLIC	Toluene	1.2019E-015	6.2013E-015
RCPTR_47	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	2.1760E-013	1.0936E-012
RCPTR_47	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	9.9517E-017	5.1782E-016
RCPTR_47	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	7.6023E-016	3.9602E-015
RCPTR_47	farmer_adult	TOCDFLIC	Trichloroethylene	1.2383E-016	6.4360E-016
RCPTR_47	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.6271E-017	8.4590E-017
RCPTR_47	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	2.5806E-011	1.2462E-010
RCPTR_47	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	5.9812E-012	2.4675E-011
RCPTR_47	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	2.8152E-015	1.4656E-014
RCPTR_47	farmer_adult	TOCDFLIC	Vinyl Chloride	4.3297E-020	2.2540E-019
RCPTR_47	farmer_adult	TOCDFLIC	Xylene, m-	3.8699E-015	8.3787E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFLIC	Xylene, o-	2.2836E-015	5.5539E-015
RCPTR_47	farmer_adult	TOCDFLIC	Xylene, p-	4.2616E-015	1.1254E-014
RCPTR_47	farmer_adult	TOCDFLIC	Zinc	7.0172E-009	9.7167E-009
RCPTR_47	farmer_adult	TOCDFMPF	Acenaphthene	2.3940E-011	1.2255E-010
RCPTR_47	farmer_adult	TOCDFMPF	Acetone	7.3006E-017	3.8071E-016
RCPTR_47	farmer_adult	TOCDFMPF	Acetophenone	1.2421E-013	6.4715E-013
RCPTR_47	farmer_adult	TOCDFMPF	Aniline	7.4948E-015	3.8966E-014
RCPTR_47	farmer_adult	TOCDFMPF	Anthracene	4.2311E-010	2.1618E-009
RCPTR_47	farmer_adult	TOCDFMPF	Antimony	7.4732E-010	9.7557E-010
RCPTR_47	farmer_adult	TOCDFMPF	Arsenic	1.8362E-009	1.9438E-009
RCPTR_47	farmer_adult	TOCDFMPF	Barium	2.4821E-010	3.0418E-010
RCPTR_47	farmer_adult	TOCDFMPF	Benzene	6.5270E-017	3.3897E-016
RCPTR_47	farmer_adult	TOCDFMPF	Benzo(a)anthracene	1.1706E-007	2.2243E-007
RCPTR_47	farmer_adult	TOCDFMPF	Benzo(a)pyrene	1.1291E-006	1.2369E-006
RCPTR_47	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	6.3791E-007	9.0421E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	1.7838E-006	1.9969E-006
RCPTR_47	farmer_adult	TOCDFMPF	Benzoic acid	9.4996E-013	4.3913E-012
RCPTR_47	farmer_adult	TOCDFMPF	Benzyl alcohol	1.6978E-013	8.8413E-013
RCPTR_47	farmer_adult	TOCDFMPF	Beryllium	4.2381E-010	5.2963E-010
RCPTR_47	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.6970E-013	8.8496E-013
RCPTR_47	farmer_adult	TOCDFMPF	Bromodichloromethane	5.7993E-016	3.0219E-015
RCPTR_47	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	2.1877E-014	1.1403E-013
RCPTR_47	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	9.5697E-009	4.7546E-008
RCPTR_47	farmer_adult	TOCDFMPF	Butylbenzylphthalate	6.7630E-010	8.4685E-010
RCPTR_47	farmer_adult	TOCDFMPF	Cadmium	3.7686E-010	5.9878E-010
RCPTR_47	farmer_adult	TOCDFMPF	Carbon disulfide	1.1400E-016	5.9296E-016
RCPTR_47	farmer_adult	TOCDFMPF	Carbon tetrachloride	1.8072E-016	9.3820E-016
RCPTR_47	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.6608E-011	7.1203E-011
RCPTR_47	farmer_adult	TOCDFMPF	Chloroaniline, p-	7.9079E-013	4.1085E-012
RCPTR_47	farmer_adult	TOCDFMPF	Chlorobenzene	1.0599E-015	5.4873E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFMPF	Chloroethane	3.0260E-018	1.5384E-017
RCPTR_47	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.5348E-016	7.9959E-016
RCPTR_47	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	6.2318E-011	3.2031E-010
RCPTR_47	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.1894E-012	1.1414E-011
RCPTR_47	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	9.2870E-011	3.9569E-010
RCPTR_47	farmer_adult	TOCDFMPF	Chromium	1.5436E-008	1.6068E-008
RCPTR_47	farmer_adult	TOCDFMPF	Chromium, hexavalent	9.5679E-009	9.8413E-009
RCPTR_47	farmer_adult	TOCDFMPF	Chrysene	3.3293E-007	4.7337E-007
RCPTR_47	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	2.5397E-009	3.1955E-009
RCPTR_47	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.2634E+001	1.2634E+001
RCPTR_47	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	2.3389E-005	2.4321E-005
RCPTR_47	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.0210E-013	5.1631E-013
RCPTR_47	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.2237E-013	6.2558E-013
RCPTR_47	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.1752E-013	6.0254E-013
RCPTR_47	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.5908E-009	2.1821E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	2.3706E-019	1.2313E-018
RCPTR_47	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	5.9526E-017	3.1017E-016
RCPTR_47	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	7.3937E-017	3.8534E-016
RCPTR_47	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.2566E-017	1.1741E-016
RCPTR_47	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.6282E-017	1.8872E-016
RCPTR_47	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.2912E-011	4.8333E-011
RCPTR_47	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.0448E-016	1.0617E-015
RCPTR_47	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	6.7293E-017	3.5044E-016
RCPTR_47	farmer_adult	TOCDFMPF	Diethyl phthalate	1.5581E-009	1.6703E-009
RCPTR_47	farmer_adult	TOCDFMPF	Dimethyl phthalate	5.1889E-013	2.6352E-012
RCPTR_47	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.5014E-012	7.7737E-012
RCPTR_47	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.3588E-012	3.5355E-012
RCPTR_47	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.4258E-012	7.1113E-012
RCPTR_47	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.0863E-012	5.4892E-012
RCPTR_47	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	3.1778E-014	1.6569E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFMPF	Ethylbenzene	6.6231E-016	3.3429E-015
RCPTR_47	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	5.6758E-010	7.1645E-010
RCPTR_47	farmer_adult	TOCDFMPF	Fluoranthene	7.4088E-009	2.9267E-008
RCPTR_47	farmer_adult	TOCDFMPF	Fluorene	9.5002E-011	4.8040E-010
RCPTR_47	farmer_adult	TOCDFMPF	GB	1.7772E-016	9.2567E-016
RCPTR_47	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.2419E-014	1.4498E-014
RCPTR_47	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	4.6135E-013	5.2437E-013
RCPTR_47	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	7.7827E-014	9.0562E-014
RCPTR_47	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.6562E-013	1.8904E-013
RCPTR_47	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	9.2147E-014	1.0866E-013
RCPTR_47	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	8.7612E-014	1.0536E-013
RCPTR_47	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.5591E-012	4.3543E-012
RCPTR_47	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	8.6723E-013	1.0601E-012
RCPTR_47	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.5017E-013	1.8333E-013
RCPTR_47	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.0738E-013	1.3117E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.0693E-012	1.0034E-011
RCPTR_47	farmer_adult	TOCDFMPF	Hexachlorobenzene	4.1531E-009	2.0485E-008
RCPTR_47	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	5.5801E-012	2.6598E-011
RCPTR_47	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.2139E-012	6.2160E-012
RCPTR_47	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_47	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.7180E-004	1.7354E-004
RCPTR_47	farmer_adult	TOCDFMPF	Isophorone	2.2739E-013	1.1846E-012
RCPTR_47	farmer_adult	TOCDFMPF	Lead	1.4368E-010	1.9315E-010
RCPTR_47	farmer_adult	TOCDFMPF	Mercuric chloride	1.0555E-008	1.1713E-008
RCPTR_47	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	3.4925E-018	1.8206E-017
RCPTR_47	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	1.2498E-019	6.5120E-019
RCPTR_47	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	8.1783E-016	4.2646E-015
RCPTR_47	farmer_adult	TOCDFMPF	Methyl mercury	6.1950E-011	6.7996E-011
RCPTR_47	farmer_adult	TOCDFMPF	Methylene chloride	2.0455E-017	1.0660E-016
RCPTR_47	farmer_adult	TOCDFMPF	Naphthalene	9.6737E-013	4.9946E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFMPF	Nickel	1.9494E-008	2.1923E-008
RCPTR_47	farmer_adult	TOCDFMPF	Nitroaniline, 2-	3.8804E-012	2.0159E-011
RCPTR_47	farmer_adult	TOCDFMPF	Nitroaniline, 3-	9.2148E-013	4.7997E-012
RCPTR_47	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.1916E-012	6.2009E-012
RCPTR_47	farmer_adult	TOCDFMPF	Nitrobenzene	3.8362E-013	1.9997E-012
RCPTR_47	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.7474E-013	9.1035E-013
RCPTR_47	farmer_adult	TOCDFMPF	Nitrophenol, 4-	5.1329E-012	1.2114E-011
RCPTR_47	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.1697E-013	1.1273E-012
RCPTR_47	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.1355E-013	1.1075E-012
RCPTR_47	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.9396E-014	9.9109E-014
RCPTR_47	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.1574E-014	3.8248E-014
RCPTR_47	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	4.3926E-014	5.3025E-014
RCPTR_47	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	5.7626E-013	6.7059E-013
RCPTR_47	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	4.3689E-013	5.4978E-013
RCPTR_47	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.4298E-012	1.7921E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.6366E-011	7.5181E-011
RCPTR_47	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	6.6013E-012	2.9567E-011
RCPTR_47	farmer_adult	TOCDFMPF	Pentachlorophenol	7.3488E-009	1.1649E-008
RCPTR_47	farmer_adult	TOCDFMPF	Phenanthrene	2.9898E-013	1.5236E-012
RCPTR_47	farmer_adult	TOCDFMPF	Phenol	3.0454E-013	1.5836E-012
RCPTR_47	farmer_adult	TOCDFMPF	Pronamide	2.9836E-011	1.5062E-010
RCPTR_47	farmer_adult	TOCDFMPF	Pyrene	1.4709E-008	6.1457E-008
RCPTR_47	farmer_adult	TOCDFMPF	Selenium	1.5731E-009	1.5861E-009
RCPTR_47	farmer_adult	TOCDFMPF	Silver	7.3220E-009	8.4142E-009
RCPTR_47	farmer_adult	TOCDFMPF	Styrene	2.7844E-014	1.4467E-013
RCPTR_47	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.4431E-013	1.9266E-013
RCPTR_47	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	2.8010E-013	4.0203E-013
RCPTR_47	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.4823E-011	1.2125E-010
RCPTR_47	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	7.7666E-013	1.0984E-012
RCPTR_47	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	4.8121E-016	2.5004E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.6872E-010	7.9188E-010
RCPTR_47	farmer_adult	TOCDFMPF	Thallium (I)	1.4190E-008	1.5559E-008
RCPTR_47	farmer_adult	TOCDFMPF	Toluene	3.3672E-016	1.7374E-015
RCPTR_47	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	9.2797E-013	4.6638E-012
RCPTR_47	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.4014E-016	7.2917E-016
RCPTR_47	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.0705E-015	5.5766E-015
RCPTR_47	farmer_adult	TOCDFMPF	Trichloroethylene	1.7437E-016	9.0630E-016
RCPTR_47	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	2.2912E-017	1.1912E-016
RCPTR_47	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.1005E-010	5.3146E-010
RCPTR_47	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	2.5504E-011	1.0523E-010
RCPTR_47	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	3.9642E-015	2.0638E-014
RCPTR_47	farmer_adult	TOCDFMPF	Vinyl Chloride	5.6583E-020	2.9457E-019
RCPTR_47	farmer_adult	TOCDFMPF	Xylene, m-	3.0606E-015	6.6216E-015
RCPTR_47	farmer_adult	TOCDFMPF	Xylene, o-	2.8383E-015	6.8979E-015
RCPTR_47	farmer_adult	TOCDFMPF	Xylene, p-	3.3696E-015	8.8924E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDFMPF	Zinc	4.3044E-009	5.9603E-009
RCPTR_47	farmer_adult	TOCDHVAC	GB	7.4433E-016	3.8776E-015
RCPTR_47	farmer_adult	TOCDLIC2	Acenaphthene	1.1585E-011	5.9304E-011
RCPTR_47	farmer_adult	TOCDLIC2	Acetone	1.4413E-016	7.5159E-016
RCPTR_47	farmer_adult	TOCDLIC2	Acetophenone	6.0106E-014	3.1316E-013
RCPTR_47	farmer_adult	TOCDLIC2	Aniline	3.6267E-015	1.8856E-014
RCPTR_47	farmer_adult	TOCDLIC2	Anthracene	2.0474E-010	1.0461E-009
RCPTR_47	farmer_adult	TOCDLIC2	Antimony	3.3335E-009	4.3517E-009
RCPTR_47	farmer_adult	TOCDLIC2	Arsenic	7.8080E-009	8.2657E-009
RCPTR_47	farmer_adult	TOCDLIC2	Barium	2.5461E-009	3.1203E-009
RCPTR_47	farmer_adult	TOCDLIC2	Benzene	9.6535E-017	5.0134E-016
RCPTR_47	farmer_adult	TOCDLIC2	Benzo(a)anthracene	5.6650E-008	1.0763E-007
RCPTR_47	farmer_adult	TOCDLIC2	Benzo(a)pyrene	5.4632E-007	5.9847E-007
RCPTR_47	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	3.0874E-007	4.3759E-007
RCPTR_47	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	8.6313E-007	9.6612E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDLIC2	Benzoic acid	4.5972E-013	2.1250E-012
RCPTR_47	farmer_adult	TOCDLIC2	Benzyl alcohol	8.2154E-014	4.2783E-013
RCPTR_47	farmer_adult	TOCDLIC2	Beryllium	1.4808E-009	1.8505E-009
RCPTR_47	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	8.2119E-014	4.2823E-013
RCPTR_47	farmer_adult	TOCDLIC2	Bromodichloromethane	1.0902E-015	5.6810E-015
RCPTR_47	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.8430E-014	1.4818E-013
RCPTR_47	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	4.6307E-009	2.3008E-008
RCPTR_47	farmer_adult	TOCDLIC2	Butylbenzylphthalate	3.2713E-010	4.0965E-010
RCPTR_47	farmer_adult	TOCDLIC2	Cadmium	9.7673E-011	1.5519E-010
RCPTR_47	farmer_adult	TOCDLIC2	Carbon disulfide	1.2301E-016	6.3979E-016
RCPTR_47	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.9533E-016	1.0140E-015
RCPTR_47	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	8.0376E-012	3.4456E-011
RCPTR_47	farmer_adult	TOCDLIC2	Chloroaniline, p-	3.8267E-013	1.9881E-012
RCPTR_47	farmer_adult	TOCDLIC2	Chlorobenzene	1.1456E-015	5.9307E-015
RCPTR_47	farmer_adult	TOCDLIC2	Chloroethane	3.2706E-018	1.6627E-017

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	3.4984E-016	1.8226E-015
RCPTR_47	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	3.0156E-011	1.5500E-010
RCPTR_47	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.0594E-012	5.5230E-012
RCPTR_47	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	4.4942E-011	1.9148E-010
RCPTR_47	farmer_adult	TOCDLIC2	Chromium	7.9620E-008	8.2878E-008
RCPTR_47	farmer_adult	TOCDLIC2	Chromium, hexavalent	4.9350E-008	5.0760E-008
RCPTR_47	farmer_adult	TOCDLIC2	Chrysene	1.6114E-007	2.2909E-007
RCPTR_47	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.2294E-009	1.5468E-009
RCPTR_47	farmer_adult	TOCDLIC2	Di-n-octylphthalate	6.1171E+000	6.1171E+000
RCPTR_47	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	1.1319E-005	1.1768E-005
RCPTR_47	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	4.9405E-014	2.4984E-013
RCPTR_47	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	5.9218E-014	3.0272E-013
RCPTR_47	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	5.6870E-014	2.9157E-013
RCPTR_47	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	6.8575E-010	9.4062E-010
RCPTR_47	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	2.5622E-019	1.3308E-018

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	6.4336E-017	3.3524E-016
RCPTR_47	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	7.9912E-017	4.1648E-016
RCPTR_47	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	2.4390E-017	1.2689E-016
RCPTR_47	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	3.9213E-017	2.0398E-016
RCPTR_47	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	6.2494E-012	2.3389E-011
RCPTR_47	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	2.2100E-016	1.1475E-015
RCPTR_47	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	7.2731E-017	3.7876E-016
RCPTR_47	farmer_adult	TOCDLIC2	Diethyl phthalate	7.5439E-010	8.0868E-010
RCPTR_47	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.7477E-012	8.8757E-012
RCPTR_47	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	7.2651E-013	3.7617E-012
RCPTR_47	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	6.6063E-013	1.7186E-012
RCPTR_47	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	6.8995E-013	3.4411E-012
RCPTR_47	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	5.2564E-013	2.6562E-012
RCPTR_47	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.5378E-014	8.0179E-014
RCPTR_47	farmer_adult	TOCDLIC2	Ethylbenzene	8.1185E-016	4.0977E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	3.4309E-010	4.3312E-010
RCPTR_47	farmer_adult	TOCDLIC2	Fluoranthene	3.5854E-009	1.4163E-008
RCPTR_47	farmer_adult	TOCDLIC2	Fluorene	4.5972E-011	2.3247E-010
RCPTR_47	farmer_adult	TOCDLIC2	GB	1.2984E-016	6.7625E-016
RCPTR_47	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.1355E-014	4.8273E-014
RCPTR_47	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	3.7529E-014	4.2651E-014
RCPTR_47	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	3.6582E-014	4.2564E-014
RCPTR_47	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.0876E-013	1.2413E-013
RCPTR_47	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	7.9895E-014	9.4205E-014
RCPTR_47	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	7.8671E-014	9.4598E-014
RCPTR_47	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	7.6250E-014	9.3284E-014
RCPTR_47	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	4.5911E-014	5.6118E-014
RCPTR_47	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.0853E-014	4.9871E-014
RCPTR_47	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.6848E-014	5.7226E-014
RCPTR_47	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.0013E-012	4.8552E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDLIC2	Hexachlorobenzene	2.0097E-009	9.9128E-009
RCPTR_47	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	2.7002E-012	1.2871E-011
RCPTR_47	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	5.8742E-013	3.0079E-012
RCPTR_47	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_47	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	8.3165E-005	8.4005E-005
RCPTR_47	farmer_adult	TOCDLIC2	Isophorone	1.1004E-013	5.7324E-013
RCPTR_47	farmer_adult	TOCDLIC2	Lead	1.3111E-008	1.7625E-008
RCPTR_47	farmer_adult	TOCDLIC2	Mercuric chloride	9.3194E-007	1.0342E-006
RCPTR_47	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	3.8072E-018	1.9847E-017
RCPTR_47	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.5182E-019	7.9105E-019
RCPTR_47	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	8.5385E-016	4.4524E-015
RCPTR_47	farmer_adult	TOCDLIC2	Methyl mercury	5.4666E-009	6.0005E-009
RCPTR_47	farmer_adult	TOCDLIC2	Methylene chloride	6.7058E-017	3.4947E-016
RCPTR_47	farmer_adult	TOCDLIC2	Naphthalene	4.6811E-013	2.4169E-012
RCPTR_47	farmer_adult	TOCDLIC2	Nickel	8.6223E-009	9.6968E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDLIC2	Nitroaniline, 2-	1.8860E-012	9.7980E-012
RCPTR_47	farmer_adult	TOCDLIC2	Nitroaniline, 3-	4.4787E-013	2.3328E-012
RCPTR_47	farmer_adult	TOCDLIC2	Nitroaniline, 4-	5.7915E-013	3.0138E-012
RCPTR_47	farmer_adult	TOCDLIC2	Nitrobenzene	1.8563E-013	9.6767E-013
RCPTR_47	farmer_adult	TOCDLIC2	Nitrophenol, 2-	8.4556E-014	4.4052E-013
RCPTR_47	farmer_adult	TOCDLIC2	Nitrophenol, 4-	2.4957E-012	5.8885E-012
RCPTR_47	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.0499E-013	5.4549E-013
RCPTR_47	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.0334E-013	5.3590E-013
RCPTR_47	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	9.3854E-015	4.7958E-014
RCPTR_47	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	7.1277E-014	8.6339E-014
RCPTR_47	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.3593E-014	2.8479E-014
RCPTR_47	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.7280E-013	3.1742E-013
RCPTR_47	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	8.2970E-014	1.0440E-013
RCPTR_47	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.3393E-013	2.9320E-013
RCPTR_47	farmer_adult	TOCDLIC2	Pentachlorobenzene	7.9181E-012	3.6378E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	3.2078E-012	1.4370E-011
RCPTR_47	farmer_adult	TOCDLIC2	Pentachlorophenol	3.5734E-009	5.6636E-009
RCPTR_47	farmer_adult	TOCDLIC2	Phenanthrene	1.4468E-013	7.3726E-013
RCPTR_47	farmer_adult	TOCDLIC2	Phenol	1.5581E-013	8.1018E-013
RCPTR_47	farmer_adult	TOCDLIC2	Pronamide	1.4438E-011	7.2884E-011
RCPTR_47	farmer_adult	TOCDLIC2	Pyrene	7.1181E-009	2.9739E-008
RCPTR_47	farmer_adult	TOCDLIC2	Selenium	5.3659E-009	5.4104E-009
RCPTR_47	farmer_adult	TOCDLIC2	Silver	1.8258E-009	2.0981E-009
RCPTR_47	farmer_adult	TOCDLIC2	Styrene	2.1807E-014	1.1330E-013
RCPTR_47	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.4741E-013	1.9679E-013
RCPTR_47	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.2246E-013	1.7576E-013
RCPTR_47	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.2012E-011	5.8674E-011
RCPTR_47	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	8.3985E-013	1.1875E-012
RCPTR_47	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.3469E-016	1.2195E-015
RCPTR_47	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.3064E-010	3.8491E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_adult	TOCDLIC2	Thallium (I)	4.7990E-008	5.2621E-008
RCPTR_47	farmer_adult	TOCDLIC2	Toluene	1.2651E-015	6.5277E-015
RCPTR_47	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	4.4905E-013	2.2568E-012
RCPTR_47	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.5146E-016	7.8810E-016
RCPTR_47	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.1570E-015	6.0273E-015
RCPTR_47	farmer_adult	TOCDLIC2	Trichloroethylene	1.8846E-016	9.7954E-016
RCPTR_47	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.4764E-017	1.2874E-016
RCPTR_47	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	5.3254E-011	2.5717E-010
RCPTR_47	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.2343E-011	5.0921E-011
RCPTR_47	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	4.2846E-015	2.2306E-014
RCPTR_47	farmer_adult	TOCDLIC2	Vinyl Chloride	7.2265E-020	3.7622E-019
RCPTR_47	farmer_adult	TOCDLIC2	Xylene, m-	4.4925E-015	9.7265E-015
RCPTR_47	farmer_adult	TOCDLIC2	Xylene, o-	3.0638E-015	7.4516E-015
RCPTR_47	farmer_adult	TOCDLIC2	Xylene, p-	4.9472E-015	1.3065E-014
RCPTR_47	farmer_adult	TOCDLIC2	Zinc	8.3786E-009	1.1602E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFBRA	Antimony	1.6452E-008	1.7070E-008
RCPTR_47	farmer_child	TOCDFBRA	Arsenic	2.1976E-008	2.2100E-008
RCPTR_47	farmer_child	TOCDFBRA	Barium	2.1244E-009	2.1812E-009
RCPTR_47	farmer_child	TOCDFBRA	Beryllium	6.9172E-009	8.3718E-009
RCPTR_47	farmer_child	TOCDFBRA	Cadmium	1.5132E-009	1.6661E-009
RCPTR_47	farmer_child	TOCDFBRA	Chromium	1.6643E-007	2.1058E-007
RCPTR_47	farmer_child	TOCDFBRA	Chromium, hexavalent	1.2659E-007	1.2683E-007
RCPTR_47	farmer_child	TOCDFBRA	Lead	7.9707E-008	1.0446E-007
RCPTR_47	farmer_child	TOCDFBRA	Mercuric chloride	1.8160E-005	3.3500E-005
RCPTR_47	farmer_child	TOCDFBRA	Methyl mercury	1.6355E-007	2.0873E-007
RCPTR_47	farmer_child	TOCDFBRA	Nickel	7.5878E-008	7.7784E-008
RCPTR_47	farmer_child	TOCDFBRA	Selenium	2.3488E-008	2.3492E-008
RCPTR_47	farmer_child	TOCDFBRA	Silver	9.2000E-009	9.2350E-009
RCPTR_47	farmer_child	TOCDFBRA	Thallium (I)	2.3037E-007	2.3533E-007
RCPTR_47	farmer_child	TOCDFBRA	Zinc	4.9360E-008	5.2416E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFDFS	Acenaphthene	4.9127E-011	4.9301E-011
RCPTR_47	farmer_child	TOCDFDFS	Acetone	6.1763E-016	6.1763E-016
RCPTR_47	farmer_child	TOCDFDFS	Acetophenone	2.7331E-013	2.7337E-013
RCPTR_47	farmer_child	TOCDFDFS	Aniline	1.5675E-014	1.5676E-014
RCPTR_47	farmer_child	TOCDFDFS	Anthracene	8.4131E-010	8.6966E-010
RCPTR_47	farmer_child	TOCDFDFS	Antimony	1.7524E-007	1.8163E-007
RCPTR_47	farmer_child	TOCDFDFS	Aroclor 1254	4.6327E-012	4.6669E-012
RCPTR_47	farmer_child	TOCDFDFS	Arsenic	1.3340E-008	1.3413E-008
RCPTR_47	farmer_child	TOCDFDFS	Barium	4.5089E-010	4.6258E-010
RCPTR_47	farmer_child	TOCDFDFS	Benzene	5.1063E-016	5.1063E-016
RCPTR_47	farmer_child	TOCDFDFS	Benzo(a)anthracene	7.4477E-008	8.9255E-008
RCPTR_47	farmer_child	TOCDFDFS	Benzo(a)pyrene	4.8322E-007	4.9667E-007
RCPTR_47	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	3.2586E-007	3.6169E-007
RCPTR_47	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	7.4893E-007	8.0250E-007
RCPTR_47	farmer_child	TOCDFDFS	Benzoic acid	1.7655E-012	1.7657E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFDFS	Benzyl alcohol	3.5551E-013	3.5568E-013
RCPTR_47	farmer_child	TOCDFDFS	Beryllium	4.0365E-009	4.8607E-009
RCPTR_47	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	3.5587E-013	3.5602E-013
RCPTR_47	farmer_child	TOCDFDFS	Bromodichloromethane	4.0282E-015	4.0282E-015
RCPTR_47	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.6009E-013	1.6010E-013
RCPTR_47	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.3826E-008	1.9128E-008
RCPTR_47	farmer_child	TOCDFDFS	Butylbenzylphthalate	3.4157E-010	3.4187E-010
RCPTR_47	farmer_child	TOCDFDFS	Cadmium	4.4157E-009	4.8516E-009
RCPTR_47	farmer_child	TOCDFDFS	Carbon disulfide	2.6694E-016	2.6694E-016
RCPTR_47	farmer_child	TOCDFDFS	Carbon tetrachloride	1.3321E-015	1.3321E-015
RCPTR_47	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	2.8478E-011	2.8619E-011
RCPTR_47	farmer_child	TOCDFDFS	Chloroaniline, p-	1.6510E-012	1.6528E-012
RCPTR_47	farmer_child	TOCDFDFS	Chlorobenzene	7.7908E-015	7.7909E-015
RCPTR_47	farmer_child	TOCDFDFS	Chloroethane	2.1840E-017	2.1840E-017
RCPTR_47	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	1.2064E-015	1.2064E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.2781E-010	1.2886E-010
RCPTR_47	farmer_child	TOCDFDFS	Chlorophenol, 2-	4.5812E-012	4.5917E-012
RCPTR_47	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.5853E-010	1.5910E-010
RCPTR_47	farmer_child	TOCDFDFS	Chromium	5.2148E-008	6.5587E-008
RCPTR_47	farmer_child	TOCDFDFS	Chromium, hexavalent	4.0021E-008	4.0092E-008
RCPTR_47	farmer_child	TOCDFDFS	Chrysene	1.6483E-007	1.8935E-007
RCPTR_47	farmer_child	TOCDFDFS	Di-n-butyl phthalate	1.2690E-009	1.2719E-009
RCPTR_47	farmer_child	TOCDFDFS	Di-n-octylphthalate	4.9922E+000	4.9922E+000
RCPTR_47	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	9.5774E-006	9.7464E-006
RCPTR_47	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	2.0768E-013	2.0769E-013
RCPTR_47	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.5165E-013	2.5165E-013
RCPTR_47	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.4238E-013	2.4239E-013
RCPTR_47	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.2837E-009	1.2920E-009
RCPTR_47	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.7483E-018	1.7483E-018
RCPTR_47	farmer_child	TOCDFDFS	Dichloroethane 1,1-	4.4039E-016	4.4039E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	5.4712E-016	5.4712E-016
RCPTR_47	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.6670E-016	1.6670E-016
RCPTR_47	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.6796E-016	2.6796E-016
RCPTR_47	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	1.9349E-011	1.9412E-011
RCPTR_47	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	1.5074E-015	1.5074E-015
RCPTR_47	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	4.9757E-016	4.9757E-016
RCPTR_47	farmer_child	TOCDFDFS	Diethyl phthalate	6.6093E-010	6.6105E-010
RCPTR_47	farmer_child	TOCDFDFS	Dimethyl phthalate	6.8847E-012	6.8907E-012
RCPTR_47	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	3.1233E-012	3.1273E-012
RCPTR_47	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.4025E-012	1.4027E-012
RCPTR_47	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.8562E-012	2.8609E-012
RCPTR_47	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	2.2050E-012	2.2082E-012
RCPTR_47	farmer_child	TOCDFDFS	Ethyl methanesulfonate	6.6641E-014	6.6659E-014
RCPTR_47	farmer_child	TOCDFDFS	Ethylbenzene	4.7459E-015	4.7459E-015
RCPTR_47	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.5164E-011	3.5271E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFDFS	Fluoranthene	9.9800E-009	1.1765E-008
RCPTR_47	farmer_child	TOCDFDFS	Fluorene	1.9118E-010	1.9325E-010
RCPTR_47	farmer_child	TOCDFDFS	GB	1.7923E-015	1.7928E-015
RCPTR_47	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	9.6897E-015	1.0958E-014
RCPTR_47	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	4.8775E-015	5.4037E-015
RCPTR_47	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.6958E-014	1.9126E-014
RCPTR_47	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	9.2889E-014	1.0325E-013
RCPTR_47	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	5.1870E-014	5.9078E-014
RCPTR_47	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	4.6022E-014	5.3181E-014
RCPTR_47	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	3.6414E-014	4.2607E-014
RCPTR_47	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.2353E-014	3.7842E-014
RCPTR_47	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	4.3268E-014	5.0556E-014
RCPTR_47	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	2.9816E-014	3.4853E-014
RCPTR_47	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	4.0356E-012	4.0361E-012
RCPTR_47	farmer_child	TOCDFDFS	Hexachlorobenzene	7.7502E-009	8.2398E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	5.2951E-011	5.2962E-011
RCPTR_47	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.5001E-012	2.5005E-012
RCPTR_47	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_47	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	6.8599E-005	6.8875E-005
RCPTR_47	farmer_child	TOCDFDFS	Isophorone	4.7639E-013	4.7657E-013
RCPTR_47	farmer_child	TOCDFDFS	Lead	5.0124E-007	6.5302E-007
RCPTR_47	farmer_child	TOCDFDFS	Mercuric chloride	6.5251E-009	1.2144E-008
RCPTR_47	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	4.6625E-017	4.6625E-017
RCPTR_47	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	7.8929E-018	7.8929E-018
RCPTR_47	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.1448E-015	4.1448E-015
RCPTR_47	farmer_child	TOCDFDFS	Methyl mercury	5.4584E-011	7.1131E-011
RCPTR_47	farmer_child	TOCDFDFS	Methylene chloride	1.1980E-016	1.1980E-016
RCPTR_47	farmer_child	TOCDFDFS	Naphthalene	2.0087E-012	2.0092E-012
RCPTR_47	farmer_child	TOCDFDFS	Nickel	4.7815E-008	4.8976E-008
RCPTR_47	farmer_child	TOCDFDFS	Nitroaniline, 2-	8.0201E-012	8.0289E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.9108E-012	1.9116E-012
RCPTR_47	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.4684E-012	2.4697E-012
RCPTR_47	farmer_child	TOCDFDFS	Nitrobenzene	8.0405E-013	8.0450E-013
RCPTR_47	farmer_child	TOCDFDFS	Nitrophenol, 2-	3.6614E-013	3.6623E-013
RCPTR_47	farmer_child	TOCDFDFS	Nitrophenol, 4-	4.7985E-012	4.8000E-012
RCPTR_47	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	4.5342E-013	4.5350E-013
RCPTR_47	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	4.4548E-013	4.4552E-013
RCPTR_47	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	3.9875E-014	3.9877E-014
RCPTR_47	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	2.5823E-014	3.0013E-014
RCPTR_47	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	8.8500E-015	1.0260E-014
RCPTR_47	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.3012E-013	2.5918E-013
RCPTR_47	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	1.9898E-014	2.3759E-014
RCPTR_47	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	8.0557E-014	9.5950E-014
RCPTR_47	farmer_child	TOCDFDFS	Pentachlorobenzene	3.0251E-011	3.0264E-011
RCPTR_47	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.1784E-011	1.1785E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFDFS	Pentachlorophenol	4.5810E-009	4.5948E-009
RCPTR_47	farmer_child	TOCDFDFS	Phenanthrene	6.1288E-013	6.1290E-013
RCPTR_47	farmer_child	TOCDFDFS	Phenol	6.3667E-013	6.3707E-013
RCPTR_47	farmer_child	TOCDFDFS	Pronamide	1.2029E-010	1.2117E-010
RCPTR_47	farmer_child	TOCDFDFS	Pyrene	1.6612E-008	2.4717E-008
RCPTR_47	farmer_child	TOCDFDFS	Selenium	1.4288E-008	1.4290E-008
RCPTR_47	farmer_child	TOCDFDFS	Silver	5.6522E-009	5.6729E-009
RCPTR_47	farmer_child	TOCDFDFS	Styrene	1.3003E-013	1.3003E-013
RCPTR_47	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.1144E-013	1.3863E-013
RCPTR_47	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	3.6589E-014	4.7891E-014
RCPTR_47	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	4.8699E-011	4.8767E-011
RCPTR_47	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.5418E-012	1.5418E-012
RCPTR_47	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.6020E-015	1.6020E-015
RCPTR_47	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	3.1374E-010	3.1438E-010
RCPTR_47	farmer_child	TOCDFDFS	Thallium (I)	1.3522E-007	1.3803E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFDFS	Toluene	2.1558E-015	2.1558E-015
RCPTR_47	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.8758E-012	1.8760E-012
RCPTR_47	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	1.0353E-015	1.0353E-015
RCPTR_47	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	7.9178E-015	7.9178E-015
RCPTR_47	farmer_child	TOCDFDFS	Trichloroethylene	1.2868E-015	1.2868E-015
RCPTR_47	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.6912E-016	1.6912E-016
RCPTR_47	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	2.1017E-010	2.1373E-010
RCPTR_47	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	4.2133E-011	4.2286E-011
RCPTR_47	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	2.9302E-014	2.9303E-014
RCPTR_47	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	3.4127E-013	3.4159E-013
RCPTR_47	farmer_child	TOCDFDFS	Vinyl Chloride	4.1825E-019	4.1825E-019
RCPTR_47	farmer_child	TOCDFDFS	Xylene, m-	9.5145E-015	9.5145E-015
RCPTR_47	farmer_child	TOCDFDFS	Xylene, o-	9.8900E-015	9.8900E-015
RCPTR_47	farmer_child	TOCDFDFS	Xylene, p-	1.2731E-014	1.2731E-014
RCPTR_47	farmer_child	TOCDFDFS	Zinc	3.4689E-008	3.6780E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFLIC	Acenaphthene	2.8636E-011	2.8738E-011
RCPTR_47	farmer_child	TOCDFLIC	Acetone	7.5949E-016	7.5949E-016
RCPTR_47	farmer_child	TOCDFLIC	Acetophenone	2.7309E-013	2.7315E-013
RCPTR_47	farmer_child	TOCDFLIC	Aniline	9.1368E-015	9.1370E-015
RCPTR_47	farmer_child	TOCDFLIC	Anthracene	4.9039E-010	5.0692E-010
RCPTR_47	farmer_child	TOCDFLIC	Antimony	3.1561E-009	3.2709E-009
RCPTR_47	farmer_child	TOCDFLIC	Arsenic	8.2213E-009	8.2657E-009
RCPTR_47	farmer_child	TOCDFLIC	Barium	3.1565E-010	3.2380E-010
RCPTR_47	farmer_child	TOCDFLIC	Benzene	6.9665E-015	6.9665E-015
RCPTR_47	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.3556E-008	5.2157E-008
RCPTR_47	farmer_child	TOCDFLIC	Benzo(a)pyrene	2.8231E-007	2.9001E-007
RCPTR_47	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	1.9122E-007	2.1205E-007
RCPTR_47	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	4.3773E-007	4.6816E-007
RCPTR_47	farmer_child	TOCDFLIC	Benzoic acid	1.1045E-012	1.1046E-012
RCPTR_47	farmer_child	TOCDFLIC	Benzyl alcohol	2.0721E-013	2.0732E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFLIC	Beryllium	1.5378E-009	1.8505E-009
RCPTR_47	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	2.0743E-013	2.0751E-013
RCPTR_47	farmer_child	TOCDFLIC	Bromodichloromethane	1.8554E-015	1.8554E-015
RCPTR_47	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	6.3904E-014	6.3910E-014
RCPTR_47	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	8.0588E-009	1.1149E-008
RCPTR_47	farmer_child	TOCDFLIC	Butylbenzylphthalate	1.9833E-010	1.9851E-010
RCPTR_47	farmer_child	TOCDFLIC	Cadmium	1.2434E-009	1.3658E-009
RCPTR_47	farmer_child	TOCDFLIC	Carbon disulfide	4.2217E-016	4.2217E-016
RCPTR_47	farmer_child	TOCDFLIC	Carbon tetrachloride	6.6626E-016	6.6626E-016
RCPTR_47	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	1.6615E-011	1.6697E-011
RCPTR_47	farmer_child	TOCDFLIC	Chloroaniline, p-	9.6234E-013	9.6339E-013
RCPTR_47	farmer_child	TOCDFLIC	Chlorobenzene	3.8967E-015	3.8968E-015
RCPTR_47	farmer_child	TOCDFLIC	Chloroethane	1.0925E-017	1.0925E-017
RCPTR_47	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	5.9029E-016	5.9029E-016
RCPTR_47	farmer_child	TOCDFLIC	Chloronaphthalene,2-	7.4499E-011	7.5110E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFLIC	Chlorophenol, 2-	2.6703E-012	2.6764E-012
RCPTR_47	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	9.2458E-011	9.2787E-011
RCPTR_47	farmer_child	TOCDFLIC	Chromium	6.5948E-008	8.2878E-008
RCPTR_47	farmer_child	TOCDFLIC	Chromium, hexavalent	5.0670E-008	5.0760E-008
RCPTR_47	farmer_child	TOCDFLIC	Chrysene	9.6764E-008	1.1101E-007
RCPTR_47	farmer_child	TOCDFLIC	Di-n-butyl phthalate	7.4787E-010	7.4953E-010
RCPTR_47	farmer_child	TOCDFLIC	Di-n-octylphthalate	2.9642E+000	2.9642E+000
RCPTR_47	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	5.6085E-006	5.7028E-006
RCPTR_47	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	1.2107E-013	1.2107E-013
RCPTR_47	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	1.4669E-013	1.4669E-013
RCPTR_47	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	1.4129E-013	1.4129E-013
RCPTR_47	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.8867E-010	3.9115E-010
RCPTR_47	farmer_child	TOCDFLIC	Dichlorodifluoromethane	8.7442E-019	8.7442E-019
RCPTR_47	farmer_child	TOCDFLIC	Dichloroethane 1,1-	2.2027E-016	2.2027E-016
RCPTR_47	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.7364E-016	2.7365E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	8.3374E-017	8.3375E-017
RCPTR_47	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.3402E-016	1.3402E-016
RCPTR_47	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	1.1297E-011	1.1334E-011
RCPTR_47	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	7.5395E-016	7.5395E-016
RCPTR_47	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	2.4886E-016	2.4886E-016
RCPTR_47	farmer_child	TOCDFLIC	Diethyl phthalate	3.9180E-010	3.9187E-010
RCPTR_47	farmer_child	TOCDFLIC	Dimethyl phthalate	7.2403E-012	7.2467E-012
RCPTR_47	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	1.8205E-012	1.8229E-012
RCPTR_47	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	8.3051E-013	8.3064E-013
RCPTR_47	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	1.6648E-012	1.6675E-012
RCPTR_47	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	1.2853E-012	1.2872E-012
RCPTR_47	farmer_child	TOCDFLIC	Ethyl methanesulfonate	3.8843E-014	3.8853E-014
RCPTR_47	farmer_child	TOCDFLIC	Ethylbenzene	3.1652E-015	3.1653E-015
RCPTR_47	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	6.4493E-010	6.4689E-010
RCPTR_47	farmer_child	TOCDFLIC	Fluoranthene	5.8225E-009	6.8630E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFLIC	Fluorene	1.1144E-010	1.1265E-010
RCPTR_47	farmer_child	TOCDFLIC	GB	6.5033E-016	6.5049E-016
RCPTR_47	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	6.0942E-015	6.8777E-015
RCPTR_47	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	7.0651E-015	7.8085E-015
RCPTR_47	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.7329E-014	1.9502E-014
RCPTR_47	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	7.4558E-014	8.2685E-014
RCPTR_47	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	4.3940E-014	4.9943E-014
RCPTR_47	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	3.8457E-014	4.4368E-014
RCPTR_47	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.4806E-014	2.8989E-014
RCPTR_47	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.4259E-014	2.8340E-014
RCPTR_47	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	2.8001E-014	3.2674E-014
RCPTR_47	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.0457E-014	2.3883E-014
RCPTR_47	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.3525E-012	2.3528E-012
RCPTR_47	farmer_child	TOCDFLIC	Hexachlorobenzene	4.5181E-009	4.8035E-009
RCPTR_47	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	6.2358E-012	6.2370E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.4573E-012	1.4576E-012
RCPTR_47	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_47	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.0553E-005	4.0707E-005
RCPTR_47	farmer_child	TOCDFLIC	Isophorone	2.7768E-013	2.7778E-013
RCPTR_47	farmer_child	TOCDFLIC	Lead	1.8778E-007	2.4445E-007
RCPTR_47	farmer_child	TOCDFLIC	Mercuric chloride	5.5498E-007	1.0342E-006
RCPTR_47	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	1.5174E-017	1.5174E-017
RCPTR_47	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.2427E-018	1.2427E-018
RCPTR_47	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	4.5173E-015	4.5173E-015
RCPTR_47	farmer_child	TOCDFLIC	Methyl mercury	4.5891E-009	6.0005E-009
RCPTR_47	farmer_child	TOCDFLIC	Methylene chloride	9.6073E-017	9.6073E-017
RCPTR_47	farmer_child	TOCDFLIC	Naphthalene	1.1708E-012	1.1712E-012
RCPTR_47	farmer_child	TOCDFLIC	Nickel	2.7238E-008	2.7896E-008
RCPTR_47	farmer_child	TOCDFLIC	Nitroaniline, 2-	4.7305E-012	4.7357E-012
RCPTR_47	farmer_child	TOCDFLIC	Nitroaniline, 3-	1.1270E-012	1.1275E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFLIC	Nitroaniline, 4-	1.4559E-012	1.4567E-012
RCPTR_47	farmer_child	TOCDFLIC	Nitrobenzene	4.6866E-013	4.6892E-013
RCPTR_47	farmer_child	TOCDFLIC	Nitrophenol, 2-	2.1341E-013	2.1347E-013
RCPTR_47	farmer_child	TOCDFLIC	Nitrophenol, 4-	2.8452E-012	2.8461E-012
RCPTR_47	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.6429E-013	2.6433E-013
RCPTR_47	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	2.5966E-013	2.5969E-013
RCPTR_47	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	2.3239E-014	2.3240E-014
RCPTR_47	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.2152E-014	2.5714E-014
RCPTR_47	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	7.2712E-015	8.4199E-015
RCPTR_47	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.5104E-013	1.6975E-013
RCPTR_47	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	4.1389E-014	4.9339E-014
RCPTR_47	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	9.2633E-014	1.1017E-013
RCPTR_47	farmer_child	TOCDFLIC	Pentachlorobenzene	1.7621E-011	1.7628E-011
RCPTR_47	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	6.9451E-012	6.9455E-012
RCPTR_47	farmer_child	TOCDFLIC	Pentachlorophenol	2.7293E-009	2.7374E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFLIC	Phenanthrene	3.5726E-013	3.5726E-013
RCPTR_47	farmer_child	TOCDFLIC	Phenol	3.7110E-013	3.7133E-013
RCPTR_47	farmer_child	TOCDFLIC	Pronamide	3.5061E-011	3.5318E-011
RCPTR_47	farmer_child	TOCDFLIC	Pyrene	9.6873E-009	1.4411E-008
RCPTR_47	farmer_child	TOCDFLIC	Selenium	5.4097E-009	5.4104E-009
RCPTR_47	farmer_child	TOCDFLIC	Silver	2.0905E-009	2.0981E-009
RCPTR_47	farmer_child	TOCDFLIC	Styrene	1.3525E-013	1.3525E-013
RCPTR_47	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	5.4651E-014	6.7884E-014
RCPTR_47	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	7.5083E-014	9.8125E-014
RCPTR_47	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.8392E-011	2.8432E-011
RCPTR_47	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	7.8025E-013	7.8027E-013
RCPTR_47	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	8.0125E-016	8.0125E-016
RCPTR_47	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.8567E-010	1.8604E-010
RCPTR_47	farmer_child	TOCDFLIC	Thallium (I)	5.1553E-008	5.2621E-008
RCPTR_47	farmer_child	TOCDFLIC	Toluene	6.2013E-015	6.2013E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.0935E-012	1.0936E-012
RCPTR_47	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	5.1782E-016	5.1782E-016
RCPTR_47	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	3.9601E-015	3.9602E-015
RCPTR_47	farmer_child	TOCDFLIC	Trichloroethylene	6.4360E-016	6.4360E-016
RCPTR_47	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	8.4590E-017	8.4590E-017
RCPTR_47	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	1.2254E-010	1.2462E-010
RCPTR_47	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	2.4586E-011	2.4675E-011
RCPTR_47	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	1.4655E-014	1.4656E-014
RCPTR_47	farmer_child	TOCDFLIC	Vinyl Chloride	2.2540E-019	2.2540E-019
RCPTR_47	farmer_child	TOCDFLIC	Xylene, m-	8.3786E-015	8.3787E-015
RCPTR_47	farmer_child	TOCDFLIC	Xylene, o-	5.5539E-015	5.5539E-015
RCPTR_47	farmer_child	TOCDFLIC	Xylene, p-	1.1254E-014	1.1254E-014
RCPTR_47	farmer_child	TOCDFLIC	Zinc	9.1662E-009	9.7167E-009
RCPTR_47	farmer_child	TOCDFMPF	Acenaphthene	1.2212E-010	1.2255E-010
RCPTR_47	farmer_child	TOCDFMPF	Acetone	3.8071E-016	3.8071E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFMPF	Acetophenone	6.4701E-013	6.4715E-013
RCPTR_47	farmer_child	TOCDFMPF	Aniline	3.8965E-014	3.8966E-014
RCPTR_47	farmer_child	TOCDFMPF	Anthracene	2.0913E-009	2.1618E-009
RCPTR_47	farmer_child	TOCDFMPF	Antimony	9.4133E-010	9.7557E-010
RCPTR_47	farmer_child	TOCDFMPF	Arsenic	1.9334E-009	1.9438E-009
RCPTR_47	farmer_child	TOCDFMPF	Barium	2.9652E-010	3.0418E-010
RCPTR_47	farmer_child	TOCDFMPF	Benzene	3.3897E-016	3.3897E-016
RCPTR_47	farmer_child	TOCDFMPF	Benzo(a)anthracene	1.8575E-007	2.2243E-007
RCPTR_47	farmer_child	TOCDFMPF	Benzo(a)pyrene	1.2041E-006	1.2369E-006
RCPTR_47	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	8.1535E-007	9.0421E-007
RCPTR_47	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	1.8669E-006	1.9969E-006
RCPTR_47	farmer_child	TOCDFMPF	Benzoic acid	4.3908E-012	4.3913E-012
RCPTR_47	farmer_child	TOCDFMPF	Benzyl alcohol	8.8369E-013	8.8413E-013
RCPTR_47	farmer_child	TOCDFMPF	Beryllium	4.4013E-010	5.2963E-010
RCPTR_47	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	8.8459E-013	8.8496E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFMPF	Bromodichloromethane	3.0219E-015	3.0219E-015
RCPTR_47	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.1402E-013	1.1403E-013
RCPTR_47	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	3.4368E-008	4.7546E-008
RCPTR_47	farmer_child	TOCDFMPF	Butylbenzylphthalate	8.4609E-010	8.4685E-010
RCPTR_47	farmer_child	TOCDFMPF	Cadmium	5.4513E-010	5.9878E-010
RCPTR_47	farmer_child	TOCDFMPF	Carbon disulfide	5.9296E-016	5.9296E-016
RCPTR_47	farmer_child	TOCDFMPF	Carbon tetrachloride	9.3820E-016	9.3820E-016
RCPTR_47	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	7.0853E-011	7.1203E-011
RCPTR_47	farmer_child	TOCDFMPF	Chloroaniline, p-	4.1040E-012	4.1085E-012
RCPTR_47	farmer_child	TOCDFMPF	Chlorobenzene	5.4873E-015	5.4873E-015
RCPTR_47	farmer_child	TOCDFMPF	Chloroethane	1.5384E-017	1.5384E-017
RCPTR_47	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	7.9958E-016	7.9959E-016
RCPTR_47	farmer_child	TOCDFMPF	Chloronaphthalene,2-	3.1771E-010	3.2031E-010
RCPTR_47	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.1388E-011	1.1414E-011
RCPTR_47	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	3.9429E-010	3.9569E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFMPF	Chromium	1.2786E-008	1.6068E-008
RCPTR_47	farmer_child	TOCDFMPF	Chromium, hexavalent	9.8239E-009	9.8413E-009
RCPTR_47	farmer_child	TOCDFMPF	Chrysene	4.1260E-007	4.7337E-007
RCPTR_47	farmer_child	TOCDFMPF	Di-n-butyl phthalate	3.1884E-009	3.1955E-009
RCPTR_47	farmer_child	TOCDFMPF	Di-n-octylphthalate	1.2634E+001	1.2634E+001
RCPTR_47	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	2.3918E-005	2.4321E-005
RCPTR_47	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	5.1629E-013	5.1631E-013
RCPTR_47	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	6.2556E-013	6.2558E-013
RCPTR_47	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	6.0252E-013	6.0254E-013
RCPTR_47	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.1683E-009	2.1821E-009
RCPTR_47	farmer_child	TOCDFMPF	Dichlorodifluoromethane	1.2313E-018	1.2313E-018
RCPTR_47	farmer_child	TOCDFMPF	Dichloroethane 1,1-	3.1017E-016	3.1017E-016
RCPTR_47	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	3.8534E-016	3.8534E-016
RCPTR_47	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.1741E-016	1.1741E-016
RCPTR_47	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.8872E-016	1.8872E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	4.8175E-011	4.8333E-011
RCPTR_47	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.0617E-015	1.0617E-015
RCPTR_47	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	3.5044E-016	3.5044E-016
RCPTR_47	farmer_child	TOCDFMPF	Diethyl phthalate	1.6700E-009	1.6703E-009
RCPTR_47	farmer_child	TOCDFMPF	Dimethyl phthalate	2.6329E-012	2.6352E-012
RCPTR_47	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	7.7639E-012	7.7737E-012
RCPTR_47	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	3.5350E-012	3.5355E-012
RCPTR_47	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	7.0996E-012	7.1113E-012
RCPTR_47	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	5.4814E-012	5.4892E-012
RCPTR_47	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.6565E-013	1.6569E-013
RCPTR_47	farmer_child	TOCDFMPF	Ethylbenzene	3.3429E-015	3.3429E-015
RCPTR_47	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	7.1428E-010	7.1645E-010
RCPTR_47	farmer_child	TOCDFMPF	Fluoranthene	2.4830E-008	2.9267E-008
RCPTR_47	farmer_child	TOCDFMPF	Fluorene	4.7526E-010	4.8040E-010
RCPTR_47	farmer_child	TOCDFMPF	GB	9.2543E-016	9.2567E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.2845E-014	1.4498E-014
RCPTR_47	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	4.7441E-013	5.2437E-013
RCPTR_47	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	8.0466E-014	9.0562E-014
RCPTR_47	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.7044E-013	1.8904E-013
RCPTR_47	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	9.5594E-014	1.0866E-013
RCPTR_47	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	9.1316E-014	1.0536E-013
RCPTR_47	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.7258E-012	4.3543E-012
RCPTR_47	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	9.0740E-013	1.0601E-012
RCPTR_47	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.5710E-013	1.8333E-013
RCPTR_47	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.1235E-013	1.3117E-013
RCPTR_47	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.0033E-011	1.0034E-011
RCPTR_47	farmer_child	TOCDFMPF	Hexachlorobenzene	1.9268E-008	2.0485E-008
RCPTR_47	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	2.6593E-011	2.6598E-011
RCPTR_47	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	6.2149E-012	6.2160E-012
RCPTR_47	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.7288E-004	1.7354E-004
RCPTR_47	farmer_child	TOCDFMPF	Isophorone	1.1842E-012	1.1846E-012
RCPTR_47	farmer_child	TOCDFMPF	Lead	1.4837E-010	1.9315E-010
RCPTR_47	farmer_child	TOCDFMPF	Mercuric chloride	6.2862E-009	1.1713E-008
RCPTR_47	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	1.8206E-017	1.8206E-017
RCPTR_47	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	6.5120E-019	6.5120E-019
RCPTR_47	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	4.2646E-015	4.2646E-015
RCPTR_47	farmer_child	TOCDFMPF	Methyl mercury	5.2013E-011	6.7996E-011
RCPTR_47	farmer_child	TOCDFMPF	Methylene chloride	1.0660E-016	1.0660E-016
RCPTR_47	farmer_child	TOCDFMPF	Naphthalene	4.9931E-012	4.9946E-012
RCPTR_47	farmer_child	TOCDFMPF	Nickel	2.1406E-008	2.1923E-008
RCPTR_47	farmer_child	TOCDFMPF	Nitroaniline, 2-	2.0137E-011	2.0159E-011
RCPTR_47	farmer_child	TOCDFMPF	Nitroaniline, 3-	4.7977E-012	4.7997E-012
RCPTR_47	farmer_child	TOCDFMPF	Nitroaniline, 4-	6.1976E-012	6.2009E-012
RCPTR_47	farmer_child	TOCDFMPF	Nitrobenzene	1.9986E-012	1.9997E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFMPF	Nitrophenol, 2-	9.1012E-013	9.1035E-013
RCPTR_47	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.2110E-011	1.2114E-011
RCPTR_47	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.1271E-012	1.1273E-012
RCPTR_47	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.1074E-012	1.1075E-012
RCPTR_47	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	9.9105E-014	9.9109E-014
RCPTR_47	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.2948E-014	3.8248E-014
RCPTR_47	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	4.5790E-014	5.3025E-014
RCPTR_47	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	5.9664E-013	6.7059E-013
RCPTR_47	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	4.6117E-013	5.4978E-013
RCPTR_47	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.5067E-012	1.7921E-012
RCPTR_47	farmer_child	TOCDFMPF	Pentachlorobenzene	7.5148E-011	7.5181E-011
RCPTR_47	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	2.9566E-011	2.9567E-011
RCPTR_47	farmer_child	TOCDFMPF	Pentachlorophenol	1.1615E-008	1.1649E-008
RCPTR_47	farmer_child	TOCDFMPF	Phenanthrene	1.5236E-012	1.5236E-012
RCPTR_47	farmer_child	TOCDFMPF	Phenol	1.5826E-012	1.5836E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFMPF	Pronamide	1.4952E-010	1.5062E-010
RCPTR_47	farmer_child	TOCDFMPF	Pyrene	4.1312E-008	6.1457E-008
RCPTR_47	farmer_child	TOCDFMPF	Selenium	1.5859E-009	1.5861E-009
RCPTR_47	farmer_child	TOCDFMPF	Silver	8.3835E-009	8.4142E-009
RCPTR_47	farmer_child	TOCDFMPF	Styrene	1.4467E-013	1.4467E-013
RCPTR_47	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.5510E-013	1.9266E-013
RCPTR_47	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	3.0761E-013	4.0203E-013
RCPTR_47	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.2108E-010	1.2125E-010
RCPTR_47	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.0983E-012	1.0984E-012
RCPTR_47	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.5004E-015	2.5004E-015
RCPTR_47	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	7.9028E-010	7.9188E-010
RCPTR_47	farmer_child	TOCDFMPF	Thallium (I)	1.5244E-008	1.5559E-008
RCPTR_47	farmer_child	TOCDFMPF	Toluene	1.7374E-015	1.7374E-015
RCPTR_47	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	4.6632E-012	4.6638E-012
RCPTR_47	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	7.2917E-016	7.2917E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	5.5765E-015	5.5766E-015
RCPTR_47	farmer_child	TOCDFMPF	Trichloroethylene	9.0630E-016	9.0630E-016
RCPTR_47	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.1912E-016	1.1912E-016
RCPTR_47	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	5.2260E-010	5.3146E-010
RCPTR_47	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.0485E-010	1.0523E-010
RCPTR_47	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	2.0637E-014	2.0638E-014
RCPTR_47	farmer_child	TOCDFMPF	Vinyl Chloride	2.9457E-019	2.9457E-019
RCPTR_47	farmer_child	TOCDFMPF	Xylene, m-	6.6216E-015	6.6216E-015
RCPTR_47	farmer_child	TOCDFMPF	Xylene, o-	6.8979E-015	6.8979E-015
RCPTR_47	farmer_child	TOCDFMPF	Xylene, p-	8.8923E-015	8.8924E-015
RCPTR_47	farmer_child	TOCDFMPF	Zinc	5.6226E-009	5.9603E-009
RCPTR_47	farmer_child	TOCDHVAC	GB	3.8766E-015	3.8776E-015
RCPTR_47	farmer_child	TOCDLIC2	Acenaphthene	5.9094E-011	5.9304E-011
RCPTR_47	farmer_child	TOCDLIC2	Acetone	7.5159E-016	7.5159E-016
RCPTR_47	farmer_child	TOCDLIC2	Acetophenone	3.1309E-013	3.1316E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDLIC2	Aniline	1.8855E-014	1.8856E-014
RCPTR_47	farmer_child	TOCDLIC2	Anthracene	1.0120E-009	1.0461E-009
RCPTR_47	farmer_child	TOCDLIC2	Antimony	4.1989E-009	4.3517E-009
RCPTR_47	farmer_child	TOCDLIC2	Arsenic	8.2213E-009	8.2657E-009
RCPTR_47	farmer_child	TOCDLIC2	Barium	3.0417E-009	3.1203E-009
RCPTR_47	farmer_child	TOCDLIC2	Benzene	5.0134E-016	5.0134E-016
RCPTR_47	farmer_child	TOCDLIC2	Benzo(a)anthracene	8.9885E-008	1.0763E-007
RCPTR_47	farmer_child	TOCDLIC2	Benzo(a)pyrene	5.8258E-007	5.9847E-007
RCPTR_47	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	3.9460E-007	4.3759E-007
RCPTR_47	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	9.0331E-007	9.6612E-007
RCPTR_47	farmer_child	TOCDLIC2	Benzoic acid	2.1247E-012	2.1250E-012
RCPTR_47	farmer_child	TOCDLIC2	Benzyl alcohol	4.2762E-013	4.2783E-013
RCPTR_47	farmer_child	TOCDLIC2	Beryllium	1.5378E-009	1.8505E-009
RCPTR_47	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	4.2805E-013	4.2823E-013
RCPTR_47	farmer_child	TOCDLIC2	Bromodichloromethane	5.6810E-015	5.6810E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.4817E-013	1.4818E-013
RCPTR_47	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	1.6630E-008	2.3008E-008
RCPTR_47	farmer_child	TOCDLIC2	Butylbenzylphthalate	4.0929E-010	4.0965E-010
RCPTR_47	farmer_child	TOCDLIC2	Cadmium	1.4128E-010	1.5519E-010
RCPTR_47	farmer_child	TOCDLIC2	Carbon disulfide	6.3979E-016	6.3979E-016
RCPTR_47	farmer_child	TOCDLIC2	Carbon tetrachloride	1.0140E-015	1.0140E-015
RCPTR_47	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	3.4287E-011	3.4456E-011
RCPTR_47	farmer_child	TOCDLIC2	Chloroaniline, p-	1.9859E-012	1.9881E-012
RCPTR_47	farmer_child	TOCDLIC2	Chlorobenzene	5.9307E-015	5.9307E-015
RCPTR_47	farmer_child	TOCDLIC2	Chloroethane	1.6627E-017	1.6627E-017
RCPTR_47	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.8226E-015	1.8226E-015
RCPTR_47	farmer_child	TOCDLIC2	Chloronaphthalene,2-	1.5374E-010	1.5500E-010
RCPTR_47	farmer_child	TOCDLIC2	Chlorophenol, 2-	5.5104E-012	5.5230E-012
RCPTR_47	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.9080E-010	1.9148E-010
RCPTR_47	farmer_child	TOCDLIC2	Chromium	6.5948E-008	8.2878E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDLIC2	Chromium, hexavalent	5.0670E-008	5.0760E-008
RCPTR_47	farmer_child	TOCDLIC2	Chrysene	1.9969E-007	2.2909E-007
RCPTR_47	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.5433E-009	1.5468E-009
RCPTR_47	farmer_child	TOCDLIC2	Di-n-octylphthalate	6.1171E+000	6.1171E+000
RCPTR_47	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	1.1574E-005	1.1768E-005
RCPTR_47	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	2.4983E-013	2.4984E-013
RCPTR_47	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	3.0271E-013	3.0272E-013
RCPTR_47	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	2.9156E-013	2.9157E-013
RCPTR_47	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	9.3466E-010	9.4062E-010
RCPTR_47	farmer_child	TOCDLIC2	Dichlorodifluoromethane	1.3308E-018	1.3308E-018
RCPTR_47	farmer_child	TOCDLIC2	Dichloroethane 1,1-	3.3524E-016	3.3524E-016
RCPTR_47	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	4.1648E-016	4.1648E-016
RCPTR_47	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	1.2689E-016	1.2689E-016
RCPTR_47	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	2.0398E-016	2.0398E-016
RCPTR_47	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	2.3313E-011	2.3389E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	1.1475E-015	1.1475E-015
RCPTR_47	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	3.7876E-016	3.7876E-016
RCPTR_47	farmer_child	TOCDLIC2	Diethyl phthalate	8.0854E-010	8.0868E-010
RCPTR_47	farmer_child	TOCDLIC2	Dimethyl phthalate	8.8680E-012	8.8757E-012
RCPTR_47	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	3.7569E-012	3.7617E-012
RCPTR_47	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.7183E-012	1.7186E-012
RCPTR_47	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	3.4355E-012	3.4411E-012
RCPTR_47	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	2.6525E-012	2.6562E-012
RCPTR_47	farmer_child	TOCDLIC2	Ethyl methanesulfonate	8.0158E-014	8.0179E-014
RCPTR_47	farmer_child	TOCDLIC2	Ethylbenzene	4.0976E-015	4.0977E-015
RCPTR_47	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	4.3180E-010	4.3312E-010
RCPTR_47	farmer_child	TOCDLIC2	Fluoranthene	1.2016E-008	1.4163E-008
RCPTR_47	farmer_child	TOCDLIC2	Fluorene	2.2998E-010	2.3247E-010
RCPTR_47	farmer_child	TOCDLIC2	GB	6.7608E-016	6.7625E-016
RCPTR_47	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.2774E-014	4.8273E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	3.8591E-014	4.2651E-014
RCPTR_47	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	3.7822E-014	4.2564E-014
RCPTR_47	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.1193E-013	1.2413E-013
RCPTR_47	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	8.2882E-014	9.4205E-014
RCPTR_47	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	8.1995E-014	9.4598E-014
RCPTR_47	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	7.9822E-014	9.3284E-014
RCPTR_47	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	4.8037E-014	5.6118E-014
RCPTR_47	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.2738E-014	4.9871E-014
RCPTR_47	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.9016E-014	5.7226E-014
RCPTR_47	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	4.8547E-012	4.8552E-012
RCPTR_47	farmer_child	TOCDLIC2	Hexachlorobenzene	9.3238E-009	9.9128E-009
RCPTR_47	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.2868E-011	1.2871E-011
RCPTR_47	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	3.0074E-012	3.0079E-012
RCPTR_47	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_47	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	8.3688E-005	8.4005E-005

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDLIC2	Isophorone	5.7302E-013	5.7324E-013
RCPTR_47	farmer_child	TOCDLIC2	Lead	1.3539E-008	1.7625E-008
RCPTR_47	farmer_child	TOCDLIC2	Mercuric chloride	5.5498E-007	1.0342E-006
RCPTR_47	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	1.9847E-017	1.9847E-017
RCPTR_47	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	7.9105E-019	7.9105E-019
RCPTR_47	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	4.4524E-015	4.4524E-015
RCPTR_47	farmer_child	TOCDLIC2	Methyl mercury	4.5891E-009	6.0005E-009
RCPTR_47	farmer_child	TOCDLIC2	Methylene chloride	3.4947E-016	3.4947E-016
RCPTR_47	farmer_child	TOCDLIC2	Naphthalene	2.4162E-012	2.4169E-012
RCPTR_47	farmer_child	TOCDLIC2	Nickel	9.4680E-009	9.6968E-009
RCPTR_47	farmer_child	TOCDLIC2	Nitroaniline, 2-	9.7873E-012	9.7980E-012
RCPTR_47	farmer_child	TOCDLIC2	Nitroaniline, 3-	2.3318E-012	2.3328E-012
RCPTR_47	farmer_child	TOCDLIC2	Nitroaniline, 4-	3.0122E-012	3.0138E-012
RCPTR_47	farmer_child	TOCDLIC2	Nitrobenzene	9.6714E-013	9.6767E-013
RCPTR_47	farmer_child	TOCDLIC2	Nitrophenol, 2-	4.4040E-013	4.4052E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDLIC2	Nitrophenol, 4-	5.8866E-012	5.8885E-012
RCPTR_47	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	5.4539E-013	5.4549E-013
RCPTR_47	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	5.3585E-013	5.3590E-013
RCPTR_47	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	4.7956E-014	4.7958E-014
RCPTR_47	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	7.4379E-014	8.6339E-014
RCPTR_47	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.4594E-014	2.8479E-014
RCPTR_47	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.8244E-013	3.1742E-013
RCPTR_47	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	8.7579E-014	1.0440E-013
RCPTR_47	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.4652E-013	2.9320E-013
RCPTR_47	farmer_child	TOCDLIC2	Pentachlorobenzene	3.6363E-011	3.6378E-011
RCPTR_47	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.4369E-011	1.4370E-011
RCPTR_47	farmer_child	TOCDLIC2	Pentachlorophenol	5.6467E-009	5.6636E-009
RCPTR_47	farmer_child	TOCDLIC2	Phenanthrene	7.3725E-013	7.3726E-013
RCPTR_47	farmer_child	TOCDLIC2	Phenol	8.0968E-013	8.1018E-013
RCPTR_47	farmer_child	TOCDLIC2	Pronamide	7.2352E-011	7.2884E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDLIC2	Pyrene	1.9991E-008	2.9739E-008
RCPTR_47	farmer_child	TOCDLIC2	Selenium	5.4097E-009	5.4104E-009
RCPTR_47	farmer_child	TOCDLIC2	Silver	2.0905E-009	2.0981E-009
RCPTR_47	farmer_child	TOCDLIC2	Styrene	1.1330E-013	1.1330E-013
RCPTR_47	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.5843E-013	1.9679E-013
RCPTR_47	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.3449E-013	1.7576E-013
RCPTR_47	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	5.8591E-011	5.8674E-011
RCPTR_47	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.1875E-012	1.1875E-012
RCPTR_47	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.2195E-015	1.2195E-015
RCPTR_47	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	3.8414E-010	3.8491E-010
RCPTR_47	farmer_child	TOCDLIC2	Thallium (I)	5.1553E-008	5.2621E-008
RCPTR_47	farmer_child	TOCDLIC2	Toluene	6.5277E-015	6.5277E-015
RCPTR_47	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	2.2565E-012	2.2568E-012
RCPTR_47	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	7.8810E-016	7.8810E-016
RCPTR_47	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	6.0272E-015	6.0273E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_47	farmer_child	TOCDLIC2	Trichloroethylene	9.7954E-016	9.7954E-016
RCPTR_47	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.2874E-016	1.2874E-016
RCPTR_47	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	2.5289E-010	2.5717E-010
RCPTR_47	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	5.0737E-011	5.0921E-011
RCPTR_47	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	2.2305E-014	2.2306E-014
RCPTR_47	farmer_child	TOCDLIC2	Vinyl Chloride	3.7622E-019	3.7622E-019
RCPTR_47	farmer_child	TOCDLIC2	Xylene, m-	9.7265E-015	9.7265E-015
RCPTR_47	farmer_child	TOCDLIC2	Xylene, o-	7.4516E-015	7.4516E-015
RCPTR_47	farmer_child	TOCDLIC2	Xylene, p-	1.3065E-014	1.3065E-014
RCPTR_47	farmer_child	TOCDLIC2	Zinc	1.0945E-008	1.1602E-008
RCPTR_48	farmer_adult	TOCDFBRA	Antimony	9.6851E-009	1.2747E-008
RCPTR_48	farmer_adult	TOCDFBRA	Arsenic	1.5582E-008	1.6530E-008
RCPTR_48	farmer_adult	TOCDFBRA	Barium	1.3210E-009	1.6296E-009
RCPTR_48	farmer_adult	TOCDFBRA	Beryllium	4.9704E-009	6.2487E-009
RCPTR_48	farmer_adult	TOCDFBRA	Cadmium	7.7284E-010	1.2428E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFBRA	Chromium	1.5081E-007	1.5713E-007
RCPTR_48	farmer_adult	TOCDFBRA	Chromium, hexavalent	9.2152E-008	9.4884E-008
RCPTR_48	farmer_adult	TOCDFBRA	Lead	5.7573E-008	7.7899E-008
RCPTR_48	farmer_adult	TOCDFBRA	Mercuric chloride	2.1894E-005	2.4267E-005
RCPTR_48	farmer_adult	TOCDFBRA	Methyl mercury	1.3787E-007	1.5026E-007
RCPTR_48	farmer_adult	TOCDFBRA	Nickel	5.1496E-008	5.8150E-008
RCPTR_48	farmer_adult	TOCDFBRA	Selenium	1.7428E-008	1.7578E-008
RCPTR_48	farmer_adult	TOCDFBRA	Silver	5.9783E-009	6.9028E-009
RCPTR_48	farmer_adult	TOCDFBRA	Thallium (I)	1.5996E-007	1.7596E-007
RCPTR_48	farmer_adult	TOCDFBRA	Zinc	2.7990E-008	3.9129E-008
RCPTR_48	farmer_adult	TOCDFDFS	Acenaphthene	6.7262E-012	3.4409E-011
RCPTR_48	farmer_adult	TOCDFDFS	Acetone	8.2644E-017	4.3097E-016
RCPTR_48	farmer_adult	TOCDFDFS	Acetophenone	3.6614E-014	1.9075E-013
RCPTR_48	farmer_adult	TOCDFDFS	Aniline	2.1043E-015	1.0939E-014
RCPTR_48	farmer_adult	TOCDFDFS	Anthracene	1.1887E-010	6.0695E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFDFS	Antimony	9.3659E-008	1.2193E-007
RCPTR_48	farmer_adult	TOCDFDFS	Aroclor 1254	1.5706E-012	3.2587E-012
RCPTR_48	farmer_adult	TOCDFDFS	Arsenic	8.5448E-009	9.0394E-009
RCPTR_48	farmer_adult	TOCDFDFS	Barium	2.5422E-010	3.1087E-010
RCPTR_48	farmer_adult	TOCDFDFS	Benzene	6.8624E-017	3.5633E-016
RCPTR_48	farmer_adult	TOCDFDFS	Benzo(a)anthracene	3.3603E-008	6.3085E-008
RCPTR_48	farmer_adult	TOCDFDFS	Benzo(a)pyrene	3.2332E-007	3.5239E-007
RCPTR_48	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	1.8451E-007	2.5888E-007
RCPTR_48	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	5.1094E-007	5.6735E-007
RCPTR_48	farmer_adult	TOCDFDFS	Benzoic acid	2.6851E-013	1.2345E-012
RCPTR_48	farmer_adult	TOCDFDFS	Benzyl alcohol	4.7663E-014	2.4820E-013
RCPTR_48	farmer_adult	TOCDFDFS	Beryllium	2.6126E-009	3.2585E-009
RCPTR_48	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	4.7639E-014	2.4842E-013
RCPTR_48	farmer_adult	TOCDFDFS	Bromodichloromethane	5.3944E-016	2.8109E-015
RCPTR_48	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.1435E-014	1.1172E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	2.6862E-009	1.3347E-008
RCPTR_48	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.9036E-010	2.3819E-010
RCPTR_48	farmer_adult	TOCDFDFS	Cadmium	2.0518E-009	3.2470E-009
RCPTR_48	farmer_adult	TOCDFDFS	Carbon disulfide	3.5818E-017	1.8628E-016
RCPTR_48	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.7909E-016	9.2956E-016
RCPTR_48	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	4.7136E-012	2.0039E-011
RCPTR_48	farmer_adult	TOCDFDFS	Chloroaniline, p-	2.2204E-013	1.1534E-012
RCPTR_48	farmer_adult	TOCDFDFS	Chlorobenzene	1.0505E-015	5.4369E-015
RCPTR_48	farmer_adult	TOCDFDFS	Chloroethane	3.0027E-018	1.5246E-017
RCPTR_48	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.6160E-016	8.4182E-016
RCPTR_48	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	1.7507E-011	8.9931E-011
RCPTR_48	farmer_adult	TOCDFDFS	Chlorophenol, 2-	6.1462E-013	3.2040E-012
RCPTR_48	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.6279E-011	1.1129E-010
RCPTR_48	farmer_adult	TOCDFDFS	Chromium	4.2221E-008	4.3935E-008
RCPTR_48	farmer_adult	TOCDFDFS	Chromium, hexavalent	2.6294E-008	2.7036E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFDFS	Chrysene	9.6352E-008	1.3549E-007
RCPTR_48	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	7.4164E-010	9.2569E-010
RCPTR_48	farmer_adult	TOCDFDFS	Di-n-octylphthalate	3.7254E+000	3.7254E+000
RCPTR_48	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	6.8233E-006	7.0824E-006
RCPTR_48	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	2.8706E-014	1.4498E-013
RCPTR_48	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	3.4389E-014	1.7565E-013
RCPTR_48	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	3.3020E-014	1.6917E-013
RCPTR_48	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	6.7419E-010	9.1824E-010
RCPTR_48	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	2.3488E-019	1.2199E-018
RCPTR_48	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	5.8977E-017	3.0730E-016
RCPTR_48	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	7.3255E-017	3.8177E-016
RCPTR_48	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	2.2360E-017	1.1632E-016
RCPTR_48	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	3.5951E-017	1.8698E-016
RCPTR_48	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	3.6880E-012	1.3631E-011
RCPTR_48	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	2.0263E-016	1.0519E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	6.6673E-017	3.4720E-016
RCPTR_48	farmer_adult	TOCDFDFS	Diethyl phthalate	4.5900E-010	4.9050E-010
RCPTR_48	farmer_adult	TOCDFDFS	Dimethyl phthalate	9.4765E-013	4.8093E-012
RCPTR_48	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	4.2165E-013	2.1824E-012
RCPTR_48	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	3.8863E-013	9.9355E-013
RCPTR_48	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	4.0052E-013	1.9965E-012
RCPTR_48	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	3.0530E-013	1.5413E-012
RCPTR_48	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	8.9209E-015	4.6513E-014
RCPTR_48	farmer_adult	TOCDFDFS	Ethylbenzene	6.5726E-016	3.3130E-015
RCPTR_48	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.9375E-011	2.4454E-011
RCPTR_48	farmer_adult	TOCDFDFS	Fluoranthene	2.1020E-009	8.2369E-009
RCPTR_48	farmer_adult	TOCDFDFS	Fluorene	2.6707E-011	1.3490E-010
RCPTR_48	farmer_adult	TOCDFDFS	GB	2.4020E-016	1.2510E-015
RCPTR_48	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	6.1965E-015	7.1727E-015
RCPTR_48	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	3.2304E-015	3.6399E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.0906E-014	1.2582E-014
RCPTR_48	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	6.1750E-014	6.9891E-014
RCPTR_48	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	3.3115E-014	3.8720E-014
RCPTR_48	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	2.8599E-014	3.4130E-014
RCPTR_48	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.2580E-014	2.7445E-014
RCPTR_48	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.0109E-014	2.4419E-014
RCPTR_48	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	2.7000E-014	3.2741E-014
RCPTR_48	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.8570E-014	2.2534E-014
RCPTR_48	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	5.8220E-013	2.8179E-012
RCPTR_48	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.1688E-009	5.7535E-009
RCPTR_48	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	7.7731E-012	3.6979E-011
RCPTR_48	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.4115E-013	1.7453E-012
RCPTR_48	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_48	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	5.0488E-005	5.0972E-005
RCPTR_48	farmer_adult	TOCDFDFS	Isophorone	6.3838E-014	3.3255E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFDFS	Lead	3.2560E-007	4.3675E-007
RCPTR_48	farmer_adult	TOCDFDFS	Mercuric chloride	7.5609E-009	8.3925E-009
RCPTR_48	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	6.2411E-018	3.2535E-017
RCPTR_48	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.0570E-018	5.5076E-018
RCPTR_48	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	5.5465E-016	2.8922E-015
RCPTR_48	farmer_adult	TOCDFDFS	Methyl mercury	4.3715E-011	4.8056E-011
RCPTR_48	farmer_adult	TOCDFDFS	Methylene chloride	1.6041E-017	8.3597E-017
RCPTR_48	farmer_adult	TOCDFDFS	Naphthalene	2.7170E-013	1.4022E-012
RCPTR_48	farmer_adult	TOCDFDFS	Nickel	2.9354E-008	3.2967E-008
RCPTR_48	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.0786E-012	5.6027E-012
RCPTR_48	farmer_adult	TOCDFDFS	Nitroaniline, 3-	2.5610E-013	1.3339E-012
RCPTR_48	farmer_adult	TOCDFDFS	Nitroaniline, 4-	3.3114E-013	1.7233E-012
RCPTR_48	farmer_adult	TOCDFDFS	Nitrobenzene	1.0769E-013	5.6137E-013
RCPTR_48	farmer_adult	TOCDFDFS	Nitrophenol, 2-	4.9055E-014	2.5556E-013
RCPTR_48	farmer_adult	TOCDFDFS	Nitrophenol, 4-	1.4750E-012	3.4150E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	6.0921E-014	3.1646E-013
RCPTR_48	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	5.9968E-014	3.1091E-013
RCPTR_48	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	5.4428E-015	2.7820E-014
RCPTR_48	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.5763E-014	1.8965E-014
RCPTR_48	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	5.4045E-015	6.4809E-015
RCPTR_48	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.5643E-013	1.8064E-013
RCPTR_48	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	1.3177E-014	1.6465E-014
RCPTR_48	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	5.2488E-014	6.5356E-014
RCPTR_48	farmer_adult	TOCDFDFS	Pentachlorobenzene	4.5743E-012	2.1085E-011
RCPTR_48	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.8258E-012	8.2084E-012
RCPTR_48	farmer_adult	TOCDFDFS	Pentachlorophenol	2.1309E-009	3.3260E-009
RCPTR_48	farmer_adult	TOCDFDFS	Phenanthrene	8.4022E-014	4.2779E-013
RCPTR_48	farmer_adult	TOCDFDFS	Phenol	8.5505E-014	4.4456E-013
RCPTR_48	farmer_adult	TOCDFDFS	Pronamide	1.6781E-011	8.4592E-011
RCPTR_48	farmer_adult	TOCDFDFS	Pyrene	4.1470E-009	1.7268E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFDFS	Selenium	9.5627E-009	9.6410E-009
RCPTR_48	farmer_adult	TOCDFDFS	Silver	3.3268E-009	3.8170E-009
RCPTR_48	farmer_adult	TOCDFDFS	Styrene	1.7466E-014	9.0737E-014
RCPTR_48	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	7.2760E-014	9.6475E-014
RCPTR_48	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	2.3587E-014	3.3611E-014
RCPTR_48	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	6.9934E-012	3.4063E-011
RCPTR_48	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	8.0443E-013	1.1231E-012
RCPTR_48	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	2.1515E-016	1.1179E-015
RCPTR_48	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	7.6676E-011	2.2207E-010
RCPTR_48	farmer_adult	TOCDFDFS	Thallium (I)	8.4869E-008	9.2958E-008
RCPTR_48	farmer_adult	TOCDFDFS	Toluene	2.9171E-016	1.5045E-015
RCPTR_48	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.6097E-013	1.3097E-012
RCPTR_48	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.3885E-016	7.2244E-016
RCPTR_48	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	1.0607E-015	5.5250E-015
RCPTR_48	farmer_adult	TOCDFDFS	Trichloroethylene	1.7279E-016	8.9794E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	2.2704E-017	1.1802E-016
RCPTR_48	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	3.1034E-011	1.4933E-010
RCPTR_48	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	7.2520E-012	2.9632E-011
RCPTR_48	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	3.9279E-015	2.0447E-014
RCPTR_48	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	4.7294E-014	2.3816E-013
RCPTR_48	farmer_adult	TOCDFDFS	Vinyl Chloride	5.6057E-020	2.9184E-019
RCPTR_48	farmer_adult	TOCDFDFS	Xylene, m-	2.8919E-015	6.4199E-015
RCPTR_48	farmer_adult	TOCDFDFS	Xylene, o-	2.6925E-015	6.7146E-015
RCPTR_48	farmer_adult	TOCDFDFS	Xylene, p-	3.2076E-015	8.6792E-015
RCPTR_48	farmer_adult	TOCDFDFS	Zinc	1.7870E-008	2.4666E-008
RCPTR_48	farmer_adult	TOCDFLIC	Acenaphthene	4.0140E-012	2.0531E-011
RCPTR_48	farmer_adult	TOCDFLIC	Acetone	1.0403E-016	5.4248E-016
RCPTR_48	farmer_adult	TOCDFLIC	Acetophenone	3.7450E-014	1.9510E-013
RCPTR_48	farmer_adult	TOCDFLIC	Aniline	1.2556E-015	6.5265E-015
RCPTR_48	farmer_adult	TOCDFLIC	Anthracene	7.0932E-011	3.6214E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFLIC	Antimony	1.7037E-009	2.2160E-009
RCPTR_48	farmer_adult	TOCDFLIC	Arsenic	5.3145E-009	5.6208E-009
RCPTR_48	farmer_adult	TOCDFLIC	Barium	1.7972E-010	2.1960E-010
RCPTR_48	farmer_adult	TOCDFLIC	Benzene	9.5842E-016	4.9762E-015
RCPTR_48	farmer_adult	TOCDFLIC	Benzo(a)anthracene	2.0138E-008	3.7699E-008
RCPTR_48	farmer_adult	TOCDFLIC	Benzo(a)pyrene	1.9311E-007	2.1008E-007
RCPTR_48	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.1090E-007	1.5516E-007
RCPTR_48	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	3.0533E-007	3.3795E-007
RCPTR_48	farmer_adult	TOCDFLIC	Benzoic acid	1.7226E-013	7.9055E-013
RCPTR_48	farmer_adult	TOCDFLIC	Benzyl alcohol	2.8438E-014	1.4808E-013
RCPTR_48	farmer_adult	TOCDFLIC	Beryllium	1.0046E-009	1.2521E-009
RCPTR_48	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	2.8423E-014	1.4822E-013
RCPTR_48	farmer_adult	TOCDFLIC	Bromodichloromethane	2.5433E-016	1.3252E-015
RCPTR_48	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	8.7584E-015	4.5649E-014
RCPTR_48	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.6026E-009	7.9631E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.1264E-010	1.4116E-010
RCPTR_48	farmer_adult	TOCDFLIC	Cadmium	5.8382E-010	9.2266E-010
RCPTR_48	farmer_adult	TOCDFLIC	Carbon disulfide	5.7987E-017	3.0156E-016
RCPTR_48	farmer_adult	TOCDFLIC	Carbon tetrachloride	9.1697E-017	4.7591E-016
RCPTR_48	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.8230E-012	1.1967E-011
RCPTR_48	farmer_adult	TOCDFLIC	Chloroaniline, p-	1.3249E-013	6.8816E-013
RCPTR_48	farmer_adult	TOCDFLIC	Chlorobenzene	5.3789E-016	2.7836E-015
RCPTR_48	farmer_adult	TOCDFLIC	Chloroethane	1.5381E-018	7.8062E-018
RCPTR_48	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	8.0937E-017	4.2163E-016
RCPTR_48	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	1.0448E-011	5.3658E-011
RCPTR_48	farmer_adult	TOCDFLIC	Chlorophenol, 2-	3.6670E-013	1.9116E-012
RCPTR_48	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.5712E-011	6.6431E-011
RCPTR_48	farmer_adult	TOCDFLIC	Chromium	5.3856E-008	5.6037E-008
RCPTR_48	farmer_adult	TOCDFLIC	Chromium, hexavalent	3.3594E-008	3.4538E-008
RCPTR_48	farmer_adult	TOCDFLIC	Chrysene	5.7940E-008	8.1206E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	4.4788E-010	5.5768E-010
RCPTR_48	farmer_adult	TOCDFLIC	Di-n-octylphthalate	2.2602E+000	2.2602E+000
RCPTR_48	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	4.0824E-006	4.2285E-006
RCPTR_48	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	1.7136E-014	8.6511E-014
RCPTR_48	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	2.0525E-014	1.0481E-013
RCPTR_48	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.9707E-014	1.0094E-013
RCPTR_48	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.0887E-010	2.8409E-010
RCPTR_48	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	1.2025E-019	6.2457E-019
RCPTR_48	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	3.0195E-017	1.5733E-016
RCPTR_48	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	3.7505E-017	1.9546E-016
RCPTR_48	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.1448E-017	5.9553E-017
RCPTR_48	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.8407E-017	9.5730E-017
RCPTR_48	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	2.2136E-012	8.1461E-012
RCPTR_48	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	1.0375E-016	5.3856E-016
RCPTR_48	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	3.4135E-017	1.7776E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFLIC	Diethyl phthalate	2.7838E-010	2.9717E-010
RCPTR_48	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.0203E-012	5.1771E-012
RCPTR_48	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	2.5161E-013	1.3021E-012
RCPTR_48	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	2.3688E-013	6.0210E-013
RCPTR_48	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	2.3892E-013	1.1911E-012
RCPTR_48	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	1.8221E-013	9.1964E-013
RCPTR_48	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	5.3226E-015	2.7752E-014
RCPTR_48	farmer_adult	TOCDFLIC	Ethylbenzene	4.4889E-016	2.2618E-015
RCPTR_48	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	3.6186E-010	4.5765E-010
RCPTR_48	farmer_adult	TOCDFLIC	Fluoranthene	1.2577E-009	4.9176E-009
RCPTR_48	farmer_adult	TOCDFLIC	Fluorene	1.5941E-011	8.0491E-011
RCPTR_48	farmer_adult	TOCDFLIC	GB	8.9214E-017	4.6463E-016
RCPTR_48	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	3.9634E-015	4.5730E-015
RCPTR_48	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	4.7700E-015	5.3559E-015
RCPTR_48	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.1340E-014	1.3039E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	5.0542E-014	5.7014E-014
RCPTR_48	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.8533E-014	3.3259E-014
RCPTR_48	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.4251E-014	2.8869E-014
RCPTR_48	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.5612E-014	1.8942E-014
RCPTR_48	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.5306E-014	1.8554E-014
RCPTR_48	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.7745E-014	2.1478E-014
RCPTR_48	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.2937E-014	1.5670E-014
RCPTR_48	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	3.4748E-013	1.6814E-012
RCPTR_48	farmer_adult	TOCDFLIC	Hexachlorobenzene	6.9786E-010	3.4332E-009
RCPTR_48	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	9.3718E-013	4.4575E-012
RCPTR_48	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	2.0363E-013	1.0414E-012
RCPTR_48	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_48	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	3.0499E-005	3.0771E-005
RCPTR_48	farmer_adult	TOCDFLIC	Isophorone	3.8089E-014	1.9841E-013
RCPTR_48	farmer_adult	TOCDFLIC	Lead	1.2313E-007	1.6504E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFLIC	Mercuric chloride	6.5851E-007	7.3110E-007
RCPTR_48	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	2.0791E-018	1.0838E-017
RCPTR_48	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.7036E-019	8.8765E-019
RCPTR_48	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	6.1877E-016	3.2266E-015
RCPTR_48	farmer_adult	TOCDFLIC	Methyl mercury	3.7542E-009	4.1331E-009
RCPTR_48	farmer_adult	TOCDFLIC	Methylene chloride	1.3168E-017	6.8622E-017
RCPTR_48	farmer_adult	TOCDFLIC	Naphthalene	1.6213E-013	8.3663E-013
RCPTR_48	farmer_adult	TOCDFLIC	Nickel	1.6879E-008	1.8948E-008
RCPTR_48	farmer_adult	TOCDFLIC	Nitroaniline, 2-	6.5124E-013	3.3827E-012
RCPTR_48	farmer_adult	TOCDFLIC	Nitroaniline, 3-	1.5462E-013	8.0535E-013
RCPTR_48	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.9992E-013	1.0404E-012
RCPTR_48	farmer_adult	TOCDFLIC	Nitrobenzene	6.4252E-014	3.3493E-013
RCPTR_48	farmer_adult	TOCDFLIC	Nitrophenol, 2-	2.9268E-014	1.5247E-013
RCPTR_48	farmer_adult	TOCDFLIC	Nitrophenol, 4-	9.0079E-013	2.0721E-012
RCPTR_48	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	3.6350E-014	1.8882E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	3.5783E-014	1.8550E-013
RCPTR_48	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	3.2438E-015	1.6595E-014
RCPTR_48	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.3693E-014	1.6443E-014
RCPTR_48	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	4.4961E-015	5.3817E-015
RCPTR_48	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.0488E-013	1.2075E-013
RCPTR_48	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.7991E-014	3.4904E-014
RCPTR_48	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	6.1567E-014	7.6523E-014
RCPTR_48	farmer_adult	TOCDFLIC	Pentachlorobenzene	2.7184E-012	1.2569E-011
RCPTR_48	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.0974E-012	4.9509E-012
RCPTR_48	farmer_adult	TOCDFLIC	Pentachlorophenol	1.3053E-009	2.0269E-009
RCPTR_48	farmer_adult	TOCDFLIC	Phenanthrene	5.0147E-014	2.5525E-013
RCPTR_48	farmer_adult	TOCDFLIC	Phenol	5.1019E-014	2.6524E-013
RCPTR_48	farmer_adult	TOCDFLIC	Pronamide	5.0091E-012	2.5238E-011
RCPTR_48	farmer_adult	TOCDFLIC	Pyrene	2.4773E-009	1.0305E-008
RCPTR_48	farmer_adult	TOCDFLIC	Selenium	3.6530E-009	3.6828E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFLIC	Silver	1.2423E-009	1.4246E-009
RCPTR_48	farmer_adult	TOCDFLIC	Styrene	1.8597E-014	9.6609E-014
RCPTR_48	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	3.6451E-014	4.8248E-014
RCPTR_48	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	4.9483E-014	7.0384E-014
RCPTR_48	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	4.1774E-012	2.0328E-011
RCPTR_48	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	4.1813E-013	5.8130E-013
RCPTR_48	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.1015E-016	5.7232E-016
RCPTR_48	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	4.6714E-011	1.3450E-010
RCPTR_48	farmer_adult	TOCDFLIC	Thallium (I)	3.2659E-008	3.5759E-008
RCPTR_48	farmer_adult	TOCDFLIC	Toluene	8.5907E-016	4.4300E-015
RCPTR_48	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.5579E-013	7.8149E-013
RCPTR_48	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	7.1092E-017	3.6987E-016
RCPTR_48	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	5.4305E-016	2.8287E-015
RCPTR_48	farmer_adult	TOCDFLIC	Trichloroethylene	8.8466E-017	4.5972E-016
RCPTR_48	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.1624E-017	6.0422E-017

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.8546E-011	8.9126E-011
RCPTR_48	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	4.3461E-012	1.7699E-011
RCPTR_48	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	2.0110E-015	1.0468E-014
RCPTR_48	farmer_adult	TOCDFLIC	Vinyl Chloride	3.0923E-020	1.6100E-019
RCPTR_48	farmer_adult	TOCDFLIC	Xylene, m-	2.5474E-015	5.7678E-015
RCPTR_48	farmer_adult	TOCDFLIC	Xylene, o-	1.5137E-015	3.8496E-015
RCPTR_48	farmer_adult	TOCDFLIC	Xylene, p-	2.8420E-015	7.8365E-015
RCPTR_48	farmer_adult	TOCDFLIC	Zinc	4.7700E-009	6.5770E-009
RCPTR_48	farmer_adult	TOCDFMPF	Acenaphthene	1.7090E-011	8.7410E-011
RCPTR_48	farmer_adult	TOCDFMPF	Acetone	5.2060E-017	2.7148E-016
RCPTR_48	farmer_adult	TOCDFMPF	Acetophenone	8.8580E-014	4.6148E-013
RCPTR_48	farmer_adult	TOCDFMPF	Aniline	5.3456E-015	2.7787E-014
RCPTR_48	farmer_adult	TOCDFMPF	Anthracene	3.0199E-010	1.5418E-009
RCPTR_48	farmer_adult	TOCDFMPF	Antimony	5.0690E-010	6.5926E-010
RCPTR_48	farmer_adult	TOCDFMPF	Arsenic	1.2468E-009	1.3186E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFMPF	Barium	1.6841E-010	2.0577E-010
RCPTR_48	farmer_adult	TOCDFMPF	Benzene	4.6557E-017	2.4173E-016
RCPTR_48	farmer_adult	TOCDFMPF	Benzo(a)anthracene	8.5734E-008	1.6051E-007
RCPTR_48	farmer_adult	TOCDFMPF	Benzo(a)pyrene	8.2233E-007	8.9468E-007
RCPTR_48	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	4.7205E-007	6.6052E-007
RCPTR_48	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	1.3002E-006	1.4393E-006
RCPTR_48	farmer_adult	TOCDFMPF	Benzoic acid	6.8361E-013	3.1376E-012
RCPTR_48	farmer_adult	TOCDFMPF	Benzyl alcohol	1.2108E-013	6.3047E-013
RCPTR_48	farmer_adult	TOCDFMPF	Beryllium	2.8680E-010	3.5743E-010
RCPTR_48	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.2101E-013	6.3105E-013
RCPTR_48	farmer_adult	TOCDFMPF	Bromodichloromethane	4.1356E-016	2.1549E-015
RCPTR_48	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.5601E-014	8.1313E-014
RCPTR_48	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	6.8232E-009	3.3904E-008
RCPTR_48	farmer_adult	TOCDFMPF	Butylbenzylphthalate	4.7992E-010	6.0137E-010
RCPTR_48	farmer_adult	TOCDFMPF	Cadmium	2.5532E-010	4.0346E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFMPF	Carbon disulfide	8.1310E-017	4.2285E-016
RCPTR_48	farmer_adult	TOCDFMPF	Carbon tetrachloride	1.2891E-016	6.6906E-016
RCPTR_48	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.2017E-011	5.0948E-011
RCPTR_48	farmer_adult	TOCDFMPF	Chloroaniline, p-	5.6406E-013	2.9299E-012
RCPTR_48	farmer_adult	TOCDFMPF	Chlorobenzene	7.5618E-016	3.9133E-015
RCPTR_48	farmer_adult	TOCDFMPF	Chloroethane	2.1623E-018	1.0974E-017
RCPTR_48	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.0945E-016	5.7018E-016
RCPTR_48	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	4.4481E-011	2.2845E-010
RCPTR_48	farmer_adult	TOCDFMPF	Chlorophenol, 2-	1.5613E-012	8.1389E-012
RCPTR_48	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	6.6890E-011	2.8283E-010
RCPTR_48	farmer_adult	TOCDFMPF	Chromium	1.0414E-008	1.0836E-008
RCPTR_48	farmer_adult	TOCDFMPF	Chromium, hexavalent	6.4972E-009	6.6796E-009
RCPTR_48	farmer_adult	TOCDFMPF	Chrysene	2.4662E-007	3.4570E-007
RCPTR_48	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.9060E-009	2.3734E-009
RCPTR_48	farmer_adult	TOCDFMPF	Di-n-octylphthalate	9.6157E+000	9.6157E+000

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.7374E-005	1.7996E-005
RCPTR_48	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	7.2954E-014	3.6832E-013
RCPTR_48	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	8.7384E-014	4.4621E-013
RCPTR_48	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	8.3901E-014	4.2976E-013
RCPTR_48	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.1634E-009	1.5824E-009
RCPTR_48	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	1.6905E-019	8.7805E-019
RCPTR_48	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	4.2450E-017	2.2118E-016
RCPTR_48	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	5.2726E-017	2.7478E-016
RCPTR_48	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	1.6094E-017	8.3723E-017
RCPTR_48	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.5877E-017	1.3458E-016
RCPTR_48	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	9.4219E-012	3.4680E-011
RCPTR_48	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.4586E-016	7.5713E-016
RCPTR_48	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	4.7988E-017	2.4990E-016
RCPTR_48	farmer_adult	TOCDFMPF	Diethyl phthalate	1.1843E-009	1.2643E-009
RCPTR_48	farmer_adult	TOCDFMPF	Dimethyl phthalate	3.7040E-013	1.8795E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.0712E-012	5.5440E-012
RCPTR_48	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.0063E-012	2.5584E-012
RCPTR_48	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.0172E-012	5.0713E-012
RCPTR_48	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	7.7575E-013	3.9154E-012
RCPTR_48	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	2.2661E-014	1.1815E-013
RCPTR_48	farmer_adult	TOCDFMPF	Ethylbenzene	4.7329E-016	2.3848E-015
RCPTR_48	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	4.0031E-010	5.0619E-010
RCPTR_48	farmer_adult	TOCDFMPF	Fluoranthene	5.3542E-009	2.0937E-008
RCPTR_48	farmer_adult	TOCDFMPF	Fluorene	6.7868E-011	3.4269E-010
RCPTR_48	farmer_adult	TOCDFMPF	GB	1.2674E-016	6.6009E-016
RCPTR_48	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	8.3474E-015	9.6330E-015
RCPTR_48	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.1994E-013	3.5931E-013
RCPTR_48	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	5.2610E-014	6.0504E-014
RCPTR_48	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.1541E-013	1.3021E-013
RCPTR_48	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	6.2025E-014	7.2309E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	5.7554E-014	6.8521E-014
RCPTR_48	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	2.3435E-012	2.8437E-012
RCPTR_48	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	5.7220E-013	6.9367E-013
RCPTR_48	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	9.9498E-014	1.2044E-013
RCPTR_48	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	7.1006E-014	8.6013E-014
RCPTR_48	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.4794E-012	7.1586E-012
RCPTR_48	farmer_adult	TOCDFMPF	Hexachlorobenzene	2.9711E-009	1.4617E-008
RCPTR_48	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	3.9901E-012	1.8978E-011
RCPTR_48	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	8.6693E-013	4.4338E-012
RCPTR_48	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_48	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.2977E-004	1.3093E-004
RCPTR_48	farmer_adult	TOCDFMPF	Isophorone	1.6217E-013	8.4475E-013
RCPTR_48	farmer_adult	TOCDFMPF	Lead	9.7036E-011	1.3006E-010
RCPTR_48	farmer_adult	TOCDFMPF	Mercuric chloride	7.4468E-009	8.2676E-009
RCPTR_48	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	2.4905E-018	1.2983E-017

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	8.9122E-020	4.6436E-019
RCPTR_48	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	5.8319E-016	3.0410E-015
RCPTR_48	farmer_adult	TOCDFMPF	Methyl mercury	4.2497E-011	4.6782E-011
RCPTR_48	farmer_adult	TOCDFMPF	Methylene chloride	1.4587E-017	7.6017E-017
RCPTR_48	farmer_adult	TOCDFMPF	Naphthalene	6.9027E-013	3.5620E-012
RCPTR_48	farmer_adult	TOCDFMPF	Nickel	1.3232E-008	1.4854E-008
RCPTR_48	farmer_adult	TOCDFMPF	Nitroaniline, 2-	2.7677E-012	1.4376E-011
RCPTR_48	farmer_adult	TOCDFMPF	Nitroaniline, 3-	6.5713E-013	3.4226E-012
RCPTR_48	farmer_adult	TOCDFMPF	Nitroaniline, 4-	8.4962E-013	4.4216E-012
RCPTR_48	farmer_adult	TOCDFMPF	Nitrobenzene	2.7356E-013	1.4260E-012
RCPTR_48	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.2461E-013	6.4917E-013
RCPTR_48	farmer_adult	TOCDFMPF	Nitrophenol, 4-	3.8262E-012	8.8040E-012
RCPTR_48	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.5476E-013	8.0390E-013
RCPTR_48	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.5235E-013	7.8979E-013
RCPTR_48	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.3812E-014	7.0654E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.0361E-014	2.4453E-014
RCPTR_48	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.8306E-014	3.3884E-014
RCPTR_48	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	4.1367E-013	4.7637E-013
RCPTR_48	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	3.1145E-013	3.8839E-013
RCPTR_48	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.0002E-012	1.2433E-012
RCPTR_48	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.1577E-011	5.3517E-011
RCPTR_48	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	4.6652E-012	2.1042E-011
RCPTR_48	farmer_adult	TOCDFMPF	Pentachlorophenol	5.5437E-009	8.6103E-009
RCPTR_48	farmer_adult	TOCDFMPF	Phenanthrene	2.1350E-013	1.0867E-012
RCPTR_48	farmer_adult	TOCDFMPF	Phenol	2.1721E-013	1.1293E-012
RCPTR_48	farmer_adult	TOCDFMPF	Pronamide	2.1326E-011	1.0745E-010
RCPTR_48	farmer_adult	TOCDFMPF	Pyrene	1.0547E-008	4.3875E-008
RCPTR_48	farmer_adult	TOCDFMPF	Selenium	1.0683E-009	1.0770E-009
RCPTR_48	farmer_adult	TOCDFMPF	Silver	4.9696E-009	5.6987E-009
RCPTR_48	farmer_adult	TOCDFMPF	Styrene	1.9860E-014	1.0317E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.0330E-013	1.3674E-013
RCPTR_48	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	2.0241E-013	2.8793E-013
RCPTR_48	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.7785E-011	8.6546E-011
RCPTR_48	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	5.8743E-013	8.1682E-013
RCPTR_48	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.4317E-016	1.7831E-015
RCPTR_48	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.9845E-010	5.7150E-010
RCPTR_48	farmer_adult	TOCDFMPF	Thallium (I)	9.6332E-009	1.0547E-008
RCPTR_48	farmer_adult	TOCDFMPF	Toluene	2.4029E-016	1.2391E-015
RCPTR_48	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	6.6326E-013	3.3272E-012
RCPTR_48	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	9.9944E-017	5.1998E-016
RCPTR_48	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	7.6344E-016	3.9767E-015
RCPTR_48	farmer_adult	TOCDFMPF	Trichloroethylene	1.2437E-016	6.4630E-016
RCPTR_48	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.6342E-017	8.4944E-017
RCPTR_48	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	7.8954E-011	3.7946E-010
RCPTR_48	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	1.8500E-011	7.5350E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	2.8271E-015	1.4717E-014
RCPTR_48	farmer_adult	TOCDFMPF	Vinyl Chloride	4.0345E-020	2.1005E-019
RCPTR_48	farmer_adult	TOCDFMPF	Xylene, m-	2.0134E-015	4.5527E-015
RCPTR_48	farmer_adult	TOCDFMPF	Xylene, o-	1.8801E-015	4.7750E-015
RCPTR_48	farmer_adult	TOCDFMPF	Xylene, p-	2.2454E-015	6.1836E-015
RCPTR_48	farmer_adult	TOCDFMPF	Zinc	2.9187E-009	4.0240E-009
RCPTR_48	farmer_adult	TOCDHVAC	GB	5.0314E-016	2.6208E-015
RCPTR_48	farmer_adult	TOCDLIC2	Acenaphthene	8.2835E-012	4.2368E-011
RCPTR_48	farmer_adult	TOCDLIC2	Acetone	1.0295E-016	5.3684E-016
RCPTR_48	farmer_adult	TOCDLIC2	Acetophenone	4.2935E-014	2.2368E-013
RCPTR_48	farmer_adult	TOCDLIC2	Aniline	2.5910E-015	1.3468E-014
RCPTR_48	farmer_adult	TOCDLIC2	Anthracene	1.4638E-010	7.4733E-010
RCPTR_48	farmer_adult	TOCDLIC2	Antimony	2.2667E-009	2.9482E-009
RCPTR_48	farmer_adult	TOCDLIC2	Arsenic	5.3145E-009	5.6208E-009
RCPTR_48	farmer_adult	TOCDLIC2	Barium	1.7318E-009	2.1162E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDLIC2	Benzene	6.8972E-017	3.5811E-016
RCPTR_48	farmer_adult	TOCDLIC2	Benzo(a)anthracene	4.1558E-008	7.7797E-008
RCPTR_48	farmer_adult	TOCDLIC2	Benzo(a)pyrene	3.9850E-007	4.3352E-007
RCPTR_48	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	2.2885E-007	3.2018E-007
RCPTR_48	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	6.3010E-007	6.9740E-007
RCPTR_48	farmer_adult	TOCDLIC2	Benzoic acid	3.3138E-013	1.5208E-012
RCPTR_48	farmer_adult	TOCDLIC2	Benzyl alcohol	5.8686E-014	3.0559E-013
RCPTR_48	farmer_adult	TOCDLIC2	Beryllium	1.0046E-009	1.2521E-009
RCPTR_48	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	5.8655E-014	3.0587E-013
RCPTR_48	farmer_adult	TOCDLIC2	Bromodichloromethane	7.7875E-016	4.0578E-015
RCPTR_48	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.0307E-014	1.0584E-013
RCPTR_48	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	3.3072E-009	1.6433E-008
RCPTR_48	farmer_adult	TOCDLIC2	Butylbenzylphthalate	2.3244E-010	2.9130E-010
RCPTR_48	farmer_adult	TOCDLIC2	Cadmium	6.6338E-011	1.0484E-010
RCPTR_48	farmer_adult	TOCDLIC2	Carbon disulfide	8.7877E-017	4.5700E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.3956E-016	7.2432E-016
RCPTR_48	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	5.8257E-012	2.4696E-011
RCPTR_48	farmer_adult	TOCDLIC2	Chloroaniline, p-	2.7340E-013	1.4201E-012
RCPTR_48	farmer_adult	TOCDLIC2	Chlorobenzene	8.1865E-016	4.2365E-015
RCPTR_48	farmer_adult	TOCDLIC2	Chloroethane	2.3410E-018	1.1881E-017
RCPTR_48	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	2.4990E-016	1.3018E-015
RCPTR_48	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	2.1560E-011	1.1073E-010
RCPTR_48	farmer_adult	TOCDLIC2	Chlorophenol, 2-	7.5675E-013	3.9449E-012
RCPTR_48	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	3.2424E-011	1.3709E-010
RCPTR_48	farmer_adult	TOCDLIC2	Chromium	5.3856E-008	5.6037E-008
RCPTR_48	farmer_adult	TOCDLIC2	Chromium, hexavalent	3.3594E-008	3.4538E-008
RCPTR_48	farmer_adult	TOCDLIC2	Chrysene	1.1957E-007	1.6758E-007
RCPTR_48	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	9.2427E-010	1.1508E-009
RCPTR_48	farmer_adult	TOCDLIC2	Di-n-octylphthalate	4.6642E+000	4.6642E+000
RCPTR_48	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	8.4247E-006	8.7260E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	3.5362E-014	1.7853E-013
RCPTR_48	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	4.2355E-014	2.1628E-013
RCPTR_48	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	4.0667E-014	2.0831E-013
RCPTR_48	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	5.0228E-010	6.8317E-010
RCPTR_48	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	1.8301E-019	9.5057E-019
RCPTR_48	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	4.5956E-017	2.3945E-016
RCPTR_48	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	5.7081E-017	2.9748E-016
RCPTR_48	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	1.7424E-017	9.0638E-017
RCPTR_48	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	2.8014E-017	1.4570E-016
RCPTR_48	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	4.5680E-012	1.6810E-011
RCPTR_48	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	1.5791E-016	8.1966E-016
RCPTR_48	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	5.1952E-017	2.7054E-016
RCPTR_48	farmer_adult	TOCDLIC2	Diethyl phthalate	5.7447E-010	6.1325E-010
RCPTR_48	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.2496E-012	6.3409E-012
RCPTR_48	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	5.1923E-013	2.6872E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	4.9009E-013	1.2457E-012
RCPTR_48	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	4.9304E-013	2.4581E-012
RCPTR_48	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	3.7601E-013	1.8978E-012
RCPTR_48	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.0984E-014	5.7269E-014
RCPTR_48	farmer_adult	TOCDLIC2	Ethylbenzene	5.8112E-016	2.9281E-015
RCPTR_48	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.4228E-010	3.0642E-010
RCPTR_48	farmer_adult	TOCDLIC2	Fluoranthene	2.5954E-009	1.0148E-008
RCPTR_48	farmer_adult	TOCDLIC2	Fluorene	3.2896E-011	1.6610E-010
RCPTR_48	farmer_adult	TOCDLIC2	GB	9.2747E-017	4.8303E-016
RCPTR_48	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.7818E-014	3.2097E-014
RCPTR_48	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.6055E-014	2.9255E-014
RCPTR_48	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	2.4750E-014	2.8458E-014
RCPTR_48	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	7.5875E-014	8.5592E-014
RCPTR_48	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	5.3821E-014	6.2734E-014
RCPTR_48	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	5.1707E-014	6.1552E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	5.0236E-014	6.0953E-014
RCPTR_48	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	3.0310E-014	3.6741E-014
RCPTR_48	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	2.7085E-014	3.2782E-014
RCPTR_48	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	3.0998E-014	3.7547E-014
RCPTR_48	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	7.1708E-013	3.4698E-012
RCPTR_48	farmer_adult	TOCDLIC2	Hexachlorobenzene	1.4401E-009	7.0849E-009
RCPTR_48	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	1.9340E-012	9.1986E-012
RCPTR_48	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.2021E-013	2.1491E-012
RCPTR_48	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_48	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.2938E-005	6.3501E-005
RCPTR_48	farmer_adult	TOCDLIC2	Isophorone	7.8602E-014	4.0945E-013
RCPTR_48	farmer_adult	TOCDLIC2	Lead	8.8773E-009	1.1899E-008
RCPTR_48	farmer_adult	TOCDLIC2	Mercuric chloride	6.5851E-007	7.3110E-007
RCPTR_48	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	2.7194E-018	1.4176E-017
RCPTR_48	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.0844E-019	5.6502E-019

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	6.0988E-016	3.1802E-015
RCPTR_48	farmer_adult	TOCDLIC2	Methyl mercury	3.7542E-009	4.1331E-009
RCPTR_48	farmer_adult	TOCDLIC2	Methylene chloride	4.7900E-017	2.4962E-016
RCPTR_48	farmer_adult	TOCDLIC2	Naphthalene	3.3458E-013	1.7265E-012
RCPTR_48	farmer_adult	TOCDLIC2	Nickel	5.8671E-009	6.5864E-009
RCPTR_48	farmer_adult	TOCDLIC2	Nitroaniline, 2-	1.3474E-012	6.9987E-012
RCPTR_48	farmer_adult	TOCDLIC2	Nitroaniline, 3-	3.1991E-013	1.6662E-012
RCPTR_48	farmer_adult	TOCDLIC2	Nitroaniline, 4-	4.1362E-013	2.1526E-012
RCPTR_48	farmer_adult	TOCDLIC2	Nitrobenzene	1.3259E-013	6.9118E-013
RCPTR_48	farmer_adult	TOCDLIC2	Nitrophenol, 2-	6.0399E-014	3.1465E-013
RCPTR_48	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.8637E-012	4.2870E-012
RCPTR_48	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	7.5014E-014	3.8965E-013
RCPTR_48	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	7.3844E-014	3.8281E-013
RCPTR_48	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	6.6941E-015	3.4245E-014
RCPTR_48	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	4.5978E-014	5.5212E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.5207E-014	1.8203E-014
RCPTR_48	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.9611E-013	2.2580E-013
RCPTR_48	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	5.9229E-014	7.3856E-014
RCPTR_48	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	1.6385E-013	2.0365E-013
RCPTR_48	farmer_adult	TOCDLIC2	Pentachlorobenzene	5.6097E-012	2.5938E-011
RCPTR_48	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.2705E-012	1.0243E-011
RCPTR_48	farmer_adult	TOCDLIC2	Pentachlorophenol	2.7006E-009	4.1935E-009
RCPTR_48	farmer_adult	TOCDLIC2	Phenanthrene	1.0348E-013	5.2675E-013
RCPTR_48	farmer_adult	TOCDLIC2	Phenol	1.1131E-013	5.7871E-013
RCPTR_48	farmer_adult	TOCDLIC2	Pronamide	1.0337E-011	5.2083E-011
RCPTR_48	farmer_adult	TOCDLIC2	Pyrene	5.1123E-009	2.1267E-008
RCPTR_48	farmer_adult	TOCDLIC2	Selenium	3.6530E-009	3.6828E-009
RCPTR_48	farmer_adult	TOCDLIC2	Silver	1.2423E-009	1.4246E-009
RCPTR_48	farmer_adult	TOCDLIC2	Styrene	1.5580E-014	8.0933E-014
RCPTR_48	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.0567E-013	1.3987E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	8.8635E-014	1.2607E-013
RCPTR_48	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	8.6207E-012	4.1949E-011
RCPTR_48	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	6.3638E-013	8.8472E-013
RCPTR_48	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.6764E-016	8.7104E-016
RCPTR_48	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	9.6649E-011	2.7827E-010
RCPTR_48	farmer_adult	TOCDLIC2	Thallium (I)	3.2659E-008	3.5759E-008
RCPTR_48	farmer_adult	TOCDLIC2	Toluene	9.0429E-016	4.6632E-015
RCPTR_48	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.2149E-013	1.6127E-012
RCPTR_48	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.0820E-016	5.6293E-016
RCPTR_48	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	8.2650E-016	4.3051E-015
RCPTR_48	farmer_adult	TOCDLIC2	Trichloroethylene	1.3464E-016	6.9968E-016
RCPTR_48	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.7692E-017	9.1960E-017
RCPTR_48	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	3.8271E-011	1.8392E-010
RCPTR_48	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	8.9689E-012	3.6524E-011
RCPTR_48	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	3.0607E-015	1.5933E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_adult	TOCDLIC2	Vinyl Chloride	5.1612E-020	2.6871E-019
RCPTR_48	farmer_adult	TOCDLIC2	Xylene, m-	2.9572E-015	6.6957E-015
RCPTR_48	farmer_adult	TOCDLIC2	Xylene, o-	2.0310E-015	5.1650E-015
RCPTR_48	farmer_adult	TOCDLIC2	Xylene, p-	3.2991E-015	9.0971E-015
RCPTR_48	farmer_adult	TOCDLIC2	Zinc	5.6954E-009	7.8530E-009
RCPTR_48	farmer_child	TOCDFBRA	Antimony	1.2288E-008	1.2747E-008
RCPTR_48	farmer_child	TOCDFBRA	Arsenic	1.6438E-008	1.6530E-008
RCPTR_48	farmer_child	TOCDFBRA	Barium	1.5874E-009	1.6296E-009
RCPTR_48	farmer_child	TOCDFBRA	Beryllium	5.1675E-009	6.2487E-009
RCPTR_48	farmer_child	TOCDFBRA	Cadmium	1.1291E-009	1.2428E-009
RCPTR_48	farmer_child	TOCDFBRA	Chromium	1.2432E-007	1.5713E-007
RCPTR_48	farmer_child	TOCDFBRA	Chromium, hexavalent	9.4710E-008	9.4884E-008
RCPTR_48	farmer_child	TOCDFBRA	Lead	5.9501E-008	7.7899E-008
RCPTR_48	farmer_child	TOCDFBRA	Mercuric chloride	1.3143E-005	2.4267E-005
RCPTR_48	farmer_child	TOCDFBRA	Methyl mercury	1.1750E-007	1.5026E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFBRA	Nickel	5.6733E-008	5.8150E-008
RCPTR_48	farmer_child	TOCDFBRA	Selenium	1.7575E-008	1.7578E-008
RCPTR_48	farmer_child	TOCDFBRA	Silver	6.8768E-009	6.9028E-009
RCPTR_48	farmer_child	TOCDFBRA	Thallium (I)	1.7227E-007	1.7596E-007
RCPTR_48	farmer_child	TOCDFBRA	Zinc	3.6858E-008	3.9129E-008
RCPTR_48	farmer_child	TOCDFDFS	Acenaphthene	3.4287E-011	3.4409E-011
RCPTR_48	farmer_child	TOCDFDFS	Acetone	4.3097E-016	4.3097E-016
RCPTR_48	farmer_child	TOCDFDFS	Acetophenone	1.9071E-013	1.9075E-013
RCPTR_48	farmer_child	TOCDFDFS	Aniline	1.0938E-014	1.0939E-014
RCPTR_48	farmer_child	TOCDFDFS	Anthracene	5.8716E-010	6.0695E-010
RCPTR_48	farmer_child	TOCDFDFS	Antimony	1.1769E-007	1.2193E-007
RCPTR_48	farmer_child	TOCDFDFS	Aroclor 1254	3.2349E-012	3.2587E-012
RCPTR_48	farmer_child	TOCDFDFS	Arsenic	8.9914E-009	9.0394E-009
RCPTR_48	farmer_child	TOCDFDFS	Barium	3.0312E-010	3.1087E-010
RCPTR_48	farmer_child	TOCDFDFS	Benzene	3.5633E-016	3.5633E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFDFS	Benzo(a)anthracene	5.2822E-008	6.3085E-008
RCPTR_48	farmer_child	TOCDFDFS	Benzo(a)pyrene	3.4353E-007	3.5239E-007
RCPTR_48	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	2.3407E-007	2.5888E-007
RCPTR_48	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	5.3295E-007	5.6735E-007
RCPTR_48	farmer_child	TOCDFDFS	Benzoic acid	1.2344E-012	1.2345E-012
RCPTR_48	farmer_child	TOCDFDFS	Benzyl alcohol	2.4807E-013	2.4820E-013
RCPTR_48	farmer_child	TOCDFDFS	Beryllium	2.7122E-009	3.2585E-009
RCPTR_48	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	2.4832E-013	2.4842E-013
RCPTR_48	farmer_child	TOCDFDFS	Bromodichloromethane	2.8108E-015	2.8109E-015
RCPTR_48	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.1171E-013	1.1172E-013
RCPTR_48	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	9.6474E-009	1.3347E-008
RCPTR_48	farmer_child	TOCDFDFS	Butylbenzylphthalate	2.3798E-010	2.3819E-010
RCPTR_48	farmer_child	TOCDFDFS	Cadmium	2.9581E-009	3.2470E-009
RCPTR_48	farmer_child	TOCDFDFS	Carbon disulfide	1.8628E-016	1.8628E-016
RCPTR_48	farmer_child	TOCDFDFS	Carbon tetrachloride	9.2956E-016	9.2956E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	1.9941E-011	2.0039E-011
RCPTR_48	farmer_child	TOCDFDFS	Chloroaniline, p-	1.1521E-012	1.1534E-012
RCPTR_48	farmer_child	TOCDFDFS	Chlorobenzene	5.4369E-015	5.4369E-015
RCPTR_48	farmer_child	TOCDFDFS	Chloroethane	1.5246E-017	1.5246E-017
RCPTR_48	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	8.4182E-016	8.4182E-016
RCPTR_48	farmer_child	TOCDFDFS	Chloronaphthalene,2-	8.9199E-011	8.9931E-011
RCPTR_48	farmer_child	TOCDFDFS	Chlorophenol, 2-	3.1967E-012	3.2040E-012
RCPTR_48	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.1089E-010	1.1129E-010
RCPTR_48	farmer_child	TOCDFDFS	Chromium	3.5027E-008	4.3935E-008
RCPTR_48	farmer_child	TOCDFDFS	Chromium, hexavalent	2.6989E-008	2.7036E-008
RCPTR_48	farmer_child	TOCDFDFS	Chrysene	1.1856E-007	1.3549E-007
RCPTR_48	farmer_child	TOCDFDFS	Di-n-butyl phthalate	9.2370E-010	9.2569E-010
RCPTR_48	farmer_child	TOCDFDFS	Di-n-octylphthalate	3.7254E+000	3.7254E+000
RCPTR_48	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	6.9704E-006	7.0824E-006
RCPTR_48	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.4498E-013	1.4498E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	1.7564E-013	1.7565E-013
RCPTR_48	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	1.6917E-013	1.6917E-013
RCPTR_48	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	9.1254E-010	9.1824E-010
RCPTR_48	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.2199E-018	1.2199E-018
RCPTR_48	farmer_child	TOCDFDFS	Dichloroethane 1,1-	3.0730E-016	3.0730E-016
RCPTR_48	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.8177E-016	3.8177E-016
RCPTR_48	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.1632E-016	1.1632E-016
RCPTR_48	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.8698E-016	1.8698E-016
RCPTR_48	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	1.3587E-011	1.3631E-011
RCPTR_48	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	1.0519E-015	1.0519E-015
RCPTR_48	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.4720E-016	3.4720E-016
RCPTR_48	farmer_child	TOCDFDFS	Diethyl phthalate	4.9041E-010	4.9050E-010
RCPTR_48	farmer_child	TOCDFDFS	Dimethyl phthalate	4.8050E-012	4.8093E-012
RCPTR_48	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	2.1796E-012	2.1824E-012
RCPTR_48	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	9.9340E-013	9.9355E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	1.9932E-012	1.9965E-012
RCPTR_48	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.5391E-012	1.5413E-012
RCPTR_48	farmer_child	TOCDFDFS	Ethyl methanesulfonate	4.6501E-014	4.6513E-014
RCPTR_48	farmer_child	TOCDFDFS	Ethylbenzene	3.3130E-015	3.3130E-015
RCPTR_48	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	2.4380E-011	2.4454E-011
RCPTR_48	farmer_child	TOCDFDFS	Fluoranthene	6.9915E-009	8.2369E-009
RCPTR_48	farmer_child	TOCDFDFS	Fluorene	1.3345E-010	1.3490E-010
RCPTR_48	farmer_child	TOCDFDFS	GB	1.2507E-015	1.2510E-015
RCPTR_48	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	6.3967E-015	7.1727E-015
RCPTR_48	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	3.3152E-015	3.6399E-015
RCPTR_48	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.1253E-014	1.2582E-014
RCPTR_48	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	6.3427E-014	6.9891E-014
RCPTR_48	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	3.4285E-014	3.8720E-014
RCPTR_48	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	2.9754E-014	3.4130E-014
RCPTR_48	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.3600E-014	2.7445E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.1007E-014	2.4419E-014
RCPTR_48	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	2.8200E-014	3.2741E-014
RCPTR_48	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.9398E-014	2.2534E-014
RCPTR_48	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	2.8176E-012	2.8179E-012
RCPTR_48	farmer_child	TOCDFDFS	Hexachlorobenzene	5.4118E-009	5.7535E-009
RCPTR_48	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	3.6972E-011	3.6979E-011
RCPTR_48	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.7450E-012	1.7453E-012
RCPTR_48	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_48	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	5.0789E-005	5.0972E-005
RCPTR_48	farmer_child	TOCDFDFS	Isophorone	3.3243E-013	3.3255E-013
RCPTR_48	farmer_child	TOCDFDFS	Lead	3.3614E-007	4.3675E-007
RCPTR_48	farmer_child	TOCDFDFS	Mercuric chloride	4.4955E-009	8.3925E-009
RCPTR_48	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	3.2535E-017	3.2535E-017
RCPTR_48	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	5.5076E-018	5.5076E-018
RCPTR_48	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	2.8922E-015	2.8922E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFDFS	Methyl mercury	3.6579E-011	4.8056E-011
RCPTR_48	farmer_child	TOCDFDFS	Methylene chloride	8.3597E-017	8.3597E-017
RCPTR_48	farmer_child	TOCDFDFS	Naphthalene	1.4018E-012	1.4022E-012
RCPTR_48	farmer_child	TOCDFDFS	Nickel	3.2197E-008	3.2967E-008
RCPTR_48	farmer_child	TOCDFDFS	Nitroaniline, 2-	5.5965E-012	5.6027E-012
RCPTR_48	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.3333E-012	1.3339E-012
RCPTR_48	farmer_child	TOCDFDFS	Nitroaniline, 4-	1.7224E-012	1.7233E-012
RCPTR_48	farmer_child	TOCDFDFS	Nitrobenzene	5.6106E-013	5.6137E-013
RCPTR_48	farmer_child	TOCDFDFS	Nitrophenol, 2-	2.5549E-013	2.5556E-013
RCPTR_48	farmer_child	TOCDFDFS	Nitrophenol, 4-	3.4139E-012	3.4150E-012
RCPTR_48	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	3.1641E-013	3.1646E-013
RCPTR_48	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	3.1088E-013	3.1091E-013
RCPTR_48	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	2.7818E-014	2.7820E-014
RCPTR_48	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.6422E-014	1.8965E-014
RCPTR_48	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	5.6250E-015	6.4809E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.6166E-013	1.8064E-013
RCPTR_48	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	1.3884E-014	1.6465E-014
RCPTR_48	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	5.5222E-014	6.5356E-014
RCPTR_48	farmer_child	TOCDFDFS	Pentachlorobenzene	2.1076E-011	2.1085E-011
RCPTR_48	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	8.2078E-012	8.2084E-012
RCPTR_48	farmer_child	TOCDFDFS	Pentachlorophenol	3.3164E-009	3.3260E-009
RCPTR_48	farmer_child	TOCDFDFS	Phenanthrene	4.2778E-013	4.2779E-013
RCPTR_48	farmer_child	TOCDFDFS	Phenol	4.4428E-013	4.4456E-013
RCPTR_48	farmer_child	TOCDFDFS	Pronamide	8.3975E-011	8.4592E-011
RCPTR_48	farmer_child	TOCDFDFS	Pyrene	1.1614E-008	1.7268E-008
RCPTR_48	farmer_child	TOCDFDFS	Selenium	9.6396E-009	9.6410E-009
RCPTR_48	farmer_child	TOCDFDFS	Silver	3.8032E-009	3.8170E-009
RCPTR_48	farmer_child	TOCDFDFS	Styrene	9.0735E-014	9.0737E-014
RCPTR_48	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	7.8051E-014	9.6475E-014
RCPTR_48	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	2.5849E-014	3.3611E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	3.4015E-011	3.4063E-011
RCPTR_48	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.1231E-012	1.1231E-012
RCPTR_48	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.1179E-015	1.1179E-015
RCPTR_48	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.2162E-010	2.2207E-010
RCPTR_48	farmer_child	TOCDFDFS	Thallium (I)	9.1093E-008	9.2958E-008
RCPTR_48	farmer_child	TOCDFDFS	Toluene	1.5045E-015	1.5045E-015
RCPTR_48	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.3095E-012	1.3097E-012
RCPTR_48	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	7.2244E-016	7.2244E-016
RCPTR_48	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	5.5250E-015	5.5250E-015
RCPTR_48	farmer_child	TOCDFDFS	Trichloroethylene	8.9794E-016	8.9794E-016
RCPTR_48	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.1802E-016	1.1802E-016
RCPTR_48	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	1.4684E-010	1.4933E-010
RCPTR_48	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	2.9525E-011	2.9632E-011
RCPTR_48	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	2.0447E-014	2.0447E-014
RCPTR_48	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	2.3793E-013	2.3816E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFDFS	Vinyl Chloride	2.9184E-019	2.9184E-019
RCPTR_48	farmer_child	TOCDFDFS	Xylene, m-	6.4199E-015	6.4199E-015
RCPTR_48	farmer_child	TOCDFDFS	Xylene, o-	6.7146E-015	6.7146E-015
RCPTR_48	farmer_child	TOCDFDFS	Xylene, p-	8.6792E-015	8.6792E-015
RCPTR_48	farmer_child	TOCDFDFS	Zinc	2.3280E-008	2.4666E-008
RCPTR_48	farmer_child	TOCDFLIC	Acenaphthene	2.0458E-011	2.0531E-011
RCPTR_48	farmer_child	TOCDFLIC	Acetone	5.4248E-016	5.4248E-016
RCPTR_48	farmer_child	TOCDFLIC	Acetophenone	1.9506E-013	1.9510E-013
RCPTR_48	farmer_child	TOCDFLIC	Aniline	6.5264E-015	6.5265E-015
RCPTR_48	farmer_child	TOCDFLIC	Anthracene	3.5033E-010	3.6214E-010
RCPTR_48	farmer_child	TOCDFLIC	Antimony	2.1392E-009	2.2160E-009
RCPTR_48	farmer_child	TOCDFLIC	Arsenic	5.5911E-009	5.6208E-009
RCPTR_48	farmer_child	TOCDFLIC	Barium	2.1414E-010	2.1960E-010
RCPTR_48	farmer_child	TOCDFLIC	Benzene	4.9762E-015	4.9762E-015
RCPTR_48	farmer_child	TOCDFLIC	Benzo(a)anthracene	3.1586E-008	3.7699E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFLIC	Benzo(a)pyrene	2.0491E-007	2.1008E-007
RCPTR_48	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	1.4039E-007	1.5516E-007
RCPTR_48	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	3.1806E-007	3.3795E-007
RCPTR_48	farmer_child	TOCDFLIC	Benzoic acid	7.9047E-013	7.9055E-013
RCPTR_48	farmer_child	TOCDFLIC	Benzyl alcohol	1.4801E-013	1.4808E-013
RCPTR_48	farmer_child	TOCDFLIC	Beryllium	1.0428E-009	1.2521E-009
RCPTR_48	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.4816E-013	1.4822E-013
RCPTR_48	farmer_child	TOCDFLIC	Bromodichloromethane	1.3252E-015	1.3252E-015
RCPTR_48	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	4.5645E-014	4.5649E-014
RCPTR_48	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	5.7559E-009	7.9631E-009
RCPTR_48	farmer_child	TOCDFLIC	Butylbenzylphthalate	1.4103E-010	1.4116E-010
RCPTR_48	farmer_child	TOCDFLIC	Cadmium	8.4073E-010	9.2266E-010
RCPTR_48	farmer_child	TOCDFLIC	Carbon disulfide	3.0156E-016	3.0156E-016
RCPTR_48	farmer_child	TOCDFLIC	Carbon tetrachloride	4.7591E-016	4.7591E-016
RCPTR_48	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	1.1908E-011	1.1967E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFLIC	Chloroaniline, p-	6.8740E-013	6.8816E-013
RCPTR_48	farmer_child	TOCDFLIC	Chlorobenzene	2.7836E-015	2.7836E-015
RCPTR_48	farmer_child	TOCDFLIC	Chloroethane	7.8062E-018	7.8062E-018
RCPTR_48	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	4.2163E-016	4.2163E-016
RCPTR_48	farmer_child	TOCDFLIC	Chloronaphthalene,2-	5.3222E-011	5.3658E-011
RCPTR_48	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.9073E-012	1.9116E-012
RCPTR_48	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	6.6196E-011	6.6431E-011
RCPTR_48	farmer_child	TOCDFLIC	Chromium	4.4704E-008	5.6037E-008
RCPTR_48	farmer_child	TOCDFLIC	Chromium, hexavalent	3.4477E-008	3.4538E-008
RCPTR_48	farmer_child	TOCDFLIC	Chrysene	7.1139E-008	8.1206E-008
RCPTR_48	farmer_child	TOCDFLIC	Di-n-butyl phthalate	5.5649E-010	5.5768E-010
RCPTR_48	farmer_child	TOCDFLIC	Di-n-octylphthalate	2.2602E+000	2.2602E+000
RCPTR_48	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	4.1653E-006	4.2285E-006
RCPTR_48	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	8.6508E-014	8.6511E-014
RCPTR_48	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	1.0480E-013	1.0481E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	1.0094E-013	1.0094E-013
RCPTR_48	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.8233E-010	2.8409E-010
RCPTR_48	farmer_child	TOCDFLIC	Dichlorodifluoromethane	6.2457E-019	6.2457E-019
RCPTR_48	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.5733E-016	1.5733E-016
RCPTR_48	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.9546E-016	1.9546E-016
RCPTR_48	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	5.9553E-017	5.9553E-017
RCPTR_48	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	9.5730E-017	9.5730E-017
RCPTR_48	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	8.1196E-012	8.1461E-012
RCPTR_48	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	5.3856E-016	5.3856E-016
RCPTR_48	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.7775E-016	1.7776E-016
RCPTR_48	farmer_child	TOCDFLIC	Diethyl phthalate	2.9712E-010	2.9717E-010
RCPTR_48	farmer_child	TOCDFLIC	Dimethyl phthalate	5.1725E-012	5.1771E-012
RCPTR_48	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	1.3005E-012	1.3021E-012
RCPTR_48	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	6.0201E-013	6.0210E-013
RCPTR_48	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	1.1892E-012	1.1911E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	9.1833E-013	9.1964E-013
RCPTR_48	farmer_child	TOCDFLIC	Ethyl methanesulfonate	2.7744E-014	2.7752E-014
RCPTR_48	farmer_child	TOCDFLIC	Ethylbenzene	2.2618E-015	2.2618E-015
RCPTR_48	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	4.5626E-010	4.5765E-010
RCPTR_48	farmer_child	TOCDFLIC	Fluoranthene	4.1747E-009	4.9176E-009
RCPTR_48	farmer_child	TOCDFLIC	Fluorene	7.9628E-011	8.0491E-011
RCPTR_48	farmer_child	TOCDFLIC	GB	4.6451E-016	4.6463E-016
RCPTR_48	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	4.0884E-015	4.5730E-015
RCPTR_48	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	4.8914E-015	5.3559E-015
RCPTR_48	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.1692E-014	1.3039E-014
RCPTR_48	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	5.1874E-014	5.7014E-014
RCPTR_48	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.9520E-014	3.3259E-014
RCPTR_48	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.5215E-014	2.8869E-014
RCPTR_48	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.6310E-014	1.8942E-014
RCPTR_48	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.5983E-014	1.8554E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.8525E-014	2.1478E-014
RCPTR_48	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.3508E-014	1.5670E-014
RCPTR_48	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.6812E-012	1.6814E-012
RCPTR_48	farmer_child	TOCDFLIC	Hexachlorobenzene	3.2294E-009	3.4332E-009
RCPTR_48	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	4.4566E-012	4.4575E-012
RCPTR_48	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.0412E-012	1.0414E-012
RCPTR_48	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_48	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	3.0668E-005	3.0771E-005
RCPTR_48	farmer_child	TOCDFLIC	Isophorone	1.9834E-013	1.9841E-013
RCPTR_48	farmer_child	TOCDFLIC	Lead	1.2710E-007	1.6504E-007
RCPTR_48	farmer_child	TOCDFLIC	Mercuric chloride	3.9094E-007	7.3110E-007
RCPTR_48	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	1.0838E-017	1.0838E-017
RCPTR_48	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	8.8765E-019	8.8765E-019
RCPTR_48	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	3.2266E-015	3.2266E-015
RCPTR_48	farmer_child	TOCDFLIC	Methyl mercury	3.1313E-009	4.1331E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFLIC	Methylene chloride	6.8622E-017	6.8622E-017
RCPTR_48	farmer_child	TOCDFLIC	Naphthalene	8.3639E-013	8.3663E-013
RCPTR_48	farmer_child	TOCDFLIC	Nickel	1.8507E-008	1.8948E-008
RCPTR_48	farmer_child	TOCDFLIC	Nitroaniline, 2-	3.3790E-012	3.3827E-012
RCPTR_48	farmer_child	TOCDFLIC	Nitroaniline, 3-	8.0501E-013	8.0535E-013
RCPTR_48	farmer_child	TOCDFLIC	Nitroaniline, 4-	1.0399E-012	1.0404E-012
RCPTR_48	farmer_child	TOCDFLIC	Nitrobenzene	3.3475E-013	3.3493E-013
RCPTR_48	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.5243E-013	1.5247E-013
RCPTR_48	farmer_child	TOCDFLIC	Nitrophenol, 4-	2.0714E-012	2.0721E-012
RCPTR_48	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.8878E-013	1.8882E-013
RCPTR_48	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.8549E-013	1.8550E-013
RCPTR_48	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.6594E-014	1.6595E-014
RCPTR_48	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.4260E-014	1.6443E-014
RCPTR_48	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	4.6775E-015	5.3817E-015
RCPTR_48	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.0831E-013	1.2075E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.9478E-014	3.4904E-014
RCPTR_48	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	6.4744E-014	7.6523E-014
RCPTR_48	farmer_child	TOCDFLIC	Pentachlorobenzene	1.2564E-011	1.2569E-011
RCPTR_48	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	4.9506E-012	4.9509E-012
RCPTR_48	farmer_child	TOCDFLIC	Pentachlorophenol	2.0210E-009	2.0269E-009
RCPTR_48	farmer_child	TOCDFLIC	Phenanthrene	2.5525E-013	2.5525E-013
RCPTR_48	farmer_child	TOCDFLIC	Phenol	2.6508E-013	2.6524E-013
RCPTR_48	farmer_child	TOCDFLIC	Pronamide	2.5054E-011	2.5238E-011
RCPTR_48	farmer_child	TOCDFLIC	Pyrene	6.9320E-009	1.0305E-008
RCPTR_48	farmer_child	TOCDFLIC	Selenium	3.6823E-009	3.6828E-009
RCPTR_48	farmer_child	TOCDFLIC	Silver	1.4194E-009	1.4246E-009
RCPTR_48	farmer_child	TOCDFLIC	Styrene	9.6607E-014	9.6609E-014
RCPTR_48	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	3.9083E-014	4.8248E-014
RCPTR_48	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	5.4199E-014	7.0384E-014
RCPTR_48	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.0299E-011	2.0328E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	5.8129E-013	5.8130E-013
RCPTR_48	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	5.7232E-016	5.7232E-016
RCPTR_48	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.3423E-010	1.3450E-010
RCPTR_48	farmer_child	TOCDFLIC	Thallium (I)	3.5044E-008	3.5759E-008
RCPTR_48	farmer_child	TOCDFLIC	Toluene	4.4300E-015	4.4300E-015
RCPTR_48	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	7.8139E-013	7.8149E-013
RCPTR_48	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	3.6987E-016	3.6987E-016
RCPTR_48	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	2.8286E-015	2.8287E-015
RCPTR_48	farmer_child	TOCDFLIC	Trichloroethylene	4.5972E-016	4.5972E-016
RCPTR_48	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	6.0422E-017	6.0422E-017
RCPTR_48	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	8.7643E-011	8.9126E-011
RCPTR_48	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.7635E-011	1.7699E-011
RCPTR_48	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	1.0468E-014	1.0468E-014
RCPTR_48	farmer_child	TOCDFLIC	Vinyl Chloride	1.6100E-019	1.6100E-019
RCPTR_48	farmer_child	TOCDFLIC	Xylene, m-	5.7678E-015	5.7678E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFLIC	Xylene, o-	3.8496E-015	3.8496E-015
RCPTR_48	farmer_child	TOCDFLIC	Xylene, p-	7.8365E-015	7.8365E-015
RCPTR_48	farmer_child	TOCDFLIC	Zinc	6.2085E-009	6.5770E-009
RCPTR_48	farmer_child	TOCDFMPF	Acenaphthene	8.7101E-011	8.7410E-011
RCPTR_48	farmer_child	TOCDFMPF	Acetone	2.7148E-016	2.7148E-016
RCPTR_48	farmer_child	TOCDFMPF	Acetophenone	4.6138E-013	4.6148E-013
RCPTR_48	farmer_child	TOCDFMPF	Aniline	2.7786E-014	2.7787E-014
RCPTR_48	farmer_child	TOCDFMPF	Anthracene	1.4916E-009	1.5418E-009
RCPTR_48	farmer_child	TOCDFMPF	Antimony	6.3641E-010	6.5926E-010
RCPTR_48	farmer_child	TOCDFMPF	Arsenic	1.3116E-009	1.3186E-009
RCPTR_48	farmer_child	TOCDFMPF	Barium	2.0066E-010	2.0577E-010
RCPTR_48	farmer_child	TOCDFMPF	Benzene	2.4173E-016	2.4173E-016
RCPTR_48	farmer_child	TOCDFMPF	Benzo(a)anthracene	1.3448E-007	1.6051E-007
RCPTR_48	farmer_child	TOCDFMPF	Benzo(a)pyrene	8.7263E-007	8.9468E-007
RCPTR_48	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	5.9763E-007	6.6052E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	1.3545E-006	1.4393E-006
RCPTR_48	farmer_child	TOCDFMPF	Benzoic acid	3.1372E-012	3.1376E-012
RCPTR_48	farmer_child	TOCDFMPF	Benzyl alcohol	6.3016E-013	6.3047E-013
RCPTR_48	farmer_child	TOCDFMPF	Beryllium	2.9769E-010	3.5743E-010
RCPTR_48	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	6.3079E-013	6.3105E-013
RCPTR_48	farmer_child	TOCDFMPF	Bromodichloromethane	2.1549E-015	2.1549E-015
RCPTR_48	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	8.1306E-014	8.1313E-014
RCPTR_48	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	2.4506E-008	3.3904E-008
RCPTR_48	farmer_child	TOCDFMPF	Butylbenzylphthalate	6.0083E-010	6.0137E-010
RCPTR_48	farmer_child	TOCDFMPF	Cadmium	3.6764E-010	4.0346E-010
RCPTR_48	farmer_child	TOCDFMPF	Carbon disulfide	4.2285E-016	4.2285E-016
RCPTR_48	farmer_child	TOCDFMPF	Carbon tetrachloride	6.6906E-016	6.6906E-016
RCPTR_48	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	5.0699E-011	5.0948E-011
RCPTR_48	farmer_child	TOCDFMPF	Chloroaniline, p-	2.9267E-012	2.9299E-012
RCPTR_48	farmer_child	TOCDFMPF	Chlorobenzene	3.9133E-015	3.9133E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFMPF	Chloroethane	1.0974E-017	1.0974E-017
RCPTR_48	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	5.7018E-016	5.7018E-016
RCPTR_48	farmer_child	TOCDFMPF	Chloronaphthalene,2-	2.2659E-010	2.2845E-010
RCPTR_48	farmer_child	TOCDFMPF	Chlorophenol, 2-	8.1203E-012	8.1389E-012
RCPTR_48	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	2.8183E-010	2.8283E-010
RCPTR_48	farmer_child	TOCDFMPF	Chromium	8.6451E-009	1.0836E-008
RCPTR_48	farmer_child	TOCDFMPF	Chromium, hexavalent	6.6680E-009	6.6796E-009
RCPTR_48	farmer_child	TOCDFMPF	Chrysene	3.0283E-007	3.4570E-007
RCPTR_48	farmer_child	TOCDFMPF	Di-n-butyl phthalate	2.3684E-009	2.3734E-009
RCPTR_48	farmer_child	TOCDFMPF	Di-n-octylphthalate	9.6157E+000	9.6157E+000
RCPTR_48	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.7727E-005	1.7996E-005
RCPTR_48	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	3.6831E-013	3.6832E-013
RCPTR_48	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	4.4620E-013	4.4621E-013
RCPTR_48	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	4.2975E-013	4.2976E-013
RCPTR_48	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.5726E-009	1.5824E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFMPF	Dichlorodifluoromethane	8.7805E-019	8.7805E-019
RCPTR_48	farmer_child	TOCDFMPF	Dichloroethane 1,1-	2.2118E-016	2.2118E-016
RCPTR_48	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	2.7478E-016	2.7478E-016
RCPTR_48	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	8.3723E-017	8.3723E-017
RCPTR_48	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.3458E-016	1.3458E-016
RCPTR_48	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	3.4567E-011	3.4680E-011
RCPTR_48	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	7.5712E-016	7.5713E-016
RCPTR_48	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	2.4990E-016	2.4990E-016
RCPTR_48	farmer_child	TOCDFMPF	Diethyl phthalate	1.2641E-009	1.2643E-009
RCPTR_48	farmer_child	TOCDFMPF	Dimethyl phthalate	1.8779E-012	1.8795E-012
RCPTR_48	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	5.5369E-012	5.5440E-012
RCPTR_48	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	2.5580E-012	2.5584E-012
RCPTR_48	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	5.0630E-012	5.0713E-012
RCPTR_48	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	3.9098E-012	3.9154E-012
RCPTR_48	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.1812E-013	1.1815E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFMPF	Ethylbenzene	2.3848E-015	2.3848E-015
RCPTR_48	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	5.0465E-010	5.0619E-010
RCPTR_48	farmer_child	TOCDFMPF	Fluoranthene	1.7773E-008	2.0937E-008
RCPTR_48	farmer_child	TOCDFMPF	Fluorene	3.3902E-010	3.4269E-010
RCPTR_48	farmer_child	TOCDFMPF	GB	6.5993E-016	6.6009E-016
RCPTR_48	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	8.6112E-015	9.6330E-015
RCPTR_48	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.2810E-013	3.5931E-013
RCPTR_48	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	5.4246E-014	6.0504E-014
RCPTR_48	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.1845E-013	1.3021E-013
RCPTR_48	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	6.4171E-014	7.2309E-014
RCPTR_48	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	5.9843E-014	6.8521E-014
RCPTR_48	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	2.4484E-012	2.8437E-012
RCPTR_48	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	5.9751E-013	6.9367E-013
RCPTR_48	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.0387E-013	1.2044E-013
RCPTR_48	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	7.4143E-014	8.6013E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	7.1579E-012	7.1586E-012
RCPTR_48	farmer_child	TOCDFMPF	Hexachlorobenzene	1.3749E-008	1.4617E-008
RCPTR_48	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	1.8974E-011	1.8978E-011
RCPTR_48	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	4.4330E-012	4.4338E-012
RCPTR_48	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_48	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.3049E-004	1.3093E-004
RCPTR_48	farmer_child	TOCDFMPF	Isophorone	8.4444E-013	8.4475E-013
RCPTR_48	farmer_child	TOCDFMPF	Lead	1.0017E-010	1.3006E-010
RCPTR_48	farmer_child	TOCDFMPF	Mercuric chloride	4.4215E-009	8.2676E-009
RCPTR_48	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	1.2983E-017	1.2983E-017
RCPTR_48	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	4.6436E-019	4.6436E-019
RCPTR_48	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	3.0410E-015	3.0410E-015
RCPTR_48	farmer_child	TOCDFMPF	Methyl mercury	3.5455E-011	4.6782E-011
RCPTR_48	farmer_child	TOCDFMPF	Methylene chloride	7.6017E-017	7.6017E-017
RCPTR_48	farmer_child	TOCDFMPF	Naphthalene	3.5610E-012	3.5620E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFMPF	Nickel	1.4509E-008	1.4854E-008
RCPTR_48	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.4360E-011	1.4376E-011
RCPTR_48	farmer_child	TOCDFMPF	Nitroaniline, 3-	3.4212E-012	3.4226E-012
RCPTR_48	farmer_child	TOCDFMPF	Nitroaniline, 4-	4.4193E-012	4.4216E-012
RCPTR_48	farmer_child	TOCDFMPF	Nitrobenzene	1.4252E-012	1.4260E-012
RCPTR_48	farmer_child	TOCDFMPF	Nitrophenol, 2-	6.4900E-013	6.4917E-013
RCPTR_48	farmer_child	TOCDFMPF	Nitrophenol, 4-	8.8012E-012	8.8040E-012
RCPTR_48	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	8.0375E-013	8.0390E-013
RCPTR_48	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	7.8972E-013	7.8979E-013
RCPTR_48	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	7.0651E-014	7.0654E-014
RCPTR_48	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.1204E-014	2.4453E-014
RCPTR_48	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.9449E-014	3.3884E-014
RCPTR_48	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	4.2722E-013	4.7637E-013
RCPTR_48	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	3.2799E-013	3.8839E-013
RCPTR_48	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.0518E-012	1.2433E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFMPF	Pentachlorobenzene	5.3494E-011	5.3517E-011
RCPTR_48	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	2.1041E-011	2.1042E-011
RCPTR_48	farmer_child	TOCDFMPF	Pentachlorophenol	8.5855E-009	8.6103E-009
RCPTR_48	farmer_child	TOCDFMPF	Phenanthrene	1.0867E-012	1.0867E-012
RCPTR_48	farmer_child	TOCDFMPF	Phenol	1.1286E-012	1.1293E-012
RCPTR_48	farmer_child	TOCDFMPF	Pronamide	1.0667E-010	1.0745E-010
RCPTR_48	farmer_child	TOCDFMPF	Pyrene	2.9513E-008	4.3875E-008
RCPTR_48	farmer_child	TOCDFMPF	Selenium	1.0769E-009	1.0770E-009
RCPTR_48	farmer_child	TOCDFMPF	Silver	5.6782E-009	5.6987E-009
RCPTR_48	farmer_child	TOCDFMPF	Styrene	1.0317E-013	1.0317E-013
RCPTR_48	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.1076E-013	1.3674E-013
RCPTR_48	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	2.2171E-013	2.8793E-013
RCPTR_48	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	8.6425E-011	8.6546E-011
RCPTR_48	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	8.1681E-013	8.1682E-013
RCPTR_48	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.7831E-015	1.7831E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	5.7036E-010	5.7150E-010
RCPTR_48	farmer_child	TOCDFMPF	Thallium (I)	1.0337E-008	1.0547E-008
RCPTR_48	farmer_child	TOCDFMPF	Toluene	1.2391E-015	1.2391E-015
RCPTR_48	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	3.3268E-012	3.3272E-012
RCPTR_48	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	5.1998E-016	5.1998E-016
RCPTR_48	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	3.9766E-015	3.9767E-015
RCPTR_48	farmer_child	TOCDFMPF	Trichloroethylene	6.4630E-016	6.4630E-016
RCPTR_48	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	8.4944E-017	8.4944E-017
RCPTR_48	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	3.7314E-010	3.7946E-010
RCPTR_48	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	7.5078E-011	7.5350E-011
RCPTR_48	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	1.4717E-014	1.4717E-014
RCPTR_48	farmer_child	TOCDFMPF	Vinyl Chloride	2.1005E-019	2.1005E-019
RCPTR_48	farmer_child	TOCDFMPF	Xylene, m-	4.5527E-015	4.5527E-015
RCPTR_48	farmer_child	TOCDFMPF	Xylene, o-	4.7750E-015	4.7750E-015
RCPTR_48	farmer_child	TOCDFMPF	Xylene, p-	6.1835E-015	6.1836E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDFMPF	Zinc	3.7986E-009	4.0240E-009
RCPTR_48	farmer_child	TOCDHVAC	GB	2.6202E-015	2.6208E-015
RCPTR_48	farmer_child	TOCDLIC2	Acenaphthene	4.2218E-011	4.2368E-011
RCPTR_48	farmer_child	TOCDLIC2	Acetone	5.3684E-016	5.3684E-016
RCPTR_48	farmer_child	TOCDLIC2	Acetophenone	2.2363E-013	2.2368E-013
RCPTR_48	farmer_child	TOCDLIC2	Aniline	1.3468E-014	1.3468E-014
RCPTR_48	farmer_child	TOCDLIC2	Anthracene	7.2296E-010	7.4733E-010
RCPTR_48	farmer_child	TOCDLIC2	Antimony	2.8460E-009	2.9482E-009
RCPTR_48	farmer_child	TOCDLIC2	Arsenic	5.5911E-009	5.6208E-009
RCPTR_48	farmer_child	TOCDLIC2	Barium	2.0636E-009	2.1162E-009
RCPTR_48	farmer_child	TOCDLIC2	Benzene	3.5811E-016	3.5811E-016
RCPTR_48	farmer_child	TOCDLIC2	Benzo(a)anthracene	6.5182E-008	7.7797E-008
RCPTR_48	farmer_child	TOCDLIC2	Benzo(a)pyrene	4.2285E-007	4.3352E-007
RCPTR_48	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	2.8971E-007	3.2018E-007
RCPTR_48	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	6.5635E-007	6.9740E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDLIC2	Benzoic acid	1.5206E-012	1.5208E-012
RCPTR_48	farmer_child	TOCDLIC2	Benzyl alcohol	3.0544E-013	3.0559E-013
RCPTR_48	farmer_child	TOCDLIC2	Beryllium	1.0428E-009	1.2521E-009
RCPTR_48	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	3.0574E-013	3.0587E-013
RCPTR_48	farmer_child	TOCDLIC2	Bromodichloromethane	4.0578E-015	4.0578E-015
RCPTR_48	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.0583E-013	1.0584E-013
RCPTR_48	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	1.1878E-008	1.6433E-008
RCPTR_48	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.9104E-010	2.9130E-010
RCPTR_48	farmer_child	TOCDLIC2	Cadmium	9.5532E-011	1.0484E-010
RCPTR_48	farmer_child	TOCDLIC2	Carbon disulfide	4.5700E-016	4.5700E-016
RCPTR_48	farmer_child	TOCDLIC2	Carbon tetrachloride	7.2432E-016	7.2432E-016
RCPTR_48	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	2.4575E-011	2.4696E-011
RCPTR_48	farmer_child	TOCDLIC2	Chloroaniline, p-	1.4185E-012	1.4201E-012
RCPTR_48	farmer_child	TOCDLIC2	Chlorobenzene	4.2365E-015	4.2365E-015
RCPTR_48	farmer_child	TOCDLIC2	Chloroethane	1.1881E-017	1.1881E-017

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.3018E-015	1.3018E-015
RCPTR_48	farmer_child	TOCDLIC2	Chloronaphthalene,2-	1.0983E-010	1.1073E-010
RCPTR_48	farmer_child	TOCDLIC2	Chlorophenol, 2-	3.9359E-012	3.9449E-012
RCPTR_48	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.3660E-010	1.3709E-010
RCPTR_48	farmer_child	TOCDLIC2	Chromium	4.4704E-008	5.6037E-008
RCPTR_48	farmer_child	TOCDLIC2	Chromium, hexavalent	3.4477E-008	3.4538E-008
RCPTR_48	farmer_child	TOCDLIC2	Chrysene	1.4680E-007	1.6758E-007
RCPTR_48	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.1484E-009	1.1508E-009
RCPTR_48	farmer_child	TOCDLIC2	Di-n-octylphthalate	4.6642E+000	4.6642E+000
RCPTR_48	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	8.5957E-006	8.7260E-006
RCPTR_48	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	1.7852E-013	1.7853E-013
RCPTR_48	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	2.1627E-013	2.1628E-013
RCPTR_48	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	2.0830E-013	2.0831E-013
RCPTR_48	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	6.7894E-010	6.8317E-010
RCPTR_48	farmer_child	TOCDLIC2	Dichlorodifluoromethane	9.5057E-019	9.5057E-019

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDLIC2	Dichloroethane 1,1-	2.3945E-016	2.3945E-016
RCPTR_48	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	2.9748E-016	2.9748E-016
RCPTR_48	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	9.0638E-017	9.0638E-017
RCPTR_48	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.4570E-016	1.4570E-016
RCPTR_48	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	1.6756E-011	1.6810E-011
RCPTR_48	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	8.1966E-016	8.1966E-016
RCPTR_48	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	2.7054E-016	2.7054E-016
RCPTR_48	farmer_child	TOCDLIC2	Diethyl phthalate	6.1314E-010	6.1325E-010
RCPTR_48	farmer_child	TOCDLIC2	Dimethyl phthalate	6.3353E-012	6.3409E-012
RCPTR_48	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	2.6838E-012	2.6872E-012
RCPTR_48	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.2455E-012	1.2457E-012
RCPTR_48	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	2.4540E-012	2.4581E-012
RCPTR_48	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	1.8951E-012	1.8978E-012
RCPTR_48	farmer_child	TOCDLIC2	Ethyl methanesulfonate	5.7254E-014	5.7269E-014
RCPTR_48	farmer_child	TOCDLIC2	Ethylbenzene	2.9280E-015	2.9281E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	3.0548E-010	3.0642E-010
RCPTR_48	farmer_child	TOCDLIC2	Fluoranthene	8.6150E-009	1.0148E-008
RCPTR_48	farmer_child	TOCDLIC2	Fluorene	1.6432E-010	1.6610E-010
RCPTR_48	farmer_child	TOCDLIC2	GB	4.8291E-016	4.8303E-016
RCPTR_48	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.8696E-014	3.2097E-014
RCPTR_48	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.6718E-014	2.9255E-014
RCPTR_48	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	2.5518E-014	2.8458E-014
RCPTR_48	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	7.7876E-014	8.5592E-014
RCPTR_48	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	5.5681E-014	6.2734E-014
RCPTR_48	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	5.3762E-014	6.1552E-014
RCPTR_48	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	5.2483E-014	6.0953E-014
RCPTR_48	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	3.1650E-014	3.6741E-014
RCPTR_48	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	2.8275E-014	3.2782E-014
RCPTR_48	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	3.2367E-014	3.7547E-014
RCPTR_48	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	3.4694E-012	3.4698E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDLIC2	Hexachlorobenzene	6.6642E-009	7.0849E-009
RCPTR_48	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	9.1968E-012	9.1986E-012
RCPTR_48	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	2.1487E-012	2.1491E-012
RCPTR_48	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_48	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	6.3288E-005	6.3501E-005
RCPTR_48	farmer_child	TOCDLIC2	Isophorone	4.0930E-013	4.0945E-013
RCPTR_48	farmer_child	TOCDLIC2	Lead	9.1639E-009	1.1899E-008
RCPTR_48	farmer_child	TOCDLIC2	Mercuric chloride	3.9094E-007	7.3110E-007
RCPTR_48	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	1.4176E-017	1.4176E-017
RCPTR_48	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	5.6502E-019	5.6502E-019
RCPTR_48	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	3.1802E-015	3.1802E-015
RCPTR_48	farmer_child	TOCDLIC2	Methyl mercury	3.1313E-009	4.1331E-009
RCPTR_48	farmer_child	TOCDLIC2	Methylene chloride	2.4962E-016	2.4962E-016
RCPTR_48	farmer_child	TOCDLIC2	Naphthalene	1.7260E-012	1.7265E-012
RCPTR_48	farmer_child	TOCDLIC2	Nickel	6.4332E-009	6.5864E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDLIC2	Nitroaniline, 2-	6.9910E-012	6.9987E-012
RCPTR_48	farmer_child	TOCDLIC2	Nitroaniline, 3-	1.6655E-012	1.6662E-012
RCPTR_48	farmer_child	TOCDLIC2	Nitroaniline, 4-	2.1515E-012	2.1526E-012
RCPTR_48	farmer_child	TOCDLIC2	Nitrobenzene	6.9079E-013	6.9118E-013
RCPTR_48	farmer_child	TOCDLIC2	Nitrophenol, 2-	3.1457E-013	3.1465E-013
RCPTR_48	farmer_child	TOCDLIC2	Nitrophenol, 4-	4.2857E-012	4.2870E-012
RCPTR_48	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	3.8958E-013	3.8965E-013
RCPTR_48	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	3.8278E-013	3.8281E-013
RCPTR_48	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	3.4244E-014	3.4245E-014
RCPTR_48	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	4.7880E-014	5.5212E-014
RCPTR_48	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.5821E-014	1.8203E-014
RCPTR_48	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.0252E-013	2.2580E-013
RCPTR_48	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	6.2374E-014	7.3856E-014
RCPTR_48	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	1.7230E-013	2.0365E-013
RCPTR_48	farmer_child	TOCDLIC2	Pentachlorobenzene	2.5927E-011	2.5938E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.0243E-011	1.0243E-011
RCPTR_48	farmer_child	TOCDLIC2	Pentachlorophenol	4.1815E-009	4.1935E-009
RCPTR_48	farmer_child	TOCDLIC2	Phenanthrene	5.2674E-013	5.2675E-013
RCPTR_48	farmer_child	TOCDLIC2	Phenol	5.7835E-013	5.7871E-013
RCPTR_48	farmer_child	TOCDLIC2	Pronamide	5.1703E-011	5.2083E-011
RCPTR_48	farmer_child	TOCDLIC2	Pyrene	1.4305E-008	2.1267E-008
RCPTR_48	farmer_child	TOCDLIC2	Selenium	3.6823E-009	3.6828E-009
RCPTR_48	farmer_child	TOCDLIC2	Silver	1.4194E-009	1.4246E-009
RCPTR_48	farmer_child	TOCDLIC2	Styrene	8.0931E-014	8.0933E-014
RCPTR_48	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.1330E-013	1.3987E-013
RCPTR_48	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	9.7082E-014	1.2607E-013
RCPTR_48	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	4.1890E-011	4.1949E-011
RCPTR_48	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	8.8471E-013	8.8472E-013
RCPTR_48	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	8.7104E-016	8.7104E-016
RCPTR_48	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	2.7771E-010	2.7827E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_48	farmer_child	TOCDLIC2	Thallium (I)	3.5044E-008	3.5759E-008
RCPTR_48	farmer_child	TOCDLIC2	Toluene	4.6632E-015	4.6632E-015
RCPTR_48	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.6125E-012	1.6127E-012
RCPTR_48	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	5.6293E-016	5.6293E-016
RCPTR_48	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	4.3051E-015	4.3051E-015
RCPTR_48	farmer_child	TOCDLIC2	Trichloroethylene	6.9968E-016	6.9968E-016
RCPTR_48	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	9.1960E-017	9.1960E-017
RCPTR_48	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	1.8086E-010	1.8392E-010
RCPTR_48	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	3.6392E-011	3.6524E-011
RCPTR_48	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	1.5932E-014	1.5933E-014
RCPTR_48	farmer_child	TOCDLIC2	Vinyl Chloride	2.6871E-019	2.6871E-019
RCPTR_48	farmer_child	TOCDLIC2	Xylene, m-	6.6957E-015	6.6957E-015
RCPTR_48	farmer_child	TOCDLIC2	Xylene, o-	5.1649E-015	5.1650E-015
RCPTR_48	farmer_child	TOCDLIC2	Xylene, p-	9.0971E-015	9.0971E-015
RCPTR_48	farmer_child	TOCDLIC2	Zinc	7.4130E-009	7.8530E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFBRA	Antimony	4.6068E-009	6.3496E-009
RCPTR_49	farmer_adult	TOCDFBRA	Arsenic	7.3163E-009	7.8556E-009
RCPTR_49	farmer_adult	TOCDFBRA	Barium	6.2573E-010	8.0136E-010
RCPTR_49	farmer_adult	TOCDFBRA	Beryllium	2.4344E-009	3.1618E-009
RCPTR_49	farmer_adult	TOCDFBRA	Cadmium	3.7311E-010	6.4054E-010
RCPTR_49	farmer_adult	TOCDFBRA	Chromium	7.6583E-008	8.0177E-008
RCPTR_49	farmer_adult	TOCDFBRA	Chromium, hexavalent	4.3200E-008	4.4755E-008
RCPTR_49	farmer_adult	TOCDFBRA	Lead	2.8886E-008	4.0454E-008
RCPTR_49	farmer_adult	TOCDFBRA	Mercuric chloride	1.7067E-005	1.8932E-005
RCPTR_49	farmer_adult	TOCDFBRA	Methyl mercury	1.0252E-007	1.1226E-007
RCPTR_49	farmer_adult	TOCDFBRA	Nickel	2.4264E-008	2.8051E-008
RCPTR_49	farmer_adult	TOCDFBRA	Selenium	8.1611E-009	8.2465E-009
RCPTR_49	farmer_adult	TOCDFBRA	Silver	2.8205E-009	3.3466E-009
RCPTR_49	farmer_adult	TOCDFBRA	Thallium (I)	7.5258E-008	8.4369E-008
RCPTR_49	farmer_adult	TOCDFBRA	Zinc	1.3369E-008	1.9709E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFDFS	Acenaphthene	5.4140E-012	2.7761E-011
RCPTR_49	farmer_adult	TOCDFDFS	Acetone	6.6715E-017	3.4791E-016
RCPTR_49	farmer_adult	TOCDFDFS	Acetophenone	2.9553E-014	1.5398E-013
RCPTR_49	farmer_adult	TOCDFDFS	Aniline	1.6978E-015	8.8296E-015
RCPTR_49	farmer_adult	TOCDFDFS	Anthracene	9.5661E-011	4.8968E-010
RCPTR_49	farmer_adult	TOCDFDFS	Antimony	4.7584E-008	6.4312E-008
RCPTR_49	farmer_adult	TOCDFDFS	Aroclor 1254	1.1717E-012	2.5347E-012
RCPTR_49	farmer_adult	TOCDFDFS	Arsenic	4.2966E-009	4.5892E-009
RCPTR_49	farmer_adult	TOCDFDFS	Barium	1.2873E-010	1.6225E-010
RCPTR_49	farmer_adult	TOCDFDFS	Benzene	5.5360E-017	2.8761E-016
RCPTR_49	farmer_adult	TOCDFDFS	Benzo(a)anthracene	2.4627E-008	4.8489E-008
RCPTR_49	farmer_adult	TOCDFDFS	Benzo(a)pyrene	2.3233E-007	2.5657E-007
RCPTR_49	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	1.3267E-007	1.9295E-007
RCPTR_49	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	3.6823E-007	4.1594E-007
RCPTR_49	farmer_adult	TOCDFDFS	Benzoic acid	2.1258E-013	9.9243E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFDFS	Benzyl alcohol	3.8468E-014	2.0035E-013
RCPTR_49	farmer_adult	TOCDFDFS	Beryllium	1.3591E-009	1.7412E-009
RCPTR_49	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	3.8457E-014	2.0054E-013
RCPTR_49	farmer_adult	TOCDFDFS	Bromodichloromethane	4.3542E-016	2.2691E-015
RCPTR_49	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.7302E-014	9.0185E-014
RCPTR_49	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	2.1684E-009	1.0774E-008
RCPTR_49	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.3924E-010	1.7788E-010
RCPTR_49	farmer_adult	TOCDFDFS	Cadmium	1.0550E-009	1.7622E-009
RCPTR_49	farmer_adult	TOCDFDFS	Carbon disulfide	2.8902E-017	1.5036E-016
RCPTR_49	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.4447E-016	7.5029E-016
RCPTR_49	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	3.6900E-012	1.6062E-011
RCPTR_49	farmer_adult	TOCDFDFS	Chloroaniline, p-	1.7913E-013	9.3097E-013
RCPTR_49	farmer_adult	TOCDFDFS	Chlorobenzene	8.4703E-016	4.3880E-015
RCPTR_49	farmer_adult	TOCDFDFS	Chloroethane	2.4135E-018	1.2297E-017
RCPTR_49	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.3043E-016	6.7955E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	1.4099E-011	7.2565E-011
RCPTR_49	farmer_adult	TOCDFDFS	Chlorophenol, 2-	4.9613E-013	2.5865E-012
RCPTR_49	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.0610E-011	8.9234E-011
RCPTR_49	farmer_adult	TOCDFDFS	Chromium	2.2629E-008	2.3643E-008
RCPTR_49	farmer_adult	TOCDFDFS	Chromium, hexavalent	1.3205E-008	1.3644E-008
RCPTR_49	farmer_adult	TOCDFDFS	Chrysene	6.9353E-008	1.0113E-007
RCPTR_49	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	5.2680E-010	6.7541E-010
RCPTR_49	farmer_adult	TOCDFDFS	Di-n-octylphthalate	2.6087E+000	2.6087E+000
RCPTR_49	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	4.5787E-006	4.7325E-006
RCPTR_49	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	2.3058E-014	1.1692E-013
RCPTR_49	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	2.7671E-014	1.4170E-013
RCPTR_49	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	2.6582E-014	1.3650E-013
RCPTR_49	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	4.8695E-010	6.8463E-010
RCPTR_49	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.8951E-019	9.8472E-019
RCPTR_49	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	4.7604E-017	2.4807E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	5.9130E-017	3.0819E-016
RCPTR_49	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.8043E-017	9.3895E-017
RCPTR_49	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.9009E-017	1.5093E-016
RCPTR_49	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	2.8352E-012	1.0862E-011
RCPTR_49	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.6346E-016	8.4906E-016
RCPTR_49	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	5.3811E-017	2.8027E-016
RCPTR_49	farmer_adult	TOCDFDFS	Diethyl phthalate	3.2225E-010	3.4767E-010
RCPTR_49	farmer_adult	TOCDFDFS	Dimethyl phthalate	7.6202E-013	3.8794E-012
RCPTR_49	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	3.3996E-013	1.7614E-012
RCPTR_49	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	2.8794E-013	7.7628E-013
RCPTR_49	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	3.2145E-013	1.6099E-012
RCPTR_49	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	2.4529E-013	1.2431E-012
RCPTR_49	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	7.2013E-015	3.7548E-014
RCPTR_49	farmer_adult	TOCDFDFS	Ethylbenzene	5.2780E-016	2.6717E-015
RCPTR_49	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.4221E-011	1.8327E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFDFS	Fluoranthene	1.6332E-009	6.5865E-009
RCPTR_49	farmer_adult	TOCDFDFS	Fluorene	2.1455E-011	1.0879E-010
RCPTR_49	farmer_adult	TOCDFDFS	GB	1.9386E-016	1.0099E-015
RCPTR_49	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	4.6959E-015	5.5453E-015
RCPTR_49	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	2.4023E-015	2.7569E-015
RCPTR_49	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	8.2375E-015	9.6938E-015
RCPTR_49	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	4.5828E-014	5.2831E-014
RCPTR_49	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.5099E-014	2.9958E-014
RCPTR_49	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	2.1993E-014	2.6806E-014
RCPTR_49	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.7373E-014	2.1568E-014
RCPTR_49	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.5455E-014	1.9169E-014
RCPTR_49	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	2.0703E-014	2.5644E-014
RCPTR_49	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.4254E-014	1.7668E-014
RCPTR_49	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	4.6514E-013	2.2700E-012
RCPTR_49	farmer_adult	TOCDFDFS	Hexachlorobenzene	9.3541E-010	4.6365E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	6.1970E-012	2.9774E-011
RCPTR_49	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.7455E-013	1.4081E-012
RCPTR_49	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_49	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	3.4892E-005	3.5179E-005
RCPTR_49	farmer_adult	TOCDFDFS	Isophorone	5.1525E-014	2.6845E-013
RCPTR_49	farmer_adult	TOCDFDFS	Lead	1.7277E-007	2.3854E-007
RCPTR_49	farmer_adult	TOCDFDFS	Mercuric chloride	6.0879E-009	6.7614E-009
RCPTR_49	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	5.0379E-018	2.6264E-017
RCPTR_49	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	8.5319E-019	4.4460E-018
RCPTR_49	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.4774E-016	2.3348E-015
RCPTR_49	farmer_adult	TOCDFDFS	Methyl mercury	3.3889E-011	3.7405E-011
RCPTR_49	farmer_adult	TOCDFDFS	Methylene chloride	1.2948E-017	6.7484E-017
RCPTR_49	farmer_adult	TOCDFDFS	Naphthalene	2.1898E-013	1.1316E-012
RCPTR_49	farmer_adult	TOCDFDFS	Nickel	1.4801E-008	1.6939E-008
RCPTR_49	farmer_adult	TOCDFDFS	Nitroaniline, 2-	8.7018E-013	4.5223E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFDFS	Nitroaniline, 3-	2.0670E-013	1.0768E-012
RCPTR_49	farmer_adult	TOCDFDFS	Nitroaniline, 4-	2.6726E-013	1.3911E-012
RCPTR_49	farmer_adult	TOCDFDFS	Nitrobenzene	8.6929E-014	4.5317E-013
RCPTR_49	farmer_adult	TOCDFDFS	Nitrophenol, 2-	3.9594E-014	2.0630E-013
RCPTR_49	farmer_adult	TOCDFDFS	Nitrophenol, 4-	1.0822E-012	2.6483E-012
RCPTR_49	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	4.9148E-014	2.5544E-013
RCPTR_49	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	4.8363E-014	2.5094E-013
RCPTR_49	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	4.3669E-015	2.2431E-014
RCPTR_49	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.2248E-014	1.5047E-014
RCPTR_49	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	4.1997E-015	5.1405E-015
RCPTR_49	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.1448E-013	1.3476E-013
RCPTR_49	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	9.7534E-015	1.2472E-014
RCPTR_49	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	3.9225E-014	4.9956E-014
RCPTR_49	farmer_adult	TOCDFDFS	Pentachlorobenzene	3.6524E-012	1.6981E-011
RCPTR_49	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.4544E-012	6.6069E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFDFS	Pentachlorophenol	1.5225E-009	2.4873E-009
RCPTR_49	farmer_adult	TOCDFDFS	Phenanthrene	6.7579E-014	3.4509E-013
RCPTR_49	farmer_adult	TOCDFDFS	Phenol	6.8991E-014	3.5884E-013
RCPTR_49	farmer_adult	TOCDFDFS	Pronamide	1.3475E-011	6.8216E-011
RCPTR_49	farmer_adult	TOCDFDFS	Pyrene	3.2996E-009	1.3893E-008
RCPTR_49	farmer_adult	TOCDFDFS	Selenium	4.7983E-009	4.8446E-009
RCPTR_49	farmer_adult	TOCDFDFS	Silver	1.6792E-009	1.9692E-009
RCPTR_49	farmer_adult	TOCDFDFS	Styrene	1.4091E-014	7.3240E-014
RCPTR_49	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	5.4044E-014	7.3501E-014
RCPTR_49	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	1.7566E-014	2.5729E-014
RCPTR_49	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	5.5858E-012	2.7438E-011
RCPTR_49	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	5.7139E-013	8.2868E-013
RCPTR_49	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.7359E-016	9.0233E-016
RCPTR_49	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	5.7399E-011	1.7477E-010
RCPTR_49	farmer_adult	TOCDFDFS	Thallium (I)	4.2744E-008	4.7530E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFDFS	Toluene	2.3508E-016	1.2141E-015
RCPTR_49	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.0944E-013	1.0560E-012
RCPTR_49	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.1205E-016	5.8316E-016
RCPTR_49	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	8.5609E-016	4.4600E-015
RCPTR_49	farmer_adult	TOCDFDFS	Trichloroethylene	1.3941E-016	7.2480E-016
RCPTR_49	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.8319E-017	9.5262E-017
RCPTR_49	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	2.4735E-011	1.2023E-010
RCPTR_49	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	5.6468E-012	2.3713E-011
RCPTR_49	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	3.1699E-015	1.6506E-014
RCPTR_49	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	3.8089E-014	1.9217E-013
RCPTR_49	farmer_adult	TOCDFDFS	Vinyl Chloride	4.5245E-020	2.3559E-019
RCPTR_49	farmer_adult	TOCDFDFS	Xylene, m-	2.2544E-015	5.1025E-015
RCPTR_49	farmer_adult	TOCDFDFS	Xylene, o-	2.1062E-015	5.3531E-015
RCPTR_49	farmer_adult	TOCDFDFS	Xylene, p-	2.5152E-015	6.9322E-015
RCPTR_49	farmer_adult	TOCDFDFS	Zinc	9.1094E-009	1.3130E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFLIC	Acenaphthene	3.3387E-012	1.7111E-011
RCPTR_49	farmer_adult	TOCDFLIC	Acetone	8.6745E-017	4.5236E-016
RCPTR_49	farmer_adult	TOCDFLIC	Acetophenone	3.1224E-014	1.6269E-013
RCPTR_49	farmer_adult	TOCDFLIC	Aniline	1.0465E-015	5.4418E-015
RCPTR_49	farmer_adult	TOCDFLIC	Anthracene	5.8987E-011	3.0182E-010
RCPTR_49	farmer_adult	TOCDFLIC	Antimony	8.8202E-010	1.1876E-009
RCPTR_49	farmer_adult	TOCDFLIC	Arsenic	2.7252E-009	2.9080E-009
RCPTR_49	farmer_adult	TOCDFLIC	Barium	9.2754E-011	1.1655E-010
RCPTR_49	farmer_adult	TOCDFLIC	Benzene	7.9873E-016	4.1491E-015
RCPTR_49	farmer_adult	TOCDFLIC	Benzo(a)anthracene	1.5430E-008	3.0094E-008
RCPTR_49	farmer_adult	TOCDFLIC	Benzo(a)pyrene	1.4503E-007	1.5944E-007
RCPTR_49	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	8.3701E-008	1.2069E-007
RCPTR_49	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	2.3000E-007	2.5792E-007
RCPTR_49	farmer_adult	TOCDFLIC	Benzoic acid	1.4131E-013	6.5688E-013
RCPTR_49	farmer_adult	TOCDFLIC	Benzyl alcohol	2.3709E-014	1.2348E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFLIC	Beryllium	5.3154E-010	6.7920E-010
RCPTR_49	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	2.3701E-014	1.2360E-013
RCPTR_49	farmer_adult	TOCDFLIC	Bromodichloromethane	2.1206E-016	1.1051E-015
RCPTR_49	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	7.3028E-015	3.8065E-014
RCPTR_49	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.3363E-009	6.6402E-009
RCPTR_49	farmer_adult	TOCDFLIC	Butylbenzylphthalate	8.5421E-011	1.0922E-010
RCPTR_49	farmer_adult	TOCDFLIC	Cadmium	3.0559E-010	5.0775E-010
RCPTR_49	farmer_adult	TOCDFLIC	Carbon disulfide	4.8335E-017	2.5144E-016
RCPTR_49	farmer_adult	TOCDFLIC	Carbon tetrachloride	7.6415E-017	3.9680E-016
RCPTR_49	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.2942E-012	9.9191E-012
RCPTR_49	farmer_adult	TOCDFLIC	Chloroaniline, p-	1.1042E-013	5.7378E-013
RCPTR_49	farmer_adult	TOCDFLIC	Chlorobenzene	4.4807E-016	2.3207E-015
RCPTR_49	farmer_adult	TOCDFLIC	Chloroethane	1.2779E-018	6.5047E-018
RCPTR_49	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	6.7481E-017	3.5158E-016
RCPTR_49	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	8.6944E-012	4.4727E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFLIC	Chlorophenol, 2-	3.0577E-013	1.5940E-012
RCPTR_49	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.2777E-011	5.5070E-011
RCPTR_49	farmer_adult	TOCDFLIC	Chromium	2.9295E-008	3.0597E-008
RCPTR_49	farmer_adult	TOCDFLIC	Chromium, hexavalent	1.7207E-008	1.7770E-008
RCPTR_49	farmer_adult	TOCDFLIC	Chrysene	4.3786E-008	6.3247E-008
RCPTR_49	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	3.3552E-010	4.2709E-010
RCPTR_49	farmer_adult	TOCDFLIC	Di-n-octylphthalate	1.6775E+000	1.6775E+000
RCPTR_49	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	2.8910E-006	2.9785E-006
RCPTR_49	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	1.4228E-014	7.2078E-014
RCPTR_49	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.7067E-014	8.7346E-014
RCPTR_49	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.6394E-014	8.4133E-014
RCPTR_49	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	1.5780E-010	2.2064E-010
RCPTR_49	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	1.0022E-019	5.2076E-019
RCPTR_49	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.5176E-017	1.3119E-016
RCPTR_49	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	3.1271E-017	1.6298E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	9.5431E-018	4.9657E-017
RCPTR_49	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.5343E-017	7.9821E-017
RCPTR_49	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	1.7720E-012	6.7190E-012
RCPTR_49	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	8.6461E-017	4.4903E-016
RCPTR_49	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	2.8459E-017	1.4822E-016
RCPTR_49	farmer_adult	TOCDFLIC	Diethyl phthalate	2.0703E-010	2.2270E-010
RCPTR_49	farmer_adult	TOCDFLIC	Dimethyl phthalate	8.4782E-013	4.3141E-012
RCPTR_49	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	2.0959E-013	1.0856E-012
RCPTR_49	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	1.8387E-013	4.8842E-013
RCPTR_49	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.9815E-013	9.9218E-013
RCPTR_49	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	1.5130E-013	7.6623E-013
RCPTR_49	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	4.4382E-015	2.3141E-014
RCPTR_49	farmer_adult	TOCDFLIC	Ethylbenzene	3.7263E-016	1.8844E-015
RCPTR_49	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	2.7488E-010	3.5482E-010
RCPTR_49	farmer_adult	TOCDFLIC	Fluoranthene	1.0146E-009	4.0668E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFLIC	Fluorene	1.3237E-011	6.7063E-011
RCPTR_49	farmer_adult	TOCDFLIC	GB	7.4379E-017	3.8743E-016
RCPTR_49	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	3.0653E-015	3.5961E-015
RCPTR_49	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	3.6525E-015	4.1610E-015
RCPTR_49	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	8.7550E-015	1.0233E-014
RCPTR_49	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	3.8674E-014	4.4270E-014
RCPTR_49	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.2079E-014	2.6184E-014
RCPTR_49	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.8914E-014	2.2935E-014
RCPTR_49	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.2189E-014	1.5074E-014
RCPTR_49	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.1945E-014	1.4756E-014
RCPTR_49	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.3831E-014	1.7060E-014
RCPTR_49	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.0089E-014	1.2454E-014
RCPTR_49	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.8709E-013	1.3994E-012
RCPTR_49	farmer_adult	TOCDFLIC	Hexachlorobenzene	5.7758E-010	2.8585E-009
RCPTR_49	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	7.7277E-013	3.7083E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.6935E-013	8.6795E-013
RCPTR_49	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_49	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	2.2315E-005	2.2478E-005
RCPTR_49	farmer_adult	TOCDFLIC	Isophorone	3.1756E-014	1.6545E-013
RCPTR_49	farmer_adult	TOCDFLIC	Lead	6.6356E-008	9.1360E-008
RCPTR_49	farmer_adult	TOCDFLIC	Mercuric chloride	5.4650E-007	6.0714E-007
RCPTR_49	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	1.7336E-018	9.0374E-018
RCPTR_49	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.4204E-019	7.4017E-019
RCPTR_49	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	5.1597E-016	2.6905E-015
RCPTR_49	farmer_adult	TOCDFLIC	Methyl mercury	2.9847E-009	3.3012E-009
RCPTR_49	farmer_adult	TOCDFLIC	Methylene chloride	1.0979E-017	5.7221E-017
RCPTR_49	farmer_adult	TOCDFLIC	Naphthalene	1.3501E-013	6.9745E-013
RCPTR_49	farmer_adult	TOCDFLIC	Nickel	8.6775E-009	9.9120E-009
RCPTR_49	farmer_adult	TOCDFLIC	Nitroaniline, 2-	5.4277E-013	2.8205E-012
RCPTR_49	farmer_adult	TOCDFLIC	Nitroaniline, 3-	1.2892E-013	6.7154E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.6667E-013	8.6755E-013
RCPTR_49	farmer_adult	TOCDFLIC	Nitrobenzene	5.3575E-014	2.7929E-013
RCPTR_49	farmer_adult	TOCDFLIC	Nitrophenol, 2-	2.4403E-014	1.2714E-013
RCPTR_49	farmer_adult	TOCDFLIC	Nitrophenol, 4-	6.9408E-013	1.6708E-012
RCPTR_49	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	3.0295E-014	1.5743E-013
RCPTR_49	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	2.9814E-014	1.5466E-013
RCPTR_49	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	2.6886E-015	1.3821E-014
RCPTR_49	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.0739E-014	1.3140E-014
RCPTR_49	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	3.5255E-015	4.2988E-015
RCPTR_49	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	7.9818E-014	9.3337E-014
RCPTR_49	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.1495E-014	2.7335E-014
RCPTR_49	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	4.7477E-014	6.0175E-014
RCPTR_49	farmer_adult	TOCDFLIC	Pentachlorobenzene	2.2394E-012	1.0454E-011
RCPTR_49	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	9.0186E-013	4.1152E-012
RCPTR_49	farmer_adult	TOCDFLIC	Pentachlorophenol	9.8451E-010	1.5862E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFLIC	Phenanthrene	4.1683E-014	2.1272E-013
RCPTR_49	farmer_adult	TOCDFLIC	Phenol	4.2525E-014	2.2116E-013
RCPTR_49	farmer_adult	TOCDFLIC	Pronamide	4.1580E-012	2.1027E-011
RCPTR_49	farmer_adult	TOCDFLIC	Pyrene	2.0401E-009	8.5681E-009
RCPTR_49	farmer_adult	TOCDFLIC	Selenium	1.8696E-009	1.8874E-009
RCPTR_49	farmer_adult	TOCDFLIC	Silver	6.3925E-010	7.4802E-010
RCPTR_49	farmer_adult	TOCDFLIC	Styrene	1.5500E-014	8.0552E-014
RCPTR_49	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	2.8114E-014	3.8040E-014
RCPTR_49	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	3.8355E-014	5.5868E-014
RCPTR_49	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	3.4521E-012	1.6920E-011
RCPTR_49	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	3.1389E-013	4.4996E-013
RCPTR_49	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	9.1807E-017	4.7720E-016
RCPTR_49	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	3.6585E-011	1.0978E-010
RCPTR_49	farmer_adult	TOCDFLIC	Thallium (I)	1.6772E-008	1.8622E-008
RCPTR_49	farmer_adult	TOCDFLIC	Toluene	7.1529E-016	3.6930E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.2925E-013	6.5101E-013
RCPTR_49	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	5.9263E-017	3.0840E-016
RCPTR_49	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	4.5276E-016	2.3587E-015
RCPTR_49	farmer_adult	TOCDFLIC	Trichloroethylene	7.3735E-017	3.8332E-016
RCPTR_49	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	9.6888E-018	5.0380E-017
RCPTR_49	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.5300E-011	7.4155E-011
RCPTR_49	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	3.5162E-012	1.4651E-011
RCPTR_49	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	1.6765E-015	8.7289E-015
RCPTR_49	farmer_adult	TOCDFLIC	Vinyl Chloride	2.5781E-020	1.3425E-019
RCPTR_49	farmer_adult	TOCDFLIC	Xylene, m-	2.0150E-015	4.7005E-015
RCPTR_49	farmer_adult	TOCDFLIC	Xylene, o-	1.2036E-015	3.1515E-015
RCPTR_49	farmer_adult	TOCDFLIC	Xylene, p-	2.2685E-015	6.4333E-015
RCPTR_49	farmer_adult	TOCDFLIC	Zinc	2.4770E-009	3.5551E-009
RCPTR_49	farmer_adult	TOCDFMPF	Acenaphthene	1.4189E-011	7.2719E-011
RCPTR_49	farmer_adult	TOCDFMPF	Acetone	4.3331E-017	2.2596E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFMPF	Acetophenone	7.3718E-014	3.8410E-013
RCPTR_49	farmer_adult	TOCDFMPF	Aniline	4.4474E-015	2.3126E-014
RCPTR_49	farmer_adult	TOCDFMPF	Anthracene	2.5068E-010	1.2826E-009
RCPTR_49	farmer_adult	TOCDFMPF	Antimony	2.6251E-010	3.5352E-010
RCPTR_49	farmer_adult	TOCDFMPF	Arsenic	6.3951E-010	6.8242E-010
RCPTR_49	farmer_adult	TOCDFMPF	Barium	8.6947E-011	1.0926E-010
RCPTR_49	farmer_adult	TOCDFMPF	Benzene	3.8728E-017	2.0118E-016
RCPTR_49	farmer_adult	TOCDFMPF	Benzo(a)anthracene	6.5601E-008	1.2793E-007
RCPTR_49	farmer_adult	TOCDFMPF	Benzo(a)pyrene	6.1691E-007	6.7828E-007
RCPTR_49	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	3.5581E-007	5.1304E-007
RCPTR_49	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	9.7828E-007	1.0973E-006
RCPTR_49	farmer_adult	TOCDFMPF	Benzoic acid	5.5977E-013	2.6023E-012
RCPTR_49	farmer_adult	TOCDFMPF	Benzyl alcohol	1.0076E-013	5.2475E-013
RCPTR_49	farmer_adult	TOCDFMPF	Beryllium	1.5182E-010	1.9402E-010
RCPTR_49	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.0072E-013	5.2525E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFMPF	Bromodichloromethane	3.4418E-016	1.7936E-015
RCPTR_49	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.2984E-014	6.7679E-014
RCPTR_49	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	5.6789E-009	2.8219E-008
RCPTR_49	farmer_adult	TOCDFMPF	Butylbenzylphthalate	3.6361E-010	4.6474E-010
RCPTR_49	farmer_adult	TOCDFMPF	Cadmium	1.3370E-010	2.2219E-010
RCPTR_49	farmer_adult	TOCDFMPF	Carbon disulfide	6.7652E-017	3.5193E-016
RCPTR_49	farmer_adult	TOCDFMPF	Carbon tetrachloride	1.0723E-016	5.5681E-016
RCPTR_49	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	9.7488E-012	4.2153E-011
RCPTR_49	farmer_adult	TOCDFMPF	Chloroaniline, p-	4.6924E-013	2.4384E-012
RCPTR_49	farmer_adult	TOCDFMPF	Chlorobenzene	6.2876E-016	3.2565E-015
RCPTR_49	farmer_adult	TOCDFMPF	Chloroethane	1.7932E-018	9.1278E-018
RCPTR_49	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	9.1088E-017	4.7457E-016
RCPTR_49	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	3.6949E-011	1.9008E-010
RCPTR_49	farmer_adult	TOCDFMPF	Chlorophenol, 2-	1.2994E-012	6.7743E-012
RCPTR_49	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	5.4302E-011	2.3404E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFMPF	Chromium	5.6688E-009	5.9207E-009
RCPTR_49	farmer_adult	TOCDFMPF	Chromium, hexavalent	3.3288E-009	3.4378E-009
RCPTR_49	farmer_adult	TOCDFMPF	Chrysene	1.8612E-007	2.6886E-007
RCPTR_49	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.4258E-009	1.8149E-009
RCPTR_49	farmer_adult	TOCDFMPF	Di-n-octylphthalate	7.1262E+000	7.1262E+000
RCPTR_49	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.2288E-005	1.2661E-005
RCPTR_49	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	6.0465E-014	3.0631E-013
RCPTR_49	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	7.2531E-014	3.7120E-013
RCPTR_49	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	6.9669E-014	3.5754E-013
RCPTR_49	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	8.7786E-010	1.2273E-009
RCPTR_49	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	1.4064E-019	7.3076E-019
RCPTR_49	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	3.5328E-017	1.8409E-016
RCPTR_49	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	4.3882E-017	2.2871E-016
RCPTR_49	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	1.3391E-017	6.9681E-017
RCPTR_49	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.1530E-017	1.1201E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	7.5296E-012	2.8553E-011
RCPTR_49	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.2133E-016	6.3011E-016
RCPTR_49	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	3.9935E-017	2.0799E-016
RCPTR_49	farmer_adult	TOCDFMPF	Diethyl phthalate	8.7948E-010	9.4608E-010
RCPTR_49	farmer_adult	TOCDFMPF	Dimethyl phthalate	3.0724E-013	1.5633E-012
RCPTR_49	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	8.9071E-013	4.6135E-012
RCPTR_49	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	7.7985E-013	2.0718E-012
RCPTR_49	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	8.4215E-013	4.2166E-012
RCPTR_49	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	6.4300E-013	3.2563E-012
RCPTR_49	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	1.8861E-014	9.8344E-014
RCPTR_49	farmer_adult	TOCDFMPF	Ethylbenzene	3.9217E-016	1.9832E-015
RCPTR_49	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	3.0381E-010	3.9201E-010
RCPTR_49	farmer_adult	TOCDFMPF	Fluoranthene	4.3121E-009	1.7283E-008
RCPTR_49	farmer_adult	TOCDFMPF	Fluorene	5.6253E-011	2.8500E-010
RCPTR_49	farmer_adult	TOCDFMPF	GB	1.0547E-016	5.4940E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	6.4529E-015	7.5722E-015
RCPTR_49	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	2.4481E-013	2.7897E-013
RCPTR_49	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	4.0597E-014	4.7464E-014
RCPTR_49	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	8.8240E-014	1.0103E-013
RCPTR_49	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	4.7971E-014	5.6904E-014
RCPTR_49	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	4.4874E-014	5.4424E-014
RCPTR_49	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.8292E-012	2.2622E-012
RCPTR_49	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	4.4638E-013	5.5149E-013
RCPTR_49	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	7.7524E-014	9.5628E-014
RCPTR_49	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	5.5355E-014	6.8335E-014
RCPTR_49	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.2201E-012	5.9471E-012
RCPTR_49	farmer_adult	TOCDFMPF	Hexachlorobenzene	2.4546E-009	1.2148E-008
RCPTR_49	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	3.2843E-012	1.5759E-011
RCPTR_49	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	7.1969E-013	3.6885E-012
RCPTR_49	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	9.4809E-005	9.5505E-005
RCPTR_49	farmer_adult	TOCDFMPF	Isophorone	1.3496E-013	7.0310E-013
RCPTR_49	farmer_adult	TOCDFMPF	Lead	5.2327E-011	7.2052E-011
RCPTR_49	farmer_adult	TOCDFMPF	Mercuric chloride	6.1698E-009	6.8542E-009
RCPTR_49	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	2.0728E-018	1.0806E-017
RCPTR_49	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	7.4171E-020	3.8650E-019
RCPTR_49	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	4.8540E-016	2.5312E-015
RCPTR_49	farmer_adult	TOCDFMPF	Methyl mercury	3.3750E-011	3.7323E-011
RCPTR_49	farmer_adult	TOCDFMPF	Methylene chloride	1.2140E-017	6.3271E-017
RCPTR_49	farmer_adult	TOCDFMPF	Naphthalene	5.7374E-013	2.9640E-012
RCPTR_49	farmer_adult	TOCDFMPF	Nickel	6.8050E-009	7.7736E-009
RCPTR_49	farmer_adult	TOCDFMPF	Nitroaniline, 2-	2.3024E-012	1.1964E-011
RCPTR_49	farmer_adult	TOCDFMPF	Nitroaniline, 3-	5.4686E-013	2.8487E-012
RCPTR_49	farmer_adult	TOCDFMPF	Nitroaniline, 4-	7.0701E-013	3.6801E-012
RCPTR_49	farmer_adult	TOCDFMPF	Nitrobenzene	2.2768E-013	1.1869E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.0370E-013	5.4031E-013
RCPTR_49	farmer_adult	TOCDFMPF	Nitrophenol, 4-	2.9435E-012	7.0867E-012
RCPTR_49	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.2875E-013	6.6904E-013
RCPTR_49	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.2670E-013	6.5727E-013
RCPTR_49	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.1427E-014	5.8738E-014
RCPTR_49	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	1.5965E-014	1.9538E-014
RCPTR_49	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.2192E-014	2.7062E-014
RCPTR_49	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	3.1451E-013	3.6783E-013
RCPTR_49	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	2.3891E-013	3.0384E-013
RCPTR_49	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	7.7061E-013	9.7675E-013
RCPTR_49	farmer_adult	TOCDFMPF	Pentachlorobenzene	9.5212E-012	4.4429E-011
RCPTR_49	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	3.8276E-012	1.7459E-011
RCPTR_49	farmer_adult	TOCDFMPF	Pentachlorophenol	4.1748E-009	6.7273E-009
RCPTR_49	farmer_adult	TOCDFMPF	Phenanthrene	1.7714E-013	9.0398E-013
RCPTR_49	farmer_adult	TOCDFMPF	Phenol	1.8072E-013	9.3987E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFMPF	Pronamide	1.7670E-011	8.9357E-011
RCPTR_49	farmer_adult	TOCDFMPF	Pyrene	8.6702E-009	3.6412E-008
RCPTR_49	farmer_adult	TOCDFMPF	Selenium	5.4691E-010	5.5211E-010
RCPTR_49	farmer_adult	TOCDFMPF	Silver	2.5581E-009	2.9936E-009
RCPTR_49	farmer_adult	TOCDFMPF	Styrene	1.6522E-014	8.5862E-014
RCPTR_49	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	7.9580E-014	1.0767E-013
RCPTR_49	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	1.5669E-013	2.2822E-013
RCPTR_49	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.4670E-011	7.1903E-011
RCPTR_49	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	4.4031E-013	6.3124E-013
RCPTR_49	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.8550E-016	1.4840E-015
RCPTR_49	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.5516E-010	4.6567E-010
RCPTR_49	farmer_adult	TOCDFMPF	Thallium (I)	4.9487E-009	5.4947E-009
RCPTR_49	farmer_adult	TOCDFMPF	Toluene	1.9970E-016	1.0310E-015
RCPTR_49	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	5.4928E-013	2.7666E-012
RCPTR_49	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	8.3161E-017	4.3277E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	6.3534E-016	3.3098E-015
RCPTR_49	farmer_adult	TOCDFMPF	Trichloroethylene	1.0347E-016	5.3789E-016
RCPTR_49	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.3596E-017	7.0696E-017
RCPTR_49	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	6.5017E-011	3.1514E-010
RCPTR_49	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	1.4941E-011	6.2259E-011
RCPTR_49	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	2.3526E-015	1.2249E-014
RCPTR_49	farmer_adult	TOCDFMPF	Vinyl Chloride	3.3575E-020	1.7483E-019
RCPTR_49	farmer_adult	TOCDFMPF	Xylene, m-	1.5916E-015	3.7052E-015
RCPTR_49	farmer_adult	TOCDFMPF	Xylene, o-	1.4938E-015	3.9033E-015
RCPTR_49	farmer_adult	TOCDFMPF	Xylene, p-	1.7907E-015	5.0686E-015
RCPTR_49	farmer_adult	TOCDFMPF	Zinc	1.5162E-009	2.1765E-009
RCPTR_49	farmer_adult	TOCDHVAC	GB	4.1881E-016	2.1820E-015
RCPTR_49	farmer_adult	TOCDLIC2	Acenaphthene	6.8899E-012	3.5312E-011
RCPTR_49	farmer_adult	TOCDLIC2	Acetone	8.5842E-017	4.4765E-016
RCPTR_49	farmer_adult	TOCDLIC2	Acetophenone	3.5797E-014	1.8651E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDLIC2	Aniline	2.1596E-015	1.1230E-014
RCPTR_49	farmer_adult	TOCDLIC2	Anthracene	1.2173E-010	6.2284E-010
RCPTR_49	farmer_adult	TOCDLIC2	Antimony	1.1735E-009	1.5801E-009
RCPTR_49	farmer_adult	TOCDLIC2	Arsenic	2.7252E-009	2.9080E-009
RCPTR_49	farmer_adult	TOCDLIC2	Barium	8.9381E-010	1.1231E-009
RCPTR_49	farmer_adult	TOCDLIC2	Benzene	5.7480E-017	2.9859E-016
RCPTR_49	farmer_adult	TOCDLIC2	Benzo(a)anthracene	3.1843E-008	6.2104E-008
RCPTR_49	farmer_adult	TOCDLIC2	Benzo(a)pyrene	2.9930E-007	3.2903E-007
RCPTR_49	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.7273E-007	2.4906E-007
RCPTR_49	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	4.7464E-007	5.3224E-007
RCPTR_49	farmer_adult	TOCDLIC2	Benzoic acid	2.7183E-013	1.2637E-012
RCPTR_49	farmer_adult	TOCDLIC2	Benzyl alcohol	4.8927E-014	2.5481E-013
RCPTR_49	farmer_adult	TOCDLIC2	Beryllium	5.3154E-010	6.7920E-010
RCPTR_49	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	4.8910E-014	2.5506E-013
RCPTR_49	farmer_adult	TOCDLIC2	Bromodichloromethane	6.4931E-016	3.3836E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	1.6932E-014	8.8256E-014
RCPTR_49	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	2.7576E-009	1.3703E-008
RCPTR_49	farmer_adult	TOCDLIC2	Butylbenzylphthalate	1.7628E-010	2.2538E-010
RCPTR_49	farmer_adult	TOCDLIC2	Cadmium	3.4724E-011	5.7695E-011
RCPTR_49	farmer_adult	TOCDLIC2	Carbon disulfide	7.3251E-017	3.8105E-016
RCPTR_49	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.1630E-016	6.0392E-016
RCPTR_49	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	4.7344E-012	2.0469E-011
RCPTR_49	farmer_adult	TOCDLIC2	Chloroaniline, p-	2.2786E-013	1.1841E-012
RCPTR_49	farmer_adult	TOCDLIC2	Chlorobenzene	6.8195E-016	3.5320E-015
RCPTR_49	farmer_adult	TOCDLIC2	Chloroethane	1.9450E-018	9.9000E-018
RCPTR_49	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	2.0835E-016	1.0855E-015
RCPTR_49	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	1.7942E-011	9.2300E-011
RCPTR_49	farmer_adult	TOCDLIC2	Chlorophenol, 2-	6.3099E-013	3.2895E-012
RCPTR_49	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	2.6367E-011	1.1364E-010
RCPTR_49	farmer_adult	TOCDLIC2	Chromium	2.9295E-008	3.0597E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDLIC2	Chromium, hexavalent	1.7207E-008	1.7770E-008
RCPTR_49	farmer_adult	TOCDLIC2	Chrysene	9.0358E-008	1.3052E-007
RCPTR_49	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	6.9240E-010	8.8136E-010
RCPTR_49	farmer_adult	TOCDLIC2	Di-n-octylphthalate	3.4618E+000	3.4618E+000
RCPTR_49	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	5.9659E-006	6.1465E-006
RCPTR_49	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	2.9361E-014	1.4874E-013
RCPTR_49	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	3.5221E-014	1.8025E-013
RCPTR_49	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	3.3831E-014	1.7362E-013
RCPTR_49	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	3.7948E-010	5.3060E-010
RCPTR_49	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	1.5253E-019	7.9258E-019
RCPTR_49	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	3.8317E-017	1.9967E-016
RCPTR_49	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	4.7594E-017	2.4805E-016
RCPTR_49	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	1.4524E-017	7.5576E-017
RCPTR_49	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	2.3352E-017	1.2149E-016
RCPTR_49	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	3.6568E-012	1.3865E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	1.3159E-016	6.8341E-016
RCPTR_49	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	4.3313E-017	2.2558E-016
RCPTR_49	farmer_adult	TOCDLIC2	Diethyl phthalate	4.2724E-010	4.5958E-010
RCPTR_49	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.0384E-012	5.2839E-012
RCPTR_49	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	4.3252E-013	2.2403E-012
RCPTR_49	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	3.8042E-013	1.0105E-012
RCPTR_49	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	4.0892E-013	2.0475E-012
RCPTR_49	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	3.1223E-013	1.5812E-012
RCPTR_49	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	9.1589E-015	4.7755E-014
RCPTR_49	farmer_adult	TOCDLIC2	Ethylbenzene	4.8240E-016	2.4394E-015
RCPTR_49	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	1.8404E-010	2.3757E-010
RCPTR_49	farmer_adult	TOCDLIC2	Fluoranthene	2.0938E-009	8.3924E-009
RCPTR_49	farmer_adult	TOCDLIC2	Fluorene	2.7316E-011	1.3839E-010
RCPTR_49	farmer_adult	TOCDLIC2	GB	7.7325E-017	4.0277E-016
RCPTR_49	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.1515E-014	2.5241E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.9951E-014	2.2728E-014
RCPTR_49	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	1.9108E-014	2.2335E-014
RCPTR_49	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	5.8059E-014	6.6460E-014
RCPTR_49	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	4.1646E-014	4.9390E-014
RCPTR_49	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	4.0327E-014	4.8901E-014
RCPTR_49	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	3.9224E-014	4.8505E-014
RCPTR_49	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	2.3653E-014	2.9220E-014
RCPTR_49	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	2.1111E-014	2.6039E-014
RCPTR_49	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	2.4175E-014	2.9841E-014
RCPTR_49	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	5.9244E-013	2.8878E-012
RCPTR_49	farmer_adult	TOCDLIC2	Hexachlorobenzene	1.1919E-009	5.8990E-009
RCPTR_49	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	1.5947E-012	7.6525E-012
RCPTR_49	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	3.4948E-013	1.7911E-012
RCPTR_49	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_49	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	4.6049E-005	4.6386E-005

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDLIC2	Isophorone	6.5534E-014	3.4142E-013
RCPTR_49	farmer_adult	TOCDLIC2	Lead	4.7842E-009	6.5870E-009
RCPTR_49	farmer_adult	TOCDLIC2	Mercuric chloride	5.4650E-007	6.0714E-007
RCPTR_49	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	2.2675E-018	1.1821E-017
RCPTR_49	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	9.0416E-020	4.7115E-019
RCPTR_49	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	5.0856E-016	2.6519E-015
RCPTR_49	farmer_adult	TOCDLIC2	Methyl mercury	2.9847E-009	3.3012E-009
RCPTR_49	farmer_adult	TOCDLIC2	Methylene chloride	3.9938E-017	2.0815E-016
RCPTR_49	farmer_adult	TOCDLIC2	Naphthalene	2.7860E-013	1.4393E-012
RCPTR_49	farmer_adult	TOCDLIC2	Nickel	3.0164E-009	3.4455E-009
RCPTR_49	farmer_adult	TOCDLIC2	Nitroaniline, 2-	1.1230E-012	5.8354E-012
RCPTR_49	farmer_adult	TOCDLIC2	Nitroaniline, 3-	2.6672E-013	1.3894E-012
RCPTR_49	farmer_adult	TOCDLIC2	Nitroaniline, 4-	3.4483E-013	1.7949E-012
RCPTR_49	farmer_adult	TOCDLIC2	Nitrobenzene	1.1056E-013	5.7635E-013
RCPTR_49	farmer_adult	TOCDLIC2	Nitrophenol, 2-	5.0358E-014	2.6237E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.4360E-012	3.4568E-012
RCPTR_49	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	6.2518E-014	3.2488E-013
RCPTR_49	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	6.1526E-014	3.1916E-013
RCPTR_49	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	5.5482E-015	2.8522E-014
RCPTR_49	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	3.6057E-014	4.4119E-014
RCPTR_49	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.1925E-014	1.4540E-014
RCPTR_49	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.4925E-013	1.7453E-013
RCPTR_49	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	4.5482E-014	5.7841E-014
RCPTR_49	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	1.2635E-013	1.6014E-013
RCPTR_49	farmer_adult	TOCDLIC2	Pentachlorobenzene	4.6214E-012	2.1573E-011
RCPTR_49	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.8659E-012	8.5142E-012
RCPTR_49	farmer_adult	TOCDLIC2	Pentachlorophenol	2.0369E-009	3.2818E-009
RCPTR_49	farmer_adult	TOCDLIC2	Phenanthrene	8.6019E-014	4.3897E-013
RCPTR_49	farmer_adult	TOCDLIC2	Phenol	9.2782E-014	4.8253E-013
RCPTR_49	farmer_adult	TOCDLIC2	Pronamide	8.5805E-012	4.3391E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDLIC2	Pyrene	4.2101E-009	1.7681E-008
RCPTR_49	farmer_adult	TOCDLIC2	Selenium	1.8696E-009	1.8874E-009
RCPTR_49	farmer_adult	TOCDLIC2	Silver	6.3925E-010	7.4802E-010
RCPTR_49	farmer_adult	TOCDLIC2	Styrene	1.2985E-014	6.7481E-014
RCPTR_49	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	8.1500E-014	1.1027E-013
RCPTR_49	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	6.8703E-014	1.0007E-013
RCPTR_49	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	7.1239E-012	3.4916E-011
RCPTR_49	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	4.7773E-013	6.8482E-013
RCPTR_49	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.3973E-016	7.2628E-016
RCPTR_49	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	7.5692E-011	2.2714E-010
RCPTR_49	farmer_adult	TOCDLIC2	Thallium (I)	1.6772E-008	1.8622E-008
RCPTR_49	farmer_adult	TOCDLIC2	Toluene	7.5293E-016	3.8874E-015
RCPTR_49	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	2.6673E-013	1.3434E-012
RCPTR_49	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	9.0196E-017	4.6938E-016
RCPTR_49	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	6.8908E-016	3.5898E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_adult	TOCDLIC2	Trichloroethylene	1.1222E-016	5.8339E-016
RCPTR_49	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.4746E-017	7.6677E-017
RCPTR_49	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	3.1573E-011	1.5303E-010
RCPTR_49	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	7.2562E-012	3.0233E-011
RCPTR_49	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	2.5516E-015	1.3285E-014
RCPTR_49	farmer_adult	TOCDLIC2	Vinyl Chloride	4.3030E-020	2.2406E-019
RCPTR_49	farmer_adult	TOCDLIC2	Xylene, m-	2.3392E-015	5.4566E-015
RCPTR_49	farmer_adult	TOCDLIC2	Xylene, o-	1.6149E-015	4.2283E-015
RCPTR_49	farmer_adult	TOCDLIC2	Xylene, p-	2.6334E-015	7.4682E-015
RCPTR_49	farmer_adult	TOCDLIC2	Zinc	2.9576E-009	4.2448E-009
RCPTR_49	farmer_child	TOCDFBRA	Antimony	6.0881E-009	6.3496E-009
RCPTR_49	farmer_child	TOCDFBRA	Arsenic	7.8032E-009	7.8556E-009
RCPTR_49	farmer_child	TOCDFBRA	Barium	7.7733E-010	8.0136E-010
RCPTR_49	farmer_child	TOCDFBRA	Beryllium	2.5465E-009	3.1618E-009
RCPTR_49	farmer_child	TOCDFBRA	Cadmium	5.7589E-010	6.4054E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFBRA	Chromium	6.1504E-008	8.0177E-008
RCPTR_49	farmer_child	TOCDFBRA	Chromium, hexavalent	4.4656E-008	4.4755E-008
RCPTR_49	farmer_child	TOCDFBRA	Lead	2.9983E-008	4.0454E-008
RCPTR_49	farmer_child	TOCDFBRA	Mercuric chloride	1.0190E-005	1.8932E-005
RCPTR_49	farmer_child	TOCDFBRA	Methyl mercury	8.6517E-008	1.1226E-007
RCPTR_49	farmer_child	TOCDFBRA	Nickel	2.7245E-008	2.8051E-008
RCPTR_49	farmer_child	TOCDFBRA	Selenium	8.2450E-009	8.2465E-009
RCPTR_49	farmer_child	TOCDFBRA	Silver	3.3318E-009	3.3466E-009
RCPTR_49	farmer_child	TOCDFBRA	Thallium (I)	8.2269E-008	8.4369E-008
RCPTR_49	farmer_child	TOCDFBRA	Zinc	1.8416E-008	1.9709E-008
RCPTR_49	farmer_child	TOCDFDFS	Acenaphthene	2.7663E-011	2.7761E-011
RCPTR_49	farmer_child	TOCDFDFS	Acetone	3.4791E-016	3.4791E-016
RCPTR_49	farmer_child	TOCDFDFS	Acetophenone	1.5395E-013	1.5398E-013
RCPTR_49	farmer_child	TOCDFDFS	Aniline	8.8294E-015	8.8296E-015
RCPTR_49	farmer_child	TOCDFDFS	Anthracene	4.7370E-010	4.8968E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFDFS	Antimony	6.1803E-008	6.4312E-008
RCPTR_49	farmer_child	TOCDFDFS	Aroclor 1254	2.5155E-012	2.5347E-012
RCPTR_49	farmer_child	TOCDFDFS	Arsenic	4.5608E-009	4.5892E-009
RCPTR_49	farmer_child	TOCDFDFS	Barium	1.5766E-010	1.6225E-010
RCPTR_49	farmer_child	TOCDFDFS	Benzene	2.8761E-016	2.8761E-016
RCPTR_49	farmer_child	TOCDFDFS	Benzo(a)anthracene	4.0182E-008	4.8489E-008
RCPTR_49	farmer_child	TOCDFDFS	Benzo(a)pyrene	2.4918E-007	2.5657E-007
RCPTR_49	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	1.7284E-007	1.9295E-007
RCPTR_49	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	3.8684E-007	4.1594E-007
RCPTR_49	farmer_child	TOCDFDFS	Benzoic acid	9.9232E-013	9.9243E-013
RCPTR_49	farmer_child	TOCDFDFS	Benzyl alcohol	2.0025E-013	2.0035E-013
RCPTR_49	farmer_child	TOCDFDFS	Beryllium	1.4180E-009	1.7412E-009
RCPTR_49	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	2.0046E-013	2.0054E-013
RCPTR_49	farmer_child	TOCDFDFS	Bromodichloromethane	2.2690E-015	2.2691E-015
RCPTR_49	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	9.0177E-014	9.0185E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	7.7880E-009	1.0774E-008
RCPTR_49	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.7771E-010	1.7788E-010
RCPTR_49	farmer_child	TOCDFDFS	Cadmium	1.5912E-009	1.7622E-009
RCPTR_49	farmer_child	TOCDFDFS	Carbon disulfide	1.5036E-016	1.5036E-016
RCPTR_49	farmer_child	TOCDFDFS	Carbon tetrachloride	7.5029E-016	7.5029E-016
RCPTR_49	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	1.5983E-011	1.6062E-011
RCPTR_49	farmer_child	TOCDFDFS	Chloroaniline, p-	9.2995E-013	9.3097E-013
RCPTR_49	farmer_child	TOCDFDFS	Chlorobenzene	4.3880E-015	4.3880E-015
RCPTR_49	farmer_child	TOCDFDFS	Chloroethane	1.2297E-017	1.2297E-017
RCPTR_49	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	6.7955E-016	6.7955E-016
RCPTR_49	farmer_child	TOCDFDFS	Chloronaphthalene,2-	7.1974E-011	7.2565E-011
RCPTR_49	farmer_child	TOCDFDFS	Chlorophenol, 2-	2.5806E-012	2.5865E-012
RCPTR_49	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	8.8916E-011	8.9234E-011
RCPTR_49	farmer_child	TOCDFDFS	Chromium	1.8372E-008	2.3643E-008
RCPTR_49	farmer_child	TOCDFDFS	Chromium, hexavalent	1.3616E-008	1.3644E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFDFS	Chrysene	8.7381E-008	1.0113E-007
RCPTR_49	farmer_child	TOCDFDFS	Di-n-butyl phthalate	6.7380E-010	6.7541E-010
RCPTR_49	farmer_child	TOCDFDFS	Di-n-octylphthalate	2.6087E+000	2.6087E+000
RCPTR_49	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	4.6660E-006	4.7325E-006
RCPTR_49	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.1692E-013	1.1692E-013
RCPTR_49	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	1.4170E-013	1.4170E-013
RCPTR_49	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	1.3649E-013	1.3650E-013
RCPTR_49	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	6.8001E-010	6.8463E-010
RCPTR_49	farmer_child	TOCDFDFS	Dichlorodifluoromethane	9.8472E-019	9.8472E-019
RCPTR_49	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.4807E-016	2.4807E-016
RCPTR_49	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.0819E-016	3.0819E-016
RCPTR_49	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	9.3895E-017	9.3895E-017
RCPTR_49	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.5093E-016	1.5093E-016
RCPTR_49	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	1.0826E-011	1.0862E-011
RCPTR_49	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	8.4905E-016	8.4906E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.8027E-016	2.8027E-016
RCPTR_49	farmer_child	TOCDFDFS	Diethyl phthalate	3.4760E-010	3.4767E-010
RCPTR_49	farmer_child	TOCDFDFS	Dimethyl phthalate	3.8760E-012	3.8794E-012
RCPTR_49	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	1.7591E-012	1.7614E-012
RCPTR_49	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	7.7615E-013	7.7628E-013
RCPTR_49	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	1.6072E-012	1.6099E-012
RCPTR_49	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.2413E-012	1.2431E-012
RCPTR_49	farmer_child	TOCDFDFS	Ethyl methanesulfonate	3.7539E-014	3.7548E-014
RCPTR_49	farmer_child	TOCDFDFS	Ethylbenzene	2.6717E-015	2.6717E-015
RCPTR_49	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.8268E-011	1.8327E-011
RCPTR_49	farmer_child	TOCDFDFS	Fluoranthene	5.5810E-009	6.5865E-009
RCPTR_49	farmer_child	TOCDFDFS	Fluorene	1.0763E-010	1.0879E-010
RCPTR_49	farmer_child	TOCDFDFS	GB	1.0096E-015	1.0099E-015
RCPTR_49	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	4.8702E-015	5.5453E-015
RCPTR_49	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	2.4758E-015	2.7569E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	8.5393E-015	9.6938E-015
RCPTR_49	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	4.7270E-014	5.2831E-014
RCPTR_49	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.6113E-014	2.9958E-014
RCPTR_49	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	2.2998E-014	2.6806E-014
RCPTR_49	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.8252E-014	2.1568E-014
RCPTR_49	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.6229E-014	1.9169E-014
RCPTR_49	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	2.1736E-014	2.5644E-014
RCPTR_49	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.4968E-014	1.7668E-014
RCPTR_49	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	2.2697E-012	2.2700E-012
RCPTR_49	farmer_child	TOCDFDFS	Hexachlorobenzene	4.3606E-009	4.6365E-009
RCPTR_49	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	2.9768E-011	2.9774E-011
RCPTR_49	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.4078E-012	1.4081E-012
RCPTR_49	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_49	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	3.5070E-005	3.5179E-005
RCPTR_49	farmer_child	TOCDFDFS	Isophorone	2.6835E-013	2.6845E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFDFS	Lead	1.7901E-007	2.3854E-007
RCPTR_49	farmer_child	TOCDFDFS	Mercuric chloride	3.6051E-009	6.7614E-009
RCPTR_49	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	2.6264E-017	2.6264E-017
RCPTR_49	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	4.4460E-018	4.4460E-018
RCPTR_49	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	2.3348E-015	2.3348E-015
RCPTR_49	farmer_child	TOCDFDFS	Methyl mercury	2.8109E-011	3.7405E-011
RCPTR_49	farmer_child	TOCDFDFS	Methylene chloride	6.7484E-017	6.7484E-017
RCPTR_49	farmer_child	TOCDFDFS	Naphthalene	1.1313E-012	1.1316E-012
RCPTR_49	farmer_child	TOCDFDFS	Nickel	1.6484E-008	1.6939E-008
RCPTR_49	farmer_child	TOCDFDFS	Nitroaniline, 2-	4.5174E-012	4.5223E-012
RCPTR_49	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.0763E-012	1.0768E-012
RCPTR_49	farmer_child	TOCDFDFS	Nitroaniline, 4-	1.3903E-012	1.3911E-012
RCPTR_49	farmer_child	TOCDFDFS	Nitrobenzene	4.5292E-013	4.5317E-013
RCPTR_49	farmer_child	TOCDFDFS	Nitrophenol, 2-	2.0624E-013	2.0630E-013
RCPTR_49	farmer_child	TOCDFDFS	Nitrophenol, 4-	2.6474E-012	2.6483E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	2.5539E-013	2.5544E-013
RCPTR_49	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	2.5092E-013	2.5094E-013
RCPTR_49	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	2.2430E-014	2.2431E-014
RCPTR_49	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.2824E-014	1.5047E-014
RCPTR_49	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	4.3924E-015	5.1405E-015
RCPTR_49	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.1886E-013	1.3476E-013
RCPTR_49	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	1.0338E-014	1.2472E-014
RCPTR_49	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	4.1505E-014	4.9956E-014
RCPTR_49	farmer_child	TOCDFDFS	Pentachlorobenzene	1.6973E-011	1.6981E-011
RCPTR_49	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	6.6064E-012	6.6069E-012
RCPTR_49	farmer_child	TOCDFDFS	Pentachlorophenol	2.4795E-009	2.4873E-009
RCPTR_49	farmer_child	TOCDFDFS	Phenanthrene	3.4509E-013	3.4509E-013
RCPTR_49	farmer_child	TOCDFDFS	Phenol	3.5862E-013	3.5884E-013
RCPTR_49	farmer_child	TOCDFDFS	Pronamide	6.7718E-011	6.8216E-011
RCPTR_49	farmer_child	TOCDFDFS	Pyrene	9.3281E-009	1.3893E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFDFS	Selenium	4.8438E-009	4.8446E-009
RCPTR_49	farmer_child	TOCDFDFS	Silver	1.9611E-009	1.9692E-009
RCPTR_49	farmer_child	TOCDFDFS	Styrene	7.3239E-014	7.3240E-014
RCPTR_49	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	5.8385E-014	7.3501E-014
RCPTR_49	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	1.9408E-014	2.5729E-014
RCPTR_49	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	2.7399E-011	2.7438E-011
RCPTR_49	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	8.2867E-013	8.2868E-013
RCPTR_49	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	9.0233E-016	9.0233E-016
RCPTR_49	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.7441E-010	1.7477E-010
RCPTR_49	farmer_child	TOCDFDFS	Thallium (I)	4.6427E-008	4.7530E-008
RCPTR_49	farmer_child	TOCDFDFS	Toluene	1.2141E-015	1.2141E-015
RCPTR_49	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.0559E-012	1.0560E-012
RCPTR_49	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	5.8316E-016	5.8316E-016
RCPTR_49	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	4.4600E-015	4.4600E-015
RCPTR_49	farmer_child	TOCDFDFS	Trichloroethylene	7.2480E-016	7.2480E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	9.5262E-017	9.5262E-017
RCPTR_49	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	1.1823E-010	1.2023E-010
RCPTR_49	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	2.3627E-011	2.3713E-011
RCPTR_49	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.6505E-014	1.6506E-014
RCPTR_49	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	1.9199E-013	1.9217E-013
RCPTR_49	farmer_child	TOCDFDFS	Vinyl Chloride	2.3559E-019	2.3559E-019
RCPTR_49	farmer_child	TOCDFDFS	Xylene, m-	5.1025E-015	5.1025E-015
RCPTR_49	farmer_child	TOCDFDFS	Xylene, o-	5.3531E-015	5.3531E-015
RCPTR_49	farmer_child	TOCDFDFS	Xylene, p-	6.9322E-015	6.9322E-015
RCPTR_49	farmer_child	TOCDFDFS	Zinc	1.2311E-008	1.3130E-008
RCPTR_49	farmer_child	TOCDFLIC	Acenaphthene	1.7051E-011	1.7111E-011
RCPTR_49	farmer_child	TOCDFLIC	Acetone	4.5236E-016	4.5236E-016
RCPTR_49	farmer_child	TOCDFLIC	Acetophenone	1.6265E-013	1.6269E-013
RCPTR_49	farmer_child	TOCDFLIC	Aniline	5.4417E-015	5.4418E-015
RCPTR_49	farmer_child	TOCDFLIC	Anthracene	2.9197E-010	3.0182E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFLIC	Antimony	1.1418E-009	1.1876E-009
RCPTR_49	farmer_child	TOCDFLIC	Arsenic	2.8902E-009	2.9080E-009
RCPTR_49	farmer_child	TOCDFLIC	Barium	1.1329E-010	1.1655E-010
RCPTR_49	farmer_child	TOCDFLIC	Benzene	4.1491E-015	4.1491E-015
RCPTR_49	farmer_child	TOCDFLIC	Benzo(a)anthracene	2.4989E-008	3.0094E-008
RCPTR_49	farmer_child	TOCDFLIC	Benzo(a)pyrene	1.5505E-007	1.5944E-007
RCPTR_49	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	1.0835E-007	1.2069E-007
RCPTR_49	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	2.4089E-007	2.5792E-007
RCPTR_49	farmer_child	TOCDFLIC	Benzoic acid	6.5681E-013	6.5688E-013
RCPTR_49	farmer_child	TOCDFLIC	Benzyl alcohol	1.2342E-013	1.2348E-013
RCPTR_49	farmer_child	TOCDFLIC	Beryllium	5.5431E-010	6.7920E-010
RCPTR_49	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.2354E-013	1.2360E-013
RCPTR_49	farmer_child	TOCDFLIC	Bromodichloromethane	1.1050E-015	1.1051E-015
RCPTR_49	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	3.8061E-014	3.8065E-014
RCPTR_49	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	4.7996E-009	6.6402E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFLIC	Butylbenzylphthalate	1.0911E-010	1.0922E-010
RCPTR_49	farmer_child	TOCDFLIC	Cadmium	4.5887E-010	5.0775E-010
RCPTR_49	farmer_child	TOCDFLIC	Carbon disulfide	2.5144E-016	2.5144E-016
RCPTR_49	farmer_child	TOCDFLIC	Carbon tetrachloride	3.9680E-016	3.9680E-016
RCPTR_49	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	9.8702E-012	9.9191E-012
RCPTR_49	farmer_child	TOCDFLIC	Chloroaniline, p-	5.7315E-013	5.7378E-013
RCPTR_49	farmer_child	TOCDFLIC	Chlorobenzene	2.3207E-015	2.3207E-015
RCPTR_49	farmer_child	TOCDFLIC	Chloroethane	6.5047E-018	6.5047E-018
RCPTR_49	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	3.5158E-016	3.5158E-016
RCPTR_49	farmer_child	TOCDFLIC	Chloronaphthalene,2-	4.4363E-011	4.4727E-011
RCPTR_49	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.5904E-012	1.5940E-012
RCPTR_49	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	5.4874E-011	5.5070E-011
RCPTR_49	farmer_child	TOCDFLIC	Chromium	2.3835E-008	3.0597E-008
RCPTR_49	farmer_child	TOCDFLIC	Chromium, hexavalent	1.7734E-008	1.7770E-008
RCPTR_49	farmer_child	TOCDFLIC	Chrysene	5.4826E-008	6.3247E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFLIC	Di-n-butyl phthalate	4.2610E-010	4.2709E-010
RCPTR_49	farmer_child	TOCDFLIC	Di-n-octylphthalate	1.6775E+000	1.6775E+000
RCPTR_49	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	2.9406E-006	2.9785E-006
RCPTR_49	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	7.2076E-014	7.2078E-014
RCPTR_49	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	8.7344E-014	8.7346E-014
RCPTR_49	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	8.4130E-014	8.4133E-014
RCPTR_49	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.1918E-010	2.2064E-010
RCPTR_49	farmer_child	TOCDFLIC	Dichlorodifluoromethane	5.2076E-019	5.2076E-019
RCPTR_49	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.3119E-016	1.3119E-016
RCPTR_49	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.6298E-016	1.6298E-016
RCPTR_49	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	4.9657E-017	4.9657E-017
RCPTR_49	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	7.9821E-017	7.9821E-017
RCPTR_49	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	6.6969E-012	6.7190E-012
RCPTR_49	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	4.4903E-016	4.4903E-016
RCPTR_49	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.4822E-016	1.4822E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFLIC	Diethyl phthalate	2.2266E-010	2.2270E-010
RCPTR_49	farmer_child	TOCDFLIC	Dimethyl phthalate	4.3103E-012	4.3141E-012
RCPTR_49	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	1.0842E-012	1.0856E-012
RCPTR_49	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	4.8834E-013	4.8842E-013
RCPTR_49	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	9.9055E-013	9.9218E-013
RCPTR_49	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	7.6514E-013	7.6623E-013
RCPTR_49	farmer_child	TOCDFLIC	Ethyl methanesulfonate	2.3135E-014	2.3141E-014
RCPTR_49	farmer_child	TOCDFLIC	Ethylbenzene	1.8844E-015	1.8844E-015
RCPTR_49	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	3.5366E-010	3.5482E-010
RCPTR_49	farmer_child	TOCDFLIC	Fluoranthene	3.4472E-009	4.0668E-009
RCPTR_49	farmer_child	TOCDFLIC	Fluorene	6.6344E-011	6.7063E-011
RCPTR_49	farmer_child	TOCDFLIC	GB	3.8733E-016	3.8743E-016
RCPTR_49	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	3.1742E-015	3.5961E-015
RCPTR_49	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	3.7579E-015	4.1610E-015
RCPTR_49	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	9.0613E-015	1.0233E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	3.9826E-014	4.4270E-014
RCPTR_49	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.2936E-014	2.6184E-014
RCPTR_49	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.9754E-014	2.2935E-014
RCPTR_49	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.2794E-014	1.5074E-014
RCPTR_49	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.2531E-014	1.4756E-014
RCPTR_49	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.4506E-014	1.7060E-014
RCPTR_49	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.0584E-014	1.2454E-014
RCPTR_49	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.3993E-012	1.3994E-012
RCPTR_49	farmer_child	TOCDFLIC	Hexachlorobenzene	2.6885E-009	2.8585E-009
RCPTR_49	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	3.7075E-012	3.7083E-012
RCPTR_49	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	8.6780E-013	8.6795E-013
RCPTR_49	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_49	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	2.2416E-005	2.2478E-005
RCPTR_49	farmer_child	TOCDFLIC	Isophorone	1.6538E-013	1.6545E-013
RCPTR_49	farmer_child	TOCDFLIC	Lead	6.8728E-008	9.1360E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFLIC	Mercuric chloride	3.2298E-007	6.0714E-007
RCPTR_49	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	9.0374E-018	9.0374E-018
RCPTR_49	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	7.4017E-019	7.4017E-019
RCPTR_49	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	2.6905E-015	2.6905E-015
RCPTR_49	farmer_child	TOCDFLIC	Methyl mercury	2.4644E-009	3.3012E-009
RCPTR_49	farmer_child	TOCDFLIC	Methylene chloride	5.7221E-017	5.7221E-017
RCPTR_49	farmer_child	TOCDFLIC	Naphthalene	6.9726E-013	6.9745E-013
RCPTR_49	farmer_child	TOCDFLIC	Nickel	9.6491E-009	9.9120E-009
RCPTR_49	farmer_child	TOCDFLIC	Nitroaniline, 2-	2.8174E-012	2.8205E-012
RCPTR_49	farmer_child	TOCDFLIC	Nitroaniline, 3-	6.7126E-013	6.7154E-013
RCPTR_49	farmer_child	TOCDFLIC	Nitroaniline, 4-	8.6709E-013	8.6755E-013
RCPTR_49	farmer_child	TOCDFLIC	Nitrobenzene	2.7913E-013	2.7929E-013
RCPTR_49	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.2711E-013	1.2714E-013
RCPTR_49	farmer_child	TOCDFLIC	Nitrophenol, 4-	1.6702E-012	1.6708E-012
RCPTR_49	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.5740E-013	1.5743E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.5465E-013	1.5466E-013
RCPTR_49	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.3821E-014	1.3821E-014
RCPTR_49	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.1233E-014	1.3140E-014
RCPTR_49	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	3.6839E-015	4.2988E-015
RCPTR_49	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	8.2739E-014	9.3337E-014
RCPTR_49	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.2751E-014	2.7335E-014
RCPTR_49	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	5.0174E-014	6.0175E-014
RCPTR_49	farmer_child	TOCDFLIC	Pentachlorobenzene	1.0449E-011	1.0454E-011
RCPTR_49	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	4.1149E-012	4.1152E-012
RCPTR_49	farmer_child	TOCDFLIC	Pentachlorophenol	1.5814E-009	1.5862E-009
RCPTR_49	farmer_child	TOCDFLIC	Phenanthrene	2.1271E-013	2.1272E-013
RCPTR_49	farmer_child	TOCDFLIC	Phenol	2.2102E-013	2.2116E-013
RCPTR_49	farmer_child	TOCDFLIC	Pronamide	2.0873E-011	2.1027E-011
RCPTR_49	farmer_child	TOCDFLIC	Pyrene	5.7550E-009	8.5681E-009
RCPTR_49	farmer_child	TOCDFLIC	Selenium	1.8871E-009	1.8874E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFLIC	Silver	7.4496E-010	7.4802E-010
RCPTR_49	farmer_child	TOCDFLIC	Styrene	8.0550E-014	8.0552E-014
RCPTR_49	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	3.0329E-014	3.8040E-014
RCPTR_49	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	4.2307E-014	5.5868E-014
RCPTR_49	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.6896E-011	1.6920E-011
RCPTR_49	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	4.4995E-013	4.4996E-013
RCPTR_49	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	4.7720E-016	4.7720E-016
RCPTR_49	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.0956E-010	1.0978E-010
RCPTR_49	farmer_child	TOCDFLIC	Thallium (I)	1.8195E-008	1.8622E-008
RCPTR_49	farmer_child	TOCDFLIC	Toluene	3.6930E-015	3.6930E-015
RCPTR_49	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	6.5093E-013	6.5101E-013
RCPTR_49	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	3.0840E-016	3.0840E-016
RCPTR_49	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	2.3586E-015	2.3587E-015
RCPTR_49	farmer_child	TOCDFLIC	Trichloroethylene	3.8332E-016	3.8332E-016
RCPTR_49	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	5.0380E-017	5.0380E-017

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	7.2918E-011	7.4155E-011
RCPTR_49	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.4597E-011	1.4651E-011
RCPTR_49	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	8.7286E-015	8.7289E-015
RCPTR_49	farmer_child	TOCDFLIC	Vinyl Chloride	1.3425E-019	1.3425E-019
RCPTR_49	farmer_child	TOCDFLIC	Xylene, m-	4.7004E-015	4.7005E-015
RCPTR_49	farmer_child	TOCDFLIC	Xylene, o-	3.1515E-015	3.1515E-015
RCPTR_49	farmer_child	TOCDFLIC	Xylene, p-	6.4333E-015	6.4333E-015
RCPTR_49	farmer_child	TOCDFLIC	Zinc	3.3353E-009	3.5551E-009
RCPTR_49	farmer_child	TOCDFMPF	Acenaphthene	7.2462E-011	7.2719E-011
RCPTR_49	farmer_child	TOCDFMPF	Acetone	2.2596E-016	2.2596E-016
RCPTR_49	farmer_child	TOCDFMPF	Acetophenone	3.8401E-013	3.8410E-013
RCPTR_49	farmer_child	TOCDFMPF	Aniline	2.3126E-014	2.3126E-014
RCPTR_49	farmer_child	TOCDFMPF	Anthracene	1.2408E-009	1.2826E-009
RCPTR_49	farmer_child	TOCDFMPF	Antimony	3.3987E-010	3.5352E-010
RCPTR_49	farmer_child	TOCDFMPF	Arsenic	6.7826E-010	6.8242E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFMPF	Barium	1.0621E-010	1.0926E-010
RCPTR_49	farmer_child	TOCDFMPF	Benzene	2.0118E-016	2.0118E-016
RCPTR_49	farmer_child	TOCDFMPF	Benzo(a)anthracene	1.0623E-007	1.2793E-007
RCPTR_49	farmer_child	TOCDFMPF	Benzo(a)pyrene	6.5958E-007	6.7828E-007
RCPTR_49	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	4.6058E-007	5.1304E-007
RCPTR_49	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	1.0247E-006	1.0973E-006
RCPTR_49	farmer_child	TOCDFMPF	Benzoic acid	2.6020E-012	2.6023E-012
RCPTR_49	farmer_child	TOCDFMPF	Benzyl alcohol	5.2448E-013	5.2475E-013
RCPTR_49	farmer_child	TOCDFMPF	Beryllium	1.5833E-010	1.9402E-010
RCPTR_49	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	5.2503E-013	5.2525E-013
RCPTR_49	farmer_child	TOCDFMPF	Bromodichloromethane	1.7936E-015	1.7936E-015
RCPTR_49	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	6.7673E-014	6.7679E-014
RCPTR_49	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	2.0397E-008	2.8219E-008
RCPTR_49	farmer_child	TOCDFMPF	Butylbenzylphthalate	4.6429E-010	4.6474E-010
RCPTR_49	farmer_child	TOCDFMPF	Cadmium	2.0080E-010	2.2219E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFMPF	Carbon disulfide	3.5193E-016	3.5193E-016
RCPTR_49	farmer_child	TOCDFMPF	Carbon tetrachloride	5.5681E-016	5.5681E-016
RCPTR_49	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	4.1945E-011	4.2153E-011
RCPTR_49	farmer_child	TOCDFMPF	Chloroaniline, p-	2.4357E-012	2.4384E-012
RCPTR_49	farmer_child	TOCDFMPF	Chlorobenzene	3.2565E-015	3.2565E-015
RCPTR_49	farmer_child	TOCDFMPF	Chloroethane	9.1278E-018	9.1278E-018
RCPTR_49	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	4.7457E-016	4.7457E-016
RCPTR_49	farmer_child	TOCDFMPF	Chloronaphthalene,2-	1.8853E-010	1.9008E-010
RCPTR_49	farmer_child	TOCDFMPF	Chlorophenol, 2-	6.7588E-012	6.7743E-012
RCPTR_49	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	2.3320E-010	2.3404E-010
RCPTR_49	farmer_child	TOCDFMPF	Chromium	4.6119E-009	5.9207E-009
RCPTR_49	farmer_child	TOCDFMPF	Chromium, hexavalent	3.4308E-009	3.4378E-009
RCPTR_49	farmer_child	TOCDFMPF	Chrysene	2.3306E-007	2.6886E-007
RCPTR_49	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.8107E-009	1.8149E-009
RCPTR_49	farmer_child	TOCDFMPF	Di-n-octylphthalate	7.1262E+000	7.1262E+000

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.2500E-005	1.2661E-005
RCPTR_49	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	3.0630E-013	3.0631E-013
RCPTR_49	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	3.7119E-013	3.7120E-013
RCPTR_49	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	3.5753E-013	3.5754E-013
RCPTR_49	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.2191E-009	1.2273E-009
RCPTR_49	farmer_child	TOCDFMPF	Dichlorodifluoromethane	7.3076E-019	7.3076E-019
RCPTR_49	farmer_child	TOCDFMPF	Dichloroethane 1,1-	1.8409E-016	1.8409E-016
RCPTR_49	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	2.2871E-016	2.2871E-016
RCPTR_49	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	6.9681E-017	6.9681E-017
RCPTR_49	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.1201E-016	1.1201E-016
RCPTR_49	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	2.8459E-011	2.8553E-011
RCPTR_49	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	6.3011E-016	6.3011E-016
RCPTR_49	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	2.0799E-016	2.0799E-016
RCPTR_49	farmer_child	TOCDFMPF	Diethyl phthalate	9.4590E-010	9.4608E-010
RCPTR_49	farmer_child	TOCDFMPF	Dimethyl phthalate	1.5620E-012	1.5633E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	4.6077E-012	4.6135E-012
RCPTR_49	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	2.0714E-012	2.0718E-012
RCPTR_49	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	4.2096E-012	4.2166E-012
RCPTR_49	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	3.2516E-012	3.2563E-012
RCPTR_49	farmer_child	TOCDFMPF	Ethyl methanesulfonate	9.8318E-014	9.8344E-014
RCPTR_49	farmer_child	TOCDFMPF	Ethylbenzene	1.9832E-015	1.9832E-015
RCPTR_49	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	3.9072E-010	3.9201E-010
RCPTR_49	farmer_child	TOCDFMPF	Fluoranthene	1.4650E-008	1.7283E-008
RCPTR_49	farmer_child	TOCDFMPF	Fluorene	2.8194E-010	2.8500E-010
RCPTR_49	farmer_child	TOCDFMPF	GB	5.4926E-016	5.4940E-016
RCPTR_49	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	6.6825E-015	7.5722E-015
RCPTR_49	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	2.5189E-013	2.7897E-013
RCPTR_49	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	4.2020E-014	4.7464E-014
RCPTR_49	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	9.0875E-014	1.0103E-013
RCPTR_49	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	4.9836E-014	5.6904E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	4.6867E-014	5.4424E-014
RCPTR_49	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.9200E-012	2.2622E-012
RCPTR_49	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	4.6827E-013	5.5149E-013
RCPTR_49	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	8.1307E-014	9.5628E-014
RCPTR_49	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	5.8068E-014	6.8335E-014
RCPTR_49	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	5.9465E-012	5.9471E-012
RCPTR_49	farmer_child	TOCDFMPF	Hexachlorobenzene	1.1426E-008	1.2148E-008
RCPTR_49	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	1.5756E-011	1.5759E-011
RCPTR_49	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	3.6879E-012	3.6885E-012
RCPTR_49	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_49	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	9.5242E-005	9.5505E-005
RCPTR_49	farmer_child	TOCDFMPF	Isophorone	7.0284E-013	7.0310E-013
RCPTR_49	farmer_child	TOCDFMPF	Lead	5.4198E-011	7.2052E-011
RCPTR_49	farmer_child	TOCDFMPF	Mercuric chloride	3.6470E-009	6.8542E-009
RCPTR_49	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	1.0806E-017	1.0806E-017

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	3.8650E-019	3.8650E-019
RCPTR_49	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.5312E-015	2.5312E-015
RCPTR_49	farmer_child	TOCDFMPF	Methyl mercury	2.7877E-011	3.7323E-011
RCPTR_49	farmer_child	TOCDFMPF	Methylene chloride	6.3271E-017	6.3271E-017
RCPTR_49	farmer_child	TOCDFMPF	Naphthalene	2.9631E-012	2.9640E-012
RCPTR_49	farmer_child	TOCDFMPF	Nickel	7.5673E-009	7.7736E-009
RCPTR_49	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.1951E-011	1.1964E-011
RCPTR_49	farmer_child	TOCDFMPF	Nitroaniline, 3-	2.8475E-012	2.8487E-012
RCPTR_49	farmer_child	TOCDFMPF	Nitroaniline, 4-	3.6782E-012	3.6801E-012
RCPTR_49	farmer_child	TOCDFMPF	Nitrobenzene	1.1862E-012	1.1869E-012
RCPTR_49	farmer_child	TOCDFMPF	Nitrophenol, 2-	5.4017E-013	5.4031E-013
RCPTR_49	farmer_child	TOCDFMPF	Nitrophenol, 4-	7.0844E-012	7.0867E-012
RCPTR_49	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	6.6893E-013	6.6904E-013
RCPTR_49	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	6.5721E-013	6.5727E-013
RCPTR_49	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	5.8736E-014	5.8738E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	1.6701E-014	1.9538E-014
RCPTR_49	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.3190E-014	2.7062E-014
RCPTR_49	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	3.2603E-013	3.6783E-013
RCPTR_49	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	2.5287E-013	3.0384E-013
RCPTR_49	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	8.1440E-013	9.7675E-013
RCPTR_49	farmer_child	TOCDFMPF	Pentachlorobenzene	4.4410E-011	4.4429E-011
RCPTR_49	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.7458E-011	1.7459E-011
RCPTR_49	farmer_child	TOCDFMPF	Pentachlorophenol	6.7067E-009	6.7273E-009
RCPTR_49	farmer_child	TOCDFMPF	Phenanthrene	9.0396E-013	9.0398E-013
RCPTR_49	farmer_child	TOCDFMPF	Phenol	9.3929E-013	9.3987E-013
RCPTR_49	farmer_child	TOCDFMPF	Pronamide	8.8705E-011	8.9357E-011
RCPTR_49	farmer_child	TOCDFMPF	Pyrene	2.4458E-008	3.6412E-008
RCPTR_49	farmer_child	TOCDFMPF	Selenium	5.5202E-010	5.5211E-010
RCPTR_49	farmer_child	TOCDFMPF	Silver	2.9814E-009	2.9936E-009
RCPTR_49	farmer_child	TOCDFMPF	Styrene	8.5860E-014	8.5862E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	8.5847E-014	1.0767E-013
RCPTR_49	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	1.7283E-013	2.2822E-013
RCPTR_49	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	7.1802E-011	7.1903E-011
RCPTR_49	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	6.3124E-013	6.3124E-013
RCPTR_49	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.4840E-015	1.4840E-015
RCPTR_49	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	4.6472E-010	4.6567E-010
RCPTR_49	farmer_child	TOCDFMPF	Thallium (I)	5.3688E-009	5.4947E-009
RCPTR_49	farmer_child	TOCDFMPF	Toluene	1.0310E-015	1.0310E-015
RCPTR_49	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	2.7663E-012	2.7666E-012
RCPTR_49	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	4.3277E-016	4.3277E-016
RCPTR_49	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	3.3098E-015	3.3098E-015
RCPTR_49	farmer_child	TOCDFMPF	Trichloroethylene	5.3789E-016	5.3789E-016
RCPTR_49	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	7.0696E-017	7.0696E-017
RCPTR_49	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	3.0988E-010	3.1514E-010
RCPTR_49	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	6.2033E-011	6.2259E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	1.2249E-014	1.2249E-014
RCPTR_49	farmer_child	TOCDFMPF	Vinyl Chloride	1.7483E-019	1.7483E-019
RCPTR_49	farmer_child	TOCDFMPF	Xylene, m-	3.7052E-015	3.7052E-015
RCPTR_49	farmer_child	TOCDFMPF	Xylene, o-	3.9033E-015	3.9033E-015
RCPTR_49	farmer_child	TOCDFMPF	Xylene, p-	5.0686E-015	5.0686E-015
RCPTR_49	farmer_child	TOCDFMPF	Zinc	2.0418E-009	2.1765E-009
RCPTR_49	farmer_child	TOCDHVAC	GB	2.1814E-015	2.1820E-015
RCPTR_49	farmer_child	TOCDLIC2	Acenaphthene	3.5187E-011	3.5312E-011
RCPTR_49	farmer_child	TOCDLIC2	Acetone	4.4765E-016	4.4765E-016
RCPTR_49	farmer_child	TOCDLIC2	Acetophenone	1.8647E-013	1.8651E-013
RCPTR_49	farmer_child	TOCDLIC2	Aniline	1.1230E-014	1.1230E-014
RCPTR_49	farmer_child	TOCDLIC2	Anthracene	6.0253E-010	6.2284E-010
RCPTR_49	farmer_child	TOCDLIC2	Antimony	1.5191E-009	1.5801E-009
RCPTR_49	farmer_child	TOCDLIC2	Arsenic	2.8902E-009	2.9080E-009
RCPTR_49	farmer_child	TOCDLIC2	Barium	1.0917E-009	1.1231E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDLIC2	Benzene	2.9858E-016	2.9859E-016
RCPTR_49	farmer_child	TOCDLIC2	Benzo(a)anthracene	5.1569E-008	6.2104E-008
RCPTR_49	farmer_child	TOCDLIC2	Benzo(a)pyrene	3.1997E-007	3.2903E-007
RCPTR_49	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	2.2359E-007	2.4906E-007
RCPTR_49	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	4.9711E-007	5.3224E-007
RCPTR_49	farmer_child	TOCDLIC2	Benzoic acid	1.2635E-012	1.2637E-012
RCPTR_49	farmer_child	TOCDLIC2	Benzyl alcohol	2.5469E-013	2.5481E-013
RCPTR_49	farmer_child	TOCDLIC2	Beryllium	5.5431E-010	6.7920E-010
RCPTR_49	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	2.5495E-013	2.5506E-013
RCPTR_49	farmer_child	TOCDLIC2	Bromodichloromethane	3.3836E-015	3.3836E-015
RCPTR_49	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	8.8249E-014	8.8256E-014
RCPTR_49	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	9.9046E-009	1.3703E-008
RCPTR_49	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.2517E-010	2.2538E-010
RCPTR_49	farmer_child	TOCDLIC2	Cadmium	5.2141E-011	5.7695E-011
RCPTR_49	farmer_child	TOCDLIC2	Carbon disulfide	3.8105E-016	3.8105E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDLIC2	Carbon tetrachloride	6.0392E-016	6.0392E-016
RCPTR_49	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	2.0369E-011	2.0469E-011
RCPTR_49	farmer_child	TOCDLIC2	Chloroaniline, p-	1.1828E-012	1.1841E-012
RCPTR_49	farmer_child	TOCDLIC2	Chlorobenzene	3.5320E-015	3.5320E-015
RCPTR_49	farmer_child	TOCDLIC2	Chloroethane	9.9000E-018	9.9000E-018
RCPTR_49	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.0855E-015	1.0855E-015
RCPTR_49	farmer_child	TOCDLIC2	Chloronaphthalene,2-	9.1548E-011	9.2300E-011
RCPTR_49	farmer_child	TOCDLIC2	Chlorophenol, 2-	3.2820E-012	3.2895E-012
RCPTR_49	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.1324E-010	1.1364E-010
RCPTR_49	farmer_child	TOCDLIC2	Chromium	2.3835E-008	3.0597E-008
RCPTR_49	farmer_child	TOCDLIC2	Chromium, hexavalent	1.7734E-008	1.7770E-008
RCPTR_49	farmer_child	TOCDLIC2	Chrysene	1.1314E-007	1.3052E-007
RCPTR_49	farmer_child	TOCDLIC2	Di-n-butyl phthalate	8.7932E-010	8.8136E-010
RCPTR_49	farmer_child	TOCDLIC2	Di-n-octylphthalate	3.4618E+000	3.4618E+000
RCPTR_49	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	6.0684E-006	6.1465E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	1.4874E-013	1.4874E-013
RCPTR_49	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	1.8025E-013	1.8025E-013
RCPTR_49	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	1.7361E-013	1.7362E-013
RCPTR_49	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	5.2706E-010	5.3060E-010
RCPTR_49	farmer_child	TOCDLIC2	Dichlorodifluoromethane	7.9258E-019	7.9258E-019
RCPTR_49	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.9967E-016	1.9967E-016
RCPTR_49	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	2.4805E-016	2.4805E-016
RCPTR_49	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	7.5576E-017	7.5576E-017
RCPTR_49	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.2148E-016	1.2149E-016
RCPTR_49	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	1.3820E-011	1.3865E-011
RCPTR_49	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	6.8341E-016	6.8341E-016
RCPTR_49	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	2.2558E-016	2.2558E-016
RCPTR_49	farmer_child	TOCDLIC2	Diethyl phthalate	4.5949E-010	4.5958E-010
RCPTR_49	farmer_child	TOCDLIC2	Dimethyl phthalate	5.2793E-012	5.2839E-012
RCPTR_49	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	2.2375E-012	2.2403E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.0104E-012	1.0105E-012
RCPTR_49	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	2.0441E-012	2.0475E-012
RCPTR_49	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	1.5790E-012	1.5812E-012
RCPTR_49	farmer_child	TOCDLIC2	Ethyl methanesulfonate	4.7742E-014	4.7755E-014
RCPTR_49	farmer_child	TOCDLIC2	Ethylbenzene	2.4394E-015	2.4394E-015
RCPTR_49	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.3679E-010	2.3757E-010
RCPTR_49	farmer_child	TOCDLIC2	Fluoranthene	7.1137E-009	8.3924E-009
RCPTR_49	farmer_child	TOCDLIC2	Fluorene	1.3691E-010	1.3839E-010
RCPTR_49	farmer_child	TOCDLIC2	GB	4.0267E-016	4.0277E-016
RCPTR_49	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.2279E-014	2.5241E-014
RCPTR_49	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.0526E-014	2.2728E-014
RCPTR_49	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	1.9777E-014	2.2335E-014
RCPTR_49	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	5.9789E-014	6.6460E-014
RCPTR_49	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	4.3263E-014	4.9390E-014
RCPTR_49	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	4.2117E-014	4.8901E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	4.1170E-014	4.8505E-014
RCPTR_49	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	2.4813E-014	2.9220E-014
RCPTR_49	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	2.2141E-014	2.6039E-014
RCPTR_49	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	2.5359E-014	2.9841E-014
RCPTR_49	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	2.8876E-012	2.8878E-012
RCPTR_49	farmer_child	TOCDLIC2	Hexachlorobenzene	5.5482E-009	5.8990E-009
RCPTR_49	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	7.6509E-012	7.6525E-012
RCPTR_49	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.7908E-012	1.7911E-012
RCPTR_49	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_49	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	4.6259E-005	4.6386E-005
RCPTR_49	farmer_child	TOCDLIC2	Isophorone	3.4129E-013	3.4142E-013
RCPTR_49	farmer_child	TOCDLIC2	Lead	4.9552E-009	6.5870E-009
RCPTR_49	farmer_child	TOCDLIC2	Mercuric chloride	3.2298E-007	6.0714E-007
RCPTR_49	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	1.1821E-017	1.1821E-017
RCPTR_49	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	4.7115E-019	4.7115E-019

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	2.6519E-015	2.6519E-015
RCPTR_49	farmer_child	TOCDLIC2	Methyl mercury	2.4644E-009	3.3012E-009
RCPTR_49	farmer_child	TOCDLIC2	Methylene chloride	2.0815E-016	2.0815E-016
RCPTR_49	farmer_child	TOCDLIC2	Naphthalene	1.4389E-012	1.4393E-012
RCPTR_49	farmer_child	TOCDLIC2	Nickel	3.3541E-009	3.4455E-009
RCPTR_49	farmer_child	TOCDLIC2	Nitroaniline, 2-	5.8290E-012	5.8354E-012
RCPTR_49	farmer_child	TOCDLIC2	Nitroaniline, 3-	1.3888E-012	1.3894E-012
RCPTR_49	farmer_child	TOCDLIC2	Nitroaniline, 4-	1.7940E-012	1.7949E-012
RCPTR_49	farmer_child	TOCDLIC2	Nitrobenzene	5.7603E-013	5.7635E-013
RCPTR_49	farmer_child	TOCDLIC2	Nitrophenol, 2-	2.6230E-013	2.6237E-013
RCPTR_49	farmer_child	TOCDLIC2	Nitrophenol, 4-	3.4557E-012	3.4568E-012
RCPTR_49	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	3.2483E-013	3.2488E-013
RCPTR_49	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	3.1914E-013	3.1916E-013
RCPTR_49	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	2.8521E-014	2.8522E-014
RCPTR_49	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	3.7717E-014	4.4119E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.2460E-014	1.4540E-014
RCPTR_49	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.5472E-013	1.7453E-013
RCPTR_49	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	4.8140E-014	5.7841E-014
RCPTR_49	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	1.3353E-013	1.6014E-013
RCPTR_49	farmer_child	TOCDLIC2	Pentachlorobenzene	2.1563E-011	2.1573E-011
RCPTR_49	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	8.5137E-012	8.5142E-012
RCPTR_49	farmer_child	TOCDLIC2	Pentachlorophenol	3.2718E-009	3.2818E-009
RCPTR_49	farmer_child	TOCDLIC2	Phenanthrene	4.3896E-013	4.3897E-013
RCPTR_49	farmer_child	TOCDLIC2	Phenol	4.8223E-013	4.8253E-013
RCPTR_49	farmer_child	TOCDLIC2	Pronamide	4.3074E-011	4.3391E-011
RCPTR_49	farmer_child	TOCDLIC2	Pyrene	1.1876E-008	1.7681E-008
RCPTR_49	farmer_child	TOCDLIC2	Selenium	1.8871E-009	1.8874E-009
RCPTR_49	farmer_child	TOCDLIC2	Silver	7.4496E-010	7.4802E-010
RCPTR_49	farmer_child	TOCDLIC2	Styrene	6.7479E-014	6.7481E-014
RCPTR_49	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	8.7919E-014	1.1027E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	7.5781E-014	1.0007E-013
RCPTR_49	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	3.4867E-011	3.4916E-011
RCPTR_49	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	6.8481E-013	6.8482E-013
RCPTR_49	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	7.2627E-016	7.2628E-016
RCPTR_49	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	2.2667E-010	2.2714E-010
RCPTR_49	farmer_child	TOCDLIC2	Thallium (I)	1.8195E-008	1.8622E-008
RCPTR_49	farmer_child	TOCDLIC2	Toluene	3.8873E-015	3.8874E-015
RCPTR_49	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.3433E-012	1.3434E-012
RCPTR_49	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	4.6938E-016	4.6938E-016
RCPTR_49	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	3.5898E-015	3.5898E-015
RCPTR_49	farmer_child	TOCDLIC2	Trichloroethylene	5.8339E-016	5.8339E-016
RCPTR_49	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	7.6677E-017	7.6677E-017
RCPTR_49	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	1.5048E-010	1.5303E-010
RCPTR_49	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	3.0124E-011	3.0233E-011
RCPTR_49	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	1.3285E-014	1.3285E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_49	farmer_child	TOCDLIC2	Vinyl Chloride	2.2406E-019	2.2406E-019
RCPTR_49	farmer_child	TOCDLIC2	Xylene, m-	5.4566E-015	5.4566E-015
RCPTR_49	farmer_child	TOCDLIC2	Xylene, o-	4.2283E-015	4.2283E-015
RCPTR_49	farmer_child	TOCDLIC2	Xylene, p-	7.4682E-015	7.4682E-015
RCPTR_49	farmer_child	TOCDLIC2	Zinc	3.9823E-009	4.2448E-009
RCPTR_50	farmer_adult	TOCDFBRA	Antimony	3.9282E-008	5.0685E-008
RCPTR_50	farmer_adult	TOCDFBRA	Arsenic	6.3539E-008	6.7067E-008
RCPTR_50	farmer_adult	TOCDFBRA	Barium	5.3672E-009	6.5163E-009
RCPTR_50	farmer_adult	TOCDFBRA	Beryllium	1.9910E-008	2.4670E-008
RCPTR_50	farmer_adult	TOCDFBRA	Cadmium	3.1150E-009	4.8648E-009
RCPTR_50	farmer_adult	TOCDFBRA	Chromium	5.9444E-007	6.1795E-007
RCPTR_50	farmer_adult	TOCDFBRA	Chromium, hexavalent	3.7601E-007	3.8619E-007
RCPTR_50	farmer_adult	TOCDFBRA	Lead	2.2817E-007	3.0386E-007
RCPTR_50	farmer_adult	TOCDFBRA	Mercuric chloride	7.4202E-005	8.2208E-005
RCPTR_50	farmer_adult	TOCDFBRA	Methyl mercury	4.8048E-007	5.2228E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFBRA	Nickel	2.0968E-007	2.3446E-007
RCPTR_50	farmer_adult	TOCDFBRA	Selenium	7.1142E-008	7.1701E-008
RCPTR_50	farmer_adult	TOCDFBRA	Silver	2.4330E-008	2.7772E-008
RCPTR_50	farmer_adult	TOCDFBRA	Thallium (I)	6.5171E-007	7.1132E-007
RCPTR_50	farmer_adult	TOCDFBRA	Zinc	1.1333E-007	1.5481E-007
RCPTR_50	farmer_adult	TOCDFDFS	Acenaphthene	2.2275E-011	1.1384E-010
RCPTR_50	farmer_adult	TOCDFDFS	Acetone	2.7337E-016	1.4256E-015
RCPTR_50	farmer_adult	TOCDFDFS	Acetophenone	1.2112E-013	6.3098E-013
RCPTR_50	farmer_adult	TOCDFDFS	Aniline	6.9618E-015	3.6185E-014
RCPTR_50	farmer_adult	TOCDFDFS	Anthracene	3.9374E-010	2.0082E-009
RCPTR_50	farmer_adult	TOCDFDFS	Antimony	3.9208E-007	5.0386E-007
RCPTR_50	farmer_adult	TOCDFDFS	Aroclor 1254	5.4973E-012	1.1082E-011
RCPTR_50	farmer_adult	TOCDFDFS	Arsenic	3.5894E-008	3.7850E-008
RCPTR_50	farmer_adult	TOCDFDFS	Barium	1.0654E-009	1.2894E-009
RCPTR_50	farmer_adult	TOCDFDFS	Benzene	2.2705E-016	1.1787E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.1599E-007	2.1381E-007
RCPTR_50	farmer_adult	TOCDFDFS	Benzo(a)pyrene	1.1363E-006	1.2361E-006
RCPTR_50	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	6.3869E-007	8.8587E-007
RCPTR_50	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	1.7912E-006	1.9882E-006
RCPTR_50	farmer_adult	TOCDFDFS	Benzoic acid	8.9315E-013	4.0886E-012
RCPTR_50	farmer_adult	TOCDFDFS	Benzyl alcohol	1.5767E-013	8.2100E-013
RCPTR_50	farmer_adult	TOCDFDFS	Beryllium	1.0849E-008	1.3402E-008
RCPTR_50	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	1.5758E-013	8.2174E-013
RCPTR_50	farmer_adult	TOCDFDFS	Bromodichloromethane	1.7845E-015	9.2979E-015
RCPTR_50	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	7.0904E-014	3.6955E-013
RCPTR_50	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	8.8867E-009	4.4151E-008
RCPTR_50	farmer_adult	TOCDFDFS	Butylbenzylphthalate	6.7744E-010	8.3579E-010
RCPTR_50	farmer_adult	TOCDFDFS	Cadmium	8.5546E-009	1.3280E-008
RCPTR_50	farmer_adult	TOCDFDFS	Carbon disulfide	1.1850E-016	6.1619E-016
RCPTR_50	farmer_adult	TOCDFDFS	Carbon tetrachloride	5.9256E-016	3.0750E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	1.5725E-011	6.6420E-011
RCPTR_50	farmer_adult	TOCDFDFS	Chloroaniline, p-	7.3461E-013	3.8153E-012
RCPTR_50	farmer_adult	TOCDFDFS	Chlorobenzene	3.4763E-015	1.7986E-014
RCPTR_50	farmer_adult	TOCDFDFS	Chloroethane	9.9444E-018	5.0442E-017
RCPTR_50	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	5.3456E-016	2.7846E-015
RCPTR_50	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	5.7958E-011	2.9752E-010
RCPTR_50	farmer_adult	TOCDFDFS	Chlorophenol, 2-	2.0331E-012	1.0598E-011
RCPTR_50	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	8.7944E-011	3.6913E-010
RCPTR_50	farmer_adult	TOCDFDFS	Chromium	1.7347E-007	1.8025E-007
RCPTR_50	farmer_adult	TOCDFDFS	Chromium, hexavalent	1.1050E-007	1.1344E-007
RCPTR_50	farmer_adult	TOCDFDFS	Chrysene	3.3300E-007	4.6333E-007
RCPTR_50	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	2.5539E-009	3.1629E-009
RCPTR_50	farmer_adult	TOCDFDFS	Di-n-octylphthalate	1.2779E+001	1.2779E+001
RCPTR_50	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	2.4258E-005	2.5281E-005
RCPTR_50	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	9.5117E-014	4.7974E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	1.1388E-013	5.8114E-013
RCPTR_50	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	1.0933E-013	5.5970E-013
RCPTR_50	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.3527E-009	3.1632E-009
RCPTR_50	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	7.7723E-019	4.0356E-018
RCPTR_50	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	1.9510E-016	1.0165E-015
RCPTR_50	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.4232E-016	1.2628E-015
RCPTR_50	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	7.3972E-017	3.8478E-016
RCPTR_50	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.1894E-016	6.1852E-016
RCPTR_50	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	1.2363E-011	4.5254E-011
RCPTR_50	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	6.7044E-016	3.4797E-015
RCPTR_50	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.2057E-016	1.1485E-015
RCPTR_50	farmer_adult	TOCDFDFS	Diethyl phthalate	1.5737E-009	1.6779E-009
RCPTR_50	farmer_adult	TOCDFDFS	Dimethyl phthalate	3.1406E-012	1.5914E-011
RCPTR_50	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	1.3952E-012	7.2195E-012
RCPTR_50	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.3179E-012	3.3189E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	1.3300E-012	6.6094E-012
RCPTR_50	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	1.0120E-012	5.1005E-012
RCPTR_50	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	2.9509E-014	1.5386E-013
RCPTR_50	farmer_adult	TOCDFDFS	Ethylbenzene	2.1781E-015	1.0963E-014
RCPTR_50	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	6.9184E-011	8.6013E-011
RCPTR_50	farmer_adult	TOCDFDFS	Fluoranthene	7.0591E-009	2.7356E-008
RCPTR_50	farmer_adult	TOCDFDFS	Fluorene	8.8506E-011	4.4638E-010
RCPTR_50	farmer_adult	TOCDFDFS	GB	7.9459E-016	4.1382E-015
RCPTR_50	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	2.2661E-014	2.6182E-014
RCPTR_50	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	1.1621E-014	1.3090E-014
RCPTR_50	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	3.9764E-014	4.5800E-014
RCPTR_50	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	2.2147E-013	2.5045E-013
RCPTR_50	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.2094E-013	1.4108E-013
RCPTR_50	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.0579E-013	1.2575E-013
RCPTR_50	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	8.3321E-014	1.0069E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	7.4118E-014	8.9495E-014
RCPTR_50	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	9.9291E-014	1.1974E-013
RCPTR_50	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	6.8362E-014	8.2492E-014
RCPTR_50	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.9359E-012	9.3313E-012
RCPTR_50	farmer_adult	TOCDFDFS	Hexachlorobenzene	3.8791E-009	1.9044E-008
RCPTR_50	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	2.5883E-011	1.2249E-010
RCPTR_50	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.1295E-012	5.7742E-012
RCPTR_50	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_50	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.7515E-004	1.7706E-004
RCPTR_50	farmer_adult	TOCDFDFS	Isophorone	2.1118E-013	1.1000E-012
RCPTR_50	farmer_adult	TOCDFDFS	Lead	1.3426E-006	1.7821E-006
RCPTR_50	farmer_adult	TOCDFDFS	Mercuric chloride	2.5328E-008	2.8090E-008
RCPTR_50	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	2.0645E-017	1.0762E-016
RCPTR_50	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	3.4967E-018	1.8218E-017
RCPTR_50	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	1.8347E-015	9.5669E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFDFS	Methyl mercury	1.5451E-010	1.6893E-010
RCPTR_50	farmer_adult	TOCDFDFS	Methylene chloride	5.3064E-017	2.7653E-016
RCPTR_50	farmer_adult	TOCDFDFS	Naphthalene	8.9925E-013	4.6388E-012
RCPTR_50	farmer_adult	TOCDFDFS	Nickel	1.2319E-007	1.3748E-007
RCPTR_50	farmer_adult	TOCDFDFS	Nitroaniline, 2-	3.5686E-012	1.8534E-011
RCPTR_50	farmer_adult	TOCDFDFS	Nitroaniline, 3-	8.4721E-013	4.4123E-012
RCPTR_50	farmer_adult	TOCDFDFS	Nitroaniline, 4-	1.0956E-012	5.7006E-012
RCPTR_50	farmer_adult	TOCDFDFS	Nitrobenzene	3.5623E-013	1.8569E-012
RCPTR_50	farmer_adult	TOCDFDFS	Nitrophenol, 2-	1.6227E-013	8.4534E-013
RCPTR_50	farmer_adult	TOCDFDFS	Nitrophenol, 4-	5.0037E-012	1.1421E-011
RCPTR_50	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	2.0155E-013	1.0468E-012
RCPTR_50	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	1.9841E-013	1.0285E-012
RCPTR_50	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	1.8108E-014	9.2127E-014
RCPTR_50	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	5.8897E-014	7.0506E-014
RCPTR_50	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	2.0206E-014	2.4108E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	5.5082E-013	6.3439E-013
RCPTR_50	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	4.6355E-014	5.7537E-014
RCPTR_50	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.8673E-013	2.3092E-013
RCPTR_50	farmer_adult	TOCDFDFS	Pentachlorobenzene	1.5376E-011	6.9989E-011
RCPTR_50	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	6.1535E-012	2.7266E-011
RCPTR_50	farmer_adult	TOCDFDFS	Pentachlorophenol	7.2747E-009	1.1228E-008
RCPTR_50	farmer_adult	TOCDFDFS	Phenanthrene	2.7831E-013	1.4154E-012
RCPTR_50	farmer_adult	TOCDFDFS	Phenol	2.8287E-013	1.4706E-012
RCPTR_50	farmer_adult	TOCDFDFS	Pronamide	5.5605E-011	2.7991E-010
RCPTR_50	farmer_adult	TOCDFDFS	Pyrene	1.3792E-008	5.7200E-008
RCPTR_50	farmer_adult	TOCDFDFS	Selenium	4.0199E-008	4.0508E-008
RCPTR_50	farmer_adult	TOCDFDFS	Silver	1.3957E-008	1.5895E-008
RCPTR_50	farmer_adult	TOCDFDFS	Styrene	5.7787E-014	3.0015E-013
RCPTR_50	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	2.5439E-013	3.3433E-013
RCPTR_50	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	8.1591E-014	1.1509E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	2.3210E-011	1.1275E-010
RCPTR_50	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	2.7501E-012	3.8043E-012
RCPTR_50	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	7.1188E-016	3.6979E-015
RCPTR_50	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.5888E-010	7.3981E-010
RCPTR_50	farmer_adult	TOCDFDFS	Thallium (I)	3.5632E-007	3.8830E-007
RCPTR_50	farmer_adult	TOCDFDFS	Toluene	9.6550E-016	4.9771E-015
RCPTR_50	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	8.6509E-013	4.3341E-012
RCPTR_50	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	4.5937E-016	2.3898E-015
RCPTR_50	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	3.5088E-015	1.8276E-014
RCPTR_50	farmer_adult	TOCDFDFS	Trichloroethylene	5.7166E-016	2.9703E-015
RCPTR_50	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	7.5113E-017	3.9039E-016
RCPTR_50	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	1.0302E-010	4.9433E-010
RCPTR_50	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	2.4228E-011	9.8256E-011
RCPTR_50	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	1.2994E-014	6.7637E-014
RCPTR_50	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	1.5737E-013	7.8874E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFDFS	Vinyl Chloride	1.8547E-019	9.6540E-019
RCPTR_50	farmer_adult	TOCDFDFS	Xylene, m-	1.0582E-014	2.2252E-014
RCPTR_50	farmer_adult	TOCDFDFS	Xylene, o-	9.7686E-015	2.3073E-014
RCPTR_50	farmer_adult	TOCDFDFS	Xylene, p-	1.1556E-014	2.9655E-014
RCPTR_50	farmer_adult	TOCDFDFS	Zinc	7.4725E-008	1.0159E-007
RCPTR_50	farmer_adult	TOCDFLIC	Acenaphthene	1.3059E-011	6.6735E-011
RCPTR_50	farmer_adult	TOCDFLIC	Acetone	3.3808E-016	1.7630E-015
RCPTR_50	farmer_adult	TOCDFLIC	Acetophenone	1.2171E-013	6.3407E-013
RCPTR_50	farmer_adult	TOCDFLIC	Aniline	4.0810E-015	2.1211E-014
RCPTR_50	farmer_adult	TOCDFLIC	Anthracene	2.3082E-010	1.1772E-009
RCPTR_50	farmer_adult	TOCDFLIC	Antimony	7.0274E-009	9.0248E-009
RCPTR_50	farmer_adult	TOCDFLIC	Arsenic	2.1995E-008	2.3189E-008
RCPTR_50	farmer_adult	TOCDFLIC	Barium	7.4210E-010	8.9762E-010
RCPTR_50	farmer_adult	TOCDFLIC	Benzene	3.1154E-015	1.6173E-014
RCPTR_50	farmer_adult	TOCDFLIC	Benzo(a)anthracene	6.8042E-008	1.2528E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFLIC	Benzo(a)pyrene	6.6383E-007	7.2112E-007
RCPTR_50	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	3.7549E-007	5.1999E-007
RCPTR_50	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	1.0471E-006	1.1590E-006
RCPTR_50	farmer_adult	TOCDFLIC	Benzoic acid	5.6254E-013	2.5719E-012
RCPTR_50	farmer_adult	TOCDFLIC	Benzyl alcohol	9.2427E-014	4.8126E-013
RCPTR_50	farmer_adult	TOCDFLIC	Beryllium	4.1109E-009	5.0759E-009
RCPTR_50	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	9.2372E-014	4.8169E-013
RCPTR_50	farmer_adult	TOCDFLIC	Bromodichloromethane	8.2659E-016	4.3069E-015
RCPTR_50	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	2.8465E-014	1.4835E-013
RCPTR_50	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	5.2090E-009	2.5880E-008
RCPTR_50	farmer_adult	TOCDFLIC	Butylbenzylphthalate	3.9246E-010	4.8523E-010
RCPTR_50	farmer_adult	TOCDFLIC	Cadmium	2.3985E-009	3.7197E-009
RCPTR_50	farmer_adult	TOCDFLIC	Carbon disulfide	1.8847E-016	9.8004E-016
RCPTR_50	farmer_adult	TOCDFLIC	Carbon tetrachloride	2.9807E-016	1.5467E-015
RCPTR_50	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	9.2421E-012	3.8959E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFLIC	Chloroaniline, p-	4.3064E-013	2.2365E-012
RCPTR_50	farmer_adult	TOCDFLIC	Chlorobenzene	1.7487E-015	9.0469E-015
RCPTR_50	farmer_adult	TOCDFLIC	Chloroethane	5.0040E-018	2.5375E-017
RCPTR_50	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	2.6305E-016	1.3703E-015
RCPTR_50	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	3.3979E-011	1.7441E-010
RCPTR_50	farmer_adult	TOCDFLIC	Chlorophenol, 2-	1.1918E-012	6.2126E-012
RCPTR_50	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	5.1601E-011	2.1643E-010
RCPTR_50	farmer_adult	TOCDFLIC	Chromium	2.1810E-007	2.2660E-007
RCPTR_50	farmer_adult	TOCDFLIC	Chromium, hexavalent	1.3909E-007	1.4277E-007
RCPTR_50	farmer_adult	TOCDFLIC	Chrysene	1.9587E-007	2.7198E-007
RCPTR_50	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	1.5080E-009	1.8649E-009
RCPTR_50	farmer_adult	TOCDFLIC	Di-n-octylphthalate	7.5768E+000	7.5769E+000
RCPTR_50	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	1.4183E-005	1.4751E-005
RCPTR_50	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	5.5773E-014	2.8123E-013
RCPTR_50	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	6.6768E-014	3.4067E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	6.4098E-014	3.2810E-013
RCPTR_50	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	7.1307E-010	9.5848E-010
RCPTR_50	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	3.9092E-019	2.0299E-018
RCPTR_50	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	9.8134E-017	5.1131E-016
RCPTR_50	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.2189E-016	6.3521E-016
RCPTR_50	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	3.7209E-017	1.9355E-016
RCPTR_50	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	5.9826E-017	3.1112E-016
RCPTR_50	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	7.2774E-012	2.6557E-011
RCPTR_50	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	3.3725E-016	1.7503E-015
RCPTR_50	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.1094E-016	5.7769E-016
RCPTR_50	farmer_adult	TOCDFLIC	Diethyl phthalate	9.3287E-010	9.9394E-010
RCPTR_50	farmer_adult	TOCDFLIC	Dimethyl phthalate	3.3215E-012	1.6831E-011
RCPTR_50	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	8.1795E-013	4.2321E-012
RCPTR_50	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	7.8668E-013	1.9736E-012
RCPTR_50	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	7.7930E-013	3.8739E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	5.9329E-013	2.9899E-012
RCPTR_50	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	1.7298E-014	9.0189E-014
RCPTR_50	farmer_adult	TOCDFLIC	Ethylbenzene	1.4612E-015	7.3529E-015
RCPTR_50	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	1.2654E-009	1.5772E-009
RCPTR_50	farmer_adult	TOCDFLIC	Fluoranthene	4.1435E-009	1.6040E-008
RCPTR_50	farmer_adult	TOCDFLIC	Fluorene	5.1892E-011	2.6167E-010
RCPTR_50	farmer_adult	TOCDFLIC	GB	2.8995E-016	1.5100E-015
RCPTR_50	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	1.4226E-014	1.6394E-014
RCPTR_50	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.6816E-014	1.8885E-014
RCPTR_50	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	4.0567E-014	4.6599E-014
RCPTR_50	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.7759E-013	2.0028E-013
RCPTR_50	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.0227E-013	1.1900E-013
RCPTR_50	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	8.8172E-014	1.0460E-013
RCPTR_50	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	5.6613E-014	6.8326E-014
RCPTR_50	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	5.5436E-014	6.6848E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	6.4105E-014	7.7197E-014
RCPTR_50	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	4.6792E-014	5.6386E-014
RCPTR_50	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.1347E-012	5.4698E-012
RCPTR_50	farmer_adult	TOCDFLIC	Hexachlorobenzene	2.2748E-009	1.1164E-008
RCPTR_50	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	3.0644E-012	1.4505E-011
RCPTR_50	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	6.6226E-013	3.3849E-012
RCPTR_50	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_50	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	1.0339E-004	1.0445E-004
RCPTR_50	farmer_adult	TOCDFLIC	Isophorone	1.2379E-013	6.4482E-013
RCPTR_50	farmer_adult	TOCDFLIC	Lead	5.0039E-007	6.6380E-007
RCPTR_50	farmer_adult	TOCDFLIC	Mercuric chloride	2.1666E-006	2.4034E-006
RCPTR_50	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	6.7568E-018	3.5222E-017
RCPTR_50	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	5.5369E-019	2.8848E-018
RCPTR_50	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	2.0109E-015	1.0486E-014
RCPTR_50	farmer_adult	TOCDFLIC	Methyl mercury	1.3021E-008	1.4258E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFLIC	Methylene chloride	4.2796E-017	2.2301E-016
RCPTR_50	farmer_adult	TOCDFLIC	Naphthalene	5.2717E-013	2.7192E-012
RCPTR_50	farmer_adult	TOCDFLIC	Nickel	6.9792E-008	7.7860E-008
RCPTR_50	farmer_adult	TOCDFLIC	Nitroaniline, 2-	2.1169E-012	1.0994E-011
RCPTR_50	farmer_adult	TOCDFLIC	Nitroaniline, 3-	5.0255E-013	2.6173E-012
RCPTR_50	farmer_adult	TOCDFLIC	Nitroaniline, 4-	6.4988E-013	3.3814E-012
RCPTR_50	farmer_adult	TOCDFLIC	Nitrobenzene	2.0882E-013	1.0885E-012
RCPTR_50	farmer_adult	TOCDFLIC	Nitrophenol, 2-	9.5124E-014	4.9553E-013
RCPTR_50	farmer_adult	TOCDFLIC	Nitrophenol, 4-	2.9917E-012	6.7982E-012
RCPTR_50	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.1815E-013	6.1365E-013
RCPTR_50	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	1.1632E-013	6.0289E-013
RCPTR_50	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.0601E-014	5.3989E-014
RCPTR_50	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	5.0352E-014	6.0185E-014
RCPTR_50	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.6544E-014	1.9710E-014
RCPTR_50	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	3.6143E-013	4.1534E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	9.6420E-014	1.1952E-013
RCPTR_50	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	2.1460E-013	2.6509E-013
RCPTR_50	farmer_adult	TOCDFLIC	Pentachlorobenzene	8.9724E-012	4.0986E-011
RCPTR_50	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	3.6313E-012	1.6155E-011
RCPTR_50	farmer_adult	TOCDFLIC	Pentachlorophenol	4.3584E-009	6.7035E-009
RCPTR_50	farmer_adult	TOCDFLIC	Phenanthrene	1.6317E-013	8.2974E-013
RCPTR_50	farmer_adult	TOCDFLIC	Phenol	1.6582E-013	8.6202E-013
RCPTR_50	farmer_adult	TOCDFLIC	Pronamide	1.6304E-011	8.2046E-011
RCPTR_50	farmer_adult	TOCDFLIC	Pyrene	8.0903E-009	3.3534E-008
RCPTR_50	farmer_adult	TOCDFLIC	Selenium	1.5129E-008	1.5245E-008
RCPTR_50	farmer_adult	TOCDFLIC	Silver	5.1350E-009	5.8458E-009
RCPTR_50	farmer_adult	TOCDFLIC	Styrene	6.0450E-014	3.1398E-013
RCPTR_50	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.2480E-013	1.6387E-013
RCPTR_50	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	1.6763E-013	2.3625E-013
RCPTR_50	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.3616E-011	6.6103E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	1.3978E-012	1.9281E-012
RCPTR_50	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.5807E-016	1.8601E-015
RCPTR_50	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.5452E-010	4.3980E-010
RCPTR_50	farmer_adult	TOCDFLIC	Thallium (I)	1.3509E-007	1.4718E-007
RCPTR_50	farmer_adult	TOCDFLIC	Toluene	2.7934E-015	1.4398E-014
RCPTR_50	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	5.0726E-013	2.5407E-012
RCPTR_50	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	2.3107E-016	1.2021E-015
RCPTR_50	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	1.7649E-015	9.1929E-015
RCPTR_50	farmer_adult	TOCDFLIC	Trichloroethylene	2.8755E-016	1.4941E-015
RCPTR_50	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	3.7783E-017	1.9637E-016
RCPTR_50	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	6.0457E-011	2.8984E-010
RCPTR_50	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	1.4246E-011	5.7641E-011
RCPTR_50	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	6.5361E-015	3.4022E-014
RCPTR_50	farmer_adult	TOCDFLIC	Vinyl Chloride	1.0052E-019	5.2324E-019
RCPTR_50	farmer_adult	TOCDFLIC	Xylene, m-	9.1652E-015	1.9631E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFLIC	Xylene, o-	5.3980E-015	1.2989E-014
RCPTR_50	farmer_adult	TOCDFLIC	Xylene, p-	1.0061E-014	2.6293E-014
RCPTR_50	farmer_adult	TOCDFLIC	Zinc	1.9653E-008	2.6699E-008
RCPTR_50	farmer_adult	TOCDFMPF	Acenaphthene	5.5689E-011	2.8460E-010
RCPTR_50	farmer_adult	TOCDFMPF	Acetone	1.6947E-016	8.8373E-016
RCPTR_50	farmer_adult	TOCDFMPF	Acetophenone	2.8836E-013	1.5022E-012
RCPTR_50	farmer_adult	TOCDFMPF	Aniline	1.7404E-014	9.0456E-014
RCPTR_50	farmer_adult	TOCDFMPF	Anthracene	9.8433E-010	5.0203E-009
RCPTR_50	farmer_adult	TOCDFMPF	Antimony	2.0961E-009	2.6920E-009
RCPTR_50	farmer_adult	TOCDFMPF	Arsenic	5.1729E-009	5.4538E-009
RCPTR_50	farmer_adult	TOCDFMPF	Barium	6.9717E-010	8.4329E-010
RCPTR_50	farmer_adult	TOCDFMPF	Benzene	1.5158E-016	7.8692E-016
RCPTR_50	farmer_adult	TOCDFMPF	Benzo(a)anthracene	2.9021E-007	5.3434E-007
RCPTR_50	farmer_adult	TOCDFMPF	Benzo(a)pyrene	2.8321E-006	3.0767E-006
RCPTR_50	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	1.6014E-006	2.2177E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	4.4670E-006	4.9454E-006
RCPTR_50	farmer_adult	TOCDFMPF	Benzoic acid	2.2363E-012	1.0224E-011
RCPTR_50	farmer_adult	TOCDFMPF	Benzyl alcohol	3.9416E-013	2.0524E-012
RCPTR_50	farmer_adult	TOCDFMPF	Beryllium	1.1767E-009	1.4529E-009
RCPTR_50	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	3.9393E-013	2.0542E-012
RCPTR_50	farmer_adult	TOCDFMPF	Bromodichloromethane	1.3463E-015	7.0148E-015
RCPTR_50	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	5.0786E-014	2.6469E-013
RCPTR_50	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	2.2214E-008	1.1037E-007
RCPTR_50	farmer_adult	TOCDFMPF	Butylbenzylphthalate	1.6750E-009	2.0707E-009
RCPTR_50	farmer_adult	TOCDFMPF	Cadmium	1.0516E-009	1.6310E-009
RCPTR_50	farmer_adult	TOCDFMPF	Carbon disulfide	2.6472E-016	1.3765E-015
RCPTR_50	farmer_adult	TOCDFMPF	Carbon tetrachloride	4.1973E-016	2.1780E-015
RCPTR_50	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	3.9410E-011	1.6614E-010
RCPTR_50	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.8365E-012	9.5377E-012
RCPTR_50	farmer_adult	TOCDFMPF	Chlorobenzene	2.4625E-015	1.2739E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFMPF	Chloroethane	7.0463E-018	3.5731E-017
RCPTR_50	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	3.5631E-016	1.8561E-015
RCPTR_50	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	1.4490E-010	7.4377E-010
RCPTR_50	farmer_adult	TOCDFMPF	Chlorophenol, 2-	5.0823E-012	2.6494E-011
RCPTR_50	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	2.2006E-010	9.2298E-010
RCPTR_50	farmer_adult	TOCDFMPF	Chromium	4.2289E-008	4.3939E-008
RCPTR_50	farmer_adult	TOCDFMPF	Chromium, hexavalent	2.6968E-008	2.7682E-008
RCPTR_50	farmer_adult	TOCDFMPF	Chrysene	8.3533E-007	1.1600E-006
RCPTR_50	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	6.4301E-009	7.9522E-009
RCPTR_50	farmer_adult	TOCDFMPF	Di-n-octylphthalate	3.2301E+001	3.2301E+001
RCPTR_50	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	6.0494E-005	6.2923E-005
RCPTR_50	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	2.3785E-013	1.1993E-012
RCPTR_50	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	2.8473E-013	1.4528E-012
RCPTR_50	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	2.7335E-013	1.3992E-012
RCPTR_50	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	3.9791E-009	5.3483E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	5.5048E-019	2.8584E-018
RCPTR_50	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	1.3819E-016	7.2000E-016
RCPTR_50	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.7164E-016	8.9448E-016
RCPTR_50	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	5.2396E-017	2.7254E-016
RCPTR_50	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	8.4245E-017	4.3810E-016
RCPTR_50	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	3.1031E-011	1.1325E-010
RCPTR_50	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	4.7490E-016	2.4647E-015
RCPTR_50	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.5623E-016	8.1348E-016
RCPTR_50	farmer_adult	TOCDFMPF	Diethyl phthalate	3.9770E-009	4.2374E-009
RCPTR_50	farmer_adult	TOCDFMPF	Dimethyl phthalate	1.2079E-012	6.1204E-012
RCPTR_50	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	3.4882E-012	1.8048E-011
RCPTR_50	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	3.3482E-012	8.4008E-012
RCPTR_50	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	3.3235E-012	1.6521E-011
RCPTR_50	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	2.5301E-012	1.2750E-011
RCPTR_50	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	7.3768E-014	3.8462E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFMPF	Ethylbenzene	1.5432E-015	7.7656E-015
RCPTR_50	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.4022E-009	1.7474E-009
RCPTR_50	farmer_adult	TOCDFMPF	Fluoranthene	1.7670E-008	6.8404E-008
RCPTR_50	farmer_adult	TOCDFMPF	Fluorene	2.2130E-010	1.1159E-009
RCPTR_50	farmer_adult	TOCDFMPF	GB	4.1260E-016	2.1488E-015
RCPTR_50	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	3.0004E-014	3.4580E-014
RCPTR_50	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.1297E-012	1.2689E-012
RCPTR_50	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.8847E-013	2.1653E-013
RCPTR_50	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	4.0617E-013	4.5813E-013
RCPTR_50	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	2.2262E-013	2.5907E-013
RCPTR_50	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	2.0951E-013	2.4856E-013
RCPTR_50	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	8.5091E-012	1.0270E-011
RCPTR_50	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	2.0750E-012	2.5023E-012
RCPTR_50	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	3.5990E-013	4.3344E-013
RCPTR_50	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	2.5714E-013	3.0989E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	4.8392E-012	2.3326E-011
RCPTR_50	farmer_adult	TOCDFMPF	Hexachlorobenzene	9.7008E-009	4.7611E-008
RCPTR_50	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	1.3069E-011	6.1858E-011
RCPTR_50	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	2.8242E-012	1.4435E-011
RCPTR_50	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_50	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	4.4084E-004	4.4538E-004
RCPTR_50	farmer_adult	TOCDFMPF	Isophorone	5.2791E-013	2.7499E-012
RCPTR_50	farmer_adult	TOCDFMPF	Lead	3.9541E-010	5.2456E-010
RCPTR_50	farmer_adult	TOCDFMPF	Mercuric chloride	2.4541E-008	2.7223E-008
RCPTR_50	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	8.1073E-018	4.2262E-017
RCPTR_50	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	2.9013E-019	1.5116E-018
RCPTR_50	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.8984E-015	9.8993E-015
RCPTR_50	farmer_adult	TOCDFMPF	Methyl mercury	1.4762E-010	1.6162E-010
RCPTR_50	farmer_adult	TOCDFMPF	Methylene chloride	4.7486E-017	2.4745E-016
RCPTR_50	farmer_adult	TOCDFMPF	Naphthalene	2.2482E-012	1.1596E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFMPF	Nickel	5.4852E-008	6.1194E-008
RCPTR_50	farmer_adult	TOCDFMPF	Nitroaniline, 2-	9.0113E-012	4.6799E-011
RCPTR_50	farmer_adult	TOCDFMPF	Nitroaniline, 3-	2.1393E-012	1.1141E-011
RCPTR_50	farmer_adult	TOCDFMPF	Nitroaniline, 4-	2.7664E-012	1.4394E-011
RCPTR_50	farmer_adult	TOCDFMPF	Nitrobenzene	8.9051E-013	4.6419E-012
RCPTR_50	farmer_adult	TOCDFMPF	Nitrophenol, 2-	4.0566E-013	2.1132E-012
RCPTR_50	farmer_adult	TOCDFMPF	Nitrophenol, 4-	1.2732E-011	2.8936E-011
RCPTR_50	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	5.0387E-013	2.6169E-012
RCPTR_50	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	4.9604E-013	2.5710E-012
RCPTR_50	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	4.5212E-014	2.3024E-013
RCPTR_50	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	7.4952E-014	8.9598E-014
RCPTR_50	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.0426E-013	1.2423E-013
RCPTR_50	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	1.4282E-012	1.6414E-012
RCPTR_50	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	1.0747E-012	1.3322E-012
RCPTR_50	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	3.4921E-012	4.3138E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFMPF	Pentachlorobenzene	3.8274E-011	1.7480E-010
RCPTR_50	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.5463E-011	6.8773E-011
RCPTR_50	farmer_adult	TOCDFMPF	Pentachlorophenol	1.8548E-008	2.8530E-008
RCPTR_50	farmer_adult	TOCDFMPF	Phenanthrene	6.9585E-013	3.5385E-012
RCPTR_50	farmer_adult	TOCDFMPF	Phenol	7.0717E-013	3.6762E-012
RCPTR_50	farmer_adult	TOCDFMPF	Pronamide	6.9527E-011	3.4989E-010
RCPTR_50	farmer_adult	TOCDFMPF	Pyrene	3.4501E-008	1.4301E-007
RCPTR_50	farmer_adult	TOCDFMPF	Selenium	4.4355E-009	4.4696E-009
RCPTR_50	farmer_adult	TOCDFMPF	Silver	2.0594E-008	2.3445E-008
RCPTR_50	farmer_adult	TOCDFMPF	Styrene	6.4661E-014	3.3585E-013
RCPTR_50	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	3.5429E-013	4.6521E-013
RCPTR_50	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	6.8692E-013	9.6813E-013
RCPTR_50	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	5.8066E-011	2.8190E-010
RCPTR_50	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.9677E-012	2.7144E-012
RCPTR_50	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.1174E-015	5.8046E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	6.5765E-010	1.8720E-009
RCPTR_50	farmer_adult	TOCDFMPF	Thallium (I)	3.9948E-008	4.3523E-008
RCPTR_50	farmer_adult	TOCDFMPF	Toluene	7.8260E-016	4.0339E-015
RCPTR_50	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	2.1632E-012	1.0835E-011
RCPTR_50	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	3.2538E-016	1.6927E-015
RCPTR_50	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	2.4853E-015	1.2945E-014
RCPTR_50	farmer_adult	TOCDFMPF	Trichloroethylene	4.0492E-016	2.1039E-015
RCPTR_50	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	5.3204E-017	2.7652E-016
RCPTR_50	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	2.5781E-010	1.2360E-009
RCPTR_50	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	6.0749E-011	2.4581E-010
RCPTR_50	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	9.2038E-015	4.7908E-014
RCPTR_50	farmer_adult	TOCDFMPF	Vinyl Chloride	1.3136E-019	6.8379E-019
RCPTR_50	farmer_adult	TOCDFMPF	Xylene, m-	7.2527E-015	1.5519E-014
RCPTR_50	farmer_adult	TOCDFMPF	Xylene, o-	6.7128E-015	1.6136E-014
RCPTR_50	farmer_adult	TOCDFMPF	Xylene, p-	7.9592E-015	2.0779E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDFMPF	Zinc	1.2056E-008	1.6379E-008
RCPTR_50	farmer_adult	TOCDHVAC	GB	1.9362E-015	1.0085E-014
RCPTR_50	farmer_adult	TOCDLIC2	Acenaphthene	2.6948E-011	1.3772E-010
RCPTR_50	farmer_adult	TOCDLIC2	Acetone	3.3456E-016	1.7447E-015
RCPTR_50	farmer_adult	TOCDLIC2	Acetophenone	1.3954E-013	7.2693E-013
RCPTR_50	farmer_adult	TOCDLIC2	Aniline	8.4217E-015	4.3772E-014
RCPTR_50	farmer_adult	TOCDLIC2	Anthracene	4.7632E-010	2.4293E-009
RCPTR_50	farmer_adult	TOCDLIC2	Antimony	9.3495E-009	1.2007E-008
RCPTR_50	farmer_adult	TOCDLIC2	Arsenic	2.1995E-008	2.3189E-008
RCPTR_50	farmer_adult	TOCDLIC2	Barium	7.1512E-009	8.6498E-009
RCPTR_50	farmer_adult	TOCDLIC2	Benzene	2.2420E-016	1.1639E-015
RCPTR_50	farmer_adult	TOCDLIC2	Benzo(a)anthracene	1.4041E-007	2.5854E-007
RCPTR_50	farmer_adult	TOCDLIC2	Benzo(a)pyrene	1.3699E-006	1.4881E-006
RCPTR_50	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	7.7487E-007	1.0731E-006
RCPTR_50	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	2.1608E-006	2.3919E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDLIC2	Benzoic acid	1.0822E-012	4.9477E-012
RCPTR_50	farmer_adult	TOCDLIC2	Benzyl alcohol	1.9074E-013	9.9314E-013
RCPTR_50	farmer_adult	TOCDLIC2	Beryllium	4.1109E-009	5.0759E-009
RCPTR_50	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.9062E-013	9.9404E-013
RCPTR_50	farmer_adult	TOCDLIC2	Bromodichloromethane	2.5310E-015	1.3187E-014
RCPTR_50	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	6.5998E-014	3.4397E-013
RCPTR_50	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	1.0749E-008	5.3407E-008
RCPTR_50	farmer_adult	TOCDLIC2	Butylbenzylphthalate	8.0988E-010	1.0013E-009
RCPTR_50	farmer_adult	TOCDLIC2	Cadmium	2.7254E-010	4.2266E-010
RCPTR_50	farmer_adult	TOCDLIC2	Carbon disulfide	2.8563E-016	1.4852E-015
RCPTR_50	farmer_adult	TOCDLIC2	Carbon tetrachloride	4.5366E-016	2.3541E-015
RCPTR_50	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.9072E-011	8.0397E-011
RCPTR_50	farmer_adult	TOCDLIC2	Chloroaniline, p-	8.8868E-013	4.6153E-012
RCPTR_50	farmer_adult	TOCDLIC2	Chlorobenzene	2.6615E-015	1.3769E-014
RCPTR_50	farmer_adult	TOCDLIC2	Chloroethane	7.6159E-018	3.8619E-017

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	8.1217E-016	4.2308E-015
RCPTR_50	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	7.0119E-011	3.5992E-010
RCPTR_50	farmer_adult	TOCDLIC2	Chlorophenol, 2-	2.4594E-012	1.2821E-011
RCPTR_50	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.0649E-010	4.4663E-010
RCPTR_50	farmer_adult	TOCDLIC2	Chromium	2.1810E-007	2.2660E-007
RCPTR_50	farmer_adult	TOCDLIC2	Chromium, hexavalent	1.3909E-007	1.4277E-007
RCPTR_50	farmer_adult	TOCDLIC2	Chrysene	4.0420E-007	5.6126E-007
RCPTR_50	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	3.1120E-009	3.8485E-009
RCPTR_50	farmer_adult	TOCDLIC2	Di-n-octylphthalate	1.5636E+001	1.5636E+001
RCPTR_50	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	2.9268E-005	3.0441E-005
RCPTR_50	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	1.1510E-013	5.8036E-013
RCPTR_50	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	1.3778E-013	7.0302E-013
RCPTR_50	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	1.3228E-013	6.7708E-013
RCPTR_50	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.7148E-009	2.3049E-009
RCPTR_50	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	5.9497E-019	3.0894E-018

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	1.4936E-016	7.7819E-016
RCPTR_50	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.8551E-016	9.6677E-016
RCPTR_50	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	5.6631E-017	2.9457E-016
RCPTR_50	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	9.1054E-017	4.7351E-016
RCPTR_50	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	1.5018E-011	5.4804E-011
RCPTR_50	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	5.1328E-016	2.6639E-015
RCPTR_50	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.6885E-016	8.7923E-016
RCPTR_50	farmer_adult	TOCDLIC2	Diethyl phthalate	1.9251E-009	2.0511E-009
RCPTR_50	farmer_adult	TOCDLIC2	Dimethyl phthalate	4.0682E-012	2.0614E-011
RCPTR_50	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.6879E-012	8.7334E-012
RCPTR_50	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	1.6276E-012	4.0834E-012
RCPTR_50	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.6082E-012	7.9944E-012
RCPTR_50	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	1.2243E-012	6.1700E-012
RCPTR_50	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	3.5696E-014	1.8612E-013
RCPTR_50	farmer_adult	TOCDLIC2	Ethylbenzene	1.8917E-015	9.5189E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	8.4723E-010	1.0560E-009
RCPTR_50	farmer_adult	TOCDLIC2	Fluoranthene	8.5506E-009	3.3101E-008
RCPTR_50	farmer_adult	TOCDLIC2	Fluorene	1.0709E-010	5.3999E-010
RCPTR_50	farmer_adult	TOCDLIC2	GB	3.0143E-016	1.5698E-015
RCPTR_50	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	9.9852E-014	1.1507E-013
RCPTR_50	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	9.1850E-014	1.0315E-013
RCPTR_50	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	8.8540E-014	1.0170E-013
RCPTR_50	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.6661E-013	3.0067E-013
RCPTR_50	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.9291E-013	2.2446E-013
RCPTR_50	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.8799E-013	2.2301E-013
RCPTR_50	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.8217E-013	2.1986E-013
RCPTR_50	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.0977E-013	1.3237E-013
RCPTR_50	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	9.7844E-014	1.1783E-013
RCPTR_50	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.1212E-013	1.3510E-013
RCPTR_50	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	2.3417E-012	1.1288E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDLIC2	Hexachlorobenzene	4.6943E-009	2.3039E-008
RCPTR_50	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	6.3238E-012	2.9933E-011
RCPTR_50	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.3667E-012	6.9853E-012
RCPTR_50	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_50	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	2.1336E-004	2.1555E-004
RCPTR_50	farmer_adult	TOCDLIC2	Isophorone	2.5546E-013	1.3307E-012
RCPTR_50	farmer_adult	TOCDLIC2	Lead	3.6077E-008	4.7859E-008
RCPTR_50	farmer_adult	TOCDLIC2	Mercuric chloride	2.1666E-006	2.4034E-006
RCPTR_50	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	8.8379E-018	4.6071E-017
RCPTR_50	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	3.5244E-019	1.8363E-018
RCPTR_50	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.9821E-015	1.0335E-014
RCPTR_50	farmer_adult	TOCDLIC2	Methyl mercury	1.3021E-008	1.4258E-008
RCPTR_50	farmer_adult	TOCDLIC2	Methylene chloride	1.5567E-016	8.1124E-016
RCPTR_50	farmer_adult	TOCDLIC2	Naphthalene	1.0879E-012	5.6115E-012
RCPTR_50	farmer_adult	TOCDLIC2	Nickel	2.4260E-008	2.7065E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDLIC2	Nitroaniline, 2-	4.3798E-012	2.2746E-011
RCPTR_50	farmer_adult	TOCDLIC2	Nitroaniline, 3-	1.0398E-012	5.4152E-012
RCPTR_50	farmer_adult	TOCDLIC2	Nitroaniline, 4-	1.3446E-012	6.9961E-012
RCPTR_50	farmer_adult	TOCDLIC2	Nitrobenzene	4.3092E-013	2.2462E-012
RCPTR_50	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.9630E-013	1.0226E-012
RCPTR_50	farmer_adult	TOCDLIC2	Nitrophenol, 4-	6.1897E-012	1.4065E-011
RCPTR_50	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	2.4382E-013	1.2663E-012
RCPTR_50	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	2.4004E-013	1.2441E-012
RCPTR_50	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	2.1877E-014	1.1141E-013
RCPTR_50	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.6907E-013	2.0208E-013
RCPTR_50	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	5.5957E-014	6.6668E-014
RCPTR_50	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	6.7585E-013	7.7665E-013
RCPTR_50	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	2.0402E-013	2.5290E-013
RCPTR_50	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	5.7111E-013	7.0546E-013
RCPTR_50	farmer_adult	TOCDLIC2	Pentachlorobenzene	1.8516E-011	8.4580E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	7.5131E-012	3.3424E-011
RCPTR_50	farmer_adult	TOCDLIC2	Pentachlorophenol	9.0174E-009	1.3869E-008
RCPTR_50	farmer_adult	TOCDLIC2	Phenanthrene	3.3673E-013	1.7123E-012
RCPTR_50	farmer_adult	TOCDLIC2	Phenol	3.6180E-013	1.8808E-012
RCPTR_50	farmer_adult	TOCDLIC2	Pronamide	3.3645E-011	1.6931E-010
RCPTR_50	farmer_adult	TOCDLIC2	Pyrene	1.6695E-008	6.9201E-008
RCPTR_50	farmer_adult	TOCDLIC2	Selenium	1.5129E-008	1.5245E-008
RCPTR_50	farmer_adult	TOCDLIC2	Silver	5.1350E-009	5.8458E-009
RCPTR_50	farmer_adult	TOCDLIC2	Styrene	5.0641E-014	2.6303E-013
RCPTR_50	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	3.6179E-013	4.7504E-013
RCPTR_50	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	3.0026E-013	4.2317E-013
RCPTR_50	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.8099E-011	1.3641E-010
RCPTR_50	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	2.1273E-012	2.9344E-012
RCPTR_50	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	5.4497E-016	2.8309E-015
RCPTR_50	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	3.1970E-010	9.0993E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_adult	TOCDLIC2	Thallium (I)	1.3509E-007	1.4718E-007
RCPTR_50	farmer_adult	TOCDLIC2	Toluene	2.9404E-015	1.5156E-014
RCPTR_50	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.0468E-012	5.2431E-012
RCPTR_50	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	3.5168E-016	1.8295E-015
RCPTR_50	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	2.6862E-015	1.3991E-014
RCPTR_50	farmer_adult	TOCDLIC2	Trichloroethylene	4.3765E-016	2.2740E-015
RCPTR_50	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	5.7504E-017	2.9887E-016
RCPTR_50	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	1.2476E-010	5.9812E-010
RCPTR_50	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	2.9399E-011	1.1895E-010
RCPTR_50	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	9.9477E-015	5.1780E-014
RCPTR_50	farmer_adult	TOCDLIC2	Vinyl Chloride	1.6777E-019	8.7332E-019
RCPTR_50	farmer_adult	TOCDLIC2	Xylene, m-	1.0640E-014	2.2789E-014
RCPTR_50	farmer_adult	TOCDLIC2	Xylene, o-	7.2424E-015	1.7428E-014
RCPTR_50	farmer_adult	TOCDLIC2	Xylene, p-	1.1679E-014	3.0522E-014
RCPTR_50	farmer_adult	TOCDLIC2	Zinc	2.3466E-008	3.1879E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFBRA	Antimony	4.8975E-008	5.0685E-008
RCPTR_50	farmer_child	TOCDFBRA	Arsenic	6.6725E-008	6.7067E-008
RCPTR_50	farmer_child	TOCDFBRA	Barium	6.3591E-009	6.5163E-009
RCPTR_50	farmer_child	TOCDFBRA	Beryllium	2.0644E-008	2.4670E-008
RCPTR_50	farmer_child	TOCDFBRA	Cadmium	4.4418E-009	4.8648E-009
RCPTR_50	farmer_child	TOCDFBRA	Chromium	4.9578E-007	6.1795E-007
RCPTR_50	farmer_child	TOCDFBRA	Chromium, hexavalent	3.8554E-007	3.8619E-007
RCPTR_50	farmer_child	TOCDFBRA	Lead	2.3535E-007	3.0386E-007
RCPTR_50	farmer_child	TOCDFBRA	Mercuric chloride	4.4693E-005	8.2208E-005
RCPTR_50	farmer_child	TOCDFBRA	Methyl mercury	4.1179E-007	5.2228E-007
RCPTR_50	farmer_child	TOCDFBRA	Nickel	2.2918E-007	2.3446E-007
RCPTR_50	farmer_child	TOCDFBRA	Selenium	7.1691E-008	7.1701E-008
RCPTR_50	farmer_child	TOCDFBRA	Silver	2.7676E-008	2.7772E-008
RCPTR_50	farmer_child	TOCDFBRA	Thallium (I)	6.9758E-007	7.1132E-007
RCPTR_50	farmer_child	TOCDFBRA	Zinc	1.4635E-007	1.5481E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFDFS	Acenaphthene	1.1344E-010	1.1384E-010
RCPTR_50	farmer_child	TOCDFDFS	Acetone	1.4256E-015	1.4256E-015
RCPTR_50	farmer_child	TOCDFDFS	Acetophenone	6.3084E-013	6.3098E-013
RCPTR_50	farmer_child	TOCDFDFS	Aniline	3.6184E-014	3.6185E-014
RCPTR_50	farmer_child	TOCDFDFS	Anthracene	1.9428E-009	2.0082E-009
RCPTR_50	farmer_child	TOCDFDFS	Antimony	4.8709E-007	5.0386E-007
RCPTR_50	farmer_child	TOCDFDFS	Aroclor 1254	1.1004E-011	1.1082E-011
RCPTR_50	farmer_child	TOCDFDFS	Arsenic	3.7660E-008	3.7850E-008
RCPTR_50	farmer_child	TOCDFDFS	Barium	1.2588E-009	1.2894E-009
RCPTR_50	farmer_child	TOCDFDFS	Benzene	1.1787E-015	1.1787E-015
RCPTR_50	farmer_child	TOCDFDFS	Benzo(a)anthracene	1.7976E-007	2.1381E-007
RCPTR_50	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.2057E-006	1.2361E-006
RCPTR_50	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	8.0340E-007	8.8587E-007
RCPTR_50	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	1.8681E-006	1.9882E-006
RCPTR_50	farmer_child	TOCDFDFS	Benzoic acid	4.0882E-012	4.0886E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFDFS	Benzyl alcohol	8.2059E-013	8.2100E-013
RCPTR_50	farmer_child	TOCDFDFS	Beryllium	1.1243E-008	1.3402E-008
RCPTR_50	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	8.2140E-013	8.2174E-013
RCPTR_50	farmer_child	TOCDFDFS	Bromodichloromethane	9.2979E-015	9.2979E-015
RCPTR_50	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	3.6951E-013	3.6955E-013
RCPTR_50	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	3.1913E-008	4.4151E-008
RCPTR_50	farmer_child	TOCDFDFS	Butylbenzylphthalate	8.3509E-010	8.3579E-010
RCPTR_50	farmer_child	TOCDFDFS	Cadmium	1.2138E-008	1.3280E-008
RCPTR_50	farmer_child	TOCDFDFS	Carbon disulfide	6.1619E-016	6.1619E-016
RCPTR_50	farmer_child	TOCDFDFS	Carbon tetrachloride	3.0750E-015	3.0750E-015
RCPTR_50	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	6.6095E-011	6.6420E-011
RCPTR_50	farmer_child	TOCDFDFS	Chloroaniline, p-	3.8111E-012	3.8153E-012
RCPTR_50	farmer_child	TOCDFDFS	Chlorobenzene	1.7986E-014	1.7986E-014
RCPTR_50	farmer_child	TOCDFDFS	Chloroethane	5.0442E-017	5.0442E-017
RCPTR_50	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	2.7846E-015	2.7846E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFDFS	Chloronaphthalene,2-	2.9510E-010	2.9752E-010
RCPTR_50	farmer_child	TOCDFDFS	Chlorophenol, 2-	1.0574E-011	1.0598E-011
RCPTR_50	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.6783E-010	3.6913E-010
RCPTR_50	farmer_child	TOCDFDFS	Chromium	1.4503E-007	1.8025E-007
RCPTR_50	farmer_child	TOCDFDFS	Chromium, hexavalent	1.1325E-007	1.1344E-007
RCPTR_50	farmer_child	TOCDFDFS	Chrysene	4.0694E-007	4.6333E-007
RCPTR_50	farmer_child	TOCDFDFS	Di-n-butyl phthalate	3.1563E-009	3.1629E-009
RCPTR_50	farmer_child	TOCDFDFS	Di-n-octylphthalate	1.2779E+001	1.2779E+001
RCPTR_50	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	2.4839E-005	2.5281E-005
RCPTR_50	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	4.7973E-013	4.7974E-013
RCPTR_50	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	5.8112E-013	5.8114E-013
RCPTR_50	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	5.5968E-013	5.5970E-013
RCPTR_50	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	3.1442E-009	3.1632E-009
RCPTR_50	farmer_child	TOCDFDFS	Dichlorodifluoromethane	4.0356E-018	4.0356E-018
RCPTR_50	farmer_child	TOCDFDFS	Dichloroethane 1,1-	1.0165E-015	1.0165E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	1.2628E-015	1.2628E-015
RCPTR_50	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	3.8478E-016	3.8478E-016
RCPTR_50	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	6.1852E-016	6.1852E-016
RCPTR_50	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	4.5107E-011	4.5254E-011
RCPTR_50	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	3.4797E-015	3.4797E-015
RCPTR_50	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	1.1485E-015	1.1485E-015
RCPTR_50	farmer_child	TOCDFDFS	Diethyl phthalate	1.6776E-009	1.6779E-009
RCPTR_50	farmer_child	TOCDFDFS	Dimethyl phthalate	1.5900E-011	1.5914E-011
RCPTR_50	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	7.2104E-012	7.2195E-012
RCPTR_50	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	3.3184E-012	3.3189E-012
RCPTR_50	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	6.5985E-012	6.6094E-012
RCPTR_50	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	5.0932E-012	5.1005E-012
RCPTR_50	farmer_child	TOCDFDFS	Ethyl methanesulfonate	1.5382E-013	1.5386E-013
RCPTR_50	farmer_child	TOCDFDFS	Ethylbenzene	1.0963E-014	1.0963E-014
RCPTR_50	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	8.5767E-011	8.6013E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFDFS	Fluoranthene	2.3236E-008	2.7356E-008
RCPTR_50	farmer_child	TOCDFDFS	Fluorene	4.4160E-010	4.4638E-010
RCPTR_50	farmer_child	TOCDFDFS	GB	4.1371E-015	4.1382E-015
RCPTR_50	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	2.3384E-014	2.6182E-014
RCPTR_50	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	1.1925E-014	1.3090E-014
RCPTR_50	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	4.1014E-014	4.5800E-014
RCPTR_50	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	2.2744E-013	2.5045E-013
RCPTR_50	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.2514E-013	1.4108E-013
RCPTR_50	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.0996E-013	1.2575E-013
RCPTR_50	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	8.6963E-014	1.0069E-013
RCPTR_50	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	7.7321E-014	8.9495E-014
RCPTR_50	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	1.0356E-013	1.1974E-013
RCPTR_50	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	7.1315E-014	8.2492E-014
RCPTR_50	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	9.3303E-012	9.3313E-012
RCPTR_50	farmer_child	TOCDFDFS	Hexachlorobenzene	1.7914E-008	1.9044E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	1.2247E-010	1.2249E-010
RCPTR_50	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	5.7732E-012	5.7742E-012
RCPTR_50	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_50	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.7634E-004	1.7706E-004
RCPTR_50	farmer_child	TOCDFDFS	Isophorone	1.0996E-012	1.1000E-012
RCPTR_50	farmer_child	TOCDFDFS	Lead	1.3843E-006	1.7821E-006
RCPTR_50	farmer_child	TOCDFDFS	Mercuric chloride	1.5150E-008	2.8090E-008
RCPTR_50	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	1.0762E-016	1.0762E-016
RCPTR_50	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.8218E-017	1.8218E-017
RCPTR_50	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	9.5669E-015	9.5669E-015
RCPTR_50	farmer_child	TOCDFDFS	Methyl mercury	1.3081E-010	1.6893E-010
RCPTR_50	farmer_child	TOCDFDFS	Methylene chloride	2.7653E-016	2.7653E-016
RCPTR_50	farmer_child	TOCDFDFS	Naphthalene	4.6374E-012	4.6388E-012
RCPTR_50	farmer_child	TOCDFDFS	Nickel	1.3444E-007	1.3748E-007
RCPTR_50	farmer_child	TOCDFDFS	Nitroaniline, 2-	1.8513E-011	1.8534E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFDFS	Nitroaniline, 3-	4.4105E-012	4.4123E-012
RCPTR_50	farmer_child	TOCDFDFS	Nitroaniline, 4-	5.6975E-012	5.7006E-012
RCPTR_50	farmer_child	TOCDFDFS	Nitrobenzene	1.8559E-012	1.8569E-012
RCPTR_50	farmer_child	TOCDFDFS	Nitrophenol, 2-	8.4512E-013	8.4534E-013
RCPTR_50	farmer_child	TOCDFDFS	Nitrophenol, 4-	1.1417E-011	1.1421E-011
RCPTR_50	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.0467E-012	1.0468E-012
RCPTR_50	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	1.0284E-012	1.0285E-012
RCPTR_50	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	9.2123E-014	9.2127E-014
RCPTR_50	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	6.1287E-014	7.0506E-014
RCPTR_50	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	2.1005E-014	2.4108E-014
RCPTR_50	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	5.6887E-013	6.3439E-013
RCPTR_50	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	4.8760E-014	5.7537E-014
RCPTR_50	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.9612E-013	2.3092E-013
RCPTR_50	farmer_child	TOCDFDFS	Pentachlorobenzene	6.9959E-011	6.9989E-011
RCPTR_50	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.7264E-011	2.7266E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFDFS	Pentachlorophenol	1.1196E-008	1.1228E-008
RCPTR_50	farmer_child	TOCDFDFS	Phenanthrene	1.4154E-012	1.4154E-012
RCPTR_50	farmer_child	TOCDFDFS	Phenol	1.4696E-012	1.4706E-012
RCPTR_50	farmer_child	TOCDFDFS	Pronamide	2.7787E-010	2.7991E-010
RCPTR_50	farmer_child	TOCDFDFS	Pyrene	3.8494E-008	5.7200E-008
RCPTR_50	farmer_child	TOCDFDFS	Selenium	4.0503E-008	4.0508E-008
RCPTR_50	farmer_child	TOCDFDFS	Silver	1.5841E-008	1.5895E-008
RCPTR_50	farmer_child	TOCDFDFS	Styrene	3.0015E-013	3.0015E-013
RCPTR_50	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	2.7223E-013	3.3433E-013
RCPTR_50	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	8.9148E-014	1.1509E-013
RCPTR_50	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.1259E-010	1.1275E-010
RCPTR_50	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	3.8043E-012	3.8043E-012
RCPTR_50	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	3.6979E-015	3.6979E-015
RCPTR_50	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	7.3834E-010	7.3981E-010
RCPTR_50	farmer_child	TOCDFDFS	Thallium (I)	3.8093E-007	3.8830E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFDFS	Toluene	4.9771E-015	4.9771E-015
RCPTR_50	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	4.3335E-012	4.3341E-012
RCPTR_50	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	2.3898E-015	2.3898E-015
RCPTR_50	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	1.8276E-014	1.8276E-014
RCPTR_50	farmer_child	TOCDFDFS	Trichloroethylene	2.9703E-015	2.9703E-015
RCPTR_50	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	3.9039E-016	3.9039E-016
RCPTR_50	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	4.8610E-010	4.9433E-010
RCPTR_50	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	9.7902E-011	9.8256E-011
RCPTR_50	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	6.7635E-014	6.7637E-014
RCPTR_50	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	7.8800E-013	7.8874E-013
RCPTR_50	farmer_child	TOCDFDFS	Vinyl Chloride	9.6540E-019	9.6540E-019
RCPTR_50	farmer_child	TOCDFDFS	Xylene, m-	2.2252E-014	2.2252E-014
RCPTR_50	farmer_child	TOCDFDFS	Xylene, o-	2.3073E-014	2.3073E-014
RCPTR_50	farmer_child	TOCDFDFS	Xylene, p-	2.9655E-014	2.9655E-014
RCPTR_50	farmer_child	TOCDFDFS	Zinc	9.6114E-008	1.0159E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFLIC	Acenaphthene	6.6500E-011	6.6735E-011
RCPTR_50	farmer_child	TOCDFLIC	Acetone	1.7630E-015	1.7630E-015
RCPTR_50	farmer_child	TOCDFLIC	Acetophenone	6.3393E-013	6.3407E-013
RCPTR_50	farmer_child	TOCDFLIC	Aniline	2.1210E-014	2.1211E-014
RCPTR_50	farmer_child	TOCDFLIC	Anthracene	1.1388E-009	1.1772E-009
RCPTR_50	farmer_child	TOCDFLIC	Antimony	8.7252E-009	9.0248E-009
RCPTR_50	farmer_child	TOCDFLIC	Arsenic	2.3074E-008	2.3189E-008
RCPTR_50	farmer_child	TOCDFLIC	Barium	8.7633E-010	8.9762E-010
RCPTR_50	farmer_child	TOCDFLIC	Benzene	1.6173E-014	1.6173E-014
RCPTR_50	farmer_child	TOCDFLIC	Benzo(a)anthracene	1.0536E-007	1.2528E-007
RCPTR_50	farmer_child	TOCDFLIC	Benzo(a)pyrene	7.0366E-007	7.2112E-007
RCPTR_50	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	4.7178E-007	5.1999E-007
RCPTR_50	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	1.0908E-006	1.1590E-006
RCPTR_50	farmer_child	TOCDFLIC	Benzoic acid	2.5716E-012	2.5719E-012
RCPTR_50	farmer_child	TOCDFLIC	Benzyl alcohol	4.8102E-013	4.8126E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFLIC	Beryllium	4.2597E-009	5.0759E-009
RCPTR_50	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	4.8149E-013	4.8169E-013
RCPTR_50	farmer_child	TOCDFLIC	Bromodichloromethane	4.3069E-015	4.3069E-015
RCPTR_50	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.4834E-013	1.4835E-013
RCPTR_50	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	1.8707E-008	2.5880E-008
RCPTR_50	farmer_child	TOCDFLIC	Butylbenzylphthalate	4.8482E-010	4.8523E-010
RCPTR_50	farmer_child	TOCDFLIC	Cadmium	3.4003E-009	3.7197E-009
RCPTR_50	farmer_child	TOCDFLIC	Carbon disulfide	9.8004E-016	9.8004E-016
RCPTR_50	farmer_child	TOCDFLIC	Carbon tetrachloride	1.5467E-015	1.5467E-015
RCPTR_50	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	3.8768E-011	3.8959E-011
RCPTR_50	farmer_child	TOCDFLIC	Chloroaniline, p-	2.2340E-012	2.2365E-012
RCPTR_50	farmer_child	TOCDFLIC	Chlorobenzene	9.0469E-015	9.0469E-015
RCPTR_50	farmer_child	TOCDFLIC	Chloroethane	2.5375E-017	2.5375E-017
RCPTR_50	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	1.3703E-015	1.3703E-015
RCPTR_50	farmer_child	TOCDFLIC	Chloronaphthalene,2-	1.7299E-010	1.7441E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFLIC	Chlorophenol, 2-	6.1984E-012	6.2126E-012
RCPTR_50	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	2.1567E-010	2.1643E-010
RCPTR_50	farmer_child	TOCDFLIC	Chromium	1.8241E-007	2.2660E-007
RCPTR_50	farmer_child	TOCDFLIC	Chromium, hexavalent	1.4254E-007	1.4277E-007
RCPTR_50	farmer_child	TOCDFLIC	Chrysene	2.3905E-007	2.7198E-007
RCPTR_50	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.8611E-009	1.8649E-009
RCPTR_50	farmer_child	TOCDFLIC	Di-n-octylphthalate	7.5769E+000	7.5769E+000
RCPTR_50	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	1.4505E-005	1.4751E-005
RCPTR_50	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	2.8123E-013	2.8123E-013
RCPTR_50	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	3.4066E-013	3.4067E-013
RCPTR_50	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	3.2809E-013	3.2810E-013
RCPTR_50	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	9.5274E-010	9.5848E-010
RCPTR_50	farmer_child	TOCDFLIC	Dichlorodifluoromethane	2.0299E-018	2.0299E-018
RCPTR_50	farmer_child	TOCDFLIC	Dichloroethane 1,1-	5.1131E-016	5.1131E-016
RCPTR_50	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	6.3521E-016	6.3521E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	1.9355E-016	1.9355E-016
RCPTR_50	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	3.1112E-016	3.1112E-016
RCPTR_50	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	2.6471E-011	2.6557E-011
RCPTR_50	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	1.7503E-015	1.7503E-015
RCPTR_50	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	5.7769E-016	5.7769E-016
RCPTR_50	farmer_child	TOCDFLIC	Diethyl phthalate	9.9377E-010	9.9394E-010
RCPTR_50	farmer_child	TOCDFLIC	Dimethyl phthalate	1.6816E-011	1.6831E-011
RCPTR_50	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	4.2267E-012	4.2321E-012
RCPTR_50	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	1.9733E-012	1.9736E-012
RCPTR_50	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	3.8676E-012	3.8739E-012
RCPTR_50	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	2.9856E-012	2.9899E-012
RCPTR_50	farmer_child	TOCDFLIC	Ethyl methanesulfonate	9.0166E-014	9.0189E-014
RCPTR_50	farmer_child	TOCDFLIC	Ethylbenzene	7.3529E-015	7.3529E-015
RCPTR_50	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	1.5727E-009	1.5772E-009
RCPTR_50	farmer_child	TOCDFLIC	Fluoranthene	1.3625E-008	1.6040E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFLIC	Fluorene	2.5887E-010	2.6167E-010
RCPTR_50	farmer_child	TOCDFLIC	GB	1.5096E-015	1.5100E-015
RCPTR_50	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	1.4671E-014	1.6394E-014
RCPTR_50	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.7244E-014	1.8885E-014
RCPTR_50	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	4.1817E-014	4.6599E-014
RCPTR_50	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.8227E-013	2.0028E-013
RCPTR_50	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.0576E-013	1.1900E-013
RCPTR_50	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	9.1600E-014	1.0460E-013
RCPTR_50	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	5.9069E-014	6.8326E-014
RCPTR_50	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	5.7813E-014	6.6848E-014
RCPTR_50	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	6.6841E-014	7.7197E-014
RCPTR_50	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	4.8797E-014	5.6386E-014
RCPTR_50	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	5.4692E-012	5.4698E-012
RCPTR_50	farmer_child	TOCDFLIC	Hexachlorobenzene	1.0502E-008	1.1164E-008
RCPTR_50	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	1.4502E-011	1.4505E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	3.3843E-012	3.3849E-012
RCPTR_50	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_50	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	1.0405E-004	1.0445E-004
RCPTR_50	farmer_child	TOCDFLIC	Isophorone	6.4458E-013	6.4482E-013
RCPTR_50	farmer_child	TOCDFLIC	Lead	5.1589E-007	6.6380E-007
RCPTR_50	farmer_child	TOCDFLIC	Mercuric chloride	1.2937E-006	2.4034E-006
RCPTR_50	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	3.5222E-017	3.5222E-017
RCPTR_50	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	2.8848E-018	2.8848E-018
RCPTR_50	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.0486E-014	1.0486E-014
RCPTR_50	farmer_child	TOCDFLIC	Methyl mercury	1.0989E-008	1.4258E-008
RCPTR_50	farmer_child	TOCDFLIC	Methylene chloride	2.2301E-016	2.2301E-016
RCPTR_50	farmer_child	TOCDFLIC	Naphthalene	2.7184E-012	2.7192E-012
RCPTR_50	farmer_child	TOCDFLIC	Nickel	7.6142E-008	7.7860E-008
RCPTR_50	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.0982E-011	1.0994E-011
RCPTR_50	farmer_child	TOCDFLIC	Nitroaniline, 3-	2.6162E-012	2.6173E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFLIC	Nitroaniline, 4-	3.3796E-012	3.3814E-012
RCPTR_50	farmer_child	TOCDFLIC	Nitrobenzene	1.0879E-012	1.0885E-012
RCPTR_50	farmer_child	TOCDFLIC	Nitrophenol, 2-	4.9540E-013	4.9553E-013
RCPTR_50	farmer_child	TOCDFLIC	Nitrophenol, 4-	6.7961E-012	6.7982E-012
RCPTR_50	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	6.1354E-013	6.1365E-013
RCPTR_50	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	6.0283E-013	6.0289E-013
RCPTR_50	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	5.3987E-014	5.3989E-014
RCPTR_50	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	5.2377E-014	6.0185E-014
RCPTR_50	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.7192E-014	1.9710E-014
RCPTR_50	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	3.7308E-013	4.1534E-013
RCPTR_50	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.0139E-013	1.1952E-013
RCPTR_50	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	2.2533E-013	2.6509E-013
RCPTR_50	farmer_child	TOCDFLIC	Pentachlorobenzene	4.0968E-011	4.0986E-011
RCPTR_50	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.6154E-011	1.6155E-011
RCPTR_50	farmer_child	TOCDFLIC	Pentachlorophenol	6.6845E-009	6.7035E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFLIC	Phenanthrene	8.2972E-013	8.2974E-013
RCPTR_50	farmer_child	TOCDFLIC	Phenol	8.6149E-013	8.6202E-013
RCPTR_50	farmer_child	TOCDFLIC	Pronamide	8.1448E-011	8.2046E-011
RCPTR_50	farmer_child	TOCDFLIC	Pyrene	2.2569E-008	3.3534E-008
RCPTR_50	farmer_child	TOCDFLIC	Selenium	1.5243E-008	1.5245E-008
RCPTR_50	farmer_child	TOCDFLIC	Silver	5.8258E-009	5.8458E-009
RCPTR_50	farmer_child	TOCDFLIC	Styrene	3.1397E-013	3.1398E-013
RCPTR_50	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.3352E-013	1.6387E-013
RCPTR_50	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	1.8311E-013	2.3625E-013
RCPTR_50	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	6.6010E-011	6.6103E-011
RCPTR_50	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	1.9280E-012	1.9281E-012
RCPTR_50	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.8601E-015	1.8601E-015
RCPTR_50	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	4.3893E-010	4.3980E-010
RCPTR_50	farmer_child	TOCDFLIC	Thallium (I)	1.4439E-007	1.4718E-007
RCPTR_50	farmer_child	TOCDFLIC	Toluene	1.4398E-014	1.4398E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	2.5404E-012	2.5407E-012
RCPTR_50	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	1.2021E-015	1.2021E-015
RCPTR_50	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	9.1928E-015	9.1929E-015
RCPTR_50	farmer_child	TOCDFLIC	Trichloroethylene	1.4941E-015	1.4941E-015
RCPTR_50	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.9637E-016	1.9637E-016
RCPTR_50	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	2.8501E-010	2.8984E-010
RCPTR_50	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	5.7433E-011	5.7641E-011
RCPTR_50	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	3.4021E-014	3.4022E-014
RCPTR_50	farmer_child	TOCDFLIC	Vinyl Chloride	5.2324E-019	5.2324E-019
RCPTR_50	farmer_child	TOCDFLIC	Xylene, m-	1.9631E-014	1.9631E-014
RCPTR_50	farmer_child	TOCDFLIC	Xylene, o-	1.2989E-014	1.2989E-014
RCPTR_50	farmer_child	TOCDFLIC	Xylene, p-	2.6293E-014	2.6293E-014
RCPTR_50	farmer_child	TOCDFLIC	Zinc	2.5262E-008	2.6699E-008
RCPTR_50	farmer_child	TOCDFMPF	Acenaphthene	2.8359E-010	2.8460E-010
RCPTR_50	farmer_child	TOCDFMPF	Acetone	8.8373E-016	8.8373E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFMPF	Acetophenone	1.5019E-012	1.5022E-012
RCPTR_50	farmer_child	TOCDFMPF	Aniline	9.0453E-014	9.0456E-014
RCPTR_50	farmer_child	TOCDFMPF	Anthracene	4.8567E-009	5.0203E-009
RCPTR_50	farmer_child	TOCDFMPF	Antimony	2.6026E-009	2.6920E-009
RCPTR_50	farmer_child	TOCDFMPF	Arsenic	5.4266E-009	5.4538E-009
RCPTR_50	farmer_child	TOCDFMPF	Barium	8.2330E-010	8.4329E-010
RCPTR_50	farmer_child	TOCDFMPF	Benzene	7.8691E-016	7.8692E-016
RCPTR_50	farmer_child	TOCDFMPF	Benzo(a)anthracene	4.4935E-007	5.3434E-007
RCPTR_50	farmer_child	TOCDFMPF	Benzo(a)pyrene	3.0022E-006	3.0767E-006
RCPTR_50	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	2.0121E-006	2.2177E-006
RCPTR_50	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	4.6536E-006	4.9454E-006
RCPTR_50	farmer_child	TOCDFMPF	Benzoic acid	1.0223E-011	1.0224E-011
RCPTR_50	farmer_child	TOCDFMPF	Benzyl alcohol	2.0513E-012	2.0524E-012
RCPTR_50	farmer_child	TOCDFMPF	Beryllium	1.2193E-009	1.4529E-009
RCPTR_50	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	2.0534E-012	2.0542E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFMPF	Bromodichloromethane	7.0147E-015	7.0148E-015
RCPTR_50	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	2.6467E-013	2.6469E-013
RCPTR_50	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	7.9776E-008	1.1037E-007
RCPTR_50	farmer_child	TOCDFMPF	Butylbenzylphthalate	2.0689E-009	2.0707E-009
RCPTR_50	farmer_child	TOCDFMPF	Cadmium	1.4909E-009	1.6310E-009
RCPTR_50	farmer_child	TOCDFMPF	Carbon disulfide	1.3765E-015	1.3765E-015
RCPTR_50	farmer_child	TOCDFMPF	Carbon tetrachloride	2.1780E-015	2.1780E-015
RCPTR_50	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.6533E-010	1.6614E-010
RCPTR_50	farmer_child	TOCDFMPF	Chloroaniline, p-	9.5272E-012	9.5377E-012
RCPTR_50	farmer_child	TOCDFMPF	Chlorobenzene	1.2739E-014	1.2739E-014
RCPTR_50	farmer_child	TOCDFMPF	Chloroethane	3.5731E-017	3.5731E-017
RCPTR_50	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.8561E-015	1.8561E-015
RCPTR_50	farmer_child	TOCDFMPF	Chloronaphthalene,2-	7.3772E-010	7.4377E-010
RCPTR_50	farmer_child	TOCDFMPF	Chlorophenol, 2-	2.6434E-011	2.6494E-011
RCPTR_50	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	9.1973E-010	9.2298E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFMPF	Chromium	3.5369E-008	4.3939E-008
RCPTR_50	farmer_child	TOCDFMPF	Chromium, hexavalent	2.7636E-008	2.7682E-008
RCPTR_50	farmer_child	TOCDFMPF	Chrysene	1.0195E-006	1.1600E-006
RCPTR_50	farmer_child	TOCDFMPF	Di-n-butyl phthalate	7.9357E-009	7.9522E-009
RCPTR_50	farmer_child	TOCDFMPF	Di-n-octylphthalate	3.2301E+001	3.2301E+001
RCPTR_50	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	6.1873E-005	6.2923E-005
RCPTR_50	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	1.1993E-012	1.1993E-012
RCPTR_50	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	1.4528E-012	1.4528E-012
RCPTR_50	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	1.3992E-012	1.3992E-012
RCPTR_50	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	5.3163E-009	5.3483E-009
RCPTR_50	farmer_child	TOCDFMPF	Dichlorodifluoromethane	2.8584E-018	2.8584E-018
RCPTR_50	farmer_child	TOCDFMPF	Dichloroethane 1,1-	7.2000E-016	7.2000E-016
RCPTR_50	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	8.9448E-016	8.9448E-016
RCPTR_50	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	2.7254E-016	2.7254E-016
RCPTR_50	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	4.3810E-016	4.3810E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	1.1288E-010	1.1325E-010
RCPTR_50	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	2.4647E-015	2.4647E-015
RCPTR_50	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	8.1348E-016	8.1348E-016
RCPTR_50	farmer_child	TOCDFMPF	Diethyl phthalate	4.2367E-009	4.2374E-009
RCPTR_50	farmer_child	TOCDFMPF	Dimethyl phthalate	6.1150E-012	6.1204E-012
RCPTR_50	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.8025E-011	1.8048E-011
RCPTR_50	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	8.3996E-012	8.4008E-012
RCPTR_50	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	1.6494E-011	1.6521E-011
RCPTR_50	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	1.2732E-011	1.2750E-011
RCPTR_50	farmer_child	TOCDFMPF	Ethyl methanesulfonate	3.8452E-013	3.8462E-013
RCPTR_50	farmer_child	TOCDFMPF	Ethylbenzene	7.7655E-015	7.7656E-015
RCPTR_50	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.7424E-009	1.7474E-009
RCPTR_50	farmer_child	TOCDFMPF	Fluoranthene	5.8105E-008	6.8404E-008
RCPTR_50	farmer_child	TOCDFMPF	Fluorene	1.1040E-009	1.1159E-009
RCPTR_50	farmer_child	TOCDFMPF	GB	2.1482E-015	2.1488E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	3.0943E-014	3.4580E-014
RCPTR_50	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.1585E-012	1.2689E-012
RCPTR_50	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.9429E-013	2.1653E-013
RCPTR_50	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	4.1687E-013	4.5813E-013
RCPTR_50	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	2.3023E-013	2.5907E-013
RCPTR_50	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	2.1766E-013	2.4856E-013
RCPTR_50	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	8.8783E-012	1.0270E-011
RCPTR_50	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	2.1640E-012	2.5023E-012
RCPTR_50	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	3.7527E-013	4.3344E-013
RCPTR_50	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	2.6817E-013	3.0989E-013
RCPTR_50	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.3324E-011	2.3326E-011
RCPTR_50	farmer_child	TOCDFMPF	Hexachlorobenzene	4.4786E-008	4.7611E-008
RCPTR_50	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	6.1845E-011	6.1858E-011
RCPTR_50	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.4433E-011	1.4435E-011
RCPTR_50	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	4.4367E-004	4.4538E-004
RCPTR_50	farmer_child	TOCDFMPF	Isophorone	2.7488E-012	2.7499E-012
RCPTR_50	farmer_child	TOCDFMPF	Lead	4.0766E-010	5.2456E-010
RCPTR_50	farmer_child	TOCDFMPF	Mercuric chloride	1.4655E-008	2.7223E-008
RCPTR_50	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	4.2262E-017	4.2262E-017
RCPTR_50	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.5116E-018	1.5116E-018
RCPTR_50	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	9.8992E-015	9.8993E-015
RCPTR_50	farmer_child	TOCDFMPF	Methyl mercury	1.2461E-010	1.6162E-010
RCPTR_50	farmer_child	TOCDFMPF	Methylene chloride	2.4745E-016	2.4745E-016
RCPTR_50	farmer_child	TOCDFMPF	Naphthalene	1.1593E-011	1.1596E-011
RCPTR_50	farmer_child	TOCDFMPF	Nickel	5.9844E-008	6.1194E-008
RCPTR_50	farmer_child	TOCDFMPF	Nitroaniline, 2-	4.6747E-011	4.6799E-011
RCPTR_50	farmer_child	TOCDFMPF	Nitroaniline, 3-	1.1137E-011	1.1141E-011
RCPTR_50	farmer_child	TOCDFMPF	Nitroaniline, 4-	1.4387E-011	1.4394E-011
RCPTR_50	farmer_child	TOCDFMPF	Nitrobenzene	4.6394E-012	4.6419E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFMPF	Nitrophenol, 2-	2.1127E-012	2.1132E-012
RCPTR_50	farmer_child	TOCDFMPF	Nitrophenol, 4-	2.8927E-011	2.8936E-011
RCPTR_50	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.6165E-012	2.6169E-012
RCPTR_50	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	2.5708E-012	2.5710E-012
RCPTR_50	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	2.3023E-013	2.3024E-013
RCPTR_50	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	7.7968E-014	8.9598E-014
RCPTR_50	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.0835E-013	1.2423E-013
RCPTR_50	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	1.4742E-012	1.6414E-012
RCPTR_50	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	1.1301E-012	1.3322E-012
RCPTR_50	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	3.6666E-012	4.3138E-012
RCPTR_50	farmer_child	TOCDFMPF	Pentachlorobenzene	1.7472E-010	1.7480E-010
RCPTR_50	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	6.8768E-011	6.8773E-011
RCPTR_50	farmer_child	TOCDFMPF	Pentachlorophenol	2.8449E-008	2.8530E-008
RCPTR_50	farmer_child	TOCDFMPF	Phenanthrene	3.5384E-012	3.5385E-012
RCPTR_50	farmer_child	TOCDFMPF	Phenol	3.6739E-012	3.6762E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFMPF	Pronamide	3.4734E-010	3.4989E-010
RCPTR_50	farmer_child	TOCDFMPF	Pyrene	9.6248E-008	1.4301E-007
RCPTR_50	farmer_child	TOCDFMPF	Selenium	4.4690E-009	4.4696E-009
RCPTR_50	farmer_child	TOCDFMPF	Silver	2.3365E-008	2.3445E-008
RCPTR_50	farmer_child	TOCDFMPF	Styrene	3.3584E-013	3.3585E-013
RCPTR_50	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	3.7904E-013	4.6521E-013
RCPTR_50	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	7.5037E-013	9.6813E-013
RCPTR_50	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.8150E-010	2.8190E-010
RCPTR_50	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	2.7144E-012	2.7144E-012
RCPTR_50	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	5.8046E-015	5.8046E-015
RCPTR_50	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.8683E-009	1.8720E-009
RCPTR_50	farmer_child	TOCDFMPF	Thallium (I)	4.2699E-008	4.3523E-008
RCPTR_50	farmer_child	TOCDFMPF	Toluene	4.0339E-015	4.0339E-015
RCPTR_50	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.0834E-011	1.0835E-011
RCPTR_50	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	1.6927E-015	1.6927E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	1.2945E-014	1.2945E-014
RCPTR_50	farmer_child	TOCDFMPF	Trichloroethylene	2.1039E-015	2.1039E-015
RCPTR_50	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	2.7652E-016	2.7652E-016
RCPTR_50	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	1.2154E-009	1.2360E-009
RCPTR_50	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	2.4492E-010	2.4581E-010
RCPTR_50	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	4.7906E-014	4.7908E-014
RCPTR_50	farmer_child	TOCDFMPF	Vinyl Chloride	6.8379E-019	6.8379E-019
RCPTR_50	farmer_child	TOCDFMPF	Xylene, m-	1.5519E-014	1.5519E-014
RCPTR_50	farmer_child	TOCDFMPF	Xylene, o-	1.6136E-014	1.6136E-014
RCPTR_50	farmer_child	TOCDFMPF	Xylene, p-	2.0779E-014	2.0779E-014
RCPTR_50	farmer_child	TOCDFMPF	Zinc	1.5498E-008	1.6379E-008
RCPTR_50	farmer_child	TOCDHVAC	GB	1.0082E-014	1.0085E-014
RCPTR_50	farmer_child	TOCDLIC2	Acenaphthene	1.3723E-010	1.3772E-010
RCPTR_50	farmer_child	TOCDLIC2	Acetone	1.7447E-015	1.7447E-015
RCPTR_50	farmer_child	TOCDLIC2	Acetophenone	7.2678E-013	7.2693E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDLIC2	Aniline	4.3771E-014	4.3772E-014
RCPTR_50	farmer_child	TOCDLIC2	Anthracene	2.3502E-009	2.4293E-009
RCPTR_50	farmer_child	TOCDLIC2	Antimony	1.1608E-008	1.2007E-008
RCPTR_50	farmer_child	TOCDLIC2	Arsenic	2.3074E-008	2.3189E-008
RCPTR_50	farmer_child	TOCDLIC2	Barium	8.4447E-009	8.6498E-009
RCPTR_50	farmer_child	TOCDLIC2	Benzene	1.1639E-015	1.1639E-015
RCPTR_50	farmer_child	TOCDLIC2	Benzo(a)anthracene	2.1741E-007	2.5854E-007
RCPTR_50	farmer_child	TOCDLIC2	Benzo(a)pyrene	1.4521E-006	1.4881E-006
RCPTR_50	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	9.7358E-007	1.0731E-006
RCPTR_50	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	2.2509E-006	2.3919E-006
RCPTR_50	farmer_child	TOCDLIC2	Benzoic acid	4.9471E-012	4.9477E-012
RCPTR_50	farmer_child	TOCDLIC2	Benzyl alcohol	9.9265E-013	9.9314E-013
RCPTR_50	farmer_child	TOCDLIC2	Beryllium	4.2597E-009	5.0759E-009
RCPTR_50	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	9.9363E-013	9.9404E-013
RCPTR_50	farmer_child	TOCDLIC2	Bromodichloromethane	1.3187E-014	1.3187E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	3.4394E-013	3.4397E-013
RCPTR_50	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	3.8604E-008	5.3407E-008
RCPTR_50	farmer_child	TOCDLIC2	Butylbenzylphthalate	1.0005E-009	1.0013E-009
RCPTR_50	farmer_child	TOCDLIC2	Cadmium	3.8637E-010	4.2266E-010
RCPTR_50	farmer_child	TOCDLIC2	Carbon disulfide	1.4852E-015	1.4852E-015
RCPTR_50	farmer_child	TOCDLIC2	Carbon tetrachloride	2.3541E-015	2.3541E-015
RCPTR_50	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	8.0004E-011	8.0397E-011
RCPTR_50	farmer_child	TOCDLIC2	Chloroaniline, p-	4.6103E-012	4.6153E-012
RCPTR_50	farmer_child	TOCDLIC2	Chlorobenzene	1.3769E-014	1.3769E-014
RCPTR_50	farmer_child	TOCDLIC2	Chloroethane	3.8619E-017	3.8619E-017
RCPTR_50	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	4.2307E-015	4.2308E-015
RCPTR_50	farmer_child	TOCDLIC2	Chloronaphthalene,2-	3.5699E-010	3.5992E-010
RCPTR_50	farmer_child	TOCDLIC2	Chlorophenol, 2-	1.2791E-011	1.2821E-011
RCPTR_50	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	4.4506E-010	4.4663E-010
RCPTR_50	farmer_child	TOCDLIC2	Chromium	1.8241E-007	2.2660E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDLIC2	Chromium, hexavalent	1.4254E-007	1.4277E-007
RCPTR_50	farmer_child	TOCDLIC2	Chrysene	4.9331E-007	5.6126E-007
RCPTR_50	farmer_child	TOCDLIC2	Di-n-butyl phthalate	3.8405E-009	3.8485E-009
RCPTR_50	farmer_child	TOCDLIC2	Di-n-octylphthalate	1.5636E+001	1.5636E+001
RCPTR_50	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	2.9934E-005	3.0441E-005
RCPTR_50	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	5.8035E-013	5.8036E-013
RCPTR_50	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	7.0299E-013	7.0302E-013
RCPTR_50	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	6.7706E-013	6.7708E-013
RCPTR_50	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.2911E-009	2.3049E-009
RCPTR_50	farmer_child	TOCDLIC2	Dichlorodifluoromethane	3.0894E-018	3.0894E-018
RCPTR_50	farmer_child	TOCDLIC2	Dichloroethane 1,1-	7.7819E-016	7.7819E-016
RCPTR_50	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	9.6677E-016	9.6677E-016
RCPTR_50	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	2.9457E-016	2.9457E-016
RCPTR_50	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	4.7351E-016	4.7351E-016
RCPTR_50	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	5.4627E-011	5.4804E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	2.6639E-015	2.6639E-015
RCPTR_50	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	8.7923E-016	8.7923E-016
RCPTR_50	farmer_child	TOCDLIC2	Diethyl phthalate	2.0508E-009	2.0511E-009
RCPTR_50	farmer_child	TOCDLIC2	Dimethyl phthalate	2.0596E-011	2.0614E-011
RCPTR_50	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	8.7224E-012	8.7334E-012
RCPTR_50	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	4.0827E-012	4.0834E-012
RCPTR_50	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	7.9813E-012	7.9944E-012
RCPTR_50	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	6.1612E-012	6.1700E-012
RCPTR_50	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.8607E-013	1.8612E-013
RCPTR_50	farmer_child	TOCDLIC2	Ethylbenzene	9.5189E-015	9.5189E-015
RCPTR_50	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	1.0530E-009	1.0560E-009
RCPTR_50	farmer_child	TOCDLIC2	Fluoranthene	2.8117E-008	3.3101E-008
RCPTR_50	farmer_child	TOCDLIC2	Fluorene	5.3421E-010	5.3999E-010
RCPTR_50	farmer_child	TOCDLIC2	GB	1.5694E-015	1.5698E-015
RCPTR_50	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	1.0297E-013	1.1507E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	9.4192E-014	1.0315E-013
RCPTR_50	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	9.1268E-014	1.0170E-013
RCPTR_50	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	2.7362E-013	3.0067E-013
RCPTR_50	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.9949E-013	2.2446E-013
RCPTR_50	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.9530E-013	2.2301E-013
RCPTR_50	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.9008E-013	2.1986E-013
RCPTR_50	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.1448E-013	1.3237E-013
RCPTR_50	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	1.0202E-013	1.1783E-013
RCPTR_50	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.1692E-013	1.3510E-013
RCPTR_50	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.1286E-011	1.1288E-011
RCPTR_50	farmer_child	TOCDLIC2	Hexachlorobenzene	2.1672E-008	2.3039E-008
RCPTR_50	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	2.9927E-011	2.9933E-011
RCPTR_50	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	6.9840E-012	6.9853E-012
RCPTR_50	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_50	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	2.1472E-004	2.1555E-004

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDLIC2	Isophorone	1.3302E-012	1.3307E-012
RCPTR_50	farmer_child	TOCDLIC2	Lead	3.7195E-008	4.7859E-008
RCPTR_50	farmer_child	TOCDLIC2	Mercuric chloride	1.2937E-006	2.4034E-006
RCPTR_50	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	4.6071E-017	4.6071E-017
RCPTR_50	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.8363E-018	1.8363E-018
RCPTR_50	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.0335E-014	1.0335E-014
RCPTR_50	farmer_child	TOCDLIC2	Methyl mercury	1.0989E-008	1.4258E-008
RCPTR_50	farmer_child	TOCDLIC2	Methylene chloride	8.1124E-016	8.1124E-016
RCPTR_50	farmer_child	TOCDLIC2	Naphthalene	5.6099E-012	5.6115E-012
RCPTR_50	farmer_child	TOCDLIC2	Nickel	2.6467E-008	2.7065E-008
RCPTR_50	farmer_child	TOCDLIC2	Nitroaniline, 2-	2.2721E-011	2.2746E-011
RCPTR_50	farmer_child	TOCDLIC2	Nitroaniline, 3-	5.4129E-012	5.4152E-012
RCPTR_50	farmer_child	TOCDLIC2	Nitroaniline, 4-	6.9924E-012	6.9961E-012
RCPTR_50	farmer_child	TOCDLIC2	Nitrobenzene	2.2450E-012	2.2462E-012
RCPTR_50	farmer_child	TOCDLIC2	Nitrophenol, 2-	1.0223E-012	1.0226E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.4061E-011	1.4065E-011
RCPTR_50	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.2661E-012	1.2663E-012
RCPTR_50	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	1.2440E-012	1.2441E-012
RCPTR_50	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	1.1141E-013	1.1141E-013
RCPTR_50	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.7587E-013	2.0208E-013
RCPTR_50	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	5.8151E-014	6.6668E-014
RCPTR_50	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	6.9763E-013	7.7665E-013
RCPTR_50	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	2.1453E-013	2.5290E-013
RCPTR_50	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	5.9965E-013	7.0546E-013
RCPTR_50	farmer_child	TOCDLIC2	Pentachlorobenzene	8.4544E-011	8.4580E-011
RCPTR_50	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	3.3422E-011	3.3424E-011
RCPTR_50	farmer_child	TOCDLIC2	Pentachlorophenol	1.3830E-008	1.3869E-008
RCPTR_50	farmer_child	TOCDLIC2	Phenanthrene	1.7122E-012	1.7123E-012
RCPTR_50	farmer_child	TOCDLIC2	Phenol	1.8796E-012	1.8808E-012
RCPTR_50	farmer_child	TOCDLIC2	Pronamide	1.6808E-010	1.6931E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDLIC2	Pyrene	4.6575E-008	6.9201E-008
RCPTR_50	farmer_child	TOCDLIC2	Selenium	1.5243E-008	1.5245E-008
RCPTR_50	farmer_child	TOCDLIC2	Silver	5.8258E-009	5.8458E-009
RCPTR_50	farmer_child	TOCDLIC2	Styrene	2.6303E-013	2.6303E-013
RCPTR_50	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	3.8705E-013	4.7504E-013
RCPTR_50	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	3.2799E-013	4.2317E-013
RCPTR_50	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.3622E-010	1.3641E-010
RCPTR_50	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	2.9344E-012	2.9344E-012
RCPTR_50	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.8309E-015	2.8309E-015
RCPTR_50	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	9.0812E-010	9.0993E-010
RCPTR_50	farmer_child	TOCDLIC2	Thallium (I)	1.4439E-007	1.4718E-007
RCPTR_50	farmer_child	TOCDLIC2	Toluene	1.5156E-014	1.5156E-014
RCPTR_50	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	5.2425E-012	5.2431E-012
RCPTR_50	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.8295E-015	1.8295E-015
RCPTR_50	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	1.3991E-014	1.3991E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_50	farmer_child	TOCDLIC2	Trichloroethylene	2.2740E-015	2.2740E-015
RCPTR_50	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.9887E-016	2.9887E-016
RCPTR_50	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	5.8816E-010	5.9812E-010
RCPTR_50	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	1.1852E-010	1.1895E-010
RCPTR_50	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	5.1778E-014	5.1780E-014
RCPTR_50	farmer_child	TOCDLIC2	Vinyl Chloride	8.7332E-019	8.7332E-019
RCPTR_50	farmer_child	TOCDLIC2	Xylene, m-	2.2789E-014	2.2789E-014
RCPTR_50	farmer_child	TOCDLIC2	Xylene, o-	1.7428E-014	1.7428E-014
RCPTR_50	farmer_child	TOCDLIC2	Xylene, p-	3.0522E-014	3.0522E-014
RCPTR_50	farmer_child	TOCDLIC2	Zinc	3.0163E-008	3.1879E-008
RCPTR_51	farmer_adult	TOCDFBRA	Antimony	1.3657E-008	1.7954E-008
RCPTR_51	farmer_adult	TOCDFBRA	Arsenic	2.1979E-008	2.3309E-008
RCPTR_51	farmer_adult	TOCDFBRA	Barium	1.8629E-009	2.2959E-009
RCPTR_51	farmer_adult	TOCDFBRA	Beryllium	7.0035E-009	8.7970E-009
RCPTR_51	farmer_adult	TOCDFBRA	Cadmium	1.0894E-009	1.7487E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFBRA	Chromium	2.1230E-007	2.2115E-007
RCPTR_51	farmer_adult	TOCDFBRA	Chromium, hexavalent	1.2999E-007	1.3382E-007
RCPTR_51	farmer_adult	TOCDFBRA	Lead	8.1070E-008	1.0959E-007
RCPTR_51	farmer_adult	TOCDFBRA	Mercuric chloride	3.6606E-005	4.0604E-005
RCPTR_51	farmer_adult	TOCDFBRA	Methyl mercury	2.2081E-007	2.4169E-007
RCPTR_51	farmer_adult	TOCDFBRA	Nickel	7.2632E-008	8.1968E-008
RCPTR_51	farmer_adult	TOCDFBRA	Selenium	2.4584E-008	2.4795E-008
RCPTR_51	farmer_adult	TOCDFBRA	Silver	8.4317E-009	9.7288E-009
RCPTR_51	farmer_adult	TOCDFBRA	Thallium (I)	2.2562E-007	2.4808E-007
RCPTR_51	farmer_adult	TOCDFBRA	Zinc	3.9465E-008	5.5094E-008
RCPTR_51	farmer_adult	TOCDFDFS	Acenaphthene	1.1619E-011	5.9470E-011
RCPTR_51	farmer_adult	TOCDFDFS	Acetone	1.4285E-016	7.4495E-016
RCPTR_51	farmer_adult	TOCDFDFS	Acetophenone	6.3287E-014	3.2972E-013
RCPTR_51	farmer_adult	TOCDFDFS	Aniline	3.6369E-015	1.8908E-014
RCPTR_51	farmer_adult	TOCDFDFS	Anthracene	2.0532E-010	1.0490E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFDFS	Antimony	1.3888E-007	1.8134E-007
RCPTR_51	farmer_adult	TOCDFDFS	Aroclor 1254	2.6566E-012	5.5747E-012
RCPTR_51	farmer_adult	TOCDFDFS	Arsenic	1.2660E-008	1.3403E-008
RCPTR_51	farmer_adult	TOCDFDFS	Barium	3.7686E-010	4.6194E-010
RCPTR_51	farmer_adult	TOCDFDFS	Benzene	1.1860E-016	6.1591E-016
RCPTR_51	farmer_adult	TOCDFDFS	Benzo(a)anthracene	5.6888E-008	1.0785E-007
RCPTR_51	farmer_adult	TOCDFDFS	Benzo(a)pyrene	5.4398E-007	5.9421E-007
RCPTR_51	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	3.1146E-007	4.4001E-007
RCPTR_51	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	8.6056E-007	9.5803E-007
RCPTR_51	farmer_adult	TOCDFDFS	Benzoic acid	4.6245E-013	2.1323E-012
RCPTR_51	farmer_adult	TOCDFDFS	Benzyl alcohol	8.2383E-014	4.2901E-013
RCPTR_51	farmer_adult	TOCDFDFS	Beryllium	3.8812E-009	4.8512E-009
RCPTR_51	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	8.2345E-014	4.2941E-013
RCPTR_51	farmer_adult	TOCDFDFS	Bromodichloromethane	9.3242E-016	4.8586E-015
RCPTR_51	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	3.7050E-014	1.9311E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	4.6430E-009	2.3070E-008
RCPTR_51	farmer_adult	TOCDFDFS	Butylbenzylphthalate	3.2007E-010	4.0275E-010
RCPTR_51	farmer_adult	TOCDFDFS	Cadmium	3.0453E-009	4.8404E-009
RCPTR_51	farmer_adult	TOCDFDFS	Carbon disulfide	6.1908E-017	3.2198E-016
RCPTR_51	farmer_adult	TOCDFDFS	Carbon tetrachloride	3.0952E-016	1.6067E-015
RCPTR_51	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	8.1018E-012	3.4593E-011
RCPTR_51	farmer_adult	TOCDFDFS	Chloroaniline, p-	3.8375E-013	1.9936E-012
RCPTR_51	farmer_adult	TOCDFDFS	Chlorobenzene	1.8154E-015	9.3974E-015
RCPTR_51	farmer_adult	TOCDFDFS	Chloroethane	5.1861E-018	2.6349E-017
RCPTR_51	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	2.7931E-016	1.4551E-015
RCPTR_51	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	3.0247E-011	1.5543E-010
RCPTR_51	farmer_adult	TOCDFDFS	Chlorophenol, 2-	1.0624E-012	5.5383E-012
RCPTR_51	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	4.5150E-011	1.9209E-010
RCPTR_51	farmer_adult	TOCDFDFS	Chromium	6.2874E-008	6.5449E-008
RCPTR_51	farmer_adult	TOCDFDFS	Chromium, hexavalent	3.8954E-008	4.0068E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFDFS	Chrysene	1.6273E-007	2.3038E-007
RCPTR_51	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.2515E-009	1.5696E-009
RCPTR_51	farmer_adult	TOCDFDFS	Di-n-octylphthalate	6.2811E+000	6.2811E+000
RCPTR_51	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.1244E-005	1.1633E-005
RCPTR_51	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	4.9570E-014	2.5056E-013
RCPTR_51	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	5.9405E-014	3.0358E-013
RCPTR_51	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	5.7045E-014	2.9239E-013
RCPTR_51	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.1367E-009	1.5586E-009
RCPTR_51	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	4.0594E-019	2.1087E-018
RCPTR_51	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	1.0194E-016	5.3118E-016
RCPTR_51	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	1.2662E-016	6.5991E-016
RCPTR_51	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	3.8647E-017	2.0106E-016
RCPTR_51	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	6.2137E-017	3.2320E-016
RCPTR_51	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	6.3182E-012	2.3505E-011
RCPTR_51	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	3.5021E-016	1.8182E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	1.1524E-016	6.0014E-016
RCPTR_51	farmer_adult	TOCDFDFS	Diethyl phthalate	7.7419E-010	8.2863E-010
RCPTR_51	farmer_adult	TOCDFDFS	Dimethyl phthalate	1.6366E-012	8.3115E-012
RCPTR_51	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	7.2867E-013	3.7722E-012
RCPTR_51	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	6.6122E-013	1.7068E-012
RCPTR_51	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	6.9125E-013	3.4500E-012
RCPTR_51	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	5.2718E-013	2.6636E-012
RCPTR_51	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.5420E-014	8.0400E-014
RCPTR_51	farmer_adult	TOCDFDFS	Ethylbenzene	1.1349E-015	5.7255E-015
RCPTR_51	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.2566E-011	4.1347E-011
RCPTR_51	farmer_adult	TOCDFDFS	Fluoranthene	3.6047E-009	1.4209E-008
RCPTR_51	farmer_adult	TOCDFDFS	Fluorene	4.6118E-011	2.3313E-010
RCPTR_51	farmer_adult	TOCDFDFS	GB	4.1518E-016	2.1624E-015
RCPTR_51	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.0410E-014	1.2096E-014
RCPTR_51	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.4330E-015	6.1405E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.8326E-014	2.1221E-014
RCPTR_51	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.0390E-013	1.1796E-013
RCPTR_51	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	5.5651E-014	6.5334E-014
RCPTR_51	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	4.8021E-014	5.7574E-014
RCPTR_51	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	3.7936E-014	4.6340E-014
RCPTR_51	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.3788E-014	4.1234E-014
RCPTR_51	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	4.5376E-014	5.5294E-014
RCPTR_51	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.1205E-014	3.8053E-014
RCPTR_51	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.0040E-012	4.8685E-012
RCPTR_51	farmer_adult	TOCDFDFS	Hexachlorobenzene	2.0167E-009	9.9415E-009
RCPTR_51	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	1.3397E-011	6.3881E-011
RCPTR_51	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	5.8936E-013	3.0165E-012
RCPTR_51	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_51	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	8.4522E-005	8.5249E-005
RCPTR_51	farmer_adult	TOCDFDFS	Isophorone	1.1034E-013	5.7482E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFDFS	Lead	4.8448E-007	6.5141E-007
RCPTR_51	farmer_adult	TOCDFDFS	Mercuric chloride	1.3036E-008	1.4473E-008
RCPTR_51	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.0788E-017	5.6237E-017
RCPTR_51	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.8271E-018	9.5200E-018
RCPTR_51	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	9.5872E-016	4.9993E-015
RCPTR_51	farmer_adult	TOCDFDFS	Methyl mercury	7.4155E-011	8.1659E-011
RCPTR_51	farmer_adult	TOCDFDFS	Methylene chloride	2.7727E-017	1.4450E-016
RCPTR_51	farmer_adult	TOCDFDFS	Naphthalene	4.6949E-013	2.4236E-012
RCPTR_51	farmer_adult	TOCDFDFS	Nickel	4.3499E-008	4.8926E-008
RCPTR_51	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.8641E-012	9.6842E-012
RCPTR_51	farmer_adult	TOCDFDFS	Nitroaniline, 3-	4.4266E-013	2.3057E-012
RCPTR_51	farmer_adult	TOCDFDFS	Nitroaniline, 4-	5.7234E-013	2.9787E-012
RCPTR_51	farmer_adult	TOCDFDFS	Nitrobenzene	1.8614E-013	9.7034E-013
RCPTR_51	farmer_adult	TOCDFDFS	Nitrophenol, 2-	8.4790E-014	4.4173E-013
RCPTR_51	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.5064E-012	5.8597E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.0529E-013	5.4700E-013
RCPTR_51	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	1.0364E-013	5.3740E-013
RCPTR_51	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	9.3870E-015	4.8066E-014
RCPTR_51	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	2.6445E-014	3.1976E-014
RCPTR_51	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	9.0655E-015	1.0925E-014
RCPTR_51	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.6376E-013	3.0558E-013
RCPTR_51	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.2253E-014	2.7935E-014
RCPTR_51	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	8.8542E-014	1.1078E-013
RCPTR_51	farmer_adult	TOCDFDFS	Pentachlorobenzene	7.8702E-012	3.6409E-011
RCPTR_51	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	3.1387E-012	1.4171E-011
RCPTR_51	farmer_adult	TOCDFDFS	Pentachlorophenol	3.6047E-009	5.6706E-009
RCPTR_51	farmer_adult	TOCDFDFS	Phenanthrene	1.4513E-013	7.3934E-013
RCPTR_51	farmer_adult	TOCDFDFS	Phenol	1.4778E-013	7.6842E-013
RCPTR_51	farmer_adult	TOCDFDFS	Pronamide	2.8977E-011	1.4619E-010
RCPTR_51	farmer_adult	TOCDFDFS	Pyrene	7.1471E-009	2.9828E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFDFS	Selenium	1.4166E-008	1.4283E-008
RCPTR_51	farmer_adult	TOCDFDFS	Silver	4.9304E-009	5.6666E-009
RCPTR_51	farmer_adult	TOCDFDFS	Styrene	3.0187E-014	1.5684E-013
RCPTR_51	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.2308E-013	1.6407E-013
RCPTR_51	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	4.0001E-014	5.7325E-014
RCPTR_51	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.2064E-011	5.8854E-011
RCPTR_51	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.3595E-012	1.9104E-012
RCPTR_51	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	3.7184E-016	1.9322E-015
RCPTR_51	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.3074E-010	3.8205E-010
RCPTR_51	farmer_adult	TOCDFDFS	Thallium (I)	1.2576E-007	1.3791E-007
RCPTR_51	farmer_adult	TOCDFDFS	Toluene	5.0406E-016	2.6004E-015
RCPTR_51	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	4.5056E-013	2.2633E-012
RCPTR_51	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	2.4000E-016	1.2487E-015
RCPTR_51	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	1.8334E-015	9.5502E-015
RCPTR_51	farmer_adult	TOCDFDFS	Trichloroethylene	2.9863E-016	1.5521E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	3.9240E-017	2.0399E-016
RCPTR_51	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	5.3517E-011	2.5800E-010
RCPTR_51	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	1.2453E-011	5.1137E-011
RCPTR_51	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	6.7891E-015	3.5343E-014
RCPTR_51	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	8.1628E-014	4.1154E-013
RCPTR_51	farmer_adult	TOCDFDFS	Vinyl Chloride	9.6890E-020	5.0446E-019
RCPTR_51	farmer_adult	TOCDFDFS	Xylene, m-	4.8710E-015	1.0969E-014
RCPTR_51	farmer_adult	TOCDFDFS	Xylene, o-	4.5460E-015	1.1498E-014
RCPTR_51	farmer_adult	TOCDFDFS	Xylene, p-	5.4259E-015	1.4884E-014
RCPTR_51	farmer_adult	TOCDFDFS	Zinc	2.6505E-008	3.6712E-008
RCPTR_51	farmer_adult	TOCDFLIC	Acenaphthene	6.7838E-012	3.4714E-011
RCPTR_51	farmer_adult	TOCDFLIC	Acetone	1.7592E-016	9.1737E-016
RCPTR_51	farmer_adult	TOCDFLIC	Acetophenone	6.3328E-014	3.2993E-013
RCPTR_51	farmer_adult	TOCDFLIC	Aniline	2.1230E-015	1.1037E-014
RCPTR_51	farmer_adult	TOCDFLIC	Anthracene	1.1987E-010	6.1232E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFLIC	Antimony	2.4944E-009	3.2539E-009
RCPTR_51	farmer_adult	TOCDFLIC	Arsenic	7.7747E-009	8.2289E-009
RCPTR_51	farmer_adult	TOCDFLIC	Barium	2.6306E-010	3.2219E-010
RCPTR_51	farmer_adult	TOCDFLIC	Benzene	1.6205E-015	8.4149E-015
RCPTR_51	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.3364E-008	6.3070E-008
RCPTR_51	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.1827E-007	3.4709E-007
RCPTR_51	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.8313E-007	2.5801E-007
RCPTR_51	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	5.0368E-007	5.5915E-007
RCPTR_51	farmer_adult	TOCDFLIC	Benzoic acid	2.9017E-013	1.3357E-012
RCPTR_51	farmer_adult	TOCDFLIC	Benzyl alcohol	4.8088E-014	2.5042E-013
RCPTR_51	farmer_adult	TOCDFLIC	Beryllium	1.4735E-009	1.8404E-009
RCPTR_51	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	4.8065E-014	2.5065E-013
RCPTR_51	farmer_adult	TOCDFLIC	Bromodichloromethane	4.3008E-016	2.2410E-015
RCPTR_51	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.4811E-014	7.7195E-014
RCPTR_51	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	2.7101E-009	1.3466E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.8585E-010	2.3410E-010
RCPTR_51	farmer_adult	TOCDFLIC	Cadmium	8.5554E-010	1.3579E-009
RCPTR_51	farmer_adult	TOCDFLIC	Carbon disulfide	9.8051E-017	5.0994E-016
RCPTR_51	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.5504E-016	8.0478E-016
RCPTR_51	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	4.7449E-012	2.0208E-011
RCPTR_51	farmer_adult	TOCDFLIC	Chloroaniline, p-	2.2401E-013	1.1637E-012
RCPTR_51	farmer_adult	TOCDFLIC	Chlorobenzene	9.0938E-016	4.7070E-015
RCPTR_51	farmer_adult	TOCDFLIC	Chloroethane	2.5988E-018	1.3199E-017
RCPTR_51	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	1.3686E-016	7.1300E-016
RCPTR_51	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	1.7659E-011	9.0731E-011
RCPTR_51	farmer_adult	TOCDFLIC	Chlorophenol, 2-	6.2011E-013	3.2327E-012
RCPTR_51	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	2.6407E-011	1.1218E-010
RCPTR_51	farmer_adult	TOCDFLIC	Chromium	7.9181E-008	8.2415E-008
RCPTR_51	farmer_adult	TOCDFLIC	Chromium, hexavalent	4.9141E-008	5.0540E-008
RCPTR_51	farmer_adult	TOCDFLIC	Chrysene	9.5714E-008	1.3509E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	7.3870E-010	9.2438E-010
RCPTR_51	farmer_adult	TOCDFLIC	Di-n-octylphthalate	3.7217E+000	3.7217E+000
RCPTR_51	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	6.5906E-006	6.8075E-006
RCPTR_51	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	2.8947E-014	1.4627E-013
RCPTR_51	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	3.4685E-014	1.7721E-013
RCPTR_51	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	3.3306E-014	1.7068E-013
RCPTR_51	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.4481E-010	4.7207E-010
RCPTR_51	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	2.0332E-019	1.0562E-018
RCPTR_51	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	5.1060E-017	2.6605E-016
RCPTR_51	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	6.3422E-017	3.3053E-016
RCPTR_51	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.9358E-017	1.0071E-016
RCPTR_51	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	3.1124E-017	1.6188E-016
RCPTR_51	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	3.7075E-012	1.3740E-011
RCPTR_51	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	1.7542E-016	9.1071E-016
RCPTR_51	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	5.7721E-017	3.0059E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFLIC	Diethyl phthalate	4.5858E-010	4.9036E-010
RCPTR_51	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.7238E-012	8.7533E-012
RCPTR_51	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	4.2538E-013	2.2019E-012
RCPTR_51	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.9390E-013	1.0115E-012
RCPTR_51	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	4.0346E-013	2.0137E-012
RCPTR_51	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	3.0780E-013	1.5548E-012
RCPTR_51	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	9.0008E-015	4.6930E-014
RCPTR_51	farmer_adult	TOCDFLIC	Ethylbenzene	7.5827E-016	3.8240E-015
RCPTR_51	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	5.9715E-010	7.5918E-010
RCPTR_51	farmer_adult	TOCDFLIC	Fluoranthene	2.1098E-009	8.2991E-009
RCPTR_51	farmer_adult	TOCDFLIC	Fluorene	2.6929E-011	1.3609E-010
RCPTR_51	farmer_adult	TOCDFLIC	GB	1.5086E-016	7.8572E-016
RCPTR_51	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	6.5584E-015	7.5994E-015
RCPTR_51	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	7.8844E-015	8.8842E-015
RCPTR_51	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.8761E-014	2.1662E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	8.3543E-014	9.4578E-014
RCPTR_51	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	4.7225E-014	5.5291E-014
RCPTR_51	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.0174E-014	4.8060E-014
RCPTR_51	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.5872E-014	3.1552E-014
RCPTR_51	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.5365E-014	3.0904E-014
RCPTR_51	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	2.9403E-014	3.5768E-014
RCPTR_51	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.1438E-014	2.6098E-014
RCPTR_51	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	5.8625E-013	2.8420E-012
RCPTR_51	farmer_adult	TOCDFLIC	Hexachlorobenzene	1.1780E-009	5.8037E-009
RCPTR_51	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	1.5803E-012	7.5334E-012
RCPTR_51	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	3.4413E-013	1.7609E-012
RCPTR_51	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_51	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.9916E-005	5.0320E-005
RCPTR_51	farmer_adult	TOCDFLIC	Isophorone	6.4409E-014	3.3553E-013
RCPTR_51	farmer_adult	TOCDFLIC	Lead	1.8088E-007	2.4301E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFLIC	Mercuric chloride	1.1118E-006	1.2346E-006
RCPTR_51	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	3.5158E-018	1.8328E-017
RCPTR_51	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	2.8808E-019	1.5011E-018
RCPTR_51	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.0464E-015	5.4564E-015
RCPTR_51	farmer_adult	TOCDFLIC	Methyl mercury	6.2591E-009	6.9002E-009
RCPTR_51	farmer_adult	TOCDFLIC	Methylene chloride	2.2267E-017	1.1604E-016
RCPTR_51	farmer_adult	TOCDFLIC	Naphthalene	2.7408E-013	1.4147E-012
RCPTR_51	farmer_adult	TOCDFLIC	Nickel	2.4698E-008	2.7765E-008
RCPTR_51	farmer_adult	TOCDFLIC	Nitroaniline, 2-	1.1012E-012	5.7202E-012
RCPTR_51	farmer_adult	TOCDFLIC	Nitroaniline, 3-	2.6147E-013	1.3619E-012
RCPTR_51	farmer_adult	TOCDFLIC	Nitroaniline, 4-	3.3805E-013	1.7594E-012
RCPTR_51	farmer_adult	TOCDFLIC	Nitrobenzene	1.0865E-013	5.6639E-013
RCPTR_51	farmer_adult	TOCDFLIC	Nitrophenol, 2-	4.9493E-014	2.5784E-013
RCPTR_51	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.4956E-012	3.4763E-012
RCPTR_51	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	6.1463E-014	3.1929E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	6.0500E-014	3.1369E-013
RCPTR_51	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	5.4753E-015	2.8052E-014
RCPTR_51	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.2696E-014	2.7395E-014
RCPTR_51	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	7.4515E-015	8.9648E-015
RCPTR_51	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.7334E-013	2.0032E-013
RCPTR_51	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	4.6353E-014	5.8077E-014
RCPTR_51	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.0198E-013	1.2737E-013
RCPTR_51	farmer_adult	TOCDFLIC	Pentachlorobenzene	4.5805E-012	2.1239E-011
RCPTR_51	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.8479E-012	8.3645E-012
RCPTR_51	farmer_adult	TOCDFLIC	Pentachlorophenol	2.1569E-009	3.3772E-009
RCPTR_51	farmer_adult	TOCDFLIC	Phenanthrene	8.4736E-014	4.3158E-013
RCPTR_51	farmer_adult	TOCDFLIC	Phenol	8.6267E-014	4.4853E-013
RCPTR_51	farmer_adult	TOCDFLIC	Pronamide	8.4614E-012	4.2671E-011
RCPTR_51	farmer_adult	TOCDFLIC	Pyrene	4.1766E-009	1.7415E-008
RCPTR_51	farmer_adult	TOCDFLIC	Selenium	5.3432E-009	5.3874E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFLIC	Silver	1.8179E-009	2.0881E-009
RCPTR_51	farmer_adult	TOCDFLIC	Styrene	3.1445E-014	1.6337E-013
RCPTR_51	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	6.0438E-014	8.0428E-014
RCPTR_51	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	8.2179E-014	1.1756E-013
RCPTR_51	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	7.0490E-012	3.4361E-011
RCPTR_51	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	6.9022E-013	9.6616E-013
RCPTR_51	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.8625E-016	9.6780E-016
RCPTR_51	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	7.7846E-011	2.2629E-010
RCPTR_51	farmer_adult	TOCDFLIC	Thallium (I)	4.7784E-008	5.2379E-008
RCPTR_51	farmer_adult	TOCDFLIC	Toluene	1.4522E-015	7.4909E-015
RCPTR_51	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	2.6312E-013	1.3212E-012
RCPTR_51	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	1.2021E-016	6.2546E-016
RCPTR_51	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	9.1830E-016	4.7834E-015
RCPTR_51	farmer_adult	TOCDFLIC	Trichloroethylene	1.4959E-016	7.7741E-016
RCPTR_51	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.9655E-017	1.0218E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	3.1282E-011	1.5064E-010
RCPTR_51	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	7.2973E-012	2.9877E-011
RCPTR_51	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	3.4005E-015	1.7703E-014
RCPTR_51	farmer_adult	TOCDFLIC	Vinyl Chloride	5.2290E-020	2.7225E-019
RCPTR_51	farmer_adult	TOCDFLIC	Xylene, m-	4.2323E-015	9.6783E-015
RCPTR_51	farmer_adult	TOCDFLIC	Xylene, o-	2.5192E-015	6.4694E-015
RCPTR_51	farmer_adult	TOCDFLIC	Xylene, p-	4.7359E-015	1.3182E-014
RCPTR_51	farmer_adult	TOCDFLIC	Zinc	6.9854E-009	9.6644E-009
RCPTR_51	farmer_adult	TOCDFMPF	Acenaphthene	2.8909E-011	1.4794E-010
RCPTR_51	farmer_adult	TOCDFMPF	Acetone	8.8118E-017	4.5952E-016
RCPTR_51	farmer_adult	TOCDFMPF	Acetophenone	1.4993E-013	7.8111E-013
RCPTR_51	farmer_adult	TOCDFMPF	Aniline	9.0472E-015	4.7033E-014
RCPTR_51	farmer_adult	TOCDFMPF	Anthracene	5.1081E-010	2.6094E-009
RCPTR_51	farmer_adult	TOCDFMPF	Antimony	7.4343E-010	9.6980E-010
RCPTR_51	farmer_adult	TOCDFMPF	Arsenic	1.8270E-009	1.9337E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFMPF	Barium	2.4693E-010	3.0244E-010
RCPTR_51	farmer_adult	TOCDFMPF	Benzene	7.8793E-017	4.0915E-016
RCPTR_51	farmer_adult	TOCDFMPF	Benzo(a)anthracene	1.4211E-007	2.6871E-007
RCPTR_51	farmer_adult	TOCDFMPF	Benzo(a)pyrene	1.3555E-006	1.4783E-006
RCPTR_51	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	7.7997E-007	1.0991E-006
RCPTR_51	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	2.1452E-006	2.3816E-006
RCPTR_51	farmer_adult	TOCDFMPF	Benzoic acid	1.1526E-012	5.3063E-012
RCPTR_51	farmer_adult	TOCDFMPF	Benzyl alcohol	2.0493E-013	1.0672E-012
RCPTR_51	farmer_adult	TOCDFMPF	Beryllium	4.2141E-010	5.2637E-010
RCPTR_51	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	2.0483E-013	1.0681E-012
RCPTR_51	farmer_adult	TOCDFMPF	Bromodichloromethane	6.9999E-016	3.6475E-015
RCPTR_51	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	2.6406E-014	1.3763E-013
RCPTR_51	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.1549E-008	5.7386E-008
RCPTR_51	farmer_adult	TOCDFMPF	Butylbenzylphthalate	7.9159E-010	9.9716E-010
RCPTR_51	farmer_adult	TOCDFMPF	Cadmium	3.7481E-010	5.9491E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFMPF	Carbon disulfide	1.3762E-016	7.1571E-016
RCPTR_51	farmer_adult	TOCDFMPF	Carbon tetrachloride	2.1817E-016	1.1324E-015
RCPTR_51	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	2.0218E-011	8.6113E-011
RCPTR_51	farmer_adult	TOCDFMPF	Chloroaniline, p-	9.5463E-013	4.9591E-012
RCPTR_51	farmer_adult	TOCDFMPF	Chlorobenzene	1.2796E-015	6.6234E-015
RCPTR_51	farmer_adult	TOCDFMPF	Chloroethane	3.6569E-018	1.8572E-017
RCPTR_51	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.8526E-016	9.6510E-016
RCPTR_51	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	7.5253E-011	3.8665E-010
RCPTR_51	farmer_adult	TOCDFMPF	Chlorophenol, 2-	2.6426E-012	1.3776E-011
RCPTR_51	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.1252E-010	4.7802E-010
RCPTR_51	farmer_adult	TOCDFMPF	Chromium	1.5340E-008	1.5967E-008
RCPTR_51	farmer_adult	TOCDFMPF	Chromium, hexavalent	9.5201E-009	9.7912E-009
RCPTR_51	farmer_adult	TOCDFMPF	Chrysene	4.0766E-007	5.7545E-007
RCPTR_51	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	3.1461E-009	3.9374E-009
RCPTR_51	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.5850E+001	1.5850E+001

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	2.8080E-005	2.9006E-005
RCPTR_51	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.2336E-013	6.2331E-013
RCPTR_51	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.4781E-013	7.5518E-013
RCPTR_51	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.4193E-013	7.2735E-013
RCPTR_51	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.9211E-009	2.6305E-009
RCPTR_51	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	2.8610E-019	1.4862E-018
RCPTR_51	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	7.1850E-017	3.7438E-016
RCPTR_51	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	8.9244E-017	4.6510E-016
RCPTR_51	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	2.7240E-017	1.4171E-016
RCPTR_51	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	4.3796E-017	2.2779E-016
RCPTR_51	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.5796E-011	5.8548E-011
RCPTR_51	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	2.4685E-016	1.2815E-015
RCPTR_51	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	8.1222E-017	4.2298E-016
RCPTR_51	farmer_adult	TOCDFMPF	Diethyl phthalate	1.9530E-009	2.0884E-009
RCPTR_51	farmer_adult	TOCDFMPF	Dimethyl phthalate	6.2640E-013	3.1808E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.8128E-012	9.3835E-012
RCPTR_51	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.6749E-012	4.3021E-012
RCPTR_51	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.7193E-012	8.5814E-012
RCPTR_51	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.3117E-012	6.6260E-012
RCPTR_51	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	3.8357E-014	1.9999E-013
RCPTR_51	farmer_adult	TOCDFMPF	Ethylbenzene	8.0023E-016	4.0357E-015
RCPTR_51	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	6.6026E-010	8.3951E-010
RCPTR_51	farmer_adult	TOCDFMPF	Fluoranthene	8.9891E-009	3.5365E-008
RCPTR_51	farmer_adult	TOCDFMPF	Fluorene	1.1476E-010	5.7994E-010
RCPTR_51	farmer_adult	TOCDFMPF	GB	2.1452E-016	1.1173E-015
RCPTR_51	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.3792E-014	1.5982E-014
RCPTR_51	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	5.2838E-013	5.9543E-013
RCPTR_51	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	8.6919E-014	1.0037E-013
RCPTR_51	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.9062E-013	2.1582E-013
RCPTR_51	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.0250E-013	1.2002E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	9.5147E-014	1.1383E-013
RCPTR_51	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.8761E-012	4.7276E-012
RCPTR_51	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	9.4640E-013	1.1532E-012
RCPTR_51	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.6456E-013	2.0021E-013
RCPTR_51	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.1744E-013	1.4298E-013
RCPTR_51	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	2.4982E-012	1.2111E-011
RCPTR_51	farmer_adult	TOCDFMPF	Hexachlorobenzene	5.0197E-009	2.4732E-008
RCPTR_51	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	6.7342E-012	3.2103E-011
RCPTR_51	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.4665E-012	7.5039E-012
RCPTR_51	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_51	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.1261E-004	2.1434E-004
RCPTR_51	farmer_adult	TOCDFMPF	Isophorone	2.7448E-013	1.4299E-012
RCPTR_51	farmer_adult	TOCDFMPF	Lead	1.4281E-010	1.9188E-010
RCPTR_51	farmer_adult	TOCDFMPF	Mercuric chloride	1.2581E-008	1.3971E-008
RCPTR_51	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	4.2155E-018	2.1975E-017

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	1.5085E-019	7.8599E-019
RCPTR_51	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	9.8713E-016	5.1474E-015
RCPTR_51	farmer_adult	TOCDFMPF	Methyl mercury	7.0806E-011	7.8060E-011
RCPTR_51	farmer_adult	TOCDFMPF	Methylene chloride	2.4690E-017	1.2867E-016
RCPTR_51	farmer_adult	TOCDFMPF	Naphthalene	1.1680E-012	6.0288E-012
RCPTR_51	farmer_adult	TOCDFMPF	Nickel	1.9395E-008	2.1804E-008
RCPTR_51	farmer_adult	TOCDFMPF	Nitroaniline, 2-	4.6840E-012	2.4333E-011
RCPTR_51	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.1122E-012	5.7932E-012
RCPTR_51	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.4380E-012	7.4842E-012
RCPTR_51	farmer_adult	TOCDFMPF	Nitrobenzene	4.6303E-013	2.4137E-012
RCPTR_51	farmer_adult	TOCDFMPF	Nitrophenol, 2-	2.1091E-013	1.0988E-012
RCPTR_51	farmer_adult	TOCDFMPF	Nitrophenol, 4-	6.3592E-012	1.4785E-011
RCPTR_51	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	2.6192E-013	1.3607E-012
RCPTR_51	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	2.5782E-013	1.3368E-012
RCPTR_51	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	2.3332E-014	1.1954E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.3665E-014	4.0639E-014
RCPTR_51	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	4.6795E-014	5.6303E-014
RCPTR_51	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.8370E-013	7.9016E-013
RCPTR_51	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	5.1569E-013	6.4619E-013
RCPTR_51	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.6559E-012	2.0684E-012
RCPTR_51	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.9518E-011	9.0507E-011
RCPTR_51	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	7.8597E-012	3.5580E-011
RCPTR_51	farmer_adult	TOCDFMPF	Pentachlorophenol	9.1700E-009	1.4361E-008
RCPTR_51	farmer_adult	TOCDFMPF	Phenanthrene	3.6110E-013	1.8392E-012
RCPTR_51	farmer_adult	TOCDFMPF	Phenol	3.6763E-013	1.9114E-012
RCPTR_51	farmer_adult	TOCDFMPF	Pronamide	3.6058E-011	1.8184E-010
RCPTR_51	farmer_adult	TOCDFMPF	Pyrene	1.7797E-008	7.4211E-008
RCPTR_51	farmer_adult	TOCDFMPF	Selenium	1.5653E-009	1.5782E-009
RCPTR_51	farmer_adult	TOCDFMPF	Silver	7.2847E-009	8.3680E-009
RCPTR_51	farmer_adult	TOCDFMPF	Styrene	3.3611E-014	1.7462E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.7128E-013	2.2796E-013
RCPTR_51	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	3.3627E-013	4.8111E-013
RCPTR_51	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	3.0038E-011	1.4643E-010
RCPTR_51	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	9.7068E-013	1.3590E-012
RCPTR_51	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	5.8079E-016	3.0180E-015
RCPTR_51	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	3.3102E-010	9.6247E-010
RCPTR_51	farmer_adult	TOCDFMPF	Thallium (I)	1.4118E-008	1.5476E-008
RCPTR_51	farmer_adult	TOCDFMPF	Toluene	4.0657E-016	2.0972E-015
RCPTR_51	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.1213E-012	5.6304E-012
RCPTR_51	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.6916E-016	8.8012E-016
RCPTR_51	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.2922E-015	6.7310E-015
RCPTR_51	farmer_adult	TOCDFMPF	Trichloroethylene	2.1049E-016	1.0939E-015
RCPTR_51	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	2.7658E-017	1.4378E-016
RCPTR_51	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.3330E-010	6.4194E-010
RCPTR_51	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	3.1092E-011	1.2732E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	4.7850E-015	2.4910E-014
RCPTR_51	farmer_adult	TOCDFMPF	Vinyl Chloride	6.8286E-020	3.5554E-019
RCPTR_51	farmer_adult	TOCDFMPF	Xylene, m-	3.3391E-015	7.6372E-015
RCPTR_51	farmer_adult	TOCDFMPF	Xylene, o-	3.1241E-015	8.0241E-015
RCPTR_51	farmer_adult	TOCDFMPF	Xylene, p-	3.7366E-015	1.0402E-014
RCPTR_51	farmer_adult	TOCDFMPF	Zinc	4.2817E-009	5.9240E-009
RCPTR_51	farmer_adult	TOCDHVAC	GB	9.5059E-016	4.9517E-015
RCPTR_51	farmer_adult	TOCDLIC2	Acenaphthene	1.3999E-011	7.1638E-011
RCPTR_51	farmer_adult	TOCDLIC2	Acetone	1.7409E-016	9.0783E-016
RCPTR_51	farmer_adult	TOCDLIC2	Acetophenone	7.2603E-014	3.7825E-013
RCPTR_51	farmer_adult	TOCDLIC2	Aniline	4.3811E-015	2.2775E-014
RCPTR_51	farmer_adult	TOCDLIC2	Anthracene	2.4737E-010	1.2636E-009
RCPTR_51	farmer_adult	TOCDLIC2	Antimony	3.3186E-009	4.3291E-009
RCPTR_51	farmer_adult	TOCDLIC2	Arsenic	7.7747E-009	8.2289E-009
RCPTR_51	farmer_adult	TOCDLIC2	Barium	2.5349E-009	3.1047E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDLIC2	Benzene	1.1662E-016	6.0557E-016
RCPTR_51	farmer_adult	TOCDLIC2	Benzo(a)anthracene	6.8851E-008	1.3015E-007
RCPTR_51	farmer_adult	TOCDLIC2	Benzo(a)pyrene	6.5680E-007	7.1626E-007
RCPTR_51	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	3.7791E-007	5.3244E-007
RCPTR_51	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.0394E-006	1.1539E-006
RCPTR_51	farmer_adult	TOCDLIC2	Benzoic acid	5.5820E-013	2.5696E-012
RCPTR_51	farmer_adult	TOCDLIC2	Benzyl alcohol	9.9237E-014	5.1677E-013
RCPTR_51	farmer_adult	TOCDLIC2	Beryllium	1.4735E-009	1.8404E-009
RCPTR_51	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	9.9189E-014	5.1725E-013
RCPTR_51	farmer_adult	TOCDLIC2	Bromodichloromethane	1.3169E-015	6.8620E-015
RCPTR_51	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	3.4340E-014	1.7898E-013
RCPTR_51	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	5.5926E-009	2.7789E-008
RCPTR_51	farmer_adult	TOCDLIC2	Butylbenzylphthalate	3.8354E-010	4.8309E-010
RCPTR_51	farmer_adult	TOCDLIC2	Cadmium	9.7214E-011	1.5430E-010
RCPTR_51	farmer_adult	TOCDLIC2	Carbon disulfide	1.4859E-016	7.7280E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDLIC2	Carbon tetrachloride	2.3597E-016	1.2248E-015
RCPTR_51	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	9.7918E-012	4.1702E-011
RCPTR_51	farmer_adult	TOCDLIC2	Chloroaniline, p-	4.6228E-013	2.4014E-012
RCPTR_51	farmer_adult	TOCDLIC2	Chlorobenzene	1.3840E-015	7.1639E-015
RCPTR_51	farmer_adult	TOCDLIC2	Chloroethane	3.9553E-018	2.0088E-017
RCPTR_51	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	4.2258E-016	2.2014E-015
RCPTR_51	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	3.6442E-011	1.8724E-010
RCPTR_51	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.2797E-012	6.6711E-012
RCPTR_51	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	5.4495E-011	2.3149E-010
RCPTR_51	farmer_adult	TOCDLIC2	Chromium	7.9181E-008	8.2415E-008
RCPTR_51	farmer_adult	TOCDLIC2	Chromium, hexavalent	4.9141E-008	5.0540E-008
RCPTR_51	farmer_adult	TOCDLIC2	Chrysene	1.9752E-007	2.7877E-007
RCPTR_51	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.5244E-009	1.9076E-009
RCPTR_51	farmer_adult	TOCDLIC2	Di-n-octylphthalate	7.6802E+000	7.6802E+000
RCPTR_51	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	1.3601E-005	1.4048E-005

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	5.9737E-014	3.0184E-013
RCPTR_51	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	7.1577E-014	3.6569E-013
RCPTR_51	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	6.8732E-014	3.5222E-013
RCPTR_51	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	8.2918E-010	1.1352E-009
RCPTR_51	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	3.0944E-019	1.6074E-018
RCPTR_51	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	7.7712E-017	4.0492E-016
RCPTR_51	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	9.6526E-017	5.0305E-016
RCPTR_51	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	2.9462E-017	1.5327E-016
RCPTR_51	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	4.7370E-017	2.4638E-016
RCPTR_51	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	7.6509E-012	2.8354E-011
RCPTR_51	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	2.6699E-016	1.3861E-015
RCPTR_51	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	8.7850E-017	4.5749E-016
RCPTR_51	farmer_adult	TOCDLIC2	Diethyl phthalate	9.4634E-010	1.0119E-009
RCPTR_51	farmer_adult	TOCDLIC2	Dimethyl phthalate	2.1114E-012	1.0721E-011
RCPTR_51	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	8.7784E-013	4.5440E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	8.1497E-013	2.0928E-012
RCPTR_51	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	8.3260E-013	4.1556E-012
RCPTR_51	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	6.3519E-013	3.2086E-012
RCPTR_51	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.8574E-014	9.6846E-014
RCPTR_51	farmer_adult	TOCDLIC2	Ethylbenzene	9.8164E-016	4.9505E-015
RCPTR_51	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	3.9982E-010	5.0830E-010
RCPTR_51	farmer_adult	TOCDLIC2	Fluoranthene	4.3538E-009	1.7126E-008
RCPTR_51	farmer_adult	TOCDLIC2	Fluorene	5.5572E-011	2.8083E-010
RCPTR_51	farmer_adult	TOCDLIC2	GB	1.5683E-016	8.1684E-016
RCPTR_51	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.6033E-014	5.3339E-014
RCPTR_51	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	4.3066E-014	4.8527E-014
RCPTR_51	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.0948E-014	4.7279E-014
RCPTR_51	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.2542E-013	1.4198E-013
RCPTR_51	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	8.9079E-014	1.0429E-013
RCPTR_51	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	8.5656E-014	1.0247E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	8.3252E-014	1.0153E-013
RCPTR_51	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.0228E-014	6.1195E-014
RCPTR_51	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.4878E-014	5.4593E-014
RCPTR_51	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	5.1365E-014	6.2532E-014
RCPTR_51	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.2098E-012	5.8648E-012
RCPTR_51	farmer_adult	TOCDLIC2	Hexachlorobenzene	2.4309E-009	1.1977E-008
RCPTR_51	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	3.2612E-012	1.5546E-011
RCPTR_51	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	7.1016E-013	3.6338E-012
RCPTR_51	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_51	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.0301E-004	1.0384E-004
RCPTR_51	farmer_adult	TOCDLIC2	Isophorone	1.3292E-013	6.9241E-013
RCPTR_51	farmer_adult	TOCDLIC2	Lead	1.3041E-008	1.7521E-008
RCPTR_51	farmer_adult	TOCDLIC2	Mercuric chloride	1.1118E-006	1.2346E-006
RCPTR_51	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	4.5986E-018	2.3973E-017
RCPTR_51	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.8338E-019	9.5549E-019

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.0313E-015	5.3780E-015
RCPTR_51	farmer_adult	TOCDLIC2	Methyl mercury	6.2591E-009	6.9002E-009
RCPTR_51	farmer_adult	TOCDLIC2	Methylene chloride	8.1000E-017	4.2212E-016
RCPTR_51	farmer_adult	TOCDLIC2	Naphthalene	5.6560E-013	2.9194E-012
RCPTR_51	farmer_adult	TOCDLIC2	Nickel	8.5850E-009	9.6514E-009
RCPTR_51	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.2782E-012	1.1835E-011
RCPTR_51	farmer_adult	TOCDLIC2	Nitroaniline, 3-	5.4097E-013	2.8177E-012
RCPTR_51	farmer_adult	TOCDLIC2	Nitroaniline, 4-	6.9942E-013	3.6402E-012
RCPTR_51	farmer_adult	TOCDLIC2	Nitrobenzene	2.2422E-013	1.1688E-012
RCPTR_51	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.0214E-013	5.3209E-013
RCPTR_51	farmer_adult	TOCDLIC2	Nitrophenol, 4-	3.0944E-012	7.1924E-012
RCPTR_51	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.2684E-013	6.5890E-013
RCPTR_51	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.2485E-013	6.4733E-013
RCPTR_51	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.1299E-014	5.7890E-014
RCPTR_51	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	7.6207E-014	9.1985E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.5204E-014	3.0322E-014
RCPTR_51	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.2414E-013	3.7458E-013
RCPTR_51	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	9.8083E-014	1.2289E-013
RCPTR_51	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.7140E-013	3.3897E-013
RCPTR_51	farmer_adult	TOCDLIC2	Pentachlorobenzene	9.4525E-012	4.3829E-011
RCPTR_51	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	3.8232E-012	1.7306E-011
RCPTR_51	farmer_adult	TOCDLIC2	Pentachlorophenol	4.4626E-009	6.9873E-009
RCPTR_51	farmer_adult	TOCDLIC2	Phenanthrene	1.7486E-013	8.9063E-013
RCPTR_51	farmer_adult	TOCDLIC2	Phenol	1.8822E-013	9.7862E-013
RCPTR_51	farmer_adult	TOCDLIC2	Pronamide	1.7461E-011	8.8056E-011
RCPTR_51	farmer_adult	TOCDLIC2	Pyrene	8.6190E-009	3.5937E-008
RCPTR_51	farmer_adult	TOCDLIC2	Selenium	5.3432E-009	5.3874E-009
RCPTR_51	farmer_adult	TOCDLIC2	Silver	1.8179E-009	2.0881E-009
RCPTR_51	farmer_adult	TOCDLIC2	Styrene	2.6343E-014	1.3686E-013
RCPTR_51	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.7520E-013	2.3315E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.4720E-013	2.1058E-013
RCPTR_51	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.4547E-011	7.0908E-011
RCPTR_51	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.0505E-012	1.4705E-012
RCPTR_51	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	2.8346E-016	1.4730E-015
RCPTR_51	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.6106E-010	4.6819E-010
RCPTR_51	farmer_adult	TOCDLIC2	Thallium (I)	4.7784E-008	5.2379E-008
RCPTR_51	farmer_adult	TOCDLIC2	Toluene	1.5287E-015	7.8852E-015
RCPTR_51	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	5.4299E-013	2.7265E-012
RCPTR_51	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.8296E-016	9.5193E-016
RCPTR_51	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.3976E-015	7.2802E-015
RCPTR_51	farmer_adult	TOCDLIC2	Trichloroethylene	2.2766E-016	1.1832E-015
RCPTR_51	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.9914E-017	1.5551E-016
RCPTR_51	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	6.4554E-011	3.1086E-010
RCPTR_51	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.5059E-011	6.1656E-011
RCPTR_51	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	5.1755E-015	2.6943E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_adult	TOCDLIC2	Vinyl Chloride	8.7275E-020	4.5441E-019
RCPTR_51	farmer_adult	TOCDLIC2	Xylene, m-	4.9132E-015	1.1235E-014
RCPTR_51	farmer_adult	TOCDLIC2	Xylene, o-	3.3800E-015	8.6798E-015
RCPTR_51	farmer_adult	TOCDLIC2	Xylene, p-	5.4977E-015	1.5303E-014
RCPTR_51	farmer_adult	TOCDLIC2	Zinc	8.3407E-009	1.1539E-008
RCPTR_51	farmer_child	TOCDFBRA	Antimony	1.7309E-008	1.7954E-008
RCPTR_51	farmer_child	TOCDFBRA	Arsenic	2.3180E-008	2.3309E-008
RCPTR_51	farmer_child	TOCDFBRA	Barium	2.2367E-009	2.2959E-009
RCPTR_51	farmer_child	TOCDFBRA	Beryllium	7.2801E-009	8.7970E-009
RCPTR_51	farmer_child	TOCDFBRA	Cadmium	1.5893E-009	1.7487E-009
RCPTR_51	farmer_child	TOCDFBRA	Chromium	1.7512E-007	2.2115E-007
RCPTR_51	farmer_child	TOCDFBRA	Chromium, hexavalent	1.3358E-007	1.3382E-007
RCPTR_51	farmer_child	TOCDFBRA	Lead	8.3775E-008	1.0959E-007
RCPTR_51	farmer_child	TOCDFBRA	Mercuric chloride	2.1867E-005	4.0604E-005
RCPTR_51	farmer_child	TOCDFBRA	Methyl mercury	1.8650E-007	2.4169E-007

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFBRA	Nickel	7.9980E-008	8.1968E-008
RCPTR_51	farmer_child	TOCDFBRA	Selenium	2.4791E-008	2.4795E-008
RCPTR_51	farmer_child	TOCDFBRA	Silver	9.6924E-009	9.7288E-009
RCPTR_51	farmer_child	TOCDFBRA	Thallium (I)	2.4290E-007	2.4808E-007
RCPTR_51	farmer_child	TOCDFBRA	Zinc	5.1907E-008	5.5094E-008
RCPTR_51	farmer_child	TOCDFDFS	Acenaphthene	5.9260E-011	5.9470E-011
RCPTR_51	farmer_child	TOCDFDFS	Acetone	7.4495E-016	7.4495E-016
RCPTR_51	farmer_child	TOCDFDFS	Acetophenone	3.2965E-013	3.2972E-013
RCPTR_51	farmer_child	TOCDFDFS	Aniline	1.8907E-014	1.8908E-014
RCPTR_51	farmer_child	TOCDFDFS	Anthracene	1.0148E-009	1.0490E-009
RCPTR_51	farmer_child	TOCDFDFS	Antimony	1.7497E-007	1.8134E-007
RCPTR_51	farmer_child	TOCDFDFS	Aroclor 1254	5.5335E-012	5.5747E-012
RCPTR_51	farmer_child	TOCDFDFS	Arsenic	1.3331E-008	1.3403E-008
RCPTR_51	farmer_child	TOCDFDFS	Barium	4.5030E-010	4.6194E-010
RCPTR_51	farmer_child	TOCDFDFS	Benzene	6.1591E-016	6.1591E-016

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFDFS	Benzo(a)anthracene	9.0108E-008	1.0785E-007
RCPTR_51	farmer_child	TOCDFDFS	Benzo(a)pyrene	5.7891E-007	5.9421E-007
RCPTR_51	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	3.9712E-007	4.4001E-007
RCPTR_51	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	8.9858E-007	9.5803E-007
RCPTR_51	farmer_child	TOCDFDFS	Benzoic acid	2.1320E-012	2.1323E-012
RCPTR_51	farmer_child	TOCDFDFS	Benzyl alcohol	4.2880E-013	4.2901E-013
RCPTR_51	farmer_child	TOCDFDFS	Beryllium	4.0308E-009	4.8512E-009
RCPTR_51	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	4.2923E-013	4.2941E-013
RCPTR_51	farmer_child	TOCDFDFS	Bromodichloromethane	4.8586E-015	4.8586E-015
RCPTR_51	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.9309E-013	1.9311E-013
RCPTR_51	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.6676E-008	2.3070E-008
RCPTR_51	farmer_child	TOCDFDFS	Butylbenzylphthalate	4.0238E-010	4.0275E-010
RCPTR_51	farmer_child	TOCDFDFS	Cadmium	4.4064E-009	4.8404E-009
RCPTR_51	farmer_child	TOCDFDFS	Carbon disulfide	3.2198E-016	3.2198E-016
RCPTR_51	farmer_child	TOCDFDFS	Carbon tetrachloride	1.6067E-015	1.6067E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	3.4423E-011	3.4593E-011
RCPTR_51	farmer_child	TOCDFDFS	Chloroaniline, p-	1.9914E-012	1.9936E-012
RCPTR_51	farmer_child	TOCDFDFS	Chlorobenzene	9.3974E-015	9.3974E-015
RCPTR_51	farmer_child	TOCDFDFS	Chloroethane	2.6349E-017	2.6349E-017
RCPTR_51	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	1.4551E-015	1.4551E-015
RCPTR_51	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.5417E-010	1.5543E-010
RCPTR_51	farmer_child	TOCDFDFS	Chlorophenol, 2-	5.5256E-012	5.5383E-012
RCPTR_51	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.9141E-010	1.9209E-010
RCPTR_51	farmer_child	TOCDFDFS	Chromium	5.2070E-008	6.5449E-008
RCPTR_51	farmer_child	TOCDFDFS	Chromium, hexavalent	3.9997E-008	4.0068E-008
RCPTR_51	farmer_child	TOCDFDFS	Chrysene	2.0111E-007	2.3038E-007
RCPTR_51	farmer_child	TOCDFDFS	Di-n-butyl phthalate	1.5662E-009	1.5696E-009
RCPTR_51	farmer_child	TOCDFDFS	Di-n-octylphthalate	6.2811E+000	6.2811E+000
RCPTR_51	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.1465E-005	1.1633E-005
RCPTR_51	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	2.5055E-013	2.5056E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	3.0357E-013	3.0358E-013
RCPTR_51	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.9238E-013	2.9239E-013
RCPTR_51	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.5487E-009	1.5586E-009
RCPTR_51	farmer_child	TOCDFDFS	Dichlorodifluoromethane	2.1087E-018	2.1087E-018
RCPTR_51	farmer_child	TOCDFDFS	Dichloroethane 1,1-	5.3118E-016	5.3118E-016
RCPTR_51	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	6.5991E-016	6.5991E-016
RCPTR_51	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	2.0106E-016	2.0106E-016
RCPTR_51	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	3.2320E-016	3.2320E-016
RCPTR_51	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	2.3429E-011	2.3505E-011
RCPTR_51	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	1.8182E-015	1.8182E-015
RCPTR_51	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	6.0014E-016	6.0014E-016
RCPTR_51	farmer_child	TOCDFDFS	Diethyl phthalate	8.2848E-010	8.2863E-010
RCPTR_51	farmer_child	TOCDFDFS	Dimethyl phthalate	8.3042E-012	8.3115E-012
RCPTR_51	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	3.7674E-012	3.7722E-012
RCPTR_51	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.7066E-012	1.7068E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	3.4443E-012	3.4500E-012
RCPTR_51	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	2.6598E-012	2.6636E-012
RCPTR_51	farmer_child	TOCDFDFS	Ethyl methanesulfonate	8.0379E-014	8.0400E-014
RCPTR_51	farmer_child	TOCDFDFS	Ethylbenzene	5.7255E-015	5.7255E-015
RCPTR_51	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.1219E-011	4.1347E-011
RCPTR_51	farmer_child	TOCDFDFS	Fluoranthene	1.2056E-008	1.4209E-008
RCPTR_51	farmer_child	TOCDFDFS	Fluorene	2.3063E-010	2.3313E-010
RCPTR_51	farmer_child	TOCDFDFS	GB	2.1619E-015	2.1624E-015
RCPTR_51	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.0756E-014	1.2096E-014
RCPTR_51	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.5796E-015	6.1405E-015
RCPTR_51	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.8926E-014	2.1221E-014
RCPTR_51	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.0679E-013	1.1796E-013
RCPTR_51	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	5.7673E-014	6.5334E-014
RCPTR_51	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	5.0015E-014	5.7574E-014
RCPTR_51	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	3.9698E-014	4.6340E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.5339E-014	4.1234E-014
RCPTR_51	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	4.7449E-014	5.5294E-014
RCPTR_51	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.2637E-014	3.8053E-014
RCPTR_51	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	4.8680E-012	4.8685E-012
RCPTR_51	farmer_child	TOCDFDFS	Hexachlorobenzene	9.3509E-009	9.9415E-009
RCPTR_51	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	6.3868E-011	6.3881E-011
RCPTR_51	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.0160E-012	3.0165E-012
RCPTR_51	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_51	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	8.4974E-005	8.5249E-005
RCPTR_51	farmer_child	TOCDFDFS	Isophorone	5.7461E-013	5.7482E-013
RCPTR_51	farmer_child	TOCDFDFS	Lead	5.0031E-007	6.5141E-007
RCPTR_51	farmer_child	TOCDFDFS	Mercuric chloride	7.7371E-009	1.4473E-008
RCPTR_51	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	5.6237E-017	5.6237E-017
RCPTR_51	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	9.5200E-018	9.5200E-018
RCPTR_51	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.9993E-015	4.9993E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFDFS	Methyl mercury	6.1821E-011	8.1659E-011
RCPTR_51	farmer_child	TOCDFDFS	Methylene chloride	1.4450E-016	1.4450E-016
RCPTR_51	farmer_child	TOCDFDFS	Naphthalene	2.4229E-012	2.4236E-012
RCPTR_51	farmer_child	TOCDFDFS	Nickel	4.7771E-008	4.8926E-008
RCPTR_51	farmer_child	TOCDFDFS	Nitroaniline, 2-	9.6736E-012	9.6842E-012
RCPTR_51	farmer_child	TOCDFDFS	Nitroaniline, 3-	2.3047E-012	2.3057E-012
RCPTR_51	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.9771E-012	2.9787E-012
RCPTR_51	farmer_child	TOCDFDFS	Nitrobenzene	9.6980E-013	9.7034E-013
RCPTR_51	farmer_child	TOCDFDFS	Nitrophenol, 2-	4.4162E-013	4.4173E-013
RCPTR_51	farmer_child	TOCDFDFS	Nitrophenol, 4-	5.8579E-012	5.8597E-012
RCPTR_51	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	5.4691E-013	5.4700E-013
RCPTR_51	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	5.3735E-013	5.3740E-013
RCPTR_51	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	4.8064E-014	4.8066E-014
RCPTR_51	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	2.7584E-014	3.1976E-014
RCPTR_51	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	9.4464E-015	1.0925E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.7279E-013	3.0558E-013
RCPTR_51	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.3475E-014	2.7935E-014
RCPTR_51	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	9.3265E-014	1.1078E-013
RCPTR_51	farmer_child	TOCDFDFS	Pentachlorobenzene	3.6393E-011	3.6409E-011
RCPTR_51	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.4170E-011	1.4171E-011
RCPTR_51	farmer_child	TOCDFDFS	Pentachlorophenol	5.6539E-009	5.6706E-009
RCPTR_51	farmer_child	TOCDFDFS	Phenanthrene	7.3933E-013	7.3934E-013
RCPTR_51	farmer_child	TOCDFDFS	Phenol	7.6794E-013	7.6842E-013
RCPTR_51	farmer_child	TOCDFDFS	Pronamide	1.4512E-010	1.4619E-010
RCPTR_51	farmer_child	TOCDFDFS	Pyrene	2.0054E-008	2.9828E-008
RCPTR_51	farmer_child	TOCDFDFS	Selenium	1.4281E-008	1.4283E-008
RCPTR_51	farmer_child	TOCDFDFS	Silver	5.6460E-009	5.6666E-009
RCPTR_51	farmer_child	TOCDFDFS	Styrene	1.5683E-013	1.5684E-013
RCPTR_51	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.3223E-013	1.6407E-013
RCPTR_51	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	4.3909E-014	5.7325E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	5.8771E-011	5.8854E-011
RCPTR_51	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.9104E-012	1.9104E-012
RCPTR_51	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.9322E-015	1.9322E-015
RCPTR_51	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	3.8129E-010	3.8205E-010
RCPTR_51	farmer_child	TOCDFDFS	Thallium (I)	1.3511E-007	1.3791E-007
RCPTR_51	farmer_child	TOCDFDFS	Toluene	2.6004E-015	2.6004E-015
RCPTR_51	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.2630E-012	2.2633E-012
RCPTR_51	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	1.2487E-015	1.2487E-015
RCPTR_51	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	9.5501E-015	9.5502E-015
RCPTR_51	farmer_child	TOCDFDFS	Trichloroethylene	1.5521E-015	1.5521E-015
RCPTR_51	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	2.0399E-016	2.0399E-016
RCPTR_51	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	2.5370E-010	2.5800E-010
RCPTR_51	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	5.0952E-011	5.1137E-011
RCPTR_51	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	3.5342E-014	3.5343E-014
RCPTR_51	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	4.1115E-013	4.1154E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFDFS	Vinyl Chloride	5.0446E-019	5.0446E-019
RCPTR_51	farmer_child	TOCDFDFS	Xylene, m-	1.0969E-014	1.0969E-014
RCPTR_51	farmer_child	TOCDFDFS	Xylene, o-	1.1498E-014	1.1498E-014
RCPTR_51	farmer_child	TOCDFDFS	Xylene, p-	1.4884E-014	1.4884E-014
RCPTR_51	farmer_child	TOCDFDFS	Zinc	3.4630E-008	3.6712E-008
RCPTR_51	farmer_child	TOCDFLIC	Acenaphthene	3.4592E-011	3.4714E-011
RCPTR_51	farmer_child	TOCDFLIC	Acetone	9.1737E-016	9.1737E-016
RCPTR_51	farmer_child	TOCDFLIC	Acetophenone	3.2986E-013	3.2993E-013
RCPTR_51	farmer_child	TOCDFLIC	Aniline	1.1036E-014	1.1037E-014
RCPTR_51	farmer_child	TOCDFLIC	Anthracene	5.9236E-010	6.1232E-010
RCPTR_51	farmer_child	TOCDFLIC	Antimony	3.1400E-009	3.2539E-009
RCPTR_51	farmer_child	TOCDFLIC	Arsenic	8.1848E-009	8.2289E-009
RCPTR_51	farmer_child	TOCDFLIC	Barium	3.1409E-010	3.2219E-010
RCPTR_51	farmer_child	TOCDFLIC	Benzene	8.4149E-015	8.4149E-015
RCPTR_51	farmer_child	TOCDFLIC	Benzo(a)anthracene	5.2729E-008	6.3070E-008

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.3831E-007	3.4709E-007
RCPTR_51	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.3303E-007	2.5801E-007
RCPTR_51	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	5.2532E-007	5.5915E-007
RCPTR_51	farmer_child	TOCDFLIC	Benzoic acid	1.3356E-012	1.3357E-012
RCPTR_51	farmer_child	TOCDFLIC	Benzyl alcohol	2.5029E-013	2.5042E-013
RCPTR_51	farmer_child	TOCDFLIC	Beryllium	1.5301E-009	1.8404E-009
RCPTR_51	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	2.5054E-013	2.5065E-013
RCPTR_51	farmer_child	TOCDFLIC	Bromodichloromethane	2.2410E-015	2.2410E-015
RCPTR_51	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	7.7188E-014	7.7195E-014
RCPTR_51	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	9.7335E-009	1.3466E-008
RCPTR_51	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.3388E-010	2.3410E-010
RCPTR_51	farmer_child	TOCDFLIC	Cadmium	1.2364E-009	1.3579E-009
RCPTR_51	farmer_child	TOCDFLIC	Carbon disulfide	5.0994E-016	5.0994E-016
RCPTR_51	farmer_child	TOCDFLIC	Carbon tetrachloride	8.0478E-016	8.0478E-016
RCPTR_51	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	2.0109E-011	2.0208E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFLIC	Chloroaniline, p-	1.1624E-012	1.1637E-012
RCPTR_51	farmer_child	TOCDFLIC	Chlorobenzene	4.7070E-015	4.7070E-015
RCPTR_51	farmer_child	TOCDFLIC	Chloroethane	1.3199E-017	1.3199E-017
RCPTR_51	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	7.1300E-016	7.1300E-016
RCPTR_51	farmer_child	TOCDFLIC	Chloronaphthalene,2-	8.9993E-011	9.0731E-011
RCPTR_51	farmer_child	TOCDFLIC	Chlorophenol, 2-	3.2253E-012	3.2327E-012
RCPTR_51	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.1178E-010	1.1218E-010
RCPTR_51	farmer_child	TOCDFLIC	Chromium	6.5612E-008	8.2415E-008
RCPTR_51	farmer_child	TOCDFLIC	Chromium, hexavalent	5.0451E-008	5.0540E-008
RCPTR_51	farmer_child	TOCDFLIC	Chrysene	1.1805E-007	1.3509E-007
RCPTR_51	farmer_child	TOCDFLIC	Di-n-butyl phthalate	9.2237E-010	9.2438E-010
RCPTR_51	farmer_child	TOCDFLIC	Di-n-octylphthalate	3.7217E+000	3.7217E+000
RCPTR_51	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	6.7137E-006	6.8075E-006
RCPTR_51	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	1.4626E-013	1.4627E-013
RCPTR_51	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	1.7720E-013	1.7721E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	1.7067E-013	1.7068E-013
RCPTR_51	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	4.6909E-010	4.7207E-010
RCPTR_51	farmer_child	TOCDFLIC	Dichlorodifluoromethane	1.0562E-018	1.0562E-018
RCPTR_51	farmer_child	TOCDFLIC	Dichloroethane 1,1-	2.6605E-016	2.6605E-016
RCPTR_51	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	3.3053E-016	3.3053E-016
RCPTR_51	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	1.0071E-016	1.0071E-016
RCPTR_51	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.6188E-016	1.6188E-016
RCPTR_51	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	1.3695E-011	1.3740E-011
RCPTR_51	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	9.1071E-016	9.1071E-016
RCPTR_51	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	3.0059E-016	3.0059E-016
RCPTR_51	farmer_child	TOCDFLIC	Diethyl phthalate	4.9027E-010	4.9036E-010
RCPTR_51	farmer_child	TOCDFLIC	Dimethyl phthalate	8.7456E-012	8.7533E-012
RCPTR_51	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	2.1991E-012	2.2019E-012
RCPTR_51	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	1.0114E-012	1.0115E-012
RCPTR_51	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	2.0104E-012	2.0137E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	1.5526E-012	1.5548E-012
RCPTR_51	farmer_child	TOCDFLIC	Ethyl methanesulfonate	4.6917E-014	4.6930E-014
RCPTR_51	farmer_child	TOCDFLIC	Ethylbenzene	3.8240E-015	3.8240E-015
RCPTR_51	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	7.5682E-010	7.5918E-010
RCPTR_51	farmer_child	TOCDFLIC	Fluoranthene	7.0427E-009	8.2991E-009
RCPTR_51	farmer_child	TOCDFLIC	Fluorene	1.3463E-010	1.3609E-010
RCPTR_51	farmer_child	TOCDFLIC	GB	7.8552E-016	7.8572E-016
RCPTR_51	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	6.7720E-015	7.5994E-015
RCPTR_51	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	8.0916E-015	8.8842E-015
RCPTR_51	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.9362E-014	2.1662E-014
RCPTR_51	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	8.5815E-014	9.4578E-014
RCPTR_51	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	4.8909E-014	5.5291E-014
RCPTR_51	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.1820E-014	4.8060E-014
RCPTR_51	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.7063E-014	3.1552E-014
RCPTR_51	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.6519E-014	3.0904E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.0733E-014	3.5768E-014
RCPTR_51	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.2412E-014	2.6098E-014
RCPTR_51	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.8417E-012	2.8420E-012
RCPTR_51	farmer_child	TOCDFLIC	Hexachlorobenzene	5.4589E-009	5.8037E-009
RCPTR_51	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	7.5319E-012	7.5334E-012
RCPTR_51	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.7606E-012	1.7609E-012
RCPTR_51	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_51	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.0168E-005	5.0320E-005
RCPTR_51	farmer_child	TOCDFLIC	Isophorone	3.3540E-013	3.3553E-013
RCPTR_51	farmer_child	TOCDFLIC	Lead	1.8677E-007	2.4301E-007
RCPTR_51	farmer_child	TOCDFLIC	Mercuric chloride	6.5919E-007	1.2346E-006
RCPTR_51	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	1.8328E-017	1.8328E-017
RCPTR_51	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.5011E-018	1.5011E-018
RCPTR_51	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	5.4563E-015	5.4564E-015
RCPTR_51	farmer_child	TOCDFLIC	Methyl mercury	5.2054E-009	6.9002E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFLIC	Methylene chloride	1.1604E-016	1.1604E-016
RCPTR_51	farmer_child	TOCDFLIC	Naphthalene	1.4143E-012	1.4147E-012
RCPTR_51	farmer_child	TOCDFLIC	Nickel	2.7112E-008	2.7765E-008
RCPTR_51	farmer_child	TOCDFLIC	Nitroaniline, 2-	5.7140E-012	5.7202E-012
RCPTR_51	farmer_child	TOCDFLIC	Nitroaniline, 3-	1.3613E-012	1.3619E-012
RCPTR_51	farmer_child	TOCDFLIC	Nitroaniline, 4-	1.7585E-012	1.7594E-012
RCPTR_51	farmer_child	TOCDFLIC	Nitrobenzene	5.6608E-013	5.6639E-013
RCPTR_51	farmer_child	TOCDFLIC	Nitrophenol, 2-	2.5777E-013	2.5784E-013
RCPTR_51	farmer_child	TOCDFLIC	Nitrophenol, 4-	3.4752E-012	3.4763E-012
RCPTR_51	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	3.1924E-013	3.1929E-013
RCPTR_51	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	3.1366E-013	3.1369E-013
RCPTR_51	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	2.8051E-014	2.8052E-014
RCPTR_51	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.3664E-014	2.7395E-014
RCPTR_51	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	7.7615E-015	8.9648E-015
RCPTR_51	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.7917E-013	2.0032E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	4.8874E-014	5.8077E-014
RCPTR_51	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.0738E-013	1.2737E-013
RCPTR_51	farmer_child	TOCDFLIC	Pentachlorobenzene	2.1230E-011	2.1239E-011
RCPTR_51	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	8.3639E-012	8.3645E-012
RCPTR_51	farmer_child	TOCDFLIC	Pentachlorophenol	3.3673E-009	3.3772E-009
RCPTR_51	farmer_child	TOCDFLIC	Phenanthrene	4.3157E-013	4.3158E-013
RCPTR_51	farmer_child	TOCDFLIC	Phenol	4.4826E-013	4.4853E-013
RCPTR_51	farmer_child	TOCDFLIC	Pronamide	4.2359E-011	4.2671E-011
RCPTR_51	farmer_child	TOCDFLIC	Pyrene	1.1710E-008	1.7415E-008
RCPTR_51	farmer_child	TOCDFLIC	Selenium	5.3866E-009	5.3874E-009
RCPTR_51	farmer_child	TOCDFLIC	Silver	2.0806E-009	2.0881E-009
RCPTR_51	farmer_child	TOCDFLIC	Styrene	1.6336E-013	1.6337E-013
RCPTR_51	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	6.4898E-014	8.0428E-014
RCPTR_51	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	9.0162E-014	1.1756E-013
RCPTR_51	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	3.4312E-011	3.4361E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	9.6614E-013	9.6616E-013
RCPTR_51	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	9.6780E-016	9.6780E-016
RCPTR_51	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	2.2584E-010	2.2629E-010
RCPTR_51	farmer_child	TOCDFLIC	Thallium (I)	5.1320E-008	5.2379E-008
RCPTR_51	farmer_child	TOCDFLIC	Toluene	7.4909E-015	7.4909E-015
RCPTR_51	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.3211E-012	1.3212E-012
RCPTR_51	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	6.2546E-016	6.2546E-016
RCPTR_51	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	4.7834E-015	4.7834E-015
RCPTR_51	farmer_child	TOCDFLIC	Trichloroethylene	7.7741E-016	7.7741E-016
RCPTR_51	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.0218E-016	1.0218E-016
RCPTR_51	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	1.4813E-010	1.5064E-010
RCPTR_51	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	2.9769E-011	2.9877E-011
RCPTR_51	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	1.7702E-014	1.7703E-014
RCPTR_51	farmer_child	TOCDFLIC	Vinyl Chloride	2.7225E-019	2.7225E-019
RCPTR_51	farmer_child	TOCDFLIC	Xylene, m-	9.6783E-015	9.6783E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFLIC	Xylene, o-	6.4693E-015	6.4694E-015
RCPTR_51	farmer_child	TOCDFLIC	Xylene, p-	1.3182E-014	1.3182E-014
RCPTR_51	farmer_child	TOCDFLIC	Zinc	9.1181E-009	9.6644E-009
RCPTR_51	farmer_child	TOCDFMPF	Acenaphthene	1.4741E-010	1.4794E-010
RCPTR_51	farmer_child	TOCDFMPF	Acetone	4.5952E-016	4.5952E-016
RCPTR_51	farmer_child	TOCDFMPF	Acetophenone	7.8094E-013	7.8111E-013
RCPTR_51	farmer_child	TOCDFMPF	Aniline	4.7031E-014	4.7033E-014
RCPTR_51	farmer_child	TOCDFMPF	Anthracene	2.5243E-009	2.6094E-009
RCPTR_51	farmer_child	TOCDFMPF	Antimony	9.3585E-010	9.6980E-010
RCPTR_51	farmer_child	TOCDFMPF	Arsenic	1.9234E-009	1.9337E-009
RCPTR_51	farmer_child	TOCDFMPF	Barium	2.9484E-010	3.0244E-010
RCPTR_51	farmer_child	TOCDFMPF	Benzene	4.0915E-016	4.0915E-016
RCPTR_51	farmer_child	TOCDFMPF	Benzo(a)anthracene	2.2464E-007	2.6871E-007
RCPTR_51	farmer_child	TOCDFMPF	Benzo(a)pyrene	1.4409E-006	1.4783E-006
RCPTR_51	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	9.9261E-007	1.0991E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	2.2374E-006	2.3816E-006
RCPTR_51	farmer_child	TOCDFMPF	Benzoic acid	5.3057E-012	5.3063E-012
RCPTR_51	farmer_child	TOCDFMPF	Benzyl alcohol	1.0666E-012	1.0672E-012
RCPTR_51	farmer_child	TOCDFMPF	Beryllium	4.3760E-010	5.2637E-010
RCPTR_51	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.0677E-012	1.0681E-012
RCPTR_51	farmer_child	TOCDFMPF	Bromodichloromethane	3.6475E-015	3.6475E-015
RCPTR_51	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.3762E-013	1.3763E-013
RCPTR_51	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	4.1480E-008	5.7386E-008
RCPTR_51	farmer_child	TOCDFMPF	Butylbenzylphthalate	9.9626E-010	9.9716E-010
RCPTR_51	farmer_child	TOCDFMPF	Cadmium	5.4170E-010	5.9491E-010
RCPTR_51	farmer_child	TOCDFMPF	Carbon disulfide	7.1571E-016	7.1571E-016
RCPTR_51	farmer_child	TOCDFMPF	Carbon tetrachloride	1.1324E-015	1.1324E-015
RCPTR_51	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	8.5691E-011	8.6113E-011
RCPTR_51	farmer_child	TOCDFMPF	Chloroaniline, p-	4.9536E-012	4.9591E-012
RCPTR_51	farmer_child	TOCDFMPF	Chlorobenzene	6.6234E-015	6.6234E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFMPF	Chloroethane	1.8572E-017	1.8572E-017
RCPTR_51	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	9.6510E-016	9.6510E-016
RCPTR_51	farmer_child	TOCDFMPF	Chloronaphthalene,2-	3.8350E-010	3.8665E-010
RCPTR_51	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.3745E-011	1.3776E-011
RCPTR_51	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	4.7633E-010	4.7802E-010
RCPTR_51	farmer_child	TOCDFMPF	Chromium	1.2712E-008	1.5967E-008
RCPTR_51	farmer_child	TOCDFMPF	Chromium, hexavalent	9.7739E-009	9.7912E-009
RCPTR_51	farmer_child	TOCDFMPF	Chrysene	5.0285E-007	5.7545E-007
RCPTR_51	farmer_child	TOCDFMPF	Di-n-butyl phthalate	3.9288E-009	3.9374E-009
RCPTR_51	farmer_child	TOCDFMPF	Di-n-octylphthalate	1.5850E+001	1.5850E+001
RCPTR_51	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	2.8606E-005	2.9006E-005
RCPTR_51	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	6.2329E-013	6.2331E-013
RCPTR_51	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	7.5515E-013	7.5518E-013
RCPTR_51	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	7.2733E-013	7.2735E-013
RCPTR_51	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.6139E-009	2.6305E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFMPF	Dichlorodifluoromethane	1.4862E-018	1.4862E-018
RCPTR_51	farmer_child	TOCDFMPF	Dichloroethane 1,1-	3.7438E-016	3.7438E-016
RCPTR_51	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	4.6510E-016	4.6510E-016
RCPTR_51	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.4171E-016	1.4171E-016
RCPTR_51	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.2779E-016	2.2779E-016
RCPTR_51	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	5.8358E-011	5.8548E-011
RCPTR_51	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.2815E-015	1.2815E-015
RCPTR_51	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	4.2298E-016	4.2298E-016
RCPTR_51	farmer_child	TOCDFMPF	Diethyl phthalate	2.0881E-009	2.0884E-009
RCPTR_51	farmer_child	TOCDFMPF	Dimethyl phthalate	3.1780E-012	3.1808E-012
RCPTR_51	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	9.3716E-012	9.3835E-012
RCPTR_51	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	4.3015E-012	4.3021E-012
RCPTR_51	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	8.5673E-012	8.5814E-012
RCPTR_51	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	6.6166E-012	6.6260E-012
RCPTR_51	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.9994E-013	1.9999E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFMPF	Ethylbenzene	4.0357E-015	4.0357E-015
RCPTR_51	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	8.3689E-010	8.3951E-010
RCPTR_51	farmer_child	TOCDFMPF	Fluoranthene	3.0011E-008	3.5365E-008
RCPTR_51	farmer_child	TOCDFMPF	Fluorene	5.7372E-010	5.7994E-010
RCPTR_51	farmer_child	TOCDFMPF	GB	1.1170E-015	1.1173E-015
RCPTR_51	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.4241E-014	1.5982E-014
RCPTR_51	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	5.4227E-013	5.9543E-013
RCPTR_51	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	8.9705E-014	1.0037E-013
RCPTR_51	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.9581E-013	2.1582E-013
RCPTR_51	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.0616E-013	1.2002E-013
RCPTR_51	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	9.9048E-014	1.1383E-013
RCPTR_51	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.0546E-012	4.7276E-012
RCPTR_51	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	9.8948E-013	1.1532E-012
RCPTR_51	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.7201E-013	2.0021E-013
RCPTR_51	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.2278E-013	1.4298E-013

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.2110E-011	1.2111E-011
RCPTR_51	farmer_child	TOCDFMPF	Hexachlorobenzene	2.3263E-008	2.4732E-008
RCPTR_51	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	3.2097E-011	3.2103E-011
RCPTR_51	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	7.5026E-012	7.5039E-012
RCPTR_51	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_51	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.1368E-004	2.1434E-004
RCPTR_51	farmer_child	TOCDFMPF	Isophorone	1.4293E-012	1.4299E-012
RCPTR_51	farmer_child	TOCDFMPF	Lead	1.4747E-010	1.9188E-010
RCPTR_51	farmer_child	TOCDFMPF	Mercuric chloride	7.4588E-009	1.3971E-008
RCPTR_51	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	2.1975E-017	2.1975E-017
RCPTR_51	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	7.8599E-019	7.8599E-019
RCPTR_51	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	5.1474E-015	5.1474E-015
RCPTR_51	farmer_child	TOCDFMPF	Methyl mercury	5.8882E-011	7.8060E-011
RCPTR_51	farmer_child	TOCDFMPF	Methylene chloride	1.2867E-016	1.2867E-016
RCPTR_51	farmer_child	TOCDFMPF	Naphthalene	6.0271E-012	6.0288E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFMPF	Nickel	2.1291E-008	2.1804E-008
RCPTR_51	farmer_child	TOCDFMPF	Nitroaniline, 2-	2.4306E-011	2.4333E-011
RCPTR_51	farmer_child	TOCDFMPF	Nitroaniline, 3-	5.7908E-012	5.7932E-012
RCPTR_51	farmer_child	TOCDFMPF	Nitroaniline, 4-	7.4802E-012	7.4842E-012
RCPTR_51	farmer_child	TOCDFMPF	Nitrobenzene	2.4123E-012	2.4137E-012
RCPTR_51	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.0985E-012	1.0988E-012
RCPTR_51	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.4780E-011	1.4785E-011
RCPTR_51	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.3604E-012	1.3607E-012
RCPTR_51	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.3367E-012	1.3368E-012
RCPTR_51	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.1954E-013	1.1954E-013
RCPTR_51	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.5101E-014	4.0639E-014
RCPTR_51	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	4.8742E-014	5.6303E-014
RCPTR_51	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	7.0670E-013	7.9016E-013
RCPTR_51	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	5.4375E-013	6.4619E-013
RCPTR_51	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.7435E-012	2.0684E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFMPF	Pentachlorobenzene	9.0469E-011	9.0507E-011
RCPTR_51	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	3.5577E-011	3.5580E-011
RCPTR_51	farmer_child	TOCDFMPF	Pentachlorophenol	1.4319E-008	1.4361E-008
RCPTR_51	farmer_child	TOCDFMPF	Phenanthrene	1.8392E-012	1.8392E-012
RCPTR_51	farmer_child	TOCDFMPF	Phenol	1.9102E-012	1.9114E-012
RCPTR_51	farmer_child	TOCDFMPF	Pronamide	1.8051E-010	1.8184E-010
RCPTR_51	farmer_child	TOCDFMPF	Pyrene	4.9901E-008	7.4211E-008
RCPTR_51	farmer_child	TOCDFMPF	Selenium	1.5780E-009	1.5782E-009
RCPTR_51	farmer_child	TOCDFMPF	Silver	8.3375E-009	8.3680E-009
RCPTR_51	farmer_child	TOCDFMPF	Styrene	1.7462E-013	1.7462E-013
RCPTR_51	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.8392E-013	2.2796E-013
RCPTR_51	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	3.6895E-013	4.8111E-013
RCPTR_51	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.4622E-010	1.4643E-010
RCPTR_51	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.3589E-012	1.3590E-012
RCPTR_51	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.0180E-015	3.0180E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	9.6054E-010	9.6247E-010
RCPTR_51	farmer_child	TOCDFMPF	Thallium (I)	1.5163E-008	1.5476E-008
RCPTR_51	farmer_child	TOCDFMPF	Toluene	2.0972E-015	2.0972E-015
RCPTR_51	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	5.6297E-012	5.6304E-012
RCPTR_51	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	8.8012E-016	8.8012E-016
RCPTR_51	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	6.7309E-015	6.7310E-015
RCPTR_51	farmer_child	TOCDFMPF	Trichloroethylene	1.0939E-015	1.0939E-015
RCPTR_51	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.4378E-016	1.4378E-016
RCPTR_51	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	6.3125E-010	6.4194E-010
RCPTR_51	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.2686E-010	1.2732E-010
RCPTR_51	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	2.4909E-014	2.4910E-014
RCPTR_51	farmer_child	TOCDFMPF	Vinyl Chloride	3.5554E-019	3.5554E-019
RCPTR_51	farmer_child	TOCDFMPF	Xylene, m-	7.6372E-015	7.6372E-015
RCPTR_51	farmer_child	TOCDFMPF	Xylene, o-	8.0240E-015	8.0241E-015
RCPTR_51	farmer_child	TOCDFMPF	Xylene, p-	1.0402E-014	1.0402E-014

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDFMPF	Zinc	5.5891E-009	5.9240E-009
RCPTR_51	farmer_child	TOCDHVAC	GB	4.9504E-015	4.9517E-015
RCPTR_51	farmer_child	TOCDLIC2	Acenaphthene	7.1385E-011	7.1638E-011
RCPTR_51	farmer_child	TOCDLIC2	Acetone	9.0783E-016	9.0783E-016
RCPTR_51	farmer_child	TOCDLIC2	Acetophenone	3.7817E-013	3.7825E-013
RCPTR_51	farmer_child	TOCDLIC2	Aniline	2.2775E-014	2.2775E-014
RCPTR_51	farmer_child	TOCDLIC2	Anthracene	1.2224E-009	1.2636E-009
RCPTR_51	farmer_child	TOCDLIC2	Antimony	4.1775E-009	4.3291E-009
RCPTR_51	farmer_child	TOCDLIC2	Arsenic	8.1848E-009	8.2289E-009
RCPTR_51	farmer_child	TOCDLIC2	Barium	3.0267E-009	3.1047E-009
RCPTR_51	farmer_child	TOCDLIC2	Benzene	6.0557E-016	6.0557E-016
RCPTR_51	farmer_child	TOCDLIC2	Benzo(a)anthracene	1.0881E-007	1.3015E-007
RCPTR_51	farmer_child	TOCDLIC2	Benzo(a)pyrene	6.9814E-007	7.1626E-007
RCPTR_51	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	4.8088E-007	5.3244E-007
RCPTR_51	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	1.0841E-006	1.1539E-006

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDLIC2	Benzoic acid	2.5693E-012	2.5696E-012
RCPTR_51	farmer_child	TOCDLIC2	Benzyl alcohol	5.1651E-013	5.1677E-013
RCPTR_51	farmer_child	TOCDLIC2	Beryllium	1.5301E-009	1.8404E-009
RCPTR_51	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	5.1703E-013	5.1725E-013
RCPTR_51	farmer_child	TOCDLIC2	Bromodichloromethane	6.8619E-015	6.8620E-015
RCPTR_51	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.7897E-013	1.7898E-013
RCPTR_51	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	2.0086E-008	2.7789E-008
RCPTR_51	farmer_child	TOCDLIC2	Butylbenzylphthalate	4.8265E-010	4.8309E-010
RCPTR_51	farmer_child	TOCDLIC2	Cadmium	1.4050E-010	1.5430E-010
RCPTR_51	farmer_child	TOCDLIC2	Carbon disulfide	7.7280E-016	7.7280E-016
RCPTR_51	farmer_child	TOCDLIC2	Carbon tetrachloride	1.2248E-015	1.2248E-015
RCPTR_51	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	4.1497E-011	4.1702E-011
RCPTR_51	farmer_child	TOCDLIC2	Chloroaniline, p-	2.3988E-012	2.4014E-012
RCPTR_51	farmer_child	TOCDLIC2	Chlorobenzene	7.1638E-015	7.1639E-015
RCPTR_51	farmer_child	TOCDLIC2	Chloroethane	2.0088E-017	2.0088E-017

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	2.2014E-015	2.2014E-015
RCPTR_51	farmer_child	TOCDLIC2	Chloronaphthalene,2-	1.8571E-010	1.8724E-010
RCPTR_51	farmer_child	TOCDLIC2	Chlorophenol, 2-	6.6559E-012	6.6711E-012
RCPTR_51	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	2.3067E-010	2.3149E-010
RCPTR_51	farmer_child	TOCDLIC2	Chromium	6.5612E-008	8.2415E-008
RCPTR_51	farmer_child	TOCDLIC2	Chromium, hexavalent	5.0451E-008	5.0540E-008
RCPTR_51	farmer_child	TOCDLIC2	Chrysene	2.4361E-007	2.7877E-007
RCPTR_51	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.9034E-009	1.9076E-009
RCPTR_51	farmer_child	TOCDLIC2	Di-n-octylphthalate	7.6802E+000	7.6802E+000
RCPTR_51	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	1.3855E-005	1.4048E-005
RCPTR_51	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	3.0183E-013	3.0184E-013
RCPTR_51	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	3.6568E-013	3.6569E-013
RCPTR_51	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	3.5221E-013	3.5222E-013
RCPTR_51	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.1281E-009	1.1352E-009
RCPTR_51	farmer_child	TOCDLIC2	Dichlorodifluoromethane	1.6074E-018	1.6074E-018

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDLIC2	Dichloroethane 1,1-	4.0492E-016	4.0492E-016
RCPTR_51	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	5.0305E-016	5.0305E-016
RCPTR_51	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	1.5327E-016	1.5327E-016
RCPTR_51	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	2.4638E-016	2.4638E-016
RCPTR_51	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	2.8262E-011	2.8354E-011
RCPTR_51	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	1.3861E-015	1.3861E-015
RCPTR_51	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	4.5749E-016	4.5749E-016
RCPTR_51	farmer_child	TOCDLIC2	Diethyl phthalate	1.0117E-009	1.0119E-009
RCPTR_51	farmer_child	TOCDLIC2	Dimethyl phthalate	1.0712E-011	1.0721E-011
RCPTR_51	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	4.5382E-012	4.5440E-012
RCPTR_51	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	2.0925E-012	2.0928E-012
RCPTR_51	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	4.1488E-012	4.1556E-012
RCPTR_51	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	3.2041E-012	3.2086E-012
RCPTR_51	farmer_child	TOCDLIC2	Ethyl methanesulfonate	9.6821E-014	9.6846E-014
RCPTR_51	farmer_child	TOCDLIC2	Ethylbenzene	4.9505E-015	4.9505E-015

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	5.0672E-010	5.0830E-010
RCPTR_51	farmer_child	TOCDLIC2	Fluoranthene	1.4533E-008	1.7126E-008
RCPTR_51	farmer_child	TOCDLIC2	Fluorene	2.7783E-010	2.8083E-010
RCPTR_51	farmer_child	TOCDLIC2	GB	8.1663E-016	8.1684E-016
RCPTR_51	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.7532E-014	5.3339E-014
RCPTR_51	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	4.4198E-014	4.8527E-014
RCPTR_51	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.2260E-014	4.7279E-014
RCPTR_51	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.2883E-013	1.4198E-013
RCPTR_51	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	9.2254E-014	1.0429E-013
RCPTR_51	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	8.9166E-014	1.0247E-013
RCPTR_51	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	8.7084E-014	1.0153E-013
RCPTR_51	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.2512E-014	6.1195E-014
RCPTR_51	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.6908E-014	5.4593E-014
RCPTR_51	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	5.3699E-014	6.2532E-014
RCPTR_51	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	5.8642E-012	5.8648E-012

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDLIC2	Hexachlorobenzene	1.1265E-008	1.1977E-008
RCPTR_51	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.5543E-011	1.5546E-011
RCPTR_51	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	3.6332E-012	3.6338E-012
RCPTR_51	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_51	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.0353E-004	1.0384E-004
RCPTR_51	farmer_child	TOCDLIC2	Isophorone	6.9215E-013	6.9241E-013
RCPTR_51	farmer_child	TOCDLIC2	Lead	1.3466E-008	1.7521E-008
RCPTR_51	farmer_child	TOCDLIC2	Mercuric chloride	6.5919E-007	1.2346E-006
RCPTR_51	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	2.3973E-017	2.3973E-017
RCPTR_51	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	9.5549E-019	9.5549E-019
RCPTR_51	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	5.3780E-015	5.3780E-015
RCPTR_51	farmer_child	TOCDLIC2	Methyl mercury	5.2054E-009	6.9002E-009
RCPTR_51	farmer_child	TOCDLIC2	Methylene chloride	4.2212E-016	4.2212E-016
RCPTR_51	farmer_child	TOCDLIC2	Naphthalene	2.9186E-012	2.9194E-012
RCPTR_51	farmer_child	TOCDLIC2	Nickel	9.4243E-009	9.6514E-009

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.1822E-011	1.1835E-011
RCPTR_51	farmer_child	TOCDLIC2	Nitroaniline, 3-	2.8165E-012	2.8177E-012
RCPTR_51	farmer_child	TOCDLIC2	Nitroaniline, 4-	3.6382E-012	3.6402E-012
RCPTR_51	farmer_child	TOCDLIC2	Nitrobenzene	1.1682E-012	1.1688E-012
RCPTR_51	farmer_child	TOCDLIC2	Nitrophenol, 2-	5.3195E-013	5.3209E-013
RCPTR_51	farmer_child	TOCDLIC2	Nitrophenol, 4-	7.1901E-012	7.1924E-012
RCPTR_51	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	6.5879E-013	6.5890E-013
RCPTR_51	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	6.4727E-013	6.4733E-013
RCPTR_51	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	5.7887E-014	5.7890E-014
RCPTR_51	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	7.9456E-014	9.1985E-014
RCPTR_51	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.6252E-014	3.0322E-014
RCPTR_51	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.3504E-013	3.7458E-013
RCPTR_51	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.0342E-013	1.2289E-013
RCPTR_51	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.8575E-013	3.3897E-013
RCPTR_51	farmer_child	TOCDLIC2	Pentachlorobenzene	4.3810E-011	4.3829E-011

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.7305E-011	1.7306E-011
RCPTR_51	farmer_child	TOCDLIC2	Pentachlorophenol	6.9669E-009	6.9873E-009
RCPTR_51	farmer_child	TOCDLIC2	Phenanthrene	8.9061E-013	8.9063E-013
RCPTR_51	farmer_child	TOCDLIC2	Phenol	9.7801E-013	9.7862E-013
RCPTR_51	farmer_child	TOCDLIC2	Pronamide	8.7414E-011	8.8056E-011
RCPTR_51	farmer_child	TOCDLIC2	Pyrene	2.4165E-008	3.5937E-008
RCPTR_51	farmer_child	TOCDLIC2	Selenium	5.3866E-009	5.3874E-009
RCPTR_51	farmer_child	TOCDLIC2	Silver	2.0806E-009	2.0881E-009
RCPTR_51	farmer_child	TOCDLIC2	Styrene	1.3686E-013	1.3686E-013
RCPTR_51	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.8813E-013	2.3315E-013
RCPTR_51	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.6150E-013	2.1058E-013
RCPTR_51	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	7.0808E-011	7.0908E-011
RCPTR_51	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.4704E-012	1.4705E-012
RCPTR_51	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.4730E-015	1.4730E-015
RCPTR_51	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	4.6725E-010	4.6819E-010

BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_51	farmer_child	TOCDLIC2	Thallium (I)	5.1320E-008	5.2379E-008
RCPTR_51	farmer_child	TOCDLIC2	Toluene	7.8851E-015	7.8852E-015
RCPTR_51	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	2.7262E-012	2.7265E-012
RCPTR_51	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	9.5193E-016	9.5193E-016
RCPTR_51	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	7.2801E-015	7.2802E-015
RCPTR_51	farmer_child	TOCDLIC2	Trichloroethylene	1.1832E-015	1.1832E-015
RCPTR_51	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.5551E-016	1.5551E-016
RCPTR_51	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	3.0569E-010	3.1086E-010
RCPTR_51	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	6.1433E-011	6.1656E-011
RCPTR_51	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	2.6942E-014	2.6943E-014
RCPTR_51	farmer_child	TOCDLIC2	Vinyl Chloride	4.5441E-019	4.5441E-019
RCPTR_51	farmer_child	TOCDLIC2	Xylene, m-	1.1235E-014	1.1235E-014
RCPTR_51	farmer_child	TOCDLIC2	Xylene, o-	8.6798E-015	8.6798E-015
RCPTR_51	farmer_child	TOCDLIC2	Xylene, p-	1.5302E-014	1.5303E-014
RCPTR_51	farmer_child	TOCDLIC2	Zinc	1.0887E-008	1.1539E-008